

Business Rule Check

Note: sample code and result code can be supplied on request

ErrorType	ErrorCode	ErrorDescription	Variable	VariableValue	NumberRecordFailing
W	WR15C	Result type is LOQ for a result that contains a value	resType\$resLOQ\$resVal	LOQ\$0.000025\$0.000025	8
W	WR15C	Result type is LOQ for a result that contains a value	resType\$resLOQ\$resVal	LOQ\$0.0002\$0.0002	60
W	WR15C	Result type is LOQ for a result that contains a value	resType\$resLOQ\$resVal	LOQ\$0.001\$0.001	639
W	WR15C	Result type is LOQ for a result that contains a value	resType\$resLOQ\$resVal	LOQ\$0.002\$0.002	206418
W	WR15C	Result type is LOQ for a result that contains a value	resType\$resLOQ\$resVal	LOQ\$0.0024\$0.0024	3
W	WR15C	Result type is LOQ for a result that contains a value	resType\$resLOQ\$resVal	LOQ\$0.0028\$0.0028	3
W	WR15C	Result type is LOQ for a result that contains a value	resType\$resLOQ\$resVal	LOQ\$0.003\$0.003	166
W	WR15C	Result type is LOQ for a result that contains a value	resType\$resLOQ\$resVal	LOQ\$0.004\$0.004	11020
W	WR15C	Result type is LOQ for a result that contains a value	resType\$resLOQ\$resVal	LOQ\$0.005\$0.005	416
W	WR15C	Result type is LOQ for a result that contains a value	resType\$resLOQ\$resVal	LOQ\$0.006\$0.006	6714
W	WR15C	Result type is LOQ for a result that contains a value	resType\$resLOQ\$resVal	LOQ\$0.007\$0.007	19
W	WR15C	Result type is LOQ for a result that contains a value	resType\$resLOQ\$resVal	LOQ\$0.008\$0.008	109181
W	WR15C	Result type is LOQ for a result that contains a value	resType\$resLOQ\$resVal	LOQ\$0.01\$0.01	9048
W	WR15C	Result type is LOQ for a result that contains a value	resType\$resLOQ\$resVal	LOQ\$0.012\$0.012	1107
W	WR15C	Result type is LOQ for a result that contains a value	resType\$resLOQ\$resVal	LOQ\$0.014\$0.014	1109
W	WR15C	Result type is LOQ for a result that contains a value	resType\$resLOQ\$resVal	LOQ\$0.016\$0.016	3994
W	WR15C	Result type is LOQ for a result that contains a value	resType\$resLOQ\$resVal	LOQ\$0.018\$0.018	1107
W	WR15C	Result type is LOQ for a result that contains a value	resType\$resLOQ\$resVal	LOQ\$0.02\$0.02	461
W	WR15C	Result type is LOQ for a result that contains a value	resType\$resLOQ\$resVal	LOQ\$0.024\$0.024	893
W	WR15C	Result type is LOQ for a result that contains a value	resType\$resLOQ\$resVal	LOQ\$0.03\$0.03	301
W	WR15C	Result type is LOQ for a result that contains a value	resType\$resLOQ\$resVal	LOQ\$0.04\$0.04	24150
W	WR15C	Result type is LOQ for a result that contains a value	resType\$resLOQ\$resVal	LOQ\$0.042\$0.042	67
W	WR15C	Result type is LOQ for a result that contains a value	resType\$resLOQ\$resVal	LOQ\$0.048\$0.048	1736
W	WR15C	Result type is LOQ for a result that contains a value	resType\$resLOQ\$resVal	LOQ\$0.05\$0.05	2
W	WR15C	Result type is LOQ for a result that contains a value	resType\$resLOQ\$resVal	LOQ\$0.08\$0.08	68
W	WR15C	Result type is LOQ for a result that contains a value	resType\$resLOQ\$resVal	LOQ\$0.1\$0.1	7354
W	WR15C	Result type is LOQ for a result that contains a value	resType\$resLOQ\$resVal	LOQ\$0.102\$0.102	1107
W	WR15C	Result type is LOQ for a result that contains a value	resType\$resLOQ\$resVal	LOQ\$0.108\$0.108	1040

Business Rule Check

Note: sample code and result code can be supplied on request

ErrorType	ErrorCode	ErrorDescription	Variable	VariableValue	NumberRecordFailing
W	WR15C	Result type is LOQ for a result that contains a value	resType\$resLOQ\$resVal	LOQ\$0.122\$0.122	211
W	WR15C	Result type is LOQ for a result that contains a value	resType\$resLOQ\$resVal	LOQ\$0.14\$0.14	61
W	WR15C	Result type is LOQ for a result that contains a value	resType\$resLOQ\$resVal	LOQ\$0.46\$0.46	14
W	WR15C	Result type is LOQ for a result that contains a value	resType\$resLOQ\$resVal	LOQ\$5\$5	109
W	WR15C	The reported LOQ is greater than the reported result value	resVAL\$resLOQ	0.008\$0.04	1
W	WR27A	Compliance should be checked against EC MRL	resLegalLimitType	W990A	11

<i>Samples</i>	<i>Total</i>	<i>Without Residues</i>	<i>%</i>	<i>With residues below MRL</i>	<i>%</i>	<i>Exceeding MRL</i>	<i>%</i>	<i>Non Compliant</i>	<i>%</i>
Animal products	50	43	86%	7	14%	0	0.0%	0	0.0%
Baby food	39	35	90%	4	10%	0	0.0%	0	0.0%
Cereals	166	102	61%	61	37%	3	1.8%	0	0.0%
Fish products	5	2	40%	3	60%	0	0.0%	0	0.0%
Processed products	134	68	51%	61	46%	5	3.7%	2	1.5%
Sum of fruits and nuts, vegetables, other plant products	906	321	35%	557	61%	28	3.1%	12	1.3%
	1300	571	44%	693	53%	36	2.8%	14	1.1%

Totals for Cereals, Sum (fruit, vegetables, other plant origin) and Animal products are for unprocessed commodities

Strategy=Enforcement

<i>Origin</i>	<i>Samples</i>	<i>Samples %</i>	<i>Exceeding MRL</i>	<i>Exceeding MRL %</i>	<i>Non Compliant</i>	<i>Non Compliant %</i>
Domestic	3	.23%	0	.00%	0	.00%
EEA	2	.15%	0	.00%	0	.00%
TC	4	.31%	0	.00%	0	.00%

Strategy=Surveillance

<i>Origin</i>	<i>Samples</i>	<i>Samples %</i>	<i>Exceeding MRL</i>	<i>Exceeding MRL %</i>	<i>Non Compliant</i>	<i>Non Compliant %</i>
Domestic	416	32%	9	2.2%	4	.96%
EEA	637	49%	16	2.5%	7	1.1%
TC	203	16%	11	5.4%	3	1.5%
UNK	35	2.7%	0	.00%	0	.00%

Pesticide monitoring 2011 Czech Republic on September 17, 2012 at 03:59:44 PM
Table A1: Exceedence of MRL, number of samples exceeding MRL and percentage of samples below the MRL

Strategy=Enforcement

<i>Product Class</i>	<i>Product</i>	<i>Total</i>	<i>Ex</i>	<i>%</i>	<i>Domestic</i>	<i>Ex</i>	<i>%</i>	<i>EEA</i>	<i>Ex</i>	<i>%</i>	<i>Third Country</i>	<i>Ex</i>	<i>%</i>
Cereals	Other cereals	1	0	100	1	0	100	0	0	.	0	0	.
Cereals		1	0	100	1	0	100	0	0	.	0	0	.
Fruits and nuts	Papaya	1	0	100	0	0	.	0	0	.	1	0	100
Fruits and nuts		1	0	100	0	0	.	0	0	.	1	0	100
Other products (incl. not classified and animal feed)	OTHER	2	0	100	0	0	.	0	0	.	2	0	100
Other products (incl. not classified and animal feed)		2	0	100	0	0	.	0	0	.	2	0	100
Vegetables	Broccoli	1	0	100	0	0	.	1	0	100	0	0	.
	Cucumbers	1	0	100	0	0	.	1	0	100	0	0	.
	Head cabbage	1	0	100	1	0	100	0	0	.	0	0	.
	Lettuce	1	0	100	1	0	100	0	0	.	0	0	.
	Tomatoes	1	0	100	0	0	.	0	0	.	1	0	100
Vegetables		5	0	100	2	0	100	2	0	100	1	0	100
		9	0	100	3	0	100	2	0	100	4	0	100

Ex = number of samples above MRL; % = percentage of samples below MRL
Figures in bold are subtotals and totals for product groups

Pesticide monitoring 2011 Czech Republic on September 17, 2012 at 03:59:44 PM
Table A1: Exceedence of MRL, number of samples exceeding MRL and percentage of samples below the MRL

Strategy=Enforcement

Product Class	Product	Organic			Non Organic			Raw			Process		
		Ex	%		Ex	%		Ex	%		Ex	%	
Cereals	Other cereals	0	0	.	1	0	100	0	0	.	1	0	100
Cereals		0	0	.	1	0	100	0	0	.	1	0	100
Fruits and nuts	Papaya	0	0	.	1	0	100	1	0	100	0	0	.
Fruits and nuts		0	0	.	1	0	100	1	0	100	0	0	.
Other products (incl. not classified and animal feed)	OTHER	0	0	.	2	0	100	0	0	.	2	0	100
Other products (incl. not classified and animal feed)		0	0	.	2	0	100	0	0	.	2	0	100
Vegetables	Broccoli	0	0	.	1	0	100	1	0	100	0	0	.
	Cucumbers	0	0	.	1	0	100	1	0	100	0	0	.
	Head cabbage	0	0	.	1	0	100	1	0	100	0	0	.
	Lettuce	0	0	.	1	0	100	1	0	100	0	0	.
	Tomatoes	0	0	.	1	0	100	1	0	100	0	0	.
Vegetables		0	0	.	5	0	100	5	0	100	0	0	.
		0	0	.	9	0	100	6	0	100	3	0	100

Ex = number of samples above MRL; % = percentage of samples below MRL
Figures in bold are subtotals and totals for product groups

Table A1: Exceedence of MRL, number of samples exceeding MRL and percentage of samples below the MRL

Strategy=Surveillance

Product Class	Product	Total	Ex	%	Domestic	Ex	%	EEA	Ex	%	Third Country	Ex	%
Animal products	Bovine Liver	6	0	100	6	0	100	0	0	.	0	0	.
	Bovine Meat	5	0	100	5	0	100	0	0	.	0	0	.
	Dairy products Cattle	15	0	100	15	0	100	0	0	.	0	0	.
	Eggs Chicken	5	0	100	5	0	100	0	0	.	0	0	.
	Honey	5	0	100	5	0	100	0	0	.	0	0	.
	Poultry liver	1	0	100	1	0	100	0	0	.	0	0	.
	Poultry meat	8	0	100	8	0	100	0	0	.	0	0	.
	Poultry products	7	0	100	7	0	100	0	0	.	0	0	.
	Swine Liver	8	0	100	8	0	100	0	0	.	0	0	.
	Swine Meat	5	0	100	5	0	100	0	0	.	0	0	.
Animal products		65	0	100	65	0	100	0	0	.	0	0	.
Baby food	Baby food for infants and young children	10	0	100	2	0	100	6	0	100	0	0	.
	Follow-on formulae	3	0	100	0	0	.	3	0	100	0	0	.
	Infant formulae	12	0	100	0	0	.	11	0	100	0	0	.
	Processed cereal-based baby foods	14	0	100	1	0	100	7	0	100	5	0	100
Baby food		39	0	100	3	0	100	27	0	100	5	0	100
Cereals	Barley	20	0	100	20	0	100	0	0	.	0	0	.
	Buckwheat	1	0	100	1	0	100	0	0	.	0	0	.
	Maize	15	0	100	9	0	100	1	0	100	3	0	100
	Oats	19	0	100	16	0	100	3	0	100	0	0	.
	Other cereals	14	1	92.9	10	1	90	2	0	100	0	0	.
	Rice	38	0	100	2	0	100	21	0	100	7	0	100
	Rye	36	3	91.7	28	3	89.3	5	0	100	0	0	.
	Wheat	72	0	100	67	0	100	3	0	100	0	0	.
Cereals		215	4	98.1	153	4	97.4	35	0	100	10	0	100

Ex = number of samples above MRL; % = percentage of samples below MRL

Figures in bold are subtotals and totals for product groups

Table A1: Exceedence of MRL, number of samples exceeding MRL and percentage of samples below the MRL

Strategy=Surveillance

Product Class	Product	Total	Ex	%	Domestic	Ex	%	EEA	Ex	%	Third Country	Ex	%
Fish products	Fish, fish products, shell fish, molluscs and other marine and freshwater food products	5	0	100	4	0	100	0	0	.	1	0	100
Fish products		5	0	100	4	0	100	0	0	.	1	0	100
Fruits and nuts	Apples	61	0	100	16	0	100	39	0	100	6	0	100
	Apricots	5	0	100	0	0	.	5	0	100	0	0	.
	Bananas	21	1	95.2	0	0	.	0	0	.	21	1	95.2
	Grapefruit	9	1	88.9	0	0	.	1	0	100	8	1	87.5
	Kiwi	10	0	100	0	0	.	8	0	100	2	0	100
	Lemons	10	0	100	0	0	.	8	0	100	2	0	100
	Limes	1	0	100	0	0	.	0	0	.	1	0	100
	Lychee (Litchi)	4	0	100	0	0	.	1	0	100	3	0	100
	Mandarins	18	1	94.4	0	0	.	13	1	92.3	5	0	100
	Mangoes	5	0	100	0	0	.	0	0	.	5	0	100
	Oranges	32	0	100	0	0	.	22	0	100	8	0	100
	Papaya	5	1	80	0	0	.	0	0	.	5	1	80
	Peaches	30	2	93.3	1	0	100	26	2	92.3	3	0	100
	Pears	34	0	100	7	0	100	14	0	100	13	0	100
	Persimmon	1	0	100	0	0	.	1	0	100	0	0	.
	Pineapples	7	0	100	0	0	.	0	0	.	7	0	100
	Plums	8	0	100	1	0	100	7	0	100	0	0	.
	Pomegranate	1	0	100	0	0	.	0	0	.	1	0	100
	Strawberries	19	1	94.7	5	1	80	14	0	100	0	0	.
	Table grapes	35	0	100	0	0	.	16	0	100	19	0	100
	Wine grapes	1	0	100	0	0	.	1	0	100	0	0	.
Fruits and nuts		317	7	97.8	30	1	96.7	176	3	98.3	109	3	97.2
Other plant products	Anise	1	0	100	0	0	.	1	0	100	0	0	.

Ex = number of samples above MRL; % = percentage of samples below MRL

Figures in bold are subtotals and totals for product groups

Strategy=Surveillance

Product Class	Product	Total	Ex	%	Domestic	Ex	%	EEA	Ex	%	Third Country	Ex	%
	Coffee	1	0	100	0	0	.	0	0	.	1	0	100
	Lentils (dry)	3	0	100	0	0	.	0	0	.	2	0	100
	Linseed	1	0	100	1	0	100	0	0	.	0	0	.
	Other herbal infusions	1	0	100	1	0	100	0	0	.	0	0	.
	Other oilseeds	1	0	100	0	0	.	1	0	100	0	0	.
	Other pulses, dry	1	0	100	0	0	.	0	0	.	1	0	100
	Pumpkin seeds	2	0	100	1	0	100	0	0	.	1	0	100
	Rape seed	2	0	100	1	0	100	1	0	100	0	0	.
	Sesame seed	1	1	0	0	0	.	0	0	.	1	1	0
	Soya bean	10	1	90	3	1	66.7	0	0	.	6	0	100
	Spices	3	0	100	0	0	.	0	0	.	1	0	100
	Sunflower seed	6	0	100	0	0	.	1	0	100	4	0	100
	Tea	7	1	85.7	0	0	.	2	1	50	2	0	100
Other plant products		40	3	92.5	7	1	85.7	6	1	83.3	19	1	94.7
Other products (incl. not classified and animal feed)	INFANT WATER	2	0	100	2	0	100	0	0	.	0	0	.
	OTHER	9	0	100	5	0	100	1	0	100	3	0	100
Other products (incl. not classified and animal feed)		11	0	100	7	0	100	1	0	100	3	0	100
Vegetables	Aubergines (egg plants)	20	0	100	0	0	.	20	0	100	0	0	.
	Beans (with pods)	22	1	95.5	3	0	100	4	0	100	14	1	92.9
	Beans (without pods)	1	0	100	0	0	.	1	0	100	0	0	.
	Broccoli	13	1	92.3	3	0	100	10	1	90	0	0	.
	Brussels sprouts	8	0	100	0	0	.	8	0	100	0	0	.
	Carrots	42	0	100	11	0	100	31	0	100	0	0	.
	Cauliflower	17	0	100	5	0	100	12	0	100	0	0	.
	Celeriac	10	1	90	5	0	100	5	1	80	0	0	.

Ex = number of samples above MRL; % = percentage of samples below MRL
 Figures in bold are subtotals and totals for product groups

Strategy=Surveillance

Product Class	Product	Total	Ex	%	Domestic	Ex	%	EEA	Ex	%	Third Country	Ex	%
	Chinese cabbage	17	1	94.1	7	0	100	10	1	90	0	0	.
	Courgettes	1	0	100	0	0	.	1	0	100	0	0	.
	Cucumbers	49	3	93.9	5	0	100	44	3	93.2	0	0	.
	Cultivated fungi	11	0	100	8	0	100	3	0	100	0	0	.
	Garlic	13	0	100	1	0	100	4	0	100	8	0	100
	Gherkins	12	2	83.3	6	0	100	3	0	100	2	2	0
	Head cabbage	33	1	97	15	1	93.3	18	0	100	0	0	.
	Kohlrabi	3	0	100	2	0	100	1	0	100	0	0	.
	Leaf vegetables and fresh herbs	3	1	66.7	2	0	100	0	0	.	1	1	0
	Leek	26	0	100	0	0	.	26	0	100	0	0	.
	Lettuce	39	2	94.9	18	2	88.9	21	0	100	0	0	.
	Onions	21	0	100	7	0	100	14	0	100	0	0	.
	Parsley root	12	0	100	3	0	100	9	0	100	0	0	.
	Parsnips	1	0	100	0	0	.	1	0	100	0	0	.
	Peas (with pods)	13	0	100	4	0	100	7	0	100	1	0	100
	Peas (without pods)	3	0	100	1	0	100	2	0	100	0	0	.
	Peppers	47	3	93.6	6	0	100	31	2	93.5	10	1	90
	Potatoes	55	0	100	23	0	100	29	0	100	3	0	100
	Radishes	15	1	93.3	5	0	100	10	1	90	0	0	.
	Rosemary	1	0	100	0	0	.	0	0	.	1	0	100
	Spinach	25	1	96	2	0	100	23	1	95.7	0	0	.
	Spring onions	1	0	100	0	0	.	1	0	100	0	0	.
	Sweet corn	4	0	100	0	0	.	3	0	100	0	0	.
	Tomatoes	61	4	93.4	5	0	100	40	2	95	16	2	87.5

Ex = number of samples above MRL; % = percentage of samples below MRL
 Figures in bold are subtotals and totals for product groups

Strategy=Surveillance

Product Class	Product	Total	Ex	%	Domestic	Ex	%	EEA	Ex	%	Third Country	Ex	%
Vegetables		599	22	96.3	147	3	98	392	12	96.9	56	7	87.5
		1291	36	97.2	416	9	97.8	637	16	97.5	203	11	94.6

*Ex = number of samples above MRL; % = percentage of samples below MRL
 Figures in bold are subtotals and totals for product groups*

Strategy=Surveillance

Product Class	Product	Organic			Non Organic			Raw			Process		
		Ex	%		Ex	%		Ex	%		Ex	%	
Animal products	Bovine Liver	0	0	.	6	0	100	6	0	100	0	0	.
	Bovine Meat	0	0	.	5	0	100	5	0	100	0	0	.
	Dairy products Cattle	0	0	.	15	0	100	0	0	.	15	0	100
	Eggs Chicken	0	0	.	5	0	100	5	0	100	0	0	.
	Honey	0	0	.	5	0	100	5	0	100	0	0	.
	Poultry liver	0	0	.	1	0	100	1	0	100	0	0	.
	Poultry meat	0	0	.	8	0	100	8	0	100	0	0	.
	Poultry products	0	0	.	7	0	100	7	0	100	0	0	.
	Swine Liver	0	0	.	8	0	100	8	0	100	0	0	.
	Swine Meat	0	0	.	5	0	100	5	0	100	0	0	.
Animal products		0	0	.	65	0	100	50	0	100	15	0	100
Baby food	Baby food for infants and young children	3	0	100	7	0	100	0	0	.	10	0	100
	Follow-on formulae	2	0	100	1	0	100	0	0	.	3	0	100
	Infant formulae	1	0	100	11	0	100	1	0	100	11	0	100
	Processed cereal-based baby foods	9	0	100	5	0	100	0	0	.	14	0	100
Baby food		15	0	100	24	0	100	1	0	100	38	0	100
Cereals	Barley	4	0	100	16	0	100	20	0	100	0	0	.
	Buckwheat	0	0	.	1	0	100	1	0	100	0	0	.
	Maize	2	0	100	13	0	100	12	0	100	3	0	100
	Oats	10	0	100	9	0	100	19	0	100	0	0	.
	Other cereals	7	0	100	7	1	85.7	6	0	100	8	1	87.5
	Rice	10	0	100	28	0	100	36	0	100	2	0	100
	Rye	6	0	100	30	3	90	33	3	90.9	3	0	100
	Wheat	10	0	100	62	0	100	39	0	100	33	0	100
Cereals		49	0	100	166	4	97.6	166	3	98.2	49	1	98

Ex = number of samples above MRL; % = percentage of samples below MRL
 Figures in bold are subtotals and totals for product groups

Strategy=Surveillance

Product Class	Product	Organic	Ex	%	Non Organic	Ex	%	Raw	Ex	%	Process	Ex	%
Fish products	Fish, fish products, shell fish, molluscs and other marine and freshwater food products	0	0	.	5	0	100	5	0	100	0	0	.
Fish products		0	0	.	5	0	100	5	0	100	0	0	.
Fruits and nuts	Apples	19	0	100	42	0	100	58	0	100	3	0	100
	Apricots	0	0	.	5	0	100	5	0	100	0	0	.
	Bananas	2	1	50	19	0	100	21	1	95.2	0	0	.
	Grapefruit	0	0	.	9	1	88.9	9	1	88.9	0	0	.
	Kiwi	3	0	100	7	0	100	10	0	100	0	0	.
	Lemons	3	0	100	7	0	100	10	0	100	0	0	.
	Limes	0	0	.	1	0	100	1	0	100	0	0	.
	Lychee (Litchi)	0	0	.	4	0	100	4	0	100	0	0	.
	Mandarins	1	0	100	17	1	94.1	18	1	94.4	0	0	.
	Mangoes	0	0	.	5	0	100	5	0	100	0	0	.
	Oranges	6	0	100	26	0	100	23	0	100	9	0	100
	Papaya	0	0	.	5	1	80	5	1	80	0	0	.
	Peaches	0	0	.	30	2	93.3	30	2	93.3	0	0	.
	Pears	4	0	100	30	0	100	34	0	100	0	0	.
	Persimmon	0	0	.	1	0	100	1	0	100	0	0	.
	Pineapples	0	0	.	7	0	100	7	0	100	0	0	.
	Plums	0	0	.	8	0	100	8	0	100	0	0	.
	Pomegranate	0	0	.	1	0	100	1	0	100	0	0	.
	Strawberries	0	0	.	19	1	94.7	19	1	94.7	0	0	.
	Table grapes	0	0	.	35	0	100	35	0	100	0	0	.
	Wine grapes	0	0	.	1	0	100	0	0	.	1	0	100
Fruits and nuts		38	1	97.4	279	6	97.8	304	7	97.7	13	0	100
Other plant products	Anise	0	0	.	1	0	100	0	0	.	1	0	100

Ex = number of samples above MRL; % = percentage of samples below MRL
 Figures in bold are subtotals and totals for product groups

Strategy=Surveillance

Product Class	Product	Organic			Non Organic			Raw			Process		
		Ex	%		Ex	%		Ex	%		Ex	%	
	Coffee	0	0	.	1	0	100	1	0	100	0	0	.
	Lentils (dry)	2	0	100	1	0	100	2	0	100	1	0	100
	Linseed	0	0	.	1	0	100	0	0	.	1	0	100
	Other herbal infusions	0	0	.	1	0	100	0	0	.	1	0	100
	Other oilseeds	1	0	100	0	0	.	1	0	100	0	0	.
	Other pulses, dry	0	0	.	1	0	100	0	0	.	1	0	100
	Pumpkin seeds	2	0	100	0	0	.	0	0	.	2	0	100
	Rape seed	0	0	.	2	0	100	0	0	.	2	0	100
	Sesame seed	0	0	.	1	1	0	0	0	.	1	1	0
	Soya bean	3	0	100	7	1	85.7	8	1	87.5	2	0	100
	Spices	0	0	.	3	0	100	0	0	.	3	0	100
	Sunflower seed	3	0	100	3	0	100	1	0	100	5	0	100
	Tea	3	0	100	4	1	75	0	0	.	7	1	85.7
Other plant products		14	0	100	26	3	88.5	13	1	92.3	27	2	92.6
Other products (incl. not classified and animal feed)	INFANT WATER	0	0	.	2	0	100	0	0	.	2	0	100
	OTHER	0	0	.	9	0	100	2	0	100	7	0	100
Other products (incl. not classified and animal feed)		0	0	.	11	0	100	2	0	100	9	0	100
Vegetables	Aubergines (egg plants)	0	0	.	20	0	100	20	0	100	0	0	.
	Beans (with pods)	0	0	.	22	1	95.5	22	1	95.5	0	0	.
	Beans (without pods)	0	0	.	1	0	100	1	0	100	0	0	.
	Broccoli	0	0	.	13	1	92.3	13	1	92.3	0	0	.
	Brussels sprouts	0	0	.	8	0	100	8	0	100	0	0	.
	Carrots	14	0	100	28	0	100	42	0	100	0	0	.
	Cauliflower	0	0	.	17	0	100	17	0	100	0	0	.
	Celeriac	0	0	.	10	1	90	10	1	90	0	0	.

Ex = number of samples above MRL; % = percentage of samples below MRL
 Figures in bold are subtotals and totals for product groups

Strategy=Surveillance

Product Class	Product	Organic			Non			Raw			Process		
		Ex	%		Organic	Ex	%	Ex	%		Ex	%	
	Chinese cabbage	0	0	.	17	1	94.1	17	1	94.1	0	0	.
	Courgettes	0	0	.	1	0	100	1	0	100	0	0	.
	Cucumbers	2	0	100	47	3	93.6	49	3	93.9	0	0	.
	Cultivated fungi	0	0	.	11	0	100	11	0	100	0	0	.
	Garlic	4	0	100	9	0	100	13	0	100	0	0	.
	Gherkins	2	0	100	10	2	80	0	0	.	12	2	83.3
	Head cabbage	0	0	.	33	1	97	33	1	97	0	0	.
	Kohlrabi	0	0	.	3	0	100	3	0	100	0	0	.
	Leaf vegetables and fresh herbs	0	0	.	3	1	66.7	3	1	66.7	0	0	.
	Leek	2	0	100	24	0	100	26	0	100	0	0	.
	Lettuce	0	0	.	39	2	94.9	39	2	94.9	0	0	.
	Onions	8	0	100	13	0	100	21	0	100	0	0	.
	Parsley root	0	0	.	12	0	100	12	0	100	0	0	.
	Parsnips	0	0	.	1	0	100	1	0	100	0	0	.
	Peas (with pods)	0	0	.	13	0	100	13	0	100	0	0	.
	Peas (without pods)	0	0	.	3	0	100	3	0	100	0	0	.
	Peppers	0	0	.	47	3	93.6	45	3	93.3	2	0	100
	Potatoes	20	0	100	35	0	100	55	0	100	0	0	.
	Radishes	0	0	.	15	1	93.3	15	1	93.3	0	0	.
	Rosemary	0	0	.	1	0	100	1	0	100	0	0	.
	Spinach	1	0	100	24	1	95.8	25	1	96	0	0	.
	Spring onions	0	0	.	1	0	100	1	0	100	0	0	.
	Sweet corn	0	0	.	4	0	100	3	0	100	1	0	100
	Tomatoes	9	0	100	52	4	92.3	58	4	93.1	3	0	100

Ex = number of samples above MRL; % = percentage of samples below MRL
 Figures in bold are subtotals and totals for product groups

Strategy=Surveillance

Product Class	Product	Organic			Non Organic			Raw			Process		
		Ex	%		Ex	%		Ex	%		Ex	%	
Vegetables		62	0	100	537	22	95.9	581	20	96.6	18	2	88.9
		178	1	99.4	1113	35	96.9	1122	31	97.2	169	5	97

*Ex = number of samples above MRL; % = percentage of samples below MRL
 Figures in bold are subtotals and totals for product groups*

Table A2: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level

Strategy=Enforcement

Product Class	Product	Total	ND	%	Domestic	ND	%	EEA	ND	%	Third Country	ND	%
Cereals	Other cereals	1	0	100	1	0	100	0	0	.	0	0	.
Cereals		1	0	100	1	0	100	0	0	.	0	0	.
Fruits and nuts	Papaya	1	1	0	0	0	.	0	0	.	1	1	0
Fruits and nuts		1	1	0	0	0	.	0	0	.	1	1	0
Other products (incl. not classified and animal feed)	OTHER	2	0	100	0	0	.	0	0	.	2	0	100
Other products (incl. not classified and animal feed)		2	0	100	0	0	.	0	0	.	2	0	100
Vegetables	Broccoli	1	0	100	0	0	.	1	0	100	0	0	.
	Cucumbers	1	1	0	0	0	.	1	1	0	0	0	.
	Head cabbage	1	0	100	1	0	100	0	0	.	0	0	.
	Lettuce	1	0	100	1	0	100	0	0	.	0	0	.
	Tomatoes	1	1	0	0	0	.	0	0	.	1	1	0
Vegetables		5	2	60	2	0	100	2	1	50	1	1	0
		9	3	66.7	3	0	100	2	1	50	4	2	50

ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)

Figures in bold are subtotals and totals for product groups

Table A2: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level

Strategy=Enforcement

Product Class	Product	Organic			Non Organic			Raw			Process		
		ND	%		ND	%		ND	%		ND	%	
Cereals	Other cereals	0	0	.	1	0	100	0	0	.	1	0	100
Cereals		0	0	.	1	0	100	0	0	.	1	0	100
Fruits and nuts	Papaya	0	0	.	1	1	0	1	1	0	0	0	.
Fruits and nuts		0	0	.	1	1	0	1	1	0	0	0	.
Other products (incl. not classified and animal feed)	OTHER	0	0	.	2	0	100	0	0	.	2	0	100
Other products (incl. not classified and animal feed)		0	0	.	2	0	100	0	0	.	2	0	100
Vegetables	Broccoli	0	0	.	1	0	100	1	0	100	0	0	.
	Cucumbers	0	0	.	1	1	0	1	1	0	0	0	.
	Head cabbage	0	0	.	1	0	100	1	0	100	0	0	.
	Lettuce	0	0	.	1	0	100	1	0	100	0	0	.
	Tomatoes	0	0	.	1	1	0	1	1	0	0	0	.
Vegetables		0	0	.	5	2	60	5	2	60	0	0	.
		0	0	.	9	3	66.7	6	3	50	3	0	100

ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)

Figures in bold are subtotals and totals for product groups

Table A2: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level

Strategy=Surveillance

Product Class	Product	Total	ND	%	Domestic	ND	%	EEA	ND	%	Third Country	ND	%
Animal products	Bovine Liver	6	2	66.7	6	2	66.7	0	0	.	0	0	.
	Bovine Meat	5	3	40	5	3	40	0	0	.	0	0	.
	Dairy products Cattle	15	10	33.3	15	10	33.3	0	0	.	0	0	.
	Eggs Chicken	5	1	80	5	1	80	0	0	.	0	0	.
	Honey	5	0	100	5	0	100	0	0	.	0	0	.
	Poultry liver	1	0	100	1	0	100	0	0	.	0	0	.
	Poultry meat	8	0	100	8	0	100	0	0	.	0	0	.
	Poultry products	7	0	100	7	0	100	0	0	.	0	0	.
	Swine Liver	8	0	100	8	0	100	0	0	.	0	0	.
	Swine Meat	5	1	80	5	1	80	0	0	.	0	0	.
Animal products		65	17	73.8	65	17	73.8	0	0	.	0	0	.
Baby food	Baby food for infants and young children	10	3	70	2	1	50	6	1	83.3	0	0	.
	Follow-on formulae	3	0	100	0	0	.	3	0	100	0	0	.
	Infant formulae	12	1	91.7	0	0	.	11	1	90.9	0	0	.
	Processed cereal-based baby foods	14	0	100	1	0	100	7	0	100	5	0	100
Baby food		39	4	89.7	3	1	66.7	27	2	92.6	5	0	100
Cereals	Barley	20	11	45	20	11	45	0	0	.	0	0	.
	Buckwheat	1	0	100	1	0	100	0	0	.	0	0	.
	Maize	15	1	93.3	9	0	100	1	0	100	3	0	100
	Oats	19	3	84.2	16	3	81.3	3	0	100	0	0	.
	Other cereals	14	5	64.3	10	3	70	2	1	50	0	0	.
	Rice	38	14	63.2	2	0	100	21	8	61.9	7	2	71.4
	Rye	36	19	47.2	28	17	39.3	5	2	60	0	0	.
	Wheat	72	33	54.2	67	32	52.2	3	0	100	0	0	.
Cereals		215	86	60	153	66	56.9	35	11	68.6	10	2	80

ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)

Figures in bold are subtotals and totals for product groups

Table A2: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level

Strategy=Surveillance

Product Class	Product	Total	ND	%	Domestic	ND	%	EEA	ND	%	Third Country	ND	%
Fish products	Fish, fish products, shell fish, molluscs and other marine and freshwater food products	5	3	40	4	3	25	0	0	.	1	0	100
Fish products		5	3	40	4	3	25	0	0	.	1	0	100
Fruits and nuts	Apples	61	38	37.7	16	14	12.5	39	21	46.2	6	3	50
	Apricots	5	4	20	0	0	.	5	4	20	0	0	.
	Bananas	21	13	38.1	0	0	.	0	0	.	21	13	38.1
	Grapefruit	9	7	22.2	0	0	.	1	1	0	8	6	25
	Kiwi	10	4	60	0	0	.	8	3	62.5	2	1	50
	Lemons	10	7	30	0	0	.	8	5	37.5	2	2	0
	Limes	1	1	0	0	0	.	0	0	.	1	1	0
	Lychee (Litchi)	4	0	100	0	0	.	1	0	100	3	0	100
	Mandarins	18	17	5.6	0	0	.	13	12	7.7	5	5	0
	Mangoes	5	4	20	0	0	.	0	0	.	5	4	20
	Oranges	32	24	25	0	0	.	22	17	22.7	8	5	37.5
	Papaya	5	5	0	0	0	.	0	0	.	5	5	0
	Peaches	30	30	0	1	1	0	26	26	0	3	3	0
	Pears	34	20	41.2	7	6	14.3	14	10	28.6	13	4	69.2
	Persimmon	1	1	0	0	0	.	1	1	0	0	0	.
	Pineapples	7	7	0	0	0	.	0	0	.	7	7	0
	Plums	8	6	25	1	1	0	7	5	28.6	0	0	.
	Pomegranate	1	1	0	0	0	.	0	0	.	1	1	0
	Strawberries	19	19	0	5	5	0	14	14	0	0	0	.
	Table grapes	35	21	40	0	0	.	16	8	50	19	13	31.6
	Wine grapes	1	0	100	0	0	.	1	0	100	0	0	.
Fruits and nuts		317	229	27.8	30	27	10	176	127	27.8	109	73	33
Other plant products	Anise	1	1	0	0	0	.	1	1	0	0	0	.

ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)

Figures in bold are subtotals and totals for product groups

Table A2: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level

Strategy=Surveillance

Product Class	Product	Total			Domestic			EEA			Third Country		
		ND	%		ND	%		ND	%		ND	%	
	Coffee	1	0	100	0	0	.	0	0	.	1	0	100
	Lentils (dry)	3	1	66.7	0	0	.	0	0	.	2	0	100
	Linseed	1	0	100	1	0	100	0	0	.	0	0	.
	Other herbal infusions	1	0	100	1	0	100	0	0	.	0	0	.
	Other oilseeds	1	1	0	0	0	.	1	1	0	0	0	.
	Other pulses, dry	1	1	0	0	0	.	0	0	.	1	1	0
	Pumpkin seeds	2	2	0	1	1	0	0	0	.	1	1	0
	Rape seed	2	0	100	1	0	100	1	0	100	0	0	.
	Sesame seed	1	1	0	0	0	.	0	0	.	1	1	0
	Soya bean	10	2	80	3	2	33.3	0	0	.	6	0	100
	Spices	3	3	0	0	0	.	0	0	.	1	1	0
	Sunflower seed	6	1	83.3	0	0	.	1	0	100	4	0	100
	Tea	7	5	28.6	0	0	.	2	1	50	2	2	0
Other plant products		40	18	55	7	3	57.1	6	3	50	19	6	68.4
Other products (incl. not classified and animal feed)	INFANT WATER	2	0	100	2	0	100	0	0	.	0	0	.
	OTHER	9	2	77.8	5	1	80	1	1	0	3	0	100
Other products (incl. not classified and animal feed)		11	2	81.8	7	1	85.7	1	1	0	3	0	100
Vegetables	Aubergines (egg plants)	20	14	30	0	0	.	20	14	30	0	0	.
	Beans (with pods)	22	14	36.4	3	1	66.7	4	3	25	14	9	35.7
	Beans (without pods)	1	1	0	0	0	.	1	1	0	0	0	.
	Broccoli	13	6	53.8	3	0	100	10	6	40	0	0	.
	Brussels sprouts	8	7	12.5	0	0	.	8	7	12.5	0	0	.
	Carrots	42	24	42.9	11	9	18.2	31	15	51.6	0	0	.
	Cauliflower	17	7	58.8	5	4	20	12	3	75	0	0	.
	Celeriac	10	10	0	5	5	0	5	5	0	0	0	.

ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)

Figures in bold are subtotals and totals for product groups

Table A2: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level

Strategy=Surveillance

Product Class	Product	Total			Domestic			EEA			Third Country		
		ND	%		ND	%		ND	%		ND	%	
	Chinese cabbage	17	7	58.8	7	4	42.9	10	3	70	0	0	.
	Courgettes	1	0	100	0	0	.	1	0	100	0	0	.
	Cucumbers	49	37	24.5	5	3	40	44	34	22.7	0	0	.
	Cultivated fungi	11	8	27.3	8	5	37.5	3	3	0	0	0	.
	Garlic	13	1	92.3	1	0	100	4	0	100	8	1	87.5
	Gherkins	12	10	16.7	6	5	16.7	3	2	33.3	2	2	0
	Head cabbage	33	12	63.6	15	7	53.3	18	5	72.2	0	0	.
	Kohlrabi	3	2	33.3	2	2	0	1	0	100	0	0	.
	Leaf vegetables and fresh herbs	3	1	66.7	2	0	100	0	0	.	1	1	0
	Leek	26	16	38.5	0	0	.	26	16	38.5	0	0	.
	Lettuce	39	33	15.4	18	13	27.8	21	20	4.8	0	0	.
	Onions	21	6	71.4	7	3	57.1	14	3	78.6	0	0	.
	Parsley root	12	7	41.7	3	2	33.3	9	5	44.4	0	0	.
	Parsnips	1	1	0	0	0	.	1	1	0	0	0	.
	Peas (with pods)	13	5	61.5	4	1	75	7	3	57.1	1	1	0
	Peas (without pods)	3	2	33.3	1	0	100	2	2	0	0	0	.
	Peppers	47	34	27.7	6	4	33.3	31	23	25.8	10	7	30
	Potatoes	55	25	54.5	23	13	43.5	29	12	58.6	3	0	100
	Radishes	15	9	40	5	4	20	10	5	50	0	0	.
	Rosemary	1	0	100	0	0	.	0	0	.	1	0	100
	Spinach	25	18	28	2	1	50	23	17	26.1	0	0	.
	Spring onions	1	0	100	0	0	.	1	0	100	0	0	.
	Sweet corn	4	0	100	0	0	.	3	0	100	0	0	.
	Tomatoes	61	50	18	5	5	0	40	29	27.5	16	16	0

ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)

Figures in bold are subtotals and totals for product groups

Table A2: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level

Strategy=Surveillance

Product Class	Product	Total	ND	%	Domestic	ND	%	EEA	ND	%	Third Country	ND	%
Vegetables		599	367	38.7	147	91	38.1	392	237	39.5	56	37	33.9
		1291	726	43.8	416	209	49.8	637	381	40.2	203	118	41.9

ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)

Figures in bold are subtotals and totals for product groups

Table A2: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level

Strategy=Surveillance

Product Class	Product	Organic	ND	%	Non Organic	ND	%	Raw	ND	%	Process	ND	%
Animal products	Bovine Liver	0	0	.	6	2	66.7	6	2	66.7	0	0	.
	Bovine Meat	0	0	.	5	3	40	5	3	40	0	0	.
	Dairy products Cattle	0	0	.	15	10	33.3	0	0	.	15	10	33.3
	Eggs Chicken	0	0	.	5	1	80	5	1	80	0	0	.
	Honey	0	0	.	5	0	100	5	0	100	0	0	.
	Poultry liver	0	0	.	1	0	100	1	0	100	0	0	.
	Poultry meat	0	0	.	8	0	100	8	0	100	0	0	.
	Poultry products	0	0	.	7	0	100	7	0	100	0	0	.
	Swine Liver	0	0	.	8	0	100	8	0	100	0	0	.
	Swine Meat	0	0	.	5	1	80	5	1	80	0	0	.
Animal products		0	0	.	65	17	73.8	50	7	86	15	10	33.3
Baby food	Baby food for infants and young children	3	1	66.7	7	2	71.4	0	0	.	10	3	70
	Follow-on formulae	2	0	100	1	0	100	0	0	.	3	0	100
	Infant formulae	1	0	100	11	1	90.9	1	0	100	11	1	90.9
	Processed cereal-based baby foods	9	0	100	5	0	100	0	0	.	14	0	100
Baby food		15	1	93.3	24	3	87.5	1	0	100	38	4	89.5
Cereals	Barley	4	0	100	16	11	31.3	20	11	45	0	0	.
	Buckwheat	0	0	.	1	0	100	1	0	100	0	0	.
	Maize	2	0	100	13	1	92.3	12	0	100	3	1	66.7
	Oats	10	0	100	9	3	66.7	19	3	84.2	0	0	.
	Other cereals	7	1	85.7	7	4	42.9	6	0	100	8	5	37.5
	Rice	10	5	50	28	9	67.9	36	13	63.9	2	1	50
	Rye	6	1	83.3	30	18	40	33	17	48.5	3	2	33.3
	Wheat	10	3	70	62	30	51.6	39	20	48.7	33	13	60.6
Cereals		49	10	79.6	166	76	54.2	166	64	61.4	49	22	55.1

ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)

Figures in bold are subtotals and totals for product groups

Table A2: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level

Strategy=Surveillance

Product Class	Product	Organic	ND	%	Non Organic	ND	%	Raw	ND	%	Process	ND	%
Fish products	Fish, fish products, shell fish, molluscs and other marine and freshwater food products	0	0	.	5	3	40	5	3	40	0	0	.
Fish products		0	0	.	5	3	40	5	3	40	0	0	.
Fruits and nuts	Apples	19	2	89.5	42	36	14.3	58	38	34.5	3	0	100
	Apricots	0	0	.	5	4	20	5	4	20	0	0	.
	Bananas	2	1	50	19	12	36.8	21	13	38.1	0	0	.
	Grapefruit	0	0	.	9	7	22.2	9	7	22.2	0	0	.
	Kiwi	3	0	100	7	4	42.9	10	4	60	0	0	.
	Lemons	3	0	100	7	7	0	10	7	30	0	0	.
	Limes	0	0	.	1	1	0	1	1	0	0	0	.
	Lychee (Litchi)	0	0	.	4	0	100	4	0	100	0	0	.
	Mandarins	1	0	100	17	17	0	18	17	5.6	0	0	.
	Mangoes	0	0	.	5	4	20	5	4	20	0	0	.
	Oranges	6	1	83.3	26	23	11.5	23	19	17.4	9	5	44.4
	Papaya	0	0	.	5	5	0	5	5	0	0	0	.
	Peaches	0	0	.	30	30	0	30	30	0	0	0	.
	Pears	4	0	100	30	20	33.3	34	20	41.2	0	0	.
	Persimmon	0	0	.	1	1	0	1	1	0	0	0	.
	Pineapples	0	0	.	7	7	0	7	7	0	0	0	.
	Plums	0	0	.	8	6	25	8	6	25	0	0	.
	Pomegranate	0	0	.	1	1	0	1	1	0	0	0	.
	Strawberries	0	0	.	19	19	0	19	19	0	0	0	.
	Table grapes	0	0	.	35	21	40	35	21	40	0	0	.
	Wine grapes	0	0	.	1	0	100	0	0	.	1	0	100
Fruits and nuts		38	4	89.5	279	225	19.4	304	224	26.3	13	5	61.5
Other plant products	Anise	0	0	.	1	1	0	0	0	.	1	1	0

ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)

Figures in bold are subtotals and totals for product groups

Table A2: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level

Strategy=Surveillance

Product Class	Product	Organic			Non Organic			Raw			Process		
		ND	%		ND	%		ND	%		ND	%	
	Coffee	0	0	.	1	0	100	1	0	100	0	0	.
	Lentils (dry)	2	0	100	1	1	0	2	0	100	1	1	0
	Linseed	0	0	.	1	0	100	0	0	.	1	0	100
	Other herbal infusions	0	0	.	1	0	100	0	0	.	1	0	100
	Other oilseeds	1	1	0	0	0	.	1	1	0	0	0	.
	Other pulses, dry	0	0	.	1	1	0	0	0	.	1	1	0
	Pumpkin seeds	2	2	0	0	0	.	0	0	.	2	2	0
	Rape seed	0	0	.	2	0	100	0	0	.	2	0	100
	Sesame seed	0	0	.	1	1	0	0	0	.	1	1	0
	Soya bean	3	0	100	7	2	71.4	8	2	75	2	0	100
	Spices	0	0	.	3	3	0	0	0	.	3	3	0
	Sunflower seed	3	0	100	3	1	66.7	1	0	100	5	1	80
	Tea	3	1	66.7	4	4	0	0	0	.	7	5	28.6
Other plant products		14	4	71.4	26	14	46.2	13	3	76.9	27	15	44.4
Other products (incl. not classified and animal feed)	INFANT WATER	0	0	.	2	0	100	0	0	.	2	0	100
	OTHER	0	0	.	9	2	77.8	2	0	100	7	2	71.4
Other products (incl. not classified and animal feed)		0	0	.	11	2	81.8	2	0	100	9	2	77.8
Vegetables	Aubergines (egg plants)	0	0	.	20	14	30	20	14	30	0	0	.
	Beans (with pods)	0	0	.	22	14	36.4	22	14	36.4	0	0	.
	Beans (without pods)	0	0	.	1	1	0	1	1	0	0	0	.
	Broccoli	0	0	.	13	6	53.8	13	6	53.8	0	0	.
	Brussels sprouts	0	0	.	8	7	12.5	8	7	12.5	0	0	.
	Carrots	14	2	85.7	28	22	21.4	42	24	42.9	0	0	.
	Cauliflower	0	0	.	17	7	58.8	17	7	58.8	0	0	.
	Celeriac	0	0	.	10	10	0	10	10	0	0	0	.

ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)

Figures in bold are subtotals and totals for product groups

Table A2: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level

Strategy=Surveillance

Product Class	Product	Organic			Non Organic			Raw			Process		
		ND	%		ND	%		ND	%		ND	%	
	Chinese cabbage	0	0	.	17	7	58.8	17	7	58.8	0	0	.
	Courgettes	0	0	.	1	0	100	1	0	100	0	0	.
	Cucumbers	2	0	100	47	37	21.3	49	37	24.5	0	0	.
	Cultivated fungi	0	0	.	11	8	27.3	11	8	27.3	0	0	.
	Garlic	4	0	100	9	1	88.9	13	1	92.3	0	0	.
	Gherkins	2	2	0	10	8	20	0	0	.	12	10	16.7
	Head cabbage	0	0	.	33	12	63.6	33	12	63.6	0	0	.
	Kohlrabi	0	0	.	3	2	33.3	3	2	33.3	0	0	.
	Leaf vegetables and fresh herbs	0	0	.	3	1	66.7	3	1	66.7	0	0	.
	Leek	2	0	100	24	16	33.3	26	16	38.5	0	0	.
	Lettuce	0	0	.	39	33	15.4	39	33	15.4	0	0	.
	Onions	8	0	100	13	6	53.8	21	6	71.4	0	0	.
	Parsley root	0	0	.	12	7	41.7	12	7	41.7	0	0	.
	Parsnips	0	0	.	1	1	0	1	1	0	0	0	.
	Peas (with pods)	0	0	.	13	5	61.5	13	5	61.5	0	0	.
	Peas (without pods)	0	0	.	3	2	33.3	3	2	33.3	0	0	.
	Peppers	0	0	.	47	34	27.7	45	33	26.7	2	1	50
	Potatoes	20	3	85	35	22	37.1	55	25	54.5	0	0	.
	Radishes	0	0	.	15	9	40	15	9	40	0	0	.
	Rosemary	0	0	.	1	0	100	1	0	100	0	0	.
	Spinach	1	0	100	24	18	25	25	18	28	0	0	.
	Spring onions	0	0	.	1	0	100	1	0	100	0	0	.
	Sweet corn	0	0	.	4	0	100	3	0	100	1	0	100
	Tomatoes	9	2	77.8	52	48	7.7	58	49	15.5	3	1	66.7

ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)

Figures in bold are subtotals and totals for product groups

Table A2: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level

Strategy=Surveillance

Product Class	Product	Organic			Non Organic			Raw			Process		
		ND	%		ND	%		ND	%		ND	%	
Vegetables		62	9	85.5	537	358	33.3	581	355	38.9	18	12	33.3
		178	28	84.3	1113	698	37.3	1122	656	41.5	169	70	58.6

ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)

Figures in bold are subtotals and totals for product groups

Row number	Compound	Animal Feed	Nr Found	MRL Ex
1	2,4 DB	0	0	0
2	2,4,5-T	0	0	0
3	2,4,5-TP	0	0	0
4	2,4-D	0	0	0
5	2,4-D (sum)	0	0	0
6	2-anilino-4-(2-hydroxypropyl)- 6-methylpyrimidin	0	0	0
7	2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine	0	0	0
8	3-Chloroaniline	0	0	0
9	3-hydroxy -carbofuran	0	0	0
10	4-CPA	0	0	0
11	Abamectin (sum)	0	0	0
12	Acephate	0	0	0
13	Acetamiprid	0	0	0
14	Acrinathrin	0	0	0
15	Aldicarb	0	0	0
16	Aldicarb (sum)	0	0	0
17	Aldicarb-Sulfone	0	0	0
18	Aldicarb-Sulfoxide	0	0	0
19	Aldrin	0	0	0
20	Aldrin and Dieldrin	0	0	0
21	Amitraz (sum)	0	0	0
22	Azinphos-ethyl	0	0	0
23	Azinphos-methyl	0	0	0
24	Azoxystrobin	0	0	0
25	Bentazone	0	0	0
26	Bentazone (sum animal products)	0	0	0
27	Bentazone-8-hydroxy	0	0	0
28	Bifenthrin	0	0	0

Row number	Compound	Animal Feed	Nr Found	MRL Ex
29	Biphenyl	0	0	0
30	Bitertanol	0	0	0
31	Boscalid	0	0	0
32	Bromide ion	0	0	0
33	Bromophos-ethyl	0	0	0
34	Bromopropylate	0	0	0
35	Bromoxynil	0	0	0
36	Bromuconazole (sum)	0	0	0
37	Bupirimate	0	0	0
38	Buprofezin	0	0	0
39	Cadusafos	0	0	0
40	Camphechlor	0	0	0
41	Captafol	0	0	0
42	Captan	0	0	0
43	Carbaryl	0	0	0
44	Carbendazim	0	0	0
45	Carbendazim and benomyl	0	0	0
46	Carbofuran	0	0	0
47	Carbofuran (sum)	0	0	0
48	Carbosulfan	0	0	0
49	Chinomethionat	0	0	0
50	Chlordane	0	0	0
51	Chlordecone	0	0	0
52	Chlorfenapyr	0	0	0
53	Chlorfenvinphos	0	0	0
54	Chlormequat	0	0	0
55	Chlorobenzilate	0	0	0
56	Chlorothalonil	0	0	0

Row number	Compound	Animal Feed	Nr Found	MRL Ex
57	Chloroxuron	0	0	0
58	Chlorpropham	0	0	0
59	Chlorpropham (sum)	0	0	0
60	Chlorpyrifos	0	0	0
61	Chlorpyrifos-methyl	0	0	0
62	Clofentezine	0	0	0
63	Clopyralid	0	0	0
64	Clothianidin	0	0	0
65	Cycloxydim	0	0	0
66	Cyfluthrin	0	0	0
67	Cyfluthrin (sum)	0	0	0
68	Cypermethrin (sum)	0	0	0
69	Cyproconazole	0	0	0
70	Cyprodinil	0	0	0
71	Cyromazine	0	0	0
72	DDD, o,p-	0	0	0
73	DDD, p,p-	0	0	0
74	DDE, o,p-	0	0	0
75	DDE, p,p-	0	0	0
76	DDT (sum)	0	0	0
77	DDT, o,p-	0	0	0
78	DDT, p,p-	0	0	0
79	DMSA	0	0	0
80	DMST	0	0	0
81	Deltamethrin	0	0	0
82	Demeton-S-Methyl	0	0	0
83	Demeton-S-Methyl (sum baby and infant food)	0	0	0
84	Demeton-S-Methylsulfone	0	0	0

<i>Row number</i>	<i>Compound</i>	<i>Animal Feed</i>	<i>Nr Found</i>	<i>MRL Ex</i>
85	Desmethyl Pirimicarb	0	0	0
86	Diafenthuron	0	0	0
87	Diazinon	0	0	0
88	Dicamba	0	0	0
89	Dichlofluanid	0	0	0
90	Dichlofluanid (suma dichlofluanidu a DMSA)	0	0	0
91	Dichloroaniline, 3,5-	0	0	0
92	Dichlorprop	0	0	0
93	Dichlorvos	0	0	0
94	Dicloran	0	0	0
95	Dicofol (sum)	0	0	0
96	Dicrotophos	0	0	0
97	Dieldrin	0	0	0
98	Diethofencarb	0	0	0
99	Difenoconazole	0	0	0
100	Diflubenzuron	0	0	0
101	Dimethoate	0	0	0
102	Dimethoate (sum)	0	0	0
103	Dimethomorph	0	0	0
104	Dimoxystrobin	0	0	0
105	Diniconazole	0	0	0
106	Dinotefuran	0	0	0
107	Diphenylamine	0	0	0
108	Disulfoton	0	0	0
109	Disulfoton (sum)	0	0	0
110	Disulfoton-Sulfon	0	0	0
111	Disulfoton-Sulfoxid	0	0	0
112	Dithiocarbamates	0	0	0

<i>Row number</i>	<i>Compound</i>	<i>Animal Feed</i>	<i>Nr Found</i>	<i>MRL Ex</i>
113	Dodine	0	0	0
114	EPN	0	0	0
115	Endosulfan (sum)	0	0	0
116	Endosulfansulfate	0	0	0
117	Endrin	0	0	0
118	Epoxiconazole	0	0	0
119	Ethiofencarb	0	0	0
120	Ethion	0	0	0
121	Ethoprophos	0	0	0
122	Ethoxyquin	0	0	0
123	Etofenprox	0	0	0
124	Etrimfos	0	0	0
125	Fenamidone	0	0	0
126	Fenamiphos	0	0	0
127	Fenamiphos (sum)	0	0	0
128	Fenamiphos-Sulfon	0	0	0
129	Fenamiphos-Sulfoxid	0	0	0
130	Fenarimol	0	0	0
131	Fenazaquin	0	0	0
132	Fenbuconazole	0	0	0
133	Fenhexamid	0	0	0
134	Fenitrothion	0	0	0
135	Fenoxaprop-P	0	0	0
136	Fenoxycarb	0	0	0
137	Fenpropathrin	0	0	0
138	Fenpropimorph	0	0	0
139	Fenpyroximate	0	0	0
140	Fensulfothion	0	0	0

<i>Row number</i>	<i>Compound</i>	<i>Animal Feed</i>	<i>Nr Found</i>	<i>MRL Ex</i>
141	Fensulfothion (sum of fensulfothion, its oxygen analogue and their sulfones, expressed as fensulfothion)	0	0	0
142	Fensulfothion oxon	0	0	0
143	Fensulfothion-oxon-sulphone	0	0	0
144	Fenthion	0	0	0
145	Fenthion (sum)	0	0	0
146	Fenthion oxon sulfone	0	0	0
147	Fenthion-Oxon	0	0	0
148	Fenthion-Oxonsulfoxide	0	0	0
149	Fenthion-Sulfon	0	0	0
150	Fenthion-Sulfoxide	0	0	0
151	Fentin, expressed as triphenlytin cation	0	0	0
152	Fenvalerate	0	0	0
153	Fenvalerate and Esfenvalerate (Sum of RR and SS isomers)	0	0	0
154	Fenvalerate and Esfenvalerate (Sum of RS and SR isomers)	0	0	0
155	Fipronil	0	0	0
156	Fipronil (sum of fipronil and fipronil-desulfinyl, expressed as fipronil)	0	0	0
157	Fipronil (sum)	0	0	0
158	Fipronil-Desulfinyl	0	0	0
159	Fipronil-Sulfone	0	0	0
160	Florasulam	0	0	0
161	Fluazifop (free acid)	0	0	0
162	Fluazifop-Butyl	0	0	0
163	Fluazifop-P-butyl (sum)	0	0	0
164	Flucythrinate	0	0	0
165	Fludioxonil	0	0	0
166	Flufenoxuron	0	0	0
167	Fluoxastrobin	0	0	0
168	Fluquinconazole	0	0	0

Row number	Compound	Animal Feed	Nr Found	MRL Ex
169	Fluroxypyr (sum)	0	0	0
170	Flusilazole	0	0	0
171	Flutriafol	0	0	0
172	Folpet	0	0	0
173	Fomesafen	0	0	0
174	Fonofos	0	0	0
175	Formetanate	0	0	0
176	Formetanate	0	0	0
177	Formetanate	0	0	0
178	Formothion	0	0	0
179	Fosthiazate	0	0	0
180	Glyphosate	0	0	0
181	HCH, delta-	0	0	0
182	Haloxyfop	0	0	0
183	Haloxyfop including haloxyfop-R	0	0	0
184	Haloxyfop-Ethoxyethylester	0	0	0
185	Haloxyfop-Methyl	0	0	0
186	Heptachlor	0	0	0
187	Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	0	0	0
188	Heptachlor epoxide	0	0	0
189	Heptenophos	0	0	0
190	Hexachlorobenzene	0	0	0
191	Hexachlorocyclohexane (HCH), alpha-isomer	0	0	0
192	Hexachlorocyclohexane (HCH), beta-isomer	0	0	0
193	Hexachlorocyclohexane (HCH), sum of isomers, except the gamma isomer	0	0	0
194	Hexaconazole	0	0	0
195	Hexaflumuron	0	0	0
196	Hexythiazox	0	0	0

Row number	Compound	Animal Feed	Nr Found	MRL Ex
197	Imazalil	0	0	0
198	Imazapyr	0	0	0
199	Imazaquin	0	0	0
200	Imazethapyr	0	0	0
201	Imazosulfuron	0	0	0
202	Imidacloprid	0	0	0
203	Indoxacarb as sum of the isomers S and R	0	0	0
204	Ioxynil	0	0	0
205	Ioxynil, including its esters expressed as ioxynil	0	0	0
206	Iprodione	0	0	0
207	Iprovalicarb	0	0	0
208	Isofenphos-methyl	0	0	0
209	Isoproturon	0	0	0
210	Kresoxim-methyl	0	0	0
211	Lambda-Cyhalothrin	0	0	0
212	Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))	0	0	0
213	Linuron	0	0	0
214	Lufenuron	0	0	0
215	MCPA	0	0	0
216	MCPA and MCPB (MCPA, MCPB including their salts, esters and conjugates expressed as MCPA)	0	0	0
217	MCPB	0	0	0
218	Malaoxon	0	0	0
219	Malathion	0	0	0
220	Malathion (sum of malathion and malaoxon expressed as malathion)	0	0	0
221	Mecarbam	0	0	0
222	Mecoprop (sum of mecoprop-p and mecoprop expressed as mecoprop)	0	0	0
223	Mepanipyrim	0	0	0
224	Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine) expressed as mepanipyrim)	0	0	0

Row number	Compound	Animal Feed	Nr Found	MRL Ex
225	Mepiquat	0	0	0
226	Mepronil	0	0	0
227	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0	0	0
228	Metamitron	0	0	0
229	Metamitron-desamino	0	0	0
230	Metconazole	0	0	0
231	Methacrifos	0	0	0
232	Methamidophos	0	0	0
233	Methidathion	0	0	0
234	Methiocarb	0	0	0
235	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0	0	0
236	Methiocarb-Sulfon	0	0	0
237	Methiocarb-Sulfoxid	0	0	0
238	Methomyl	0	0	0
239	Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0	0	0
240	Methoxychlor	0	0	0
241	Methoxyfenozide	0	0	0
242	Metobromuron	0	0	0
243	Metolcarb	0	0	0
244	Metominostrobin	0	0	0
245	Metosulam	0	0	0
246	Metoxuron	0	0	0
247	Metsulfuron-methyl	0	0	0
248	Mevinphos (sum of E- and Z-isomers)	0	0	0
249	Mirex	0	0	0
250	Monocrotophos	0	0	0
251	Monuron	0	0	0
252	Myclobutanil	0	0	0

<i>Row number</i>	<i>Compound</i>	<i>Animal Feed</i>	<i>Nr Found</i>	<i>MRL Ex</i>
253	Naphthoxyacetic acid, 2-	0	0	0
254	Nitenpyram	0	0	0
255	Nitrofen	0	0	0
256	Omethoate	0	0	0
257	Orthophenylphenol	0	0	0
258	Oxadixyl	0	0	0
259	Oxamyl	0	0	0
260	Oxamyl-Oxime	0	0	0
261	Oxydemeton-methyl	0	0	0
262	Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0	0	0
263	Paclobutrazol	0	0	0
264	Paraoxon-Methyl	0	0	0
265	Parathion	0	0	0
266	Parathion-methyl	0	0	0
267	Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0	0	0
268	Penconazole	0	0	0
269	Pencycuron	0	0	0
270	Pendimethalin	0	0	0
271	Pentachloroaniline	0	0	0
272	Pentachlorophenol	0	0	0
273	Permethrin (sum of isomers)	0	0	0
274	Phenthoate	0	0	0
275	Phorate	0	0	0
276	Phorate (sum of phorate, its oxygen analogue and their sulfones expressed as phorate)	0	0	0
277	Phorate-O-analogue	0	0	0
278	Phorate-Sulfon	0	0	0
279	Phorate-Sulfoxid	0	0	0
280	Phorate-oxonsulfone	0	0	0

<i>Row number</i>	<i>Compound</i>	<i>Animal Feed</i>	<i>Nr Found</i>	<i>MRL Ex</i>
281	Phorate-oxonsulfoxid	0	0	0
282	Phosalone	0	0	0
283	Phosmet	0	0	0
284	Phosmet (phosmet and phosmet oxon expressed as phosmet)	0	0	0
285	Phosmet oxon	0	0	0
286	Phosphamidon	0	0	0
287	Phoxim	0	0	0
288	Picloram	0	0	0
289	Picoxystrobin	0	0	0
290	Piperonyl Butoxide	0	0	0
291	Pirimicarb	0	0	0
292	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0	0	0
293	Pirimiphos-Ethyl	0	0	0
294	Pirimiphos-methyl	0	0	0
295	Prochloraz	0	0	0
296	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0	0	0
297	Procymidone	0	0	0
298	Profenofos	0	0	0
299	Propachlor	0	0	0
300	Propachlor: oxalinic derivate of propachlor, expressed as propachlor	0	0	0
301	Propamocarb	0	0	0
302	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0	0	0
303	Propargite	0	0	0
304	Propham	0	0	0
305	Propiconazole	0	0	0
306	Propineb	0	0	0
307	Propoxur	0	0	0
308	Propyzamide	0	0	0

Row number	Compound	Animal Feed	Nr Found	MRL Ex
309	Prothioconazole	0	0	0
310	Prothioconazole (prothioconazole-desthio)	0	0	0
311	Prothioconazole-Desthio	0	0	0
312	Prothiofos	0	0	0
313	Pymetrozine	0	0	0
314	Pyraclostrobin	0	0	0
315	Pyrazophos	0	0	0
316	Pyrethrins	0	0	0
317	Pyridaben	0	0	0
318	Pyrifenox	0	0	0
319	Pyrimethanil	0	0	0
320	Pyriproxyfen	0	0	0
321	Quinalphos	0	0	0
322	Quinmerac	0	0	0
323	Quinoxifen	0	0	0
324	Quintozene	0	0	0
325	Quintozene (sum of quintozene and pentachloro-aniline expressed as quintozene)	0	0	0
326	Quizalofop (including Quizalofop-P)	0	0	0
327	Quizalofop-P-Ethyl	0	0	0
328	Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers))	0	0	0
329	Rimsulfuron	0	0	0
330	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0	0	0
331	Spiroxamine	0	0	0
332	Sulfotep	0	0	0
333	Tebuconazole	0	0	0
334	Tebufenozide	0	0	0
335	Tebufenpyrad	0	0	0
336	Tecnazene	0	0	0

<i>Row number</i>	<i>Compound</i>	<i>Animal Feed</i>	<i>Nr Found</i>	<i>MRL Ex</i>
337	Teflubenzuron	0	0	0
338	Tefluthrin	0	0	0
339	Terbufos	0	0	0
340	Terbufos (sum of terbufos, its sulfoxide and sulfone, expressed as terbufos)	0	0	0
341	Terbufos Sulfone	0	0	0
342	Terbufos Sulfoxide	0	0	0
343	Tetraconazole	0	0	0
344	Tetradifon	0	0	0
345	Thiabendazole	0	0	0
346	Thiacloprid	0	0	0
347	Thiametoxam	0	0	0
348	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0	0	0
349	Thifensulfuron-methyl	0	0	0
350	Thiodicarb	0	0	0
351	Thiometon	0	0	0
352	Thiophanate-methyl	0	0	0
353	Tolclofos-methyl	0	0	0
354	Tolyfluanid	0	0	0
355	Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	0	0	0
356	Triadimefon	0	0	0
357	Triadimefon (sum of Triadimefon and Triadimenol)	0	0	0
358	Triadimenol	0	0	0
359	Triazamate	0	0	0
360	Triazophos	0	0	0
361	Trichlorfon	0	0	0
362	Trifloxystrobin	0	0	0
363	Triflumuron	0	0	0
364	Trifluralin	0	0	0

<i>Row number</i>	<i>Compound</i>	<i>Animal Feed</i>	<i>Nr Found</i>	<i>MRL Ex</i>
365	Triforine	0	0	0
366	Triticonazole	0	0	0
367	Vamidothion	0	0	0
368	Vamidothion (sum of Vamidothion, Vamidothion-sulfone and Vamidothion-sulfoxide expressed as Vamidothion)	0	0	0
369	Vamidothion sulfone	0	0	0
370	Vamidothion sulfoxide	0	0	0
371	Vinclozolin	0	0	0
372	Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	0	0	0
373	Zoxamide	0	0	0
374	alpha-Endosulfan	0	0	0
375	beta-Endosulfan	0	0	0
376	tau-Fluvalinate	0	0	0
		0	0	0

Row number	Compound	Animal Products	Nr Found	MRL Ex
1	2,4 DB	0	0	0
2	2,4,5-T	0	0	0
3	2,4,5-TP	0	0	0
4	2,4-D	0	0	0
5	2,4-D (sum)	0	0	0
6	2-anilino-4-(2-hydroxypropyl)- 6-methylpyrimidin	0	0	0
7	2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine	0	0	0
8	3-Chloroaniline	0	0	0
9	3-hydroxy -carbofuran	0	0	0
10	4-CPA	0	0	0
11	Abamectin (sum)	65	0	0
12	Acephate	0	0	0
13	Acetamiprid	0	0	0
14	Acrinathrin	0	0	0
15	Aldicarb	0	0	0
16	Aldicarb (sum)	0	0	0
17	Aldicarb-Sulfone	0	0	0
18	Aldicarb-Sulfoxide	0	0	0
19	Aldrin	0	0	0
20	Aldrin and Dieldrin	0	0	0
21	Amitraz (sum)	0	0	0
22	Azinphos-ethyl	65	0	0
23	Azinphos-methyl	0	0	0
24	Azoxystrobin	0	0	0
25	Bentazone	0	0	0
26	Bentazone (sum animal products)	0	0	0
27	Bentazone-8-hydroxy	0	0	0
28	Bifenthrin	65	0	0

<i>Row number</i>	<i>Compound</i>	<i>Animal Products</i>	<i>Nr Found</i>	<i>MRL Ex</i>
29	Biphenyl	0	0	0
30	Bitertanol	0	0	0
31	Boscalid	0	0	0
32	Bromide ion	0	0	0
33	Bromophos-ethyl	0	0	0
34	Bromopropylate	0	0	0
35	Bromoxynil	0	0	0
36	Bromuconazole (sum)	0	0	0
37	Bupirimate	0	0	0
38	Buprofezin	0	0	0
39	Cadusafos	0	0	0
40	Camphechlor	65	0	0
41	Captafol	0	0	0
42	Captan	0	0	0
43	Carbaryl	0	0	0
44	Carbendazim	0	0	0
45	Carbendazim and benomyl	0	0	0
46	Carbofuran	0	0	0
47	Carbofuran (sum)	0	0	0
48	Carbosulfan	0	0	0
49	Chinomethionat	0	0	0
50	Chlordane	65	0	0
51	Chlordecone	0	0	0
52	Chlorfenapyr	0	0	0
53	Chlorfenvinphos	0	0	0
54	Chlormequat	0	0	0
55	Chlorobenzilate	65	0	0
56	Chlorothalonil	0	0	0

<i>Row number</i>	<i>Compound</i>	<i>Animal Products</i>	<i>Nr Found</i>	<i>MRL Ex</i>
57	Chloroxuron	0	0	0
58	Chlorpropham	0	0	0
59	Chlorpropham (sum)	0	0	0
60	Chlorpyrifos	65	0	0
61	Chlorpyrifos-methyl	65	0	0
62	Clofentezine	0	0	0
63	Clopyralid	0	0	0
64	Clothianidin	0	0	0
65	Cycloxydim	0	0	0
66	Cyfluthrin	65	0	0
67	Cyfluthrin (sum)	0	0	0
68	Cypermethrin (sum)	65	0	0
69	Cyproconazole	0	0	0
70	Cyprodinil	0	0	0
71	Cyromazine	0	0	0
72	DDD, o,p-	0	0	0
73	DDD, p,p-	0	0	0
74	DDE, o,p-	0	0	0
75	DDE, p,p-	0	0	0
76	DDT (sum)	65	17	0
77	DDT, o,p-	0	0	0
78	DDT, p,p-	0	0	0
79	DMSA	0	0	0
80	DMST	0	0	0
81	Deltamethrin	65	0	0
82	Demeton-S-Methyl	0	0	0
83	Demeton-S-Methyl (sum baby and infant food)	0	0	0
84	Demeton-S-Methylsulfone	0	0	0

Row number	Compound	Animal Products	Nr Found	MRL Ex
85	Desmethyl Pirimicarb	0	0	0
86	Diafenthiuron	0	0	0
87	Diazinon	65	0	0
88	Dicamba	0	0	0
89	Dichlofluanid	0	0	0
90	Dichlofluanid (suma dichlofluanidu a DMSA)	0	0	0
91	Dichloroaniline, 3,5-	0	0	0
92	Dichlorprop	0	0	0
93	Dichlorvos	0	0	0
94	Dicloran	0	0	0
95	Dicofol (sum)	0	0	0
96	Dicrotophos	0	0	0
97	Dieldrin	65	0	0
98	Diethofencarb	0	0	0
99	Difenoconazole	0	0	0
100	Diiflubenzuron	0	0	0
101	Dimethoate	0	0	0
102	Dimethoate (sum)	0	0	0
103	Dimethomorph	0	0	0
104	Dimoxystrobin	0	0	0
105	Diniconazole	0	0	0
106	Dinotefuran	0	0	0
107	Diphenylamine	0	0	0
108	Disulfoton	0	0	0
109	Disulfoton (sum)	0	0	0
110	Disulfoton-Sulfon	0	0	0
111	Disulfoton-Sulfoxid	0	0	0
112	Dithiocarbamates	0	0	0

<i>Row number</i>	<i>Compound</i>	<i>Animal Products</i>	<i>Nr Found</i>	<i>MRL Ex</i>
113	Dodine	0	0	0
114	EPN	0	0	0
115	Endosulfan (sum)	65	0	0
116	Endosulfansulfate	0	0	0
117	Endrin	65	0	0
118	Epoxiconazole	0	0	0
119	Ethiofencarb	0	0	0
120	Ethion	0	0	0
121	Ethoprophos	0	0	0
122	Ethoxyquin	0	0	0
123	Etofenprox	0	0	0
124	Etrimfos	0	0	0
125	Fenamidone	0	0	0
126	Fenamiphos	0	0	0
127	Fenamiphos (sum)	0	0	0
128	Fenamiphos-Sulfon	0	0	0
129	Fenamiphos-Sulfoxid	0	0	0
130	Fenarimol	0	0	0
131	Fenazaquin	0	0	0
132	Fenbuconazole	0	0	0
133	Fenhexamid	0	0	0
134	Fenitrothion	0	0	0
135	Fenoxaprop-P	0	0	0
136	Fenoxycarb	0	0	0
137	Fenpropathrin	0	0	0
138	Fenpropimorph	0	0	0
139	Fenpyroximate	0	0	0
140	Fensulfothion	0	0	0

<i>Row number</i>	<i>Compound</i>	<i>Animal Products</i>	<i>Nr Found</i>	<i>MRL Ex</i>
141	Fensulfothion (sum of fensulfothion, its oxygen analogue and their sulfones, expressed as fensulfothion)	0	0	0
142	Fensulfothion oxon	0	0	0
143	Fensulfothion-oxon-sulphone	0	0	0
144	Fenthion	65	0	0
145	Fenthion (sum)	0	0	0
146	Fenthion oxon sulfone	0	0	0
147	Fenthion-Oxon	0	0	0
148	Fenthion-Oxonsulfoxide	0	0	0
149	Fenthion-Sulfon	0	0	0
150	Fenthion-Sulfoxide	0	0	0
151	Fentin, expressed as triphenyltin cation	0	0	0
152	Fenvalerate	65	0	0
153	Fenvalerate and Esfenvalerate (Sum of RR and SS isomers)	0	0	0
154	Fenvalerate and Esfenvalerate (Sum of RS and SR isomers)	0	0	0
155	Fipronil	0	0	0
156	Fipronil (sum of fipronil and fipronil-desulfinyl, expressed as fipronil)	0	0	0
157	Fipronil (sum)	0	0	0
158	Fipronil-Desulfinyl	0	0	0
159	Fipronil-Sulfone	0	0	0
160	Florasulam	0	0	0
161	Fluazifop (free acid)	0	0	0
162	Fluazifop-Butyl	0	0	0
163	Fluazifop-P-butyl (sum)	0	0	0
164	Flucythrinate	0	0	0
165	Fludioxonil	0	0	0
166	Flufenoxuron	0	0	0
167	Fluoxastrobin	0	0	0
168	Fluquinconazole	0	0	0

Row number	Compound	Animal Products	Nr Found	MRL Ex
169	Fluroxypyr (sum)	0	0	0
170	Flusilazole	0	0	0
171	Flutriafol	0	0	0
172	Folpet	0	0	0
173	Fomesafen	0	0	0
174	Fonofos	0	0	0
175	Formetanate	0	0	0
176	Formetanate	0	0	0
177	Formetanate	0	0	0
178	Formothion	0	0	0
179	Fosthiazate	0	0	0
180	Glyphosate	0	0	0
181	HCH, delta-	0	0	0
182	Haloxypop	0	0	0
183	Haloxypop including haloxypop-R	0	0	0
184	Haloxypop-Ethoxyethylester	0	0	0
185	Haloxypop-Methyl	0	0	0
186	Heptachlor	65	0	0
187	Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	0	0	0
188	Heptachlor epoxide	0	0	0
189	Heptenophos	0	0	0
190	Hexachlorobenzene	65	13	0
191	Hexachlorocyclohexane (HCH), alpha-isomer	65	0	0
192	Hexachlorocyclohexane (HCH), beta-isomer	65	0	0
193	Hexachlorocyclohexane (HCH), sum of isomers, except the gamma isomer	0	0	0
194	Hexaconazole	0	0	0
195	Hexaflumuron	0	0	0
196	Hexythiazox	0	0	0

<i>Row number</i>	<i>Compound</i>	<i>Animal Products</i>	<i>Nr Found</i>	<i>MRL Ex</i>
197	Imazalil	0	0	0
198	Imazapyr	0	0	0
199	Imazaquin	0	0	0
200	Imazethapyr	0	0	0
201	Imazosulfuron	0	0	0
202	Imidacloprid	0	0	0
203	Indoxacarb as sum of the isomers S and R	0	0	0
204	Ioxynil	0	0	0
205	Ioxynil, including its esters expressed as ioxynil	0	0	0
206	Iprodione	0	0	0
207	Iprovalicarb	0	0	0
208	Isofenphos-methyl	0	0	0
209	Isoproturon	0	0	0
210	Kresoxim-methyl	0	0	0
211	Lambda-Cyhalothrin	0	0	0
212	Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))	65	0	0
213	Linuron	0	0	0
214	Lufenuron	0	0	0
215	MCPA	0	0	0
216	MCPA and MCPB (MCPA, MCPB including their salts, esters and conjugates expressed as MCPA)	0	0	0
217	MCPB	0	0	0
218	Malaoxon	0	0	0
219	Malathion	0	0	0
220	Malathion (sum of malathion and malaoxon expressed as malathion)	0	0	0
221	Mecarbam	0	0	0
222	Mecoprop (sum of mecoprop-p and mecoprop expressed as mecoprop)	0	0	0
223	Mepanipyrim	0	0	0
224	Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine) expressed as mepanipyrim)	0	0	0

<i>Row number</i>	<i>Compound</i>	<i>Animal Products</i>	<i>Nr Found</i>	<i>MRL Ex</i>
225	Mepiquat	0	0	0
226	Mepronil	0	0	0
227	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0	0	0
228	Metamitron	0	0	0
229	Metamitron-desamino	0	0	0
230	Metconazole	0	0	0
231	Methacrifos	0	0	0
232	Methamidophos	0	0	0
233	Methidathion	65	0	0
234	Methiocarb	0	0	0
235	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0	0	0
236	Methiocarb-Sulfon	0	0	0
237	Methiocarb-Sulfoxid	0	0	0
238	Methomyl	0	0	0
239	Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0	0	0
240	Methoxychlor	65	0	0
241	Methoxyfenozide	0	0	0
242	Metobromuron	0	0	0
243	Metolcarb	0	0	0
244	Metominostrobin	0	0	0
245	Metosulam	0	0	0
246	Metoxuron	0	0	0
247	Metsulfuron-methyl	0	0	0
248	Mevinphos (sum of E- and Z-isomers)	0	0	0
249	Mirex	0	0	0
250	Monocrotophos	0	0	0
251	Monuron	0	0	0
252	Myclobutanil	0	0	0

<i>Row number</i>	<i>Compound</i>	<i>Animal Products</i>	<i>Nr Found</i>	<i>MRL Ex</i>
253	Naphthoxyacetic acid, 2-	0	0	0
254	Nitenpyram	0	0	0
255	Nitrofen	0	0	0
256	Omethoate	0	0	0
257	Orthophenylphenol	0	0	0
258	Oxadixyl	0	0	0
259	Oxamyl	0	0	0
260	Oxamyl-Oxime	0	0	0
261	Oxydemeton-methyl	0	0	0
262	Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0	0	0
263	Paclobutrazol	0	0	0
264	Paraoxon-Methyl	0	0	0
265	Parathion	65	0	0
266	Parathion-methyl	65	0	0
267	Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0	0	0
268	Penconazole	0	0	0
269	Pencycuron	0	0	0
270	Pendimethalin	0	0	0
271	Pentachloroaniline	0	0	0
272	Pentachlorophenol	0	0	0
273	Permethrin (sum of isomers)	65	0	0
274	Phenthoate	0	0	0
275	Phorate	0	0	0
276	Phorate (sum of phorate, its oxygen analogue and their sulfones expressed as phorate)	0	0	0
277	Phorate-O-analogue	0	0	0
278	Phorate-Sulfon	0	0	0
279	Phorate-Sulfoxid	0	0	0
280	Phorate-oxonsulfone	0	0	0

<i>Row number</i>	<i>Compound</i>	<i>Animal Products</i>	<i>Nr Found</i>	<i>MRL Ex</i>
281	Phorate-oxonsulfoxid	0	0	0
282	Phosalone	0	0	0
283	Phosmet	0	0	0
284	Phosmet (phosmet and phosmet oxon expressed as phosmet)	0	0	0
285	Phosmet oxon	0	0	0
286	Phosphamidon	0	0	0
287	Phoxim	0	0	0
288	Picloram	0	0	0
289	Picoxystrobin	0	0	0
290	Piperonyl Butoxide	0	0	0
291	Pirimicarb	0	0	0
292	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0	0	0
293	Pirimiphos-Ethyl	0	0	0
294	Pirimiphos-methyl	65	0	0
295	Prochloraz	0	0	0
296	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0	0	0
297	Procymidone	0	0	0
298	Profenofos	65	0	0
299	Propachlor	0	0	0
300	Propachlor: oxalinic derivate of propachlor, expressed as propachlor	0	0	0
301	Propamocarb	0	0	0
302	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0	0	0
303	Propargite	0	0	0
304	Propham	0	0	0
305	Propiconazole	0	0	0
306	Propineb	0	0	0
307	Propoxur	0	0	0
308	Propyzamide	0	0	0

<i>Row number</i>	<i>Compound</i>	<i>Animal Products</i>	<i>Nr Found</i>	<i>MRL Ex</i>
309	Prothioconazole	0	0	0
310	Prothioconazole (prothioconazole-desthio)	0	0	0
311	Prothioconazole-Desthio	0	0	0
312	Prothiofos	0	0	0
313	Pymetrozine	0	0	0
314	Pyraclostrobin	0	0	0
315	Pyrazophos	65	0	0
316	Pyrethrins	0	0	0
317	Pyridaben	0	0	0
318	Pyrifenox	0	0	0
319	Pyrimethanil	0	0	0
320	Pyriproxyfen	0	0	0
321	Quinalphos	0	0	0
322	Quinmerac	0	0	0
323	Quinoxifen	0	0	0
324	Quintozene	65	0	0
325	Quintozene (sum of quintozene and pentachloro-aniline expressed as quintozene)	0	0	0
326	Quizalofop (including Quizalofop-P)	0	0	0
327	Quizalofop-P-Ethyl	0	0	0
328	Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers))	65	0	0
329	Rimsulfuron	0	0	0
330	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0	0	0
331	Spiroxamine	0	0	0
332	Sulfotep	0	0	0
333	Tebuconazole	0	0	0
334	Tebufenozide	0	0	0
335	Tebufenpyrad	0	0	0
336	Tecnazene	65	0	0

<i>Row number</i>	<i>Compound</i>	<i>Animal Products</i>	<i>Nr Found</i>	<i>MRL Ex</i>
337	Teflubenzuron	0	0	0
338	Tefluthrin	0	0	0
339	Terbufos	0	0	0
340	Terbufos (sum of terbufos, its sulfoxide and sulfone, expressed as terbufos)	0	0	0
341	Terbufos Sulfone	0	0	0
342	Terbufos Sulfoxide	0	0	0
343	Tetraconazole	0	0	0
344	Tetradifon	0	0	0
345	Thiabendazole	0	0	0
346	Thiacloprid	0	0	0
347	Thiametoxam	0	0	0
348	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0	0	0
349	Thifensulfuron-methyl	0	0	0
350	Thiodicarb	0	0	0
351	Thiometon	0	0	0
352	Thiophanate-methyl	0	0	0
353	Tolclofos-methyl	0	0	0
354	Tolyfluanid	0	0	0
355	Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	0	0	0
356	Triadimefon	0	0	0
357	Triadimefon (sum of Triadimefon and Triadimenol)	0	0	0
358	Triadimenol	0	0	0
359	Triazamate	0	0	0
360	Triazophos	65	0	0
361	Trichlorfon	0	0	0
362	Trifloxystrobin	0	0	0
363	Triflumuron	0	0	0
364	Trifluralin	0	0	0

<i>Row number</i>	<i>Compound</i>	<i>Animal Products</i>	<i>Nr Found</i>	<i>MRL Ex</i>
365	Triforine	0	0	0
366	Triticonazole	0	0	0
367	Vamidothion	0	0	0
368	Vamidothion (sum of Vamidothion, Vamidothion-sulfone and Vamidothion-sulfoxide expressed as Vamidothion)	0	0	0
369	Vamidothion sulfone	0	0	0
370	Vamidothion sulfoxide	0	0	0
371	Vinclozolin	0	0	0
372	Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	0	0	0
373	Zoxamide	0	0	0
374	alpha-Endosulfan	0	0	0
375	beta-Endosulfan	0	0	0
376	tau-Fluvalinate	0	0	0
		2275	30	0

Row number	Compound	Baby/Infant Food	Nr Found	MRL Ex
1	2,4 DB	39	0	0
2	2,4,5-T	39	0	0
3	2,4,5-TP	39	0	0
4	2,4-D	29	0	0
5	2,4-D (sum)	10	0	0
6	2-anilino-4-(2-hydroxypropyl)- 6-methylpyrimidin	29	0	0
7	2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine	10	0	0
8	3-Chloroaniline	39	0	0
9	3-hydroxy -carbofuran	39	0	0
10	4-CPA	39	0	0
11	Abamectin (sum)	39	0	0
12	Acephate	39	0	0
13	Acetamiprid	39	0	0
14	Acrinathrin	39	0	0
15	Aldicarb	39	0	0
16	Aldicarb (sum)	39	0	0
17	Aldicarb-Sulfone	39	0	0
18	Aldicarb-Sulfoxide	39	0	0
19	Aldrin	39	0	0
20	Aldrin and Dieldrin	39	0	0
21	Amitraz (sum)	0	0	0
22	Azinphos-ethyl	39	0	0
23	Azinphos-methyl	39	0	0
24	Azoxystrobin	39	0	0
25	Bentazone	39	0	0
26	Bentazone (sum animal products)	39	0	0
27	Bentazone-8-hydroxy	39	0	0
28	Bifenthrin	39	0	0

Row number	Compound	Baby/Infant Food	Nr Found	MRL Ex
29	Biphenyl	39	0	0
30	Bitertanol	39	0	0
31	Boscalid	39	0	0
32	Bromide ion	0	0	0
33	Bromophos-ethyl	39	0	0
34	Bromopropylate	39	0	0
35	Bromoxynil	39	0	0
36	Bromuconazole (sum)	39	0	0
37	Bupirimate	39	0	0
38	Buprofezin	39	0	0
39	Cadusafos	39	0	0
40	Camphechlor	0	0	0
41	Captafol	39	0	0
42	Captan	39	0	0
43	Carbaryl	39	0	0
44	Carbendazim	39	0	0
45	Carbendazim and benomyl	39	0	0
46	Carbofuran	39	0	0
47	Carbofuran (sum)	39	0	0
48	Carbosulfan	39	0	0
49	Chinomethionat	39	0	0
50	Chlordane	0	0	0
51	Chlordecone	0	0	0
52	Chlorfenapyr	39	0	0
53	Chlorfenvinphos	39	0	0
54	Chlormequat	0	0	0
55	Chlorobenzilate	0	0	0
56	Chlorothalonil	39	0	0

Row number	Compound	Baby/Infant Food	Nr Found	MRL Ex
57	Chloroxuron	39	0	0
58	Chlorpropham	39	0	0
59	Chlorpropham (sum)	39	0	0
60	Chlorpyrifos	39	0	0
61	Chlorpyrifos-methyl	39	0	0
62	Clofentezine	39	0	0
63	Clopyralid	39	0	0
64	Clothianidin	39	0	0
65	Cycloxydim	39	0	0
66	Cyfluthrin	0	0	0
67	Cyfluthrin (sum)	39	0	0
68	Cypermethrin (sum)	39	0	0
69	Cyproconazole	39	0	0
70	Cyprodinil	39	0	0
71	Cyromazine	39	0	0
72	DDD, o,p-	39	0	0
73	DDD, p,p-	39	0	0
74	DDE, o,p-	39	0	0
75	DDE, p,p-	39	0	0
76	DDT (sum)	39	0	0
77	DDT, o,p-	39	0	0
78	DDT, p,p-	39	0	0
79	DMSA	39	0	0
80	DMST	39	0	0
81	Deltamethrin	39	0	0
82	Demeton-S-Methyl	39	0	0
83	Demeton-S-Methyl (sum baby and infant food)	39	0	0
84	Demeton-S-Methylsulfone	39	0	0

Row number	Compound	Baby/Infant Food	Nr Found	MRL Ex
85	Desmethyl Pirimicarb	39	0	0
86	Diafenthiuron	39	0	0
87	Diazinon	39	0	0
88	Dicamba	39	0	0
89	Dichlofluanid	39	0	0
90	Dichlofluanid (suma dichlofluanidu a DMSA)	39	0	0
91	Dichloroaniline, 3,5-	39	0	0
92	Dichlorprop	39	0	0
93	Dichlorvos	39	0	0
94	Dicloran	39	0	0
95	Dicofol (sum)	39	0	0
96	Dicrotophos	39	0	0
97	Dieldrin	39	0	0
98	Diethofencarb	39	0	0
99	Difenoconazole	39	0	0
100	Diflubenzuron	39	0	0
101	Dimethoate	39	0	0
102	Dimethoate (sum)	0	0	0
103	Dimethomorph	39	0	0
104	Dimoxystrobin	39	0	0
105	Diniconazole	39	0	0
106	Dinotefuran	39	0	0
107	Diphenylamine	39	0	0
108	Disulfoton	39	0	0
109	Disulfoton (sum)	39	0	0
110	Disulfoton-Sulfon	39	0	0
111	Disulfoton-Sulfoxid	39	0	0
112	Dithiocarbamates	38	2	0

Row number	Compound	Baby/Infant Food	Nr Found	MRL Ex
113	Dodine	39	0	0
114	EPN	39	0	0
115	Endosulfan (sum)	39	0	0
116	Endosulfansulfate	39	0	0
117	Endrin	39	0	0
118	Epoxiconazole	39	0	0
119	Ethiofencarb	39	0	0
120	Ethion	39	0	0
121	Ethoprophos	39	0	0
122	Ethoxyquin	39	0	0
123	Etofenprox	39	0	0
124	Etrimfos	39	0	0
125	Fenamidone	39	0	0
126	Fenamiphos	39	0	0
127	Fenamiphos (sum)	39	0	0
128	Fenamiphos-Sulfon	39	0	0
129	Fenamiphos-Sulfoxid	39	0	0
130	Fenarimol	39	0	0
131	Fenazaquin	39	0	0
132	Fenbuconazole	39	0	0
133	Fenhexamid	39	0	0
134	Fenitrothion	39	0	0
135	Fenoxaprop-P	39	0	0
136	Fenoxycarb	39	0	0
137	Fenpropathrin	39	0	0
138	Fenpropimorph	39	0	0
139	Fenpyroximate	39	0	0
140	Fensulfothion	39	0	0

Row number	Compound	Baby/Infant Food	Nr Found	MRL Ex
141	Fensulfothion (sum of fensulfothion, its oxygen analogue and their sulfones, expressed as fensulfothion)	39	0	0
142	Fensulfothion oxon	39	0	0
143	Fensulfothion-oxon-sulphone	39	0	0
144	Fenthion	39	0	0
145	Fenthion (sum)	39	0	0
146	Fenthion oxon sulfone	39	0	0
147	Fenthion-Oxon	39	0	0
148	Fenthion-Oxonsulfoxide	39	0	0
149	Fenthion-Sulfon	39	0	0
150	Fenthion-Sulfoxide	39	0	0
151	Fentin, expressed as triphenyltin cation	39	0	0
152	Fenvalerate	0	0	0
153	Fenvalerate and Esfenvalerate (Sum of RR and SS isomers)	39	0	0
154	Fenvalerate and Esfenvalerate (Sum of RS and SR isomers)	39	0	0
155	Fipronil	39	0	0
156	Fipronil (sum of fipronil and fipronil-desulfinyl, expressed as fipronil)	39	0	0
157	Fipronil (sum)	0	0	0
158	Fipronil-Desulfinyl	39	0	0
159	Fipronil-Sulfone	29	0	0
160	Florasulam	39	0	0
161	Fluazifop (free acid)	39	0	0
162	Fluazifop-Butyl	39	0	0
163	Fluazifop-P-butyl (sum)	39	0	0
164	Flucythrinate	39	0	0
165	Fludioxonil	39	0	0
166	Flufenoxuron	39	0	0
167	Fluoxastrobin	39	0	0
168	Fluquinconazole	39	0	0

<i>Row number</i>	<i>Compound</i>	<i>Baby/Infant Food</i>	<i>Nr Found</i>	<i>MRL Ex</i>
169	Fluroxypyr (sum)	39	0	0
170	Flusilazole	39	0	0
171	Flutriafol	39	0	0
172	Folpet	39	0	0
173	Fomesafen	39	0	0
174	Fonofos	39	0	0
175	Formetanate	0	0	0
176	Formetanate	0	0	0
177	Formetanate	39	0	0
178	Formothion	39	0	0
179	Fosthiazate	39	0	0
180	Glyphosate	0	0	0
181	HCH, delta-	39	0	0
182	Haloxyfop	39	0	0
183	Haloxyfop including haloxyfop-R	39	0	0
184	Haloxyfop-Ethoxyethylester	39	0	0
185	Haloxyfop-Methyl	39	0	0
186	Heptachlor	39	0	0
187	Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	39	0	0
188	Heptachlor epoxide	39	0	0
189	Heptenophos	39	0	0
190	Hexachlorobenzene	39	0	0
191	Hexachlorocyclohexane (HCH), alpha-isomer	39	0	0
192	Hexachlorocyclohexane (HCH), beta-isomer	39	0	0
193	Hexachlorocyclohexane (HCH), sum of isomers, except the gamma isomer	39	0	0
194	Hexaconazole	39	0	0
195	Hexaflumuron	39	0	0
196	Hexythiazox	39	0	0

<i>Row number</i>	<i>Compound</i>	<i>Baby/Infant Food</i>	<i>Nr Found</i>	<i>MRL Ex</i>
197	Imazalil	39	0	0
198	Imazapyr	39	0	0
199	Imazaquin	39	0	0
200	Imazethapyr	39	0	0
201	Imazosulfuron	39	0	0
202	Imidacloprid	39	0	0
203	Indoxacarb as sum of the isomers S and R	39	0	0
204	Ioxynil	2	0	0
205	Ioxynil, including its esters expressed as ioxynil	37	0	0
206	Iprodione	39	0	0
207	Iprovalicarb	39	0	0
208	Isofenphos-methyl	39	0	0
209	Isoproturon	39	0	0
210	Kresoxim-methyl	39	0	0
211	Lambda-Cyhalothrin	39	0	0
212	Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))	39	0	0
213	Linuron	39	0	0
214	Lufenuron	39	0	0
215	MCPA	39	0	0
216	MCPA and MCPB (MCPA, MCPB including their salts, esters and conjugates expressed as MCPA)	39	0	0
217	MCPB	39	0	0
218	Malaoxon	39	0	0
219	Malathion	39	0	0
220	Malathion (sum of malathion and malaoxon expressed as malathion)	39	0	0
221	Mecarbam	39	0	0
222	Mecoprop (sum of mecoprop-p and mecoprop expressed as mecoprop)	39	0	0
223	Mepanipyrim	39	0	0
224	Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine) expressed as mepanipyrim)	39	0	0

Row number	Compound	Baby/Infant Food	Nr Found	MRL Ex
225	Mepiquat	0	0	0
226	Mepronil	39	0	0
227	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	39	0	0
228	Metamitron	39	0	0
229	Metamitron-desamino	39	0	0
230	Metconazole	39	0	0
231	Methacrifos	39	0	0
232	Methamidophos	39	0	0
233	Methidathion	39	0	0
234	Methiocarb	39	0	0
235	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	39	0	0
236	Methiocarb-Sulfon	39	0	0
237	Methiocarb-Sulfoxid	39	0	0
238	Methomyl	39	0	0
239	Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	39	0	0
240	Methoxychlor	0	0	0
241	Methoxyfenozide	39	0	0
242	Metobromuron	39	0	0
243	Metolcarb	39	0	0
244	Metominostrobin	39	0	0
245	Metosulam	39	0	0
246	Metoxuron	39	0	0
247	Metsulfuron-methyl	39	0	0
248	Mevinphos (sum of E- and Z-isomers)	39	0	0
249	Mirex	39	0	0
250	Monocrotophos	39	0	0
251	Monuron	39	0	0
252	Myclobutanil	39	0	0

Row number	Compound	Baby/Infant Food	Nr Found	MRL Ex
253	Naphthoxyacetic acid, 2-	39	0	0
254	Nitenpyram	39	0	0
255	Nitrofen	39	0	0
256	Omethoate	39	0	0
257	Orthophenylphenol	39	0	0
258	Oxadixyl	39	0	0
259	Oxamyl	39	0	0
260	Oxamyl-Oxime	39	0	0
261	Oxydemeton-methyl	39	0	0
262	Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0	0	0
263	Paclobutrazol	39	0	0
264	Paraoxon-Methyl	39	0	0
265	Parathion	39	0	0
266	Parathion-methyl	39	0	0
267	Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	39	0	0
268	Penconazole	39	0	0
269	Pencycuron	39	0	0
270	Pendimethalin	39	0	0
271	Pentachloroaniline	39	0	0
272	Pentachlorophenol	39	0	0
273	Permethrin (sum of isomers)	39	0	0
274	Phenthoate	39	0	0
275	Phorate	39	0	0
276	Phorate (sum of phorate, its oxygen analogue and their sulfones expressed as phorate)	39	0	0
277	Phorate-O-analogue	35	0	0
278	Phorate-Sulfon	39	0	0
279	Phorate-Sulfoxid	39	0	0
280	Phorate-oxonsulfone	39	0	0

<i>Row number</i>	<i>Compound</i>	<i>Baby/Infant Food</i>	<i>Nr Found</i>	<i>MRL Ex</i>
281	Phorate-oxonsulfoxid	39	0	0
282	Phosalone	39	0	0
283	Phosmet	39	0	0
284	Phosmet (phosmet and phosmet oxon expressed as phosmet)	39	0	0
285	Phosmet oxon	39	0	0
286	Phosphamidon	39	0	0
287	Phoxim	39	0	0
288	Picloram	39	0	0
289	Picoxystrobin	39	0	0
290	Piperonyl Butoxide	39	0	0
291	Pirimicarb	39	0	0
292	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	39	0	0
293	Pirimiphos-Ethyl	39	0	0
294	Pirimiphos-methyl	39	0	0
295	Prochloraz	29	0	0
296	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	10	0	0
297	Procymidone	39	0	0
298	Profenofos	39	0	0
299	Propachlor	29	0	0
300	Propachlor: oxalinic derivate of propachlor, expressed as propachlor	10	0	0
301	Propamocarb	0	0	0
302	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	39	1	0
303	Propargite	39	0	0
304	Propham	39	0	0
305	Propiconazole	39	0	0
306	Propineb	34	0	0
307	Propoxur	39	0	0
308	Propyzamide	39	0	0

Row number	Compound	Baby/Infant Food	Nr Found	MRL Ex
309	Prothioconazole	39	0	0
310	Prothioconazole (prothioconazole-desthio)	39	0	0
311	Prothioconazole-Desthio	39	0	0
312	Prothiofos	39	0	0
313	Pymetrozine	39	0	0
314	Pyraclostrobin	39	0	0
315	Pyrazophos	39	0	0
316	Pyrethrins	39	0	0
317	Pyridaben	39	0	0
318	Pyrifenox	39	0	0
319	Pyrimethanil	39	1	0
320	Pyriproxyfen	39	0	0
321	Quinalphos	39	0	0
322	Quinmerac	39	0	0
323	Quinoxifen	39	0	0
324	Quintozene	39	0	0
325	Quintozene (sum of quintozene and pentachloro-aniline expressed as quintozene)	39	0	0
326	Quizalofop (including Quizalofop-P)	39	0	0
327	Quizalofop-P-Ethyl	39	0	0
328	Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers))	0	0	0
329	Rimsulfuron	39	0	0
330	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	39	0	0
331	Spiroxamine	39	0	0
332	Sulfotep	39	0	0
333	Tebuconazole	39	0	0
334	Tebufenozide	39	0	0
335	Tebufenpyrad	39	0	0
336	Tecnazene	39	0	0

Row number	Compound	Baby/Infant Food	Nr Found	MRL Ex
337	Teflubenzuron	39	0	0
338	Tefluthrin	39	0	0
339	Terbufos	39	0	0
340	Terbufos (sum of terbufos, its sulfoxide and sulfone, expressed as terbufos)	39	0	0
341	Terbufos Sulfone	39	0	0
342	Terbufos Sulfoxide	39	0	0
343	Tetraconazole	39	0	0
344	Tetradifon	39	0	0
345	Thiabendazole	39	0	0
346	Thiacloprid	39	0	0
347	Thiametoxam	39	0	0
348	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	39	0	0
349	Thifensulfuron-methyl	39	0	0
350	Thiodicarb	39	0	0
351	Thiometon	39	0	0
352	Thiophanate-methyl	39	0	0
353	Tolclofos-methyl	39	0	0
354	Tolyfluanid	39	0	0
355	Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	39	0	0
356	Triadimefon	39	0	0
357	Triadimefon (sum of Triadimefon and Triadimenol)	39	0	0
358	Triadimenol	39	0	0
359	Triazamate	39	0	0
360	Triazophos	39	0	0
361	Trichlorfon	39	0	0
362	Trifloxystrobin	39	0	0
363	Triflumuron	39	0	0
364	Trifluralin	39	0	0

<i>Row number</i>	<i>Compound</i>	<i>Baby/Infant Food</i>	<i>Nr Found</i>	<i>MRL Ex</i>
365	Triforine	39	0	0
366	Triticonazole	39	0	0
367	Vamidothion	39	0	0
368	Vamidothion (sum of Vamidothion, Vamidothion-sulfone and Vamidothion-sulfoxide expressed as Vamidothion)	39	0	0
369	Vamidothion sulfone	39	0	0
370	Vamidothion sulfoxide	39	0	0
371	Vinclozolin	39	0	0
372	Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	39	0	0
373	Zoxamide	39	0	0
374	alpha-Endosulfan	39	0	0
375	beta-Endosulfan	39	0	0
376	tau-Fluvalinate	39	0	0
		13708	4	0

Row number	Compound	Cereals	Nr Found	MRL Ex
1	2,4 DB	172	0	0
2	2,4,5-T	172	0	0
3	2,4,5-TP	172	0	0
4	2,4-D	148	0	0
5	2,4-D (sum)	24	0	0
6	2-anilino-4-(2-hydroxypropyl)- 6-methylpyrimidin	148	0	0
7	2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine	24	0	0
8	3-Chloroaniline	172	0	0
9	3-hydroxy -carbofuran	172	0	0
10	4-CPA	172	0	0
11	Abamectin (sum)	172	0	0
12	Acephate	172	0	0
13	Acetamiprid	172	0	0
14	Acrinathrin	172	0	0
15	Aldicarb	172	0	0
16	Aldicarb (sum)	172	0	0
17	Aldicarb-Sulfone	172	0	0
18	Aldicarb-Sulfoxide	172	0	0
19	Aldrin	172	0	0
20	Aldrin and Dieldrin	172	0	0
21	Amitraz (sum)	0	0	0
22	Azinphos-ethyl	172	0	0
23	Azinphos-methyl	172	0	0
24	Azoxystrobin	172	2	0
25	Bentazone	172	0	0
26	Bentazone (sum animal products)	172	0	0
27	Bentazone-8-hydroxy	172	0	0
28	Bifenthrin	172	0	0

<i>Row number</i>	<i>Compound</i>	<i>Cereals</i>	<i>Nr Found</i>	<i>MRL Ex</i>
29	Biphenyl	172	0	0
30	Bitertanol	172	0	0
31	Boscalid	172	0	0
32	Bromide ion	26	3	0
33	Bromophos-ethyl	172	0	0
34	Bromopropylate	172	0	0
35	Bromoxynil	172	0	0
36	Bromuconazole (sum)	172	0	0
37	Bupirimate	172	0	0
38	Buprofezin	172	1	0
39	Cadusafos	172	0	0
40	Camphechlor	0	0	0
41	Captafol	172	0	0
42	Captan	172	0	0
43	Carbaryl	172	0	0
44	Carbendazim	172	1	0
45	Carbendazim and benomyl	172	1	0
46	Carbofuran	172	0	0
47	Carbofuran (sum)	172	0	0
48	Carbosulfan	172	0	0
49	Chinomethionat	172	0	0
50	Chlordane	0	0	0
51	Chlordecone	0	0	0
52	Chlorfenapyr	172	0	0
53	Chlorfenvinphos	172	0	0
54	Chlormequat	24	11	2
55	Chlorobenzilate	0	0	0
56	Chlorothalonil	172	0	0

Row number	Compound	Cereals	Nr Found	MRL Ex
57	Chloroxuron	172	0	0
58	Chlorpropham	172	0	0
59	Chlorpropham (sum)	172	0	0
60	Chlorpyrifos	172	12	0
61	Chlorpyrifos-methyl	172	34	0
62	Clofentezine	172	0	0
63	Clopyralid	172	0	0
64	Clothianidin	172	0	0
65	Cycloxydim	172	0	0
66	Cyfluthrin	0	0	0
67	Cyfluthrin (sum)	172	0	0
68	Cypermethrin (sum)	172	1	0
69	Cyproconazole	172	3	0
70	Cyprodinil	172	0	0
71	Cyromazine	172	0	0
72	DDD, o,p-	172	0	0
73	DDD, p,p-	172	0	0
74	DDE, o,p-	172	0	0
75	DDE, p,p-	172	0	0
76	DDT (sum)	172	0	0
77	DDT, o,p-	172	0	0
78	DDT, p,p-	172	0	0
79	DMSA	172	0	0
80	DMST	172	0	0
81	Deltamethrin	172	1	0
82	Demeton-S-Methyl	172	0	0
83	Demeton-S-Methyl (sum baby and infant food)	0	0	0
84	Demeton-S-Methylsulfone	172	0	0

Row number	Compound	Cereals	Nr Found	MRL Ex
85	Desmethyl Pirimicarb	172	0	0
86	Diafenthiuron	172	0	0
87	Diazinon	172	0	0
88	Dicamba	172	0	0
89	Dichlofluanid	172	0	0
90	Dichlofluanid (suma dichlofluanidu a DMSA)	172	0	0
91	Dichloroaniline, 3,5-	172	0	0
92	Dichlorprop	172	0	0
93	Dichlorvos	172	0	0
94	Dicloran	172	0	0
95	Dicofol (sum)	172	0	0
96	Dicrotophos	172	0	0
97	Dieldrin	172	0	0
98	Diethofencarb	172	0	0
99	Difenoconazole	172	1	0
100	Diflubenzuron	172	0	0
101	Dimethoate	172	0	0
102	Dimethoate (sum)	172	0	0
103	Dimethomorph	172	0	0
104	Dimoxystrobin	172	0	0
105	Diniconazole	172	0	0
106	Dinotefuran	172	0	0
107	Diphenylamine	172	0	0
108	Disulfoton	172	0	0
109	Disulfoton (sum)	172	0	0
110	Disulfoton-Sulfon	172	0	0
111	Disulfoton-Sulfoxid	172	0	0
112	Dithiocarbamates	19	0	0

Row number	Compound	Cereals	Nr Found	MRL Ex
113	Dodine	172	0	0
114	EPN	172	0	0
115	Endosulfan (sum)	172	0	0
116	Endosulfansulfate	172	0	0
117	Endrin	172	0	0
118	Epoxiconazole	172	3	0
119	Ethiofencarb	172	0	0
120	Ethion	172	0	0
121	Ethoprophos	172	0	0
122	Ethoxyquin	172	0	0
123	Etofenprox	172	0	0
124	Etrimfos	172	0	0
125	Fenamidone	172	0	0
126	Fenamiphos	172	0	0
127	Fenamiphos (sum)	172	0	0
128	Fenamiphos-Sulfon	172	0	0
129	Fenamiphos-Sulfoxid	172	0	0
130	Fenarimol	172	0	0
131	Fenazaquin	172	0	0
132	Fenbuconazole	172	0	0
133	Fenhexamid	172	0	0
134	Fenitrothion	172	0	0
135	Fenoxaprop-P	172	0	0
136	Fenoxycarb	172	0	0
137	Fenpropathrin	172	0	0
138	Fenpropimorph	172	1	0
139	Fenpyroximate	172	0	0
140	Fensulfothion	172	0	0

Row number	Compound	Cereals	Nr Found	MRL Ex
141	Fensulfothion (sum of fensulfothion, its oxygen analogue and their sulfones, expressed as fensulfothion)	172	0	0
142	Fensulfothion oxon	166	0	0
143	Fensulfothion-oxon-sulphone	172	0	0
144	Fenthion	172	0	0
145	Fenthion (sum)	172	0	0
146	Fenthion oxon sulfone	166	0	0
147	Fenthion-Oxon	166	0	0
148	Fenthion-Oxonsulfoxide	166	0	0
149	Fenthion-Sulfon	172	0	0
150	Fenthion-Sulfoxide	172	0	0
151	Fentin, expressed as triphenyltin cation	0	0	0
152	Fenvalerate	0	0	0
153	Fenvalerate and Esfenvalerate (Sum of RR and SS isomers)	172	0	0
154	Fenvalerate and Esfenvalerate (Sum of RS and SR isomers)	172	0	0
155	Fipronil	172	1	0
156	Fipronil (sum of fipronil and fipronil-desulfinyl, expressed as fipronil)	0	0	0
157	Fipronil (sum)	172	1	1
158	Fipronil-Desulfinyl	166	0	0
159	Fipronil-Sulfone	148	0	0
160	Florasulam	166	0	0
161	Fluazifop (free acid)	172	0	0
162	Fluazifop-Butyl	172	0	0
163	Fluazifop-P-butyl (sum)	172	0	0
164	Flucythrinate	172	0	0
165	Fludioxonil	172	0	0
166	Flufenoxuron	172	0	0
167	Fluoxastrobin	172	0	0
168	Fluquinconazole	172	0	0

Row number	Compound	Cereals	Nr Found	MRL Ex
169	Fluroxypyr (sum)	172	0	0
170	Flusilazole	172	1	0
171	Flutriafol	172	0	0
172	Folpet	172	0	0
173	Fomesafen	172	0	0
174	Fonofos	172	1	0
175	Formetanate	25	0	0
176	Formetanate	25	0	0
177	Formetanate	172	0	0
178	Formothion	172	0	0
179	Fosthiazate	166	0	0
180	Glyphosate	14	0	0
181	HCH, delta-	172	0	0
182	Haloxypop	172	0	0
183	Haloxypop including haloxypop-R	172	0	0
184	Haloxypop-Ethoxyethylester	172	0	0
185	Haloxypop-Methyl	172	0	0
186	Heptachlor	172	0	0
187	Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	172	0	0
188	Heptachlor epoxide	172	0	0
189	Heptenophos	172	0	0
190	Hexachlorobenzene	172	0	0
191	Hexachlorocyclohexane (HCH), alpha-isomer	172	0	0
192	Hexachlorocyclohexane (HCH), beta-isomer	172	0	0
193	Hexachlorocyclohexane (HCH), sum of isomers, except the gamma isomer	172	0	0
194	Hexaconazole	172	0	0
195	Hexaflumuron	172	0	0
196	Hexythiazox	172	1	0

<i>Row number</i>	<i>Compound</i>	<i>Cereals</i>	<i>Nr Found</i>	<i>MRL Ex</i>
197	Imazalil	172	0	0
198	Imazapyr	172	0	0
199	Imazaquin	172	0	0
200	Imazethapyr	172	0	0
201	Imazosulfuron	172	0	0
202	Imidacloprid	172	2	0
203	Indoxacarb as sum of the isomers S and R	172	0	0
204	Ioxynil	10	0	0
205	Ioxynil, including its esters expressed as ioxynil	162	0	0
206	Iprodione	172	1	0
207	Iprovalicarb	172	0	0
208	Isofenphos-methyl	172	0	0
209	Isoproturon	172	0	0
210	Kresoxim-methyl	172	0	0
211	Lambda-Cyhalothrin	172	1	0
212	Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))	172	0	0
213	Linuron	172	0	0
214	Lufenuron	172	0	0
215	MCPA	172	0	0
216	MCPA and MCPB (MCPA, MCPB including their salts, esters and conjugates expressed as MCPA)	172	0	0
217	MCPB	172	0	0
218	Malaoxon	172	0	0
219	Malathion	172	1	0
220	Malathion (sum of malathion and malaoxon expressed as malathion)	172	2	0
221	Mecarbam	172	0	0
222	Mecoprop (sum of mecoprop-p and mecoprop expressed as mecoprop)	172	0	0
223	Mepanipyrim	172	0	0
224	Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine) expressed as mepanipyrim)	172	0	0

Row number	Compound	Cereals	Nr Found	MRL Ex
225	Mepiquat	24	0	0
226	Mepronil	172	0	0
227	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	172	0	0
228	Metamitron	172	0	0
229	Metamitron-desamino	172	0	0
230	Metconazole	172	0	0
231	Methacrifos	172	0	0
232	Methamidophos	172	0	0
233	Methidathion	172	0	0
234	Methiocarb	172	0	0
235	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	172	0	0
236	Methiocarb-Sulfon	172	0	0
237	Methiocarb-Sulfoxid	172	0	0
238	Methomyl	172	0	0
239	Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	172	0	0
240	Methoxychlor	0	0	0
241	Methoxyfenozide	172	0	0
242	Metobromuron	172	0	0
243	Metolcarb	172	0	0
244	Metominostrobin	172	0	0
245	Metosulam	172	0	0
246	Metoxuron	172	0	0
247	Metsulfuron-methyl	172	0	0
248	Mevinphos (sum of E- and Z-isomers)	172	0	0
249	Mirex	172	0	0
250	Monocrotophos	172	0	0
251	Monuron	172	0	0
252	Myclobutanil	172	0	0

<i>Row number</i>	<i>Compound</i>	<i>Cereals</i>	<i>Nr Found</i>	<i>MRL Ex</i>
253	Naphthoxyacetic acid, 2-	172	0	0
254	Nitenpyram	172	0	0
255	Nitrofen	172	0	0
256	Omethoate	172	0	0
257	Orthophenylphenol	172	0	0
258	Oxadixyl	172	0	0
259	Oxamyl	172	0	0
260	Oxamyl-Oxime	172	0	0
261	Oxydemeton-methyl	172	0	0
262	Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	172	0	0
263	Paclobutrazol	172	0	0
264	Paraoxon-Methyl	172	0	0
265	Parathion	172	0	0
266	Parathion-methyl	172	0	0
267	Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	172	0	0
268	Penconazole	172	0	0
269	Pencycuron	172	1	1
270	Pendimethalin	172	0	0
271	Pentachloroaniline	172	0	0
272	Pentachlorophenol	172	0	0
273	Permethrin (sum of isomers)	172	0	0
274	Phenthoate	172	0	0
275	Phorate	172	0	0
276	Phorate (sum of phorate, its oxygen analogue and their sulfones expressed as phorate)	172	0	0
277	Phorate-O-analogue	153	0	0
278	Phorate-Sulfon	172	0	0
279	Phorate-Sulfoxid	172	0	0
280	Phorate-oxonsulfone	172	0	0

Row number	Compound	Cereals	Nr Found	MRL Ex
281	Phorate-oxonsulfoxid	172	0	0
282	Phosalone	172	0	0
283	Phosmet	172	0	0
284	Phosmet (phosmet and phosmet oxon expressed as phosmet)	172	0	0
285	Phosmet oxon	166	0	0
286	Phosphamidon	172	0	0
287	Phoxim	172	0	0
288	Picloram	172	0	0
289	Picoxystrobin	172	1	0
290	Piperonyl Butoxide	172	9	0
291	Pirimicarb	172	0	0
292	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	172	0	0
293	Pirimiphos-Ethyl	172	0	0
294	Pirimiphos-methyl	172	15	0
295	Prochloraz	148	0	0
296	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	24	0	0
297	Procymidone	172	0	0
298	Profenofos	172	0	0
299	Propachlor	148	0	0
300	Propachlor: oxalinic derivate of propachlor, expressed as propachlor	24	0	0
301	Propamocarb	25	0	0
302	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	172	0	0
303	Propargite	172	0	0
304	Propham	172	0	0
305	Propiconazole	172	3	0
306	Propineb	0	0	0
307	Propoxur	172	1	0
308	Propyzamide	172	0	0

Row number	Compound	Cereals	Nr Found	MRL Ex
309	Prothioconazole	172	0	0
310	Prothioconazole (prothioconazole-desthio)	172	0	0
311	Prothioconazole-Desthio	166	0	0
312	Prothiofos	172	0	0
313	Pymetrozine	172	0	0
314	Pyraclostrobin	172	0	0
315	Pyrazophos	172	0	0
316	Pyrethrins	172	0	0
317	Pyridaben	172	0	0
318	Pyrifenox	172	0	0
319	Pyrimethanil	172	0	0
320	Pyriproxyfen	172	0	0
321	Quinalphos	172	0	0
322	Quinmerac	172	1	0
323	Quinoxifen	172	2	0
324	Quintozene	172	0	0
325	Quintozene (sum of quintozene and pentachloro-aniline expressed as quintozene)	172	0	0
326	Quizalofop (including Quizalofop-P)	172	0	0
327	Quizalofop-P-Ethyl	172	0	0
328	Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers))	0	0	0
329	Rimsulfuron	172	0	0
330	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	172	0	0
331	Spiroxamine	172	2	0
332	Sulfotep	172	0	0
333	Tebuconazole	172	11	0
334	Tebufenozide	172	0	0
335	Tebufenpyrad	172	0	0
336	Tecnazene	172	0	0

Row number	Compound	Cereals	Nr Found	MRL Ex
337	Teflubenzuron	172	0	0
338	Tefluthrin	172	0	0
339	Terbufos	172	0	0
340	Terbufos (sum of terbufos, its sulfoxide and sulfone, expressed as terbufos)	172	0	0
341	Terbufos Sulfone	172	0	0
342	Terbufos Sulfoxide	172	0	0
343	Tetraconazole	172	0	0
344	Tetradifon	172	0	0
345	Thiabendazole	172	0	0
346	Thiacloprid	172	0	0
347	Thiametoxam	172	0	0
348	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	172	0	0
349	Thifensulfuron-methyl	172	0	0
350	Thiodicarb	172	0	0
351	Thiometon	172	0	0
352	Thiophanate-methyl	172	0	0
353	Tolclofos-methyl	172	0	0
354	Tolyfluanid	172	0	0
355	Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	172	0	0
356	Triadimefon	172	0	0
357	Triadimefon (sum of Triadimefon and Triadimenol)	172	0	0
358	Triadimenol	172	0	0
359	Triazamate	166	0	0
360	Triazophos	172	0	0
361	Trichlorfon	172	0	0
362	Trifloxystrobin	172	0	0
363	Triflumuron	172	0	0
364	Trifluralin	172	0	0

<i>Row number</i>	<i>Compound</i>	<i>Cereals</i>	<i>Nr Found</i>	<i>MRL Ex</i>
365	Triforine	172	0	0
366	Triticonazole	172	0	0
367	Vamidothion	172	0	0
368	Vamidothion (sum of Vamidothion, Vamidothion-sulfone and Vamidothion-sulfoxide expressed as Vamidothion)	172	0	0
369	Vamidothion sulfone	172	0	0
370	Vamidothion sulfoxide	172	0	0
371	Vinclozolin	172	0	0
372	Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	172	0	0
373	Zoxamide	172	0	0
374	alpha-Endosulfan	172	0	0
375	beta-Endosulfan	172	0	0
376	tau-Fluvalinate	172	0	0
		60279	133	4

Row number	Compound	Fruit and Nuts	Nr Found	MRL Ex
1	2,4 DB	279	0	0
2	2,4,5-T	279	0	0
3	2,4,5-TP	279	0	0
4	2,4-D	230	9	0
5	2,4-D (sum)	49	2	0
6	2-anilino-4-(2-hydroxypropyl)- 6-methylpyrimidin	230	2	0
7	2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine	49	0	0
8	3-Chloroaniline	279	0	0
9	3-hydroxy -carbofuran	279	0	0
10	4-CPA	279	0	0
11	Abamectin (sum)	279	0	0
12	Acephate	279	0	0
13	Acetamiprid	279	8	0
14	Acrinathrin	279	0	0
15	Aldicarb	279	0	0
16	Aldicarb (sum)	279	0	0
17	Aldicarb-Sulfone	279	0	0
18	Aldicarb-Sulfoxide	279	0	0
19	Aldrin	279	0	0
20	Aldrin and Dieldrin	279	0	0
21	Amitraz (sum)	24	0	0
22	Azinphos-ethyl	280	0	0
23	Azinphos-methyl	279	1	0
24	Azoxystrobin	279	19	0
25	Bentazone	279	0	0
26	Bentazone (sum animal products)	279	0	0
27	Bentazone-8-hydroxy	279	0	0
28	Bifenthrin	280	1	0

<i>Row number</i>	<i>Compound</i>	<i>Fruit and Nuts</i>	<i>Nr Found</i>	<i>MRL Ex</i>
29	Biphenyl	279	0	0
30	Bitertanol	279	7	0
31	Boscalid	279	47	0
32	Bromide ion	26	0	0
33	Bromophos-ethyl	279	0	0
34	Bromopropylate	279	1	0
35	Bromoxynil	279	0	0
36	Bromuconazole (sum)	279	0	0
37	Bupirimate	279	11	0
38	Buprofezin	279	2	0
39	Cadusafos	279	0	0
40	Camphechlor	0	0	0
41	Captafol	279	0	0
42	Captan	279	20	0
43	Carbaryl	279	0	0
44	Carbendazim	279	17	0
45	Carbendazim and benomyl	279	17	0
46	Carbofuran	279	0	0
47	Carbofuran (sum)	279	0	0
48	Carbosulfan	279	0	0
49	Chinomethionat	279	0	0
50	Chlordane	1	0	0
51	Chlordecone	3	0	0
52	Chlorfenapyr	279	0	0
53	Chlorfenvinphos	279	0	0
54	Chlormequat	24	1	0
55	Chlorobenzilate	0	0	0
56	Chlorothalonil	279	4	0

<i>Row number</i>	<i>Compound</i>	<i>Fruit and Nuts</i>	<i>Nr Found</i>	<i>MRL Ex</i>
57	Chloroxuron	279	0	0
58	Chlorpropham	279	1	0
59	Chlorpropham (sum)	279	0	0
60	Chlorpyrifos	280	81	1
61	Chlorpyrifos-methyl	280	9	0
62	Clofentezine	279	2	0
63	Clopyralid	279	0	0
64	Clothianidin	279	3	0
65	Cycloxydim	279	0	0
66	Cyfluthrin	0	0	0
67	Cyfluthrin (sum)	280	0	0
68	Cypermethrin (sum)	280	2	0
69	Cyproconazole	279	3	0
70	Cyprodinil	279	27	0
71	Cyromazine	279	0	0
72	DDD, o,p-	279	0	0
73	DDD, p,p-	279	0	0
74	DDE, o,p-	279	0	0
75	DDE, p,p-	279	0	0
76	DDT (sum)	280	0	0
77	DDT, o,p-	279	0	0
78	DDT, p,p-	279	0	0
79	DMSA	279	0	0
80	DMST	279	1	0
81	Deltamethrin	280	0	0
82	Demeton-S-Methyl	279	0	0
83	Demeton-S-Methyl (sum baby and infant food)	0	0	0
84	Demeton-S-Methylsulfone	279	0	0

<i>Row number</i>	<i>Compound</i>	<i>Fruit and Nuts</i>	<i>Nr Found</i>	<i>MRL Ex</i>
85	Desmethyl Pirimicarb	279	2	0
86	Diafenthiuron	279	0	0
87	Diazinon	280	1	0
88	Dicamba	279	0	0
89	Dichlofluanid	279	0	0
90	Dichlofluanid (suma dichlofluanidu a DMSA)	279	0	0
91	Dichloroaniline, 3,5-	279	0	0
92	Dichlorprop	279	1	0
93	Dichlorvos	279	0	0
94	Dicloran	279	0	0
95	Dicofol (sum)	279	0	0
96	Dicrotophos	279	0	0
97	Dieldrin	280	0	0
98	Diethofencarb	279	2	0
99	Difenoconazole	279	19	0
100	Diffubenzuron	279	0	0
101	Dimethoate	279	0	0
102	Dimethoate (sum)	279	1	0
103	Dimethomorph	279	7	0
104	Dimoxystrobin	279	0	0
105	Diniconazole	279	0	0
106	Dinotefuran	279	0	0
107	Diphenylamine	279	1	0
108	Disulfoton	279	0	0
109	Disulfoton (sum)	279	0	0
110	Disulfoton-Sulfon	279	0	0
111	Disulfoton-Sulfoxid	279	0	0
112	Dithiocarbamates	54	11	0

<i>Row number</i>	<i>Compound</i>	<i>Fruit and Nuts</i>	<i>Nr Found</i>	<i>MRL Ex</i>
113	Dodine	279	32	0
114	EPN	279	0	0
115	Endosulfan (sum)	280	0	0
116	Endosulfansulfate	279	0	0
117	Endrin	280	0	0
118	Epoxiconazole	279	1	0
119	Ethiofencarb	279	0	0
120	Ethion	279	0	0
121	Ethoprophos	279	0	0
122	Ethoxyquin	279	0	0
123	Etofenprox	279	12	0
124	Etrimfos	279	0	0
125	Fenamidone	279	2	0
126	Fenamiphos	279	0	0
127	Fenamiphos (sum)	279	0	0
128	Fenamiphos-Sulfon	279	0	0
129	Fenamiphos-Sulfoxid	279	0	0
130	Fenarimol	279	0	0
131	Fenazaquin	279	4	0
132	Fenbuconazole	279	8	0
133	Fenhexamid	279	22	0
134	Fenitrothion	279	0	0
135	Fenoxaprop-P	279	0	0
136	Fenoxycarb	279	4	0
137	Fenpropathrin	279	0	0
138	Fenpropimorph	279	2	0
139	Fenpyroximate	279	4	0
140	Fensulfothion	279	0	0

<i>Row number</i>	<i>Compound</i>	<i>Fruit and Nuts</i>	<i>Nr Found</i>	<i>MRL Ex</i>
141	Fensulfothion (sum of fensulfothion, its oxygen analogue and their sulfones, expressed as fensulfothion)	279	0	0
142	Fensulfothion oxon	272	0	0
143	Fensulfothion-oxon-sulphone	279	0	0
144	Fenthion	280	0	0
145	Fenthion (sum)	279	0	0
146	Fenthion oxon sulfone	272	0	0
147	Fenthion-Oxon	272	0	0
148	Fenthion-Oxonsulfoxide	272	0	0
149	Fenthion-Sulfon	279	0	0
150	Fenthion-Sulfoxide	279	0	0
151	Fentin, expressed as triphenlytin cation	0	0	0
152	Fenvalerate	0	0	0
153	Fenvalerate and Esfenvalerate (Sum of RR and SS isomers)	279	1	0
154	Fenvalerate and Esfenvalerate (Sum of RS and SR isomers)	280	1	0
155	Fipronil	279	1	0
156	Fipronil (sum of fipronil and fipronil-desulfinyl, expressed as fipronil)	0	0	0
157	Fipronil (sum)	279	1	1
158	Fipronil-Desulfinyl	272	1	0
159	Fipronil-Sulfone	230	0	0
160	Florasulam	272	0	0
161	Fluazifop (free acid)	279	2	0
162	Fluazifop-Butyl	279	0	0
163	Fluazifop-P-butyl (sum)	279	2	0
164	Flucythrinate	279	0	0
165	Fludioxonil	279	26	0
166	Flufenoxuron	279	4	0
167	Fluoxastrobin	279	0	0
168	Fluquinconazole	279	1	0

<i>Row number</i>	<i>Compound</i>	<i>Fruit and Nuts</i>	<i>Nr Found</i>	<i>MRL Ex</i>
169	Fluroxypyr (sum)	279	0	0
170	Flusilazole	279	0	0
171	Flutriafol	279	1	0
172	Folpet	279	4	0
173	Fomesafen	279	0	0
174	Fonofos	279	0	0
175	Formetanate	0	0	0
176	Formetanate	0	0	0
177	Formetanate	279	0	0
178	Formothion	279	0	0
179	Fosthiazate	272	0	0
180	Glyphosate	0	0	0
181	HCH, delta-	279	0	0
182	Haloxypop	279	0	0
183	Haloxypop including haloxypop-R	279	0	0
184	Haloxypop-Ethoxyethylester	279	0	0
185	Haloxypop-Methyl	279	0	0
186	Heptachlor	280	0	0
187	Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	279	0	0
188	Heptachlor epoxide	279	0	0
189	Heptenophos	279	0	0
190	Hexachlorobenzene	280	0	0
191	Hexachlorocyclohexane (HCH), alpha-isomer	279	0	0
192	Hexachlorocyclohexane (HCH), beta-isomer	280	0	0
193	Hexachlorocyclohexane (HCH), sum of isomers, except the gamma isomer	279	0	0
194	Hexaconazole	279	0	0
195	Hexaflumuron	279	0	0
196	Hexythiazox	279	11	0

<i>Row number</i>	<i>Compound</i>	<i>Fruit and Nuts</i>	<i>Nr Found</i>	<i>MRL Ex</i>
197	Imazalil	279	56	0
198	Imazapyr	279	0	0
199	Imazaquin	279	0	0
200	Imazethapyr	279	0	0
201	Imazosulfuron	279	0	0
202	Imidacloprid	279	18	0
203	Indoxacarb as sum of the isomers S and R	279	7	0
204	Ioxynil	33	0	0
205	Ioxynil, including its esters expressed as ioxynil	246	0	0
206	Iprodione	279	8	0
207	Iprovalicarb	279	1	0
208	Isofenphos-methyl	279	0	0
209	Isoproturon	279	0	0
210	Kresoxim-methyl	279	6	0
211	Lambda-Cyhalothrin	279	8	0
212	Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))	280	0	0
213	Linuron	279	0	0
214	Lufenuron	279	2	0
215	MCPA	279	0	0
216	MCPA and MCPB (MCPA, MCPB including their salts, esters and conjugates expressed as MCPA)	279	0	0
217	MCPB	279	0	0
218	Malaoxon	279	0	0
219	Malathion	279	3	0
220	Malathion (sum of malathion and malaoxon expressed as malathion)	279	3	0
221	Mecarbam	279	0	0
222	Mecoprop (sum of mecoprop-p and mecoprop expressed as mecoprop)	279	0	0
223	Mepanipyrim	279	4	0
224	Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine) expressed as mepanipyrim)	279	4	0

<i>Row number</i>	<i>Compound</i>	<i>Fruit and Nuts</i>	<i>Nr Found</i>	<i>MRL Ex</i>
225	Mepiquat	24	0	0
226	Mepronil	279	0	0
227	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	279	7	0
228	Metamitron	279	0	0
229	Metamitron-desamino	279	0	0
230	Metconazole	279	0	0
231	Methacrifos	279	0	0
232	Methamidophos	279	0	0
233	Methidathion	280	0	0
234	Methiocarb	279	0	0
235	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	279	1	0
236	Methiocarb-Sulfon	279	0	0
237	Methiocarb-Sulfoxid	279	1	0
238	Methomyl	279	1	0
239	Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	279	1	1
240	Methoxychlor	0	0	0
241	Methoxyfenozide	279	13	0
242	Metobromuron	279	0	0
243	Metolcarb	279	0	0
244	Metominostrobin	279	0	0
245	Metosulam	279	0	0
246	Metoxuron	279	0	0
247	Metsulfuron-methyl	279	0	0
248	Mevinphos (sum of E- and Z-isomers)	279	0	0
249	Mirex	279	0	0
250	Monocrotophos	279	0	0
251	Monuron	279	0	0
252	Myclobutanil	279	9	0

<i>Row number</i>	<i>Compound</i>	<i>Fruit and Nuts</i>	<i>Nr Found</i>	<i>MRL Ex</i>
253	Naphthoxyacetic acid, 2-	279	0	0
254	Nitenpyram	279	0	0
255	Nitrofen	279	0	0
256	Omethoate	279	1	0
257	Orthophenylphenol	279	3	0
258	Oxadixyl	279	0	0
259	Oxamyl	279	0	0
260	Oxamyl-Oxime	279	1	0
261	Oxydemeton-methyl	279	1	0
262	Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	279	0	0
263	Paclobutrazol	279	0	0
264	Paraoxon-Methyl	280	0	0
265	Parathion	280	0	0
266	Parathion-methyl	279	0	0
267	Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	279	0	0
268	Penconazole	279	18	0
269	Pencycuron	279	0	0
270	Pendimethalin	279	1	0
271	Pentachloroaniline	279	0	0
272	Pentachlorophenol	279	0	0
273	Permethrin (sum of isomers)	280	0	0
274	Phenthoate	279	0	0
275	Phorate	279	0	0
276	Phorate (sum of phorate, its oxygen analogue and their sulfones expressed as phorate)	279	0	0
277	Phorate-O-analogue	259	0	0
278	Phorate-Sulfon	279	0	0
279	Phorate-Sulfoxid	279	0	0
280	Phorate-oxonsulfone	276	0	0

<i>Row number</i>	<i>Compound</i>	<i>Fruit and Nuts</i>	<i>Nr Found</i>	<i>MRL Ex</i>
281	Phorate-oxonsulfoxid	276	0	0
282	Phosalone	279	2	1
283	Phosmet	279	3	0
284	Phosmet (phosmet and phosmet oxon expressed as phosmet)	279	2	2
285	Phosmet oxon	272	0	0
286	Phosphamidon	279	0	0
287	Phoxim	279	0	0
288	Picloram	279	0	0
289	Picoxystrobin	279	0	0
290	Piperonyl Butoxide	279	2	0
291	Pirimicarb	279	12	0
292	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	279	12	0
293	Pirimiphos-Ethyl	279	0	0
294	Pirimiphos-methyl	280	0	0
295	Prochloraz	230	16	0
296	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	49	2	0
297	Procymidone	279	0	0
298	Profenofos	280	0	0
299	Propachlor	230	0	0
300	Propachlor: oxalinic derivate of propachlor, expressed as propachlor	49	0	0
301	Propamocarb	4	0	0
302	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	279	1	0
303	Propargite	279	4	0
304	Propham	279	0	0
305	Propiconazole	279	0	0
306	Propineb	0	0	0
307	Propoxur	279	0	0
308	Propyzamide	279	0	0

<i>Row number</i>	<i>Compound</i>	<i>Fruit and Nuts</i>	<i>Nr Found</i>	<i>MRL Ex</i>
309	Prothioconazole	279	0	0
310	Prothioconazole (prothioconazole-desthio)	279	0	0
311	Prothioconazole-Desthio	272	0	0
312	Prothiofos	279	0	0
313	Pymetrozine	279	0	0
314	Pyraclostrobin	279	29	0
315	Pyrazophos	280	0	0
316	Pyrethrins	279	0	0
317	Pyridaben	279	4	0
318	Pyrifenox	279	0	0
319	Pyrimethanil	279	15	0
320	Pyriproxyfen	279	24	0
321	Quinalphos	279	0	0
322	Quinmerac	279	0	0
323	Quinoxifen	279	7	0
324	Quintozene	280	0	0
325	Quintozene (sum of quintozene and pentachloro-aniline expressed as quintozene)	279	0	0
326	Quizalofop (including Quizalofop-P)	279	0	0
327	Quizalofop-P-Ethyl	279	0	0
328	Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers))	0	0	0
329	Rimsulfuron	279	0	0
330	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	279	10	0
331	Spiroxamine	279	2	0
332	Sulfotep	279	0	0
333	Tebuconazole	279	16	0
334	Tebufenozide	279	1	0
335	Tebufenpyrad	279	7	0
336	Tecnazene	280	0	0

<i>Row number</i>	<i>Compound</i>	<i>Fruit and Nuts</i>	<i>Nr Found</i>	<i>MRL Ex</i>
337	Teflubenzuron	279	2	0
338	Tefluthrin	279	0	0
339	Terbufos	279	0	0
340	Terbufos (sum of terbufos, its sulfoxide and sulfone, expressed as terbufos)	279	0	0
341	Terbufos Sulfone	279	0	0
342	Terbufos Sulfoxide	279	0	0
343	Tetraconazole	279	8	0
344	Tetradifon	279	0	0
345	Thiabendazole	279	39	0
346	Thiacloprid	279	17	0
347	Thiametoxam	279	0	0
348	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	279	1	0
349	Thifensulfuron-methyl	279	0	0
350	Thiodicarb	279	0	0
351	Thiometon	279	0	0
352	Thiophanate-methyl	279	6	0
353	Tolclofos-methyl	279	0	0
354	Tolyfluanid	279	1	0
355	Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	279	1	0
356	Triadimefon	279	5	0
357	Triadimefon (sum of Triadimefon and Triadimenol)	279	7	0
358	Triadimenol	279	9	0
359	Triazamate	274	0	0
360	Triazophos	280	0	0
361	Trichlorfon	279	0	0
362	Trifloxystrobin	279	9	0
363	Triflumuron	279	0	0
364	Trifluralin	279	0	0

<i>Row number</i>	<i>Compound</i>	<i>Fruit and Nuts</i>	<i>Nr Found</i>	<i>MRL Ex</i>
365	Triforine	279	0	0
366	Triticonazole	279	0	0
367	Vamidothion	279	0	0
368	Vamidothion (sum of Vamidothion, Vamidothion-sulfone and Vamidothion-sulfoxide expressed as Vamidothion)	279	0	0
369	Vamidothion sulfone	279	0	0
370	Vamidothion sulfoxide	279	0	0
371	Vinclozolin	279	0	0
372	Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	279	0	0
373	Zoxamide	279	0	0
374	alpha-Endosulfan	279	0	0
375	beta-Endosulfan	279	0	0
376	tau-Fluvalinate	279	2	1
		97695	946	7

Row number	Compound	Infusions	Nr Found	MRL Ex
1	2,4 DB	9	0	0
2	2,4,5-T	9	0	0
3	2,4,5-TP	9	0	0
4	2,4-D	9	0	0
5	2,4-D (sum)	0	0	0
6	2-anilino-4-(2-hydroxypropyl)- 6-methylpyrimidin	9	0	0
7	2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine	0	0	0
8	3-Chloroaniline	9	0	0
9	3-hydroxy -carbofuran	9	0	0
10	4-CPA	9	0	0
11	Abamectin (sum)	9	0	0
12	Acephate	9	1	1
13	Acetamiprid	9	1	1
14	Acrinathrin	9	1	0
15	Aldicarb	9	0	0
16	Aldicarb (sum)	9	0	0
17	Aldicarb-Sulfone	9	0	0
18	Aldicarb-Sulfoxide	9	0	0
19	Aldrin	9	0	0
20	Aldrin and Dieldrin	9	0	0
21	Amitraz (sum)	0	0	0
22	Azinphos-ethyl	9	0	0
23	Azinphos-methyl	9	0	0
24	Azoxystrobin	9	0	0
25	Bentazone	9	0	0
26	Bentazone (sum animal products)	9	0	0
27	Bentazone-8-hydroxy	9	0	0
28	Bifenthrin	9	4	0

<i>Row number</i>	<i>Compound</i>	<i>Infusions</i>	<i>Nr Found</i>	<i>MRL Ex</i>
29	Biphenyl	9	1	0
30	Bitertanol	9	0	0
31	Boscalid	9	0	0
32	Bromide ion	0	0	0
33	Bromophos-ethyl	9	0	0
34	Bromopropylate	9	0	0
35	Bromoxynil	9	0	0
36	Bromuconazole (sum)	9	0	0
37	Bupirimate	9	0	0
38	Buprofezin	9	1	1
39	Cadusafos	9	0	0
40	Camphechlor	0	0	0
41	Captafol	9	0	0
42	Captan	9	0	0
43	Carbaryl	9	0	0
44	Carbendazim	9	1	0
45	Carbendazim and benomyl	9	1	0
46	Carbofuran	9	0	0
47	Carbofuran (sum)	9	0	0
48	Carbosulfan	9	0	0
49	Chinomethionat	9	0	0
50	Chlordane	0	0	0
51	Chlordecone	0	0	0
52	Chlorfenapyr	9	0	0
53	Chlorfenvinphos	9	0	0
54	Chlormequat	0	0	0
55	Chlorobenzilate	0	0	0
56	Chlorothalonil	9	0	0

Row number	Compound	Infusions	Nr Found	MRL Ex
57	Chloroxuron	9	0	0
58	Chlorpropham	9	0	0
59	Chlorpropham (sum)	9	0	0
60	Chlorpyrifos	9	2	0
61	Chlorpyrifos-methyl	9	0	0
62	Clofentezine	9	0	0
63	Clopyralid	9	0	0
64	Clothianidin	9	0	0
65	Cycloxydim	9	0	0
66	Cyfluthrin	0	0	0
67	Cyfluthrin (sum)	9	0	0
68	Cypermethrin (sum)	9	0	0
69	Cyproconazole	9	0	0
70	Cyprodinil	9	0	0
71	Cyromazine	9	0	0
72	DDD, o,p-	9	0	0
73	DDD, p,p-	9	1	0
74	DDE, o,p-	9	0	0
75	DDE, p,p-	9	1	0
76	DDT (sum)	9	1	0
77	DDT, o,p-	9	0	0
78	DDT, p,p-	9	1	0
79	DMSA	9	0	0
80	DMST	9	0	0
81	Deltamethrin	9	0	0
82	Demeton-S-Methyl	9	0	0
83	Demeton-S-Methyl (sum baby and infant food)	0	0	0
84	Demeton-S-Methylsulfone	9	0	0

Row number	Compound	Infusions	Nr Found	MRL Ex
85	Desmethyl Pirimicarb	9	0	0
86	Diafenthiuron	9	0	0
87	Diazinon	9	0	0
88	Dicamba	9	0	0
89	Dichlofluanid	9	0	0
90	Dichlofluanid (suma dichlofluanidu a DMSA)	9	0	0
91	Dichloroaniline, 3,5-	9	0	0
92	Dichlorprop	9	0	0
93	Dichlorvos	9	0	0
94	Dicloran	9	0	0
95	Dicofol (sum)	9	0	0
96	Dicrotophos	9	0	0
97	Dieldrin	9	0	0
98	Diethofencarb	9	0	0
99	Difenoconazole	9	0	0
100	Diflubenzuron	9	0	0
101	Dimethoate	9	0	0
102	Dimethoate (sum)	9	0	0
103	Dimethomorph	9	0	0
104	Dimoxystrobin	9	0	0
105	Diniconazole	9	1	0
106	Dinotefuran	9	0	0
107	Diphenylamine	9	0	0
108	Disulfoton	9	0	0
109	Disulfoton (sum)	9	0	0
110	Disulfoton-Sulfon	9	0	0
111	Disulfoton-Sulfoxid	9	0	0
112	Dithiocarbamates	0	0	0

Row number	Compound	Infusions	Nr Found	MRL Ex
113	Dodine	9	0	0
114	EPN	9	0	0
115	Endosulfan (sum)	9	0	0
116	Endosulfansulfate	9	0	0
117	Endrin	9	0	0
118	Epoxiconazole	9	0	0
119	Ethiofencarb	9	0	0
120	Ethion	9	0	0
121	Ethoprophos	9	0	0
122	Ethoxyquin	9	0	0
123	Etofenprox	9	0	0
124	Etrimfos	9	0	0
125	Fenamidone	9	0	0
126	Fenamiphos	9	0	0
127	Fenamiphos (sum)	9	0	0
128	Fenamiphos-Sulfon	9	0	0
129	Fenamiphos-Sulfoxid	9	0	0
130	Fenarimol	9	0	0
131	Fenazaquin	9	0	0
132	Fenbuconazole	9	0	0
133	Fenhexamid	9	0	0
134	Fenitrothion	9	0	0
135	Fenoxaprop-P	9	0	0
136	Fenoxycarb	9	0	0
137	Fenpropathrin	9	1	0
138	Fenpropimorph	9	0	0
139	Fenpyroximate	9	0	0
140	Fensulfothion	9	0	0

Row number	Compound	Infusions	Nr Found	MRL Ex
141	Fensulfothion (sum of fensulfothion, its oxygen analogue and their sulfones, expressed as fensulfothion)	9	0	0
142	Fensulfothion oxon	9	0	0
143	Fensulfothion-oxon-sulphone	9	0	0
144	Fenthion	9	0	0
145	Fenthion (sum)	9	0	0
146	Fenthion oxon sulfone	9	0	0
147	Fenthion-Oxon	9	0	0
148	Fenthion-Oxonsulfoxide	9	0	0
149	Fenthion-Sulfon	9	0	0
150	Fenthion-Sulfoxide	9	0	0
151	Fentin, expressed as triphenyltin cation	0	0	0
152	Fenvalerate	0	0	0
153	Fenvalerate and Esfenvalerate (Sum of RR and SS isomers)	9	1	0
154	Fenvalerate and Esfenvalerate (Sum of RS and SR isomers)	9	1	0
155	Fipronil	9	1	0
156	Fipronil (sum of fipronil and fipronil-desulfinyl, expressed as fipronil)	0	0	0
157	Fipronil (sum)	9	1	1
158	Fipronil-Desulfinyl	9	0	0
159	Fipronil-Sulfone	9	0	0
160	Florasulam	9	0	0
161	Fluazifop (free acid)	9	0	0
162	Fluazifop-Butyl	9	0	0
163	Fluazifop-P-butyl (sum)	9	0	0
164	Flucythrinate	9	0	0
165	Fludioxonil	9	0	0
166	Flufenoxuron	9	0	0
167	Fluoxastrobin	9	0	0
168	Fluquinconazole	9	0	0

<i>Row number</i>	<i>Compound</i>	<i>Infusions</i>	<i>Nr Found</i>	<i>MRL Ex</i>
169	Fluroxypyr (sum)	9	0	0
170	Flusilazole	9	0	0
171	Flutriafol	9	0	0
172	Folpet	9	0	0
173	Fomesafen	9	0	0
174	Fonofos	9	0	0
175	Formetanate	0	0	0
176	Formetanate	0	0	0
177	Formetanate	9	0	0
178	Formothion	9	0	0
179	Fosthiazate	9	0	0
180	Glyphosate	0	0	0
181	HCH, delta-	9	0	0
182	Haloxypop	9	0	0
183	Haloxypop including haloxypop-R	9	0	0
184	Haloxypop-Ethoxyethylester	9	0	0
185	Haloxypop-Methyl	9	0	0
186	Heptachlor	9	0	0
187	Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	9	0	0
188	Heptachlor epoxide	9	0	0
189	Heptenophos	9	0	0
190	Hexachlorobenzene	9	0	0
191	Hexachlorocyclohexane (HCH), alpha-isomer	9	0	0
192	Hexachlorocyclohexane (HCH), beta-isomer	9	0	0
193	Hexachlorocyclohexane (HCH), sum of isomers, except the gamma isomer	9	0	0
194	Hexaconazole	9	0	0
195	Hexaflumuron	9	0	0
196	Hexythiazox	9	0	0

Row number	Compound	Infusions	Nr Found	MRL Ex
197	Imazalil	9	0	0
198	Imazapyr	9	0	0
199	Imazaquin	9	0	0
200	Imazethapyr	9	0	0
201	Imazosulfuron	9	0	0
202	Imidacloprid	9	2	1
203	Indoxacarb as sum of the isomers S and R	9	0	0
204	Ioxynil	0	0	0
205	Ioxynil, including its esters expressed as ioxynil	9	0	0
206	Iprodione	9	0	0
207	Iprovalicarb	9	0	0
208	Isofenphos-methyl	9	0	0
209	Isoproturon	9	0	0
210	Kresoxim-methyl	9	0	0
211	Lambda-Cyhalothrin	9	1	0
212	Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))	9	0	0
213	Linuron	9	0	0
214	Lufenuron	9	0	0
215	MCPA	9	1	0
216	MCPA and MCPB (MCPA, MCPB including their salts, esters and conjugates expressed as MCPA)	9	1	0
217	MCPB	9	0	0
218	Malaoxon	9	0	0
219	Malathion	9	0	0
220	Malathion (sum of malathion and malaoxon expressed as malathion)	9	0	0
221	Mecarbam	9	0	0
222	Mecoprop (sum of mecoprop-p and mecoprop expressed as mecoprop)	9	0	0
223	Mepanipyrim	9	0	0
224	Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine) expressed as mepanipyrim)	9	0	0

Row number	Compound	Infusions	Nr Found	MRL Ex
225	Mepiquat	0	0	0
226	Mepronil	9	0	0
227	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	9	0	0
228	Metamitron	9	0	0
229	Metamitron-desamino	9	0	0
230	Metconazole	9	0	0
231	Methacrifos	9	0	0
232	Methamidophos	9	0	0
233	Methidathion	9	0	0
234	Methiocarb	9	0	0
235	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	9	0	0
236	Methiocarb-Sulfon	9	0	0
237	Methiocarb-Sulfoxid	9	0	0
238	Methomyl	9	2	0
239	Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	9	2	0
240	Methoxychlor	0	0	0
241	Methoxyfenozide	9	0	0
242	Metobromuron	9	0	0
243	Metolcarb	9	0	0
244	Metominostrobin	9	0	0
245	Metosulam	9	0	0
246	Metoxuron	9	0	0
247	Metsulfuron-methyl	9	0	0
248	Mevinphos (sum of E- and Z-isomers)	9	0	0
249	Mirex	9	0	0
250	Monocrotophos	9	0	0
251	Monuron	9	0	0
252	Myclobutanil	9	0	0

<i>Row number</i>	<i>Compound</i>	<i>Infusions</i>	<i>Nr Found</i>	<i>MRL Ex</i>
253	Naphthoxyacetic acid, 2-	9	0	0
254	Nitenpyram	9	0	0
255	Nitrofen	9	0	0
256	Omethoate	9	0	0
257	Orthophenylphenol	9	0	0
258	Oxadixyl	9	0	0
259	Oxamyl	9	0	0
260	Oxamyl-Oxime	9	0	0
261	Oxydemeton-methyl	9	0	0
262	Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	9	0	0
263	Paclobutrazol	9	0	0
264	Paraoxon-Methyl	9	0	0
265	Parathion	9	0	0
266	Parathion-methyl	9	0	0
267	Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	9	0	0
268	Penconazole	9	0	0
269	Pencycuron	9	0	0
270	Pendimethalin	9	0	0
271	Pentachloroaniline	9	0	0
272	Pentachlorophenol	9	0	0
273	Permethrin (sum of isomers)	9	0	0
274	Phenthoate	9	0	0
275	Phorate	9	0	0
276	Phorate (sum of phorate, its oxygen analogue and their sulfones expressed as phorate)	9	0	0
277	Phorate-O-analogue	8	0	0
278	Phorate-Sulfon	9	0	0
279	Phorate-Sulfoxid	9	0	0
280	Phorate-oxonsulfone	9	0	0

Row number	Compound	Infusions	Nr Found	MRL Ex
281	Phorate-oxonsulfoxid	9	0	0
282	Phosalone	9	0	0
283	Phosmet	9	0	0
284	Phosmet (phosmet and phosmet oxon expressed as phosmet)	9	0	0
285	Phosmet oxon	9	0	0
286	Phosphamidon	9	0	0
287	Phoxim	9	0	0
288	Picloram	9	0	0
289	Picoxystrobin	9	0	0
290	Piperonyl Butoxide	9	0	0
291	Pirimicarb	9	0	0
292	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	9	0	0
293	Pirimiphos-Ethyl	9	0	0
294	Pirimiphos-methyl	9	0	0
295	Prochloraz	9	0	0
296	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0	0	0
297	Procymidone	9	0	0
298	Profenofos	9	0	0
299	Propachlor	9	0	0
300	Propachlor: oxalinic derivate of propachlor, expressed as propachlor	0	0	0
301	Propamocarb	0	0	0
302	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	9	0	0
303	Propargite	9	0	0
304	Propham	9	0	0
305	Propiconazole	9	0	0
306	Propineb	0	0	0
307	Propoxur	9	0	0
308	Propyzamide	9	0	0

<i>Row number</i>	<i>Compound</i>	<i>Infusions</i>	<i>Nr Found</i>	<i>MRL Ex</i>
309	Prothioconazole	9	0	0
310	Prothioconazole (prothioconazole-desthio)	9	0	0
311	Prothioconazole-Desthio	9	0	0
312	Prothiofos	9	0	0
313	Pymetrozine	9	0	0
314	Pyraclostrobin	9	0	0
315	Pyrazophos	9	0	0
316	Pyrethrins	9	0	0
317	Pyridaben	9	0	0
318	PyrifenoX	9	0	0
319	Pyrimethanil	9	0	0
320	Pyriproxyfen	9	0	0
321	Quinalphos	9	0	0
322	Quinmerac	9	0	0
323	Quinoxifen	9	0	0
324	Quintozene	9	0	0
325	Quintozene (sum of quintozene and pentachloro-aniline expressed as quintozene)	9	0	0
326	Quizalofop (including Quizalofop-P)	9	0	0
327	Quizalofop-P-Ethyl	9	0	0
328	Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers))	0	0	0
329	Rimsulfuron	9	0	0
330	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	9	0	0
331	Spiroxamine	9	0	0
332	Sulfotep	9	0	0
333	Tebuconazole	9	0	0
334	Tebufozide	9	0	0
335	Tebufofenpyrad	9	0	0
336	Tecnazene	9	0	0

<i>Row number</i>	<i>Compound</i>	<i>Infusions</i>	<i>Nr Found</i>	<i>MRL Ex</i>
337	Teflubenzuron	9	0	0
338	Tefluthrin	9	0	0
339	Terbufos	9	0	0
340	Terbufos (sum of terbufos, its sulfoxide and sulfone, expressed as terbufos)	9	0	0
341	Terbufos Sulfone	9	0	0
342	Terbufos Sulfoxide	9	0	0
343	Tetraconazole	9	0	0
344	Tetradifon	9	0	0
345	Thiabendazole	9	0	0
346	Thiacloprid	9	0	0
347	Thiametoxam	9	0	0
348	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	9	0	0
349	Thifensulfuron-methyl	9	0	0
350	Thiodicarb	9	0	0
351	Thiometon	9	0	0
352	Thiophanate-methyl	9	0	0
353	Tolclofos-methyl	9	0	0
354	Tolyfluanid	9	0	0
355	Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	9	0	0
356	Triadimefon	9	0	0
357	Triadimefon (sum of Triadimefon and Triadimenol)	9	1	0
358	Triadimenol	9	1	0
359	Triazamate	9	0	0
360	Triazophos	9	0	0
361	Trichlorfon	9	0	0
362	Trifloxystrobin	9	0	0
363	Triflumuron	9	0	0
364	Trifluralin	9	0	0

<i>Row number</i>	<i>Compound</i>	<i>Infusions</i>	<i>Nr Found</i>	<i>MRL Ex</i>
365	Triforine	9	0	0
366	Triticonazole	9	0	0
367	Vamidothion	9	0	0
368	Vamidothion (sum of Vamidothion, Vamidothion-sulfone and Vamidothion-sulfoxide expressed as Vamidothion)	9	0	0
369	Vamidothion sulfone	9	0	0
370	Vamidothion sulfoxide	9	0	0
371	Vinclozolin	9	0	0
372	Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	9	0	0
373	Zoxamide	9	0	0
374	alpha-Endosulfan	9	0	0
375	beta-Endosulfan	9	0	0
376	tau-Fluvalinate	9	0	0
		3149	34	5

Row number	Compound	Oil plants	Nr Found	MRL Exc
1	2,4 DB	20	0	0
2	2,4,5-T	20	0	0
3	2,4,5-TP	20	0	0
4	2,4-D	19	0	0
5	2,4-D (sum)	1	0	0
6	2-anilino-4-(2-hydroxypropyl)- 6-methylpyrimidin	19	0	0
7	2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine	1	0	0
8	3-Chloroaniline	20	0	0
9	3-hydroxy -carbofuran	20	0	0
10	4-CPA	20	0	0
11	Abamectin (sum)	20	0	0
12	Acephate	20	0	0
13	Acetamiprid	20	0	0
14	Acrinathrin	20	0	0
15	Aldicarb	20	0	0
16	Aldicarb (sum)	20	0	0
17	Aldicarb-Sulfone	20	0	0
18	Aldicarb-Sulfoxide	20	0	0
19	Aldrin	20	0	0
20	Aldrin and Dieldrin	20	0	0
21	Amitraz (sum)	0	0	0
22	Azinphos-ethyl	22	0	0
23	Azinphos-methyl	21	0	0
24	Azoxystrobin	20	0	0
25	Bentazone	20	0	0
26	Bentazone (sum animal products)	20	0	0
27	Bentazone-8-hydroxy	20	0	0
28	Bifenthrin	23	0	0

<i>Row number</i>	<i>Compound</i>	<i>Oil plants</i>	<i>Nr Found</i>	<i>MRL Exc</i>
29	Biphenyl	20	0	0
30	Bitertanol	20	0	0
31	Boscalid	20	0	0
32	Bromide ion	0	0	0
33	Bromophos-ethyl	20	0	0
34	Bromopropylate	20	0	0
35	Bromoxynil	20	0	0
36	Bromuconazole (sum)	20	0	0
37	Bupirimate	20	0	0
38	Buprofezin	20	0	0
39	Cadusafos	20	0	0
40	Camphechlor	3	0	0
41	Captafol	20	0	0
42	Captan	20	0	0
43	Carbaryl	20	0	0
44	Carbendazim	20	0	0
45	Carbendazim and benomyl	20	0	0
46	Carbofuran	20	0	0
47	Carbofuran (sum)	20	0	0
48	Carbosulfan	20	0	0
49	Chinomethionat	20	0	0
50	Chlordane	3	0	0
51	Chlordecone	0	0	0
52	Chlorfenapyr	20	0	0
53	Chlorfenvinphos	20	0	0
54	Chlormequat	0	0	0
55	Chlorobenzilate	0	0	0
56	Chlorothalonil	20	0	0

Row number	Compound	Oil plants	Nr Found	MRL Exc
57	Chloroxuron	20	0	0
58	Chlorpropham	20	0	0
59	Chlorpropham (sum)	20	0	0
60	Chlorpyrifos	23	0	0
61	Chlorpyrifos-methyl	23	0	0
62	Clofentezine	20	0	0
63	Clopyralid	20	0	0
64	Clothianidin	20	0	0
65	Cycloxydim	20	0	0
66	Cyfluthrin	0	0	0
67	Cyfluthrin (sum)	23	0	0
68	Cypermethrin (sum)	23	0	0
69	Cyproconazole	20	0	0
70	Cyprodinil	20	0	0
71	Cyromazine	20	0	0
72	DDD, o,p-	20	0	0
73	DDD, p,p-	20	0	0
74	DDE, o,p-	20	0	0
75	DDE, p,p-	20	0	0
76	DDT (sum)	23	1	0
77	DDT, o,p-	20	0	0
78	DDT, p,p-	20	0	0
79	DMSA	20	0	0
80	DMST	20	0	0
81	Deltamethrin	23	0	0
82	Demeton-S-Methyl	20	0	0
83	Demeton-S-Methyl (sum baby and infant food)	0	0	0
84	Demeton-S-Methylsulfone	20	0	0

Row number	Compound	Oil plants	Nr Found	MRL Exc
85	Desmethyl Pirimicarb	20	0	0
86	Diafenthiuron	20	0	0
87	Diazinon	23	1	0
88	Dicamba	20	0	0
89	Dichlofluanid	20	0	0
90	Dichlofluanid (suma dichlofluanidu a DMSA)	20	0	0
91	Dichloroaniline, 3,5-	20	0	0
92	Dichlorprop	20	0	0
93	Dichlorvos	20	0	0
94	Dicloran	20	0	0
95	Dicofol (sum)	20	0	0
96	Dicrotophos	20	0	0
97	Dieldrin	23	0	0
98	Diethofencarb	20	0	0
99	Difenoconazole	20	0	0
100	Diflubenzuron	20	0	0
101	Dimethoate	20	0	0
102	Dimethoate (sum)	20	0	0
103	Dimethomorph	20	0	0
104	Dimoxystrobin	20	0	0
105	Diniconazole	20	0	0
106	Dinotefuran	20	0	0
107	Diphenylamine	20	0	0
108	Disulfoton	20	0	0
109	Disulfoton (sum)	20	0	0
110	Disulfoton-Sulfon	20	0	0
111	Disulfoton-Sulfoxid	20	0	0
112	Dithiocarbamates	0	0	0

<i>Row number</i>	<i>Compound</i>	<i>Oil plants</i>	<i>Nr Found</i>	<i>MRL Exc</i>
113	Dodine	20	0	0
114	EPN	20	0	0
115	Endosulfan (sum)	23	1	0
116	Endosulfansulfate	20	1	0
117	Endrin	23	0	0
118	Epoxiconazole	20	0	0
119	Ethiofencarb	20	0	0
120	Ethion	20	0	0
121	Ethoprophos	20	0	0
122	Ethoxyquin	20	0	0
123	Etofenprox	20	0	0
124	Etrimfos	20	0	0
125	Fenamidone	20	0	0
126	Fenamiphos	20	0	0
127	Fenamiphos (sum)	20	0	0
128	Fenamiphos-Sulfon	20	0	0
129	Fenamiphos-Sulfoxid	20	0	0
130	Fenarimol	20	0	0
131	Fenazaquin	20	0	0
132	Fenbuconazole	20	0	0
133	Fenhexamid	20	0	0
134	Fenitrothion	20	0	0
135	Fenoxaprop-P	20	0	0
136	Fenoxycarb	20	0	0
137	Fenpropathrin	20	0	0
138	Fenpropimorph	20	0	0
139	Fenpyroximate	20	0	0
140	Fensulfothion	20	0	0

Row number	Compound	Oil plants	Nr Found	MRL Exc
141	Fensulfothion (sum of fensulfothion, its oxygen analogue and their sulfones, expressed as fensulfothion)	20	0	0
142	Fensulfothion oxon	20	0	0
143	Fensulfothion-oxon-sulphone	20	0	0
144	Fenthion	23	0	0
145	Fenthion (sum)	20	0	0
146	Fenthion oxon sulfone	20	0	0
147	Fenthion-Oxon	20	0	0
148	Fenthion-Oxonsulfoxide	20	0	0
149	Fenthion-Sulfon	20	0	0
150	Fenthion-Sulfoxide	20	0	0
151	Fentin, expressed as triphenlytin cation	0	0	0
152	Fenvalerate	0	0	0
153	Fenvalerate and Esfenvalerate (Sum of RR and SS isomers)	20	0	0
154	Fenvalerate and Esfenvalerate (Sum of RS and SR isomers)	23	0	0
155	Fipronil	20	0	0
156	Fipronil (sum of fipronil and fipronil-desulfinyl, expressed as fipronil)	0	0	0
157	Fipronil (sum)	20	0	0
158	Fipronil-Desulfinyl	20	0	0
159	Fipronil-Sulfone	19	0	0
160	Florasulam	20	0	0
161	Fluazifop (free acid)	20	1	0
162	Fluazifop-Butyl	20	0	0
163	Fluazifop-P-butyl (sum)	20	1	0
164	Flucythrinate	20	0	0
165	Fludioxonil	20	0	0
166	Flufenoxuron	20	0	0
167	Fluoxastrobin	20	0	0
168	Fluquinconazole	20	0	0

<i>Row number</i>	<i>Compound</i>	<i>Oil plants</i>	<i>Nr Found</i>	<i>MRL Exc</i>
169	Fluroxypyr (sum)	20	0	0
170	Flusilazole	20	0	0
171	Flutriafol	20	0	0
172	Folpet	20	0	0
173	Fomesafen	20	0	0
174	Fonofos	20	0	0
175	Formetanate	0	0	0
176	Formetanate	0	0	0
177	Formetanate	20	0	0
178	Formothion	20	0	0
179	Fosthiazate	20	0	0
180	Glyphosate	0	0	0
181	HCH, delta-	20	0	0
182	Haloxypop	20	1	0
183	Haloxypop including haloxypop-R	20	1	0
184	Haloxypop-Ethoxyethylester	20	0	0
185	Haloxypop-Methyl	20	0	0
186	Heptachlor	23	0	0
187	Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	20	0	0
188	Heptachlor epoxide	20	0	0
189	Heptenophos	20	0	0
190	Hexachlorobenzene	23	2	0
191	Hexachlorocyclohexane (HCH), alpha-isomer	23	0	0
192	Hexachlorocyclohexane (HCH), beta-isomer	23	0	0
193	Hexachlorocyclohexane (HCH), sum of isomers, except the gamma isomer	20	0	0
194	Hexaconazole	20	0	0
195	Hexaflumuron	20	0	0
196	Hexythiazox	20	0	0

<i>Row number</i>	<i>Compound</i>	<i>Oil plants</i>	<i>Nr Found</i>	<i>MRL Exc</i>
197	Imazalil	20	0	0
198	Imazapyr	20	0	0
199	Imazaquin	20	0	0
200	Imazethapyr	20	0	0
201	Imazosulfuron	20	0	0
202	Imidacloprid	20	0	0
203	Indoxacarb as sum of the isomers S and R	20	0	0
204	Ioxynil	1	0	0
205	Ioxynil, including its esters expressed as ioxynil	19	0	0
206	Iprodione	20	0	0
207	Iprovalicarb	20	0	0
208	Isofenphos-methyl	20	0	0
209	Isoproturon	20	0	0
210	Kresoxim-methyl	20	0	0
211	Lambda-Cyhalothrin	20	0	0
212	Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))	23	0	0
213	Linuron	20	0	0
214	Lufenuron	20	0	0
215	MCPA	20	0	0
216	MCPA and MCPB (MCPA, MCPB including their salts, esters and conjugates expressed as MCPA)	20	0	0
217	MCPB	20	0	0
218	Malaoxon	20	0	0
219	Malathion	20	0	0
220	Malathion (sum of malathion and malaoxon expressed as malathion)	20	0	0
221	Mecarbam	20	0	0
222	Mecoprop (sum of mecoprop-p and mecoprop expressed as mecoprop)	20	0	0
223	Mepanipyrim	20	0	0
224	Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine) expressed as mepanipyrim)	20	0	0

<i>Row number</i>	<i>Compound</i>	<i>Oil plants</i>	<i>Nr Found</i>	<i>MRL Exc</i>
225	Mepiquat	0	0	0
226	Mepronil	20	0	0
227	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	20	0	0
228	Metamitron	20	0	0
229	Metamitron-desamino	20	0	0
230	Metconazole	20	0	0
231	Methacrifos	20	0	0
232	Methamidophos	20	0	0
233	Methidathion	23	0	0
234	Methiocarb	20	0	0
235	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	20	0	0
236	Methiocarb-Sulfon	20	0	0
237	Methiocarb-Sulfoxid	20	0	0
238	Methomyl	20	0	0
239	Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	20	0	0
240	Methoxychlor	3	0	0
241	Methoxyfenozide	20	0	0
242	Metobromuron	20	0	0
243	Metolcarb	20	0	0
244	Metominostrobin	20	0	0
245	Metosulam	20	0	0
246	Metoxuron	20	0	0
247	Metsulfuron-methyl	20	0	0
248	Mevinphos (sum of E- and Z-isomers)	20	0	0
249	Mirex	20	0	0
250	Monocrotophos	20	0	0
251	Monuron	20	0	0
252	Myclobutanil	20	0	0

<i>Row number</i>	<i>Compound</i>	<i>Oil plants</i>	<i>Nr Found</i>	<i>MRL Exc</i>
253	Naphthoxyacetic acid, 2-	20	0	0
254	Nitenpyram	20	0	0
255	Nitrofen	20	0	0
256	Omethoate	20	0	0
257	Orthophenylphenol	20	0	0
258	Oxadixyl	20	0	0
259	Oxamyl	20	0	0
260	Oxamyl-Oxime	20	0	0
261	Oxydemeton-methyl	20	0	0
262	Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	20	0	0
263	Paclobutrazol	20	0	0
264	Paraoxon-Methyl	20	0	0
265	Parathion	23	0	0
266	Parathion-methyl	23	0	0
267	Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	20	0	0
268	Penconazole	20	0	0
269	Pencycuron	20	0	0
270	Pendimethalin	20	0	0
271	Pentachloroaniline	20	0	0
272	Pentachlorophenol	20	0	0
273	Permethrin (sum of isomers)	23	0	0
274	Phenthoate	20	0	0
275	Phorate	20	0	0
276	Phorate (sum of phorate, its oxygen analogue and their sulfones expressed as phorate)	20	0	0
277	Phorate-O-analogue	16	0	0
278	Phorate-Sulfon	20	0	0
279	Phorate-Sulfoxid	20	0	0
280	Phorate-oxonsulfone	20	0	0

<i>Row number</i>	<i>Compound</i>	<i>Oil plants</i>	<i>Nr Found</i>	<i>MRL Exc</i>
281	Phorate-oxonsulfoxid	20	0	0
282	Phosalone	20	0	0
283	Phosmet	20	0	0
284	Phosmet (phosmet and phosmet oxon expressed as phosmet)	20	0	0
285	Phosmet oxon	20	0	0
286	Phosphamidon	20	0	0
287	Phoxim	20	1	1
288	Picloram	20	0	0
289	Picoxystrobin	20	0	0
290	Piperonyl Butoxide	20	1	0
291	Pirimicarb	20	0	0
292	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	20	0	0
293	Pirimiphos-Ethyl	20	0	0
294	Pirimiphos-methyl	23	0	0
295	Prochloraz	19	0	0
296	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	1	0	0
297	Procymidone	20	0	0
298	Profenofos	23	0	0
299	Propachlor	19	0	0
300	Propachlor: oxalinic derivate of propachlor, expressed as propachlor	1	0	0
301	Propamocarb	0	0	0
302	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	20	0	0
303	Propargite	20	0	0
304	Propham	20	0	0
305	Propiconazole	20	0	0
306	Propineb	0	0	0
307	Propoxur	20	0	0
308	Propyzamide	20	0	0

<i>Row number</i>	<i>Compound</i>	<i>Oil plants</i>	<i>Nr Found</i>	<i>MRL Exc</i>
309	Prothioconazole	20	0	0
310	Prothioconazole (prothioconazole-desthio)	20	0	0
311	Prothioconazole-Desthio	20	0	0
312	Prothiofos	20	0	0
313	Pymetrozine	20	0	0
314	Pyraclostrobin	20	0	0
315	Pyrazophos	23	0	0
316	Pyrethrins	20	0	0
317	Pyridaben	20	0	0
318	Pyrifenox	20	0	0
319	Pyrimethanil	20	0	0
320	Pyriproxyfen	20	0	0
321	Quinalphos	20	0	0
322	Quinmerac	20	0	0
323	Quinoxifen	20	0	0
324	Quintozene	23	0	0
325	Quintozene (sum of quintozene and pentachloro-aniline expressed as quintozene)	20	0	0
326	Quizalofop (including Quizalofop-P)	20	0	0
327	Quizalofop-P-Ethyl	20	0	0
328	Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers))	0	0	0
329	Rimsulfuron	20	0	0
330	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	20	0	0
331	Spiroxamine	20	0	0
332	Sulfotep	20	0	0
333	Tebuconazole	20	1	0
334	Tebufenozide	20	0	0
335	Tebufenpyrad	20	0	0
336	Tecnazene	23	0	0

Row number	Compound	Oil plants	Nr Found	MRL Exc
337	Teflubenzuron	20	0	0
338	Tefluthrin	20	0	0
339	Terbufos	20	0	0
340	Terbufos (sum of terbufos, its sulfoxide and sulfone, expressed as terbufos)	20	0	0
341	Terbufos Sulfone	20	0	0
342	Terbufos Sulfoxide	20	0	0
343	Tetraconazole	20	0	0
344	Tetradifon	20	0	0
345	Thiabendazole	20	0	0
346	Thiacloprid	20	0	0
347	Thiametoxam	20	1	0
348	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	20	1	1
349	Thifensulfuron-methyl	20	0	0
350	Thiodicarb	20	0	0
351	Thiometon	20	0	0
352	Thiophanate-methyl	20	0	0
353	Tolclofos-methyl	20	0	0
354	Tolyfluanid	20	0	0
355	Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	20	0	0
356	Triadimefon	20	0	0
357	Triadimefon (sum of Triadimefon and Triadimenol)	20	0	0
358	Triadimenol	20	0	0
359	Triazamate	20	0	0
360	Triazophos	23	0	0
361	Trichlorfon	20	0	0
362	Trifloxystrobin	20	0	0
363	Triflumuron	20	0	0
364	Trifluralin	20	1	0

<i>Row number</i>	<i>Compound</i>	<i>Oil plants</i>	<i>Nr Found</i>	<i>MRL Exc</i>
365	Triforine	20	0	0
366	Triticonazole	20	0	0
367	Vamidothion	20	0	0
368	Vamidothion (sum of Vamidothion, Vamidothion-sulfone and Vamidothion-sulfoxide expressed as Vamidothion)	20	0	0
369	Vamidothion sulfone	20	0	0
370	Vamidothion sulfoxide	20	0	0
371	Vinclozolin	20	0	0
372	Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	20	0	0
373	Zoxamide	20	0	0
374	alpha-Endosulfan	20	1	0
375	beta-Endosulfan	20	0	0
376	tau-Fluvalinate	20	0	0
		7091	17	2

Row number	Compound	Pulses	Nr Found	MRL Ex
1	2,4 DB	2	0	0
2	2,4,5-T	2	0	0
3	2,4,5-TP	2	0	0
4	2,4-D	2	1	0
5	2,4-D (sum)	0	0	0
6	2-anilino-4-(2-hydroxypropyl)- 6-methylpyrimidin	2	0	0
7	2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine	0	0	0
8	3-Chloroaniline	2	0	0
9	3-hydroxy -carbofuran	2	0	0
10	4-CPA	2	0	0
11	Abamectin (sum)	2	0	0
12	Acephate	2	0	0
13	Acetamiprid	2	0	0
14	Acrinathrin	2	0	0
15	Aldicarb	2	0	0
16	Aldicarb (sum)	2	0	0
17	Aldicarb-Sulfone	2	0	0
18	Aldicarb-Sulfoxide	2	0	0
19	Aldrin	2	0	0
20	Aldrin and Dieldrin	2	0	0
21	Amitraz (sum)	0	0	0
22	Azinphos-ethyl	2	0	0
23	Azinphos-methyl	2	0	0
24	Azoxystrobin	2	0	0
25	Bentazone	2	0	0
26	Bentazone (sum animal products)	2	0	0
27	Bentazone-8-hydroxy	2	0	0
28	Bifenthrin	2	0	0

Row number	Compound	Pulses	Nr Found	MRL Ex
29	Biphenyl	2	0	0
30	Bitertanol	2	0	0
31	Boscalid	2	1	0
32	Bromide ion	0	0	0
33	Bromophos-ethyl	2	0	0
34	Bromopropylate	2	0	0
35	Bromoxynil	2	0	0
36	Bromuconazole (sum)	2	0	0
37	Bupirimate	2	0	0
38	Buprofezin	2	0	0
39	Cadusafos	2	0	0
40	Camphechlor	0	0	0
41	Captafol	2	0	0
42	Captan	2	0	0
43	Carbaryl	2	0	0
44	Carbendazim	2	0	0
45	Carbendazim and benomyl	2	0	0
46	Carbofuran	2	0	0
47	Carbofuran (sum)	2	0	0
48	Carbosulfan	2	0	0
49	Chinomethionat	2	0	0
50	Chlordane	0	0	0
51	Chlordecone	0	0	0
52	Chlorfenapyr	2	0	0
53	Chlorfenvinphos	2	0	0
54	Chlormequat	0	0	0
55	Chlorobenzilate	0	0	0
56	Chlorothalonil	2	0	0

Row number	Compound	Pulses	Nr Found	MRL Ex
57	Chloroxuron	2	0	0
58	Chlorpropham	2	0	0
59	Chlorpropham (sum)	2	0	0
60	Chlorpyrifos	2	0	0
61	Chlorpyrifos-methyl	2	0	0
62	Clofentezine	2	0	0
63	Clopyralid	2	0	0
64	Clothianidin	2	0	0
65	Cycloxydim	2	0	0
66	Cyfluthrin	0	0	0
67	Cyfluthrin (sum)	2	0	0
68	Cypermethrin (sum)	2	0	0
69	Cyproconazole	2	0	0
70	Cyprodinil	2	0	0
71	Cyromazine	2	0	0
72	DDD, o,p-	2	0	0
73	DDD, p,p-	2	0	0
74	DDE, o,p-	2	0	0
75	DDE, p,p-	2	0	0
76	DDT (sum)	2	0	0
77	DDT, o,p-	2	0	0
78	DDT, p,p-	2	0	0
79	DMSA	2	0	0
80	DMST	2	0	0
81	Deltamethrin	2	0	0
82	Demeton-S-Methyl	2	0	0
83	Demeton-S-Methyl (sum baby and infant food)	0	0	0
84	Demeton-S-Methylsulfone	2	0	0

Row number	Compound	Pulses	Nr Found	MRL Ex
85	Desmethyl Pirimicarb	2	0	0
86	Diafenthiuron	2	0	0
87	Diazinon	2	0	0
88	Dicamba	2	0	0
89	Dichlofluanid	2	0	0
90	Dichlofluanid (suma dichlofluanidu a DMSA)	2	0	0
91	Dichloroaniline, 3,5-	2	0	0
92	Dichlorprop	2	0	0
93	Dichlorvos	2	0	0
94	Dicloran	2	0	0
95	Dicofol (sum)	2	0	0
96	Dicrotophos	2	0	0
97	Dieldrin	2	0	0
98	Diethofencarb	2	0	0
99	Difenoconazole	2	0	0
100	Diflubenzuron	2	0	0
101	Dimethoate	2	0	0
102	Dimethoate (sum)	2	0	0
103	Dimethomorph	2	0	0
104	Dimoxystrobin	2	0	0
105	Diniconazole	2	0	0
106	Dinotefuran	2	0	0
107	Diphenylamine	2	0	0
108	Disulfoton	2	0	0
109	Disulfoton (sum)	2	0	0
110	Disulfoton-Sulfon	2	0	0
111	Disulfoton-Sulfoxid	2	0	0
112	Dithiocarbamates	0	0	0

<i>Row number</i>	<i>Compound</i>	<i>Pulses</i>	<i>Nr Found</i>	<i>MRL Ex</i>
113	Dodine	2	0	0
114	EPN	2	0	0
115	Endosulfan (sum)	2	0	0
116	Endosulfansulfate	2	0	0
117	Endrin	2	0	0
118	Epoxiconazole	2	0	0
119	Ethiofencarb	2	0	0
120	Ethion	2	0	0
121	Ethoprophos	2	0	0
122	Ethoxyquin	2	0	0
123	Etofenprox	2	0	0
124	Etrimfos	2	0	0
125	Fenamidone	2	0	0
126	Fenamiphos	2	0	0
127	Fenamiphos (sum)	2	0	0
128	Fenamiphos-Sulfon	2	0	0
129	Fenamiphos-Sulfoxid	2	0	0
130	Fenarimol	2	0	0
131	Fenazaquin	2	0	0
132	Fenbuconazole	2	0	0
133	Fenhexamid	2	0	0
134	Fenitrothion	2	0	0
135	Fenoxaprop-P	2	0	0
136	Fenoxycarb	2	0	0
137	Fenpropathrin	2	0	0
138	Fenpropimorph	2	0	0
139	Fenpyroximate	2	0	0
140	Fensulfothion	2	0	0

<i>Row number</i>	<i>Compound</i>	<i>Pulses</i>	<i>Nr Found</i>	<i>MRL Ex</i>
141	Fensulfothion (sum of fensulfothion, its oxygen analogue and their sulfones, expressed as fensulfothion)	2	0	0
142	Fensulfothion oxon	2	0	0
143	Fensulfothion-oxon-sulphone	2	0	0
144	Fenthion	2	0	0
145	Fenthion (sum)	2	0	0
146	Fenthion oxon sulfone	2	0	0
147	Fenthion-Oxon	2	0	0
148	Fenthion-Oxonsulfoxide	2	0	0
149	Fenthion-Sulfon	2	0	0
150	Fenthion-Sulfoxide	2	0	0
151	Fentin, expressed as triphenlytin cation	0	0	0
152	Fenvalerate	0	0	0
153	Fenvalerate and Esfenvalerate (Sum of RR and SS isomers)	2	0	0
154	Fenvalerate and Esfenvalerate (Sum of RS and SR isomers)	2	0	0
155	Fipronil	2	0	0
156	Fipronil (sum of fipronil and fipronil-desulfinyl, expressed as fipronil)	0	0	0
157	Fipronil (sum)	2	0	0
158	Fipronil-Desulfinyl	2	0	0
159	Fipronil-Sulfone	2	0	0
160	Florasulam	2	0	0
161	Fluazifop (free acid)	2	0	0
162	Fluazifop-Butyl	2	0	0
163	Fluazifop-P-butyl (sum)	2	0	0
164	Flucythrinate	2	0	0
165	Fludioxonil	2	0	0
166	Flufenoxuron	2	0	0
167	Fluoxastrobin	2	0	0
168	Fluquinconazole	2	0	0

Row number	Compound	Pulses	Nr Found	MRL Ex
169	Fluroxypyr (sum)	2	0	0
170	Flusilazole	2	0	0
171	Flutriafol	2	0	0
172	Folpet	2	0	0
173	Fomesafen	2	0	0
174	Fonofos	2	0	0
175	Formetanate	0	0	0
176	Formetanate	0	0	0
177	Formetanate	2	0	0
178	Formothion	2	0	0
179	Fosthiazate	2	0	0
180	Glyphosate	2	0	0
181	HCH, delta-	2	0	0
182	Haloxyfop	2	0	0
183	Haloxyfop including haloxyfop-R	2	0	0
184	Haloxyfop-Ethoxyethylester	2	0	0
185	Haloxyfop-Methyl	2	0	0
186	Heptachlor	2	0	0
187	Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	2	0	0
188	Heptachlor epoxide	2	0	0
189	Heptenophos	2	0	0
190	Hexachlorobenzene	2	0	0
191	Hexachlorocyclohexane (HCH), alpha-isomer	2	0	0
192	Hexachlorocyclohexane (HCH), beta-isomer	2	0	0
193	Hexachlorocyclohexane (HCH), sum of isomers, except the gamma isomer	2	0	0
194	Hexaconazole	2	0	0
195	Hexaflumuron	2	0	0
196	Hexythiazox	2	0	0

<i>Row number</i>	<i>Compound</i>	<i>Pulses</i>	<i>Nr Found</i>	<i>MRL Ex</i>
197	Imazalil	2	0	0
198	Imazapyr	2	0	0
199	Imazaquin	2	0	0
200	Imazethapyr	2	1	0
201	Imazosulfuron	2	0	0
202	Imidacloprid	2	0	0
203	Indoxacarb as sum of the isomers S and R	2	0	0
204	Ioxynil	0	0	0
205	Ioxynil, including its esters expressed as ioxynil	2	0	0
206	Iprodione	2	0	0
207	Iprovalicarb	2	0	0
208	Isofenphos-methyl	2	0	0
209	Isoproturon	2	0	0
210	Kresoxim-methyl	2	0	0
211	Lambda-Cyhalothrin	2	1	0
212	Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))	2	0	0
213	Linuron	2	0	0
214	Lufenuron	2	0	0
215	MCPA	2	0	0
216	MCPA and MCPB (MCPA, MCPB including their salts, esters and conjugates expressed as MCPA)	2	0	0
217	MCPB	2	0	0
218	Malaoxon	2	0	0
219	Malathion	2	0	0
220	Malathion (sum of malathion and malaoxon expressed as malathion)	2	0	0
221	Mecarbam	2	0	0
222	Mecoprop (sum of mecoprop-p and mecoprop expressed as mecoprop)	2	0	0
223	Mepanipyrim	2	0	0
224	Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine) expressed as mepanipyrim)	2	0	0

<i>Row number</i>	<i>Compound</i>	<i>Pulses</i>	<i>Nr Found</i>	<i>MRL Ex</i>
225	Mepiquat	0	0	0
226	Mepronil	2	0	0
227	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	2	0	0
228	Metamitron	2	0	0
229	Metamitron-desamino	2	0	0
230	Metconazole	2	0	0
231	Methacrifos	2	0	0
232	Methamidophos	2	0	0
233	Methidathion	2	0	0
234	Methiocarb	2	0	0
235	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	2	0	0
236	Methiocarb-Sulfon	2	0	0
237	Methiocarb-Sulfoxid	2	0	0
238	Methomyl	2	0	0
239	Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	2	0	0
240	Methoxychlor	0	0	0
241	Methoxyfenozide	2	0	0
242	Metobromuron	2	0	0
243	Metolcarb	2	0	0
244	Metominostrobin	2	0	0
245	Metosulam	2	0	0
246	Metoxuron	2	0	0
247	Metsulfuron-methyl	2	0	0
248	Mevinphos (sum of E- and Z-isomers)	2	0	0
249	Mirex	2	0	0
250	Monocrotophos	2	0	0
251	Monuron	2	0	0
252	Myclobutanil	2	0	0

Row number	Compound	Pulses	Nr Found	MRL Ex
253	Naphthoxyacetic acid, 2-	2	0	0
254	Nitenpyram	2	0	0
255	Nitrofen	2	0	0
256	Omethoate	2	0	0
257	Orthophenylphenol	2	0	0
258	Oxadixyl	2	0	0
259	Oxamyl	2	0	0
260	Oxamyl-Oxime	2	0	0
261	Oxydemeton-methyl	2	0	0
262	Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	2	0	0
263	Paclobutrazol	2	0	0
264	Paraoxon-Methyl	2	0	0
265	Parathion	2	0	0
266	Parathion-methyl	2	0	0
267	Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	2	0	0
268	Penconazole	2	0	0
269	Pencycuron	2	0	0
270	Pendimethalin	2	0	0
271	Pentachloroaniline	2	0	0
272	Pentachlorophenol	2	0	0
273	Permethrin (sum of isomers)	2	0	0
274	Phenthoate	2	0	0
275	Phorate	2	0	0
276	Phorate (sum of phorate, its oxygen analogue and their sulfones expressed as phorate)	2	0	0
277	Phorate-O-analogue	2	0	0
278	Phorate-Sulfon	2	0	0
279	Phorate-Sulfoxid	2	0	0
280	Phorate-oxonsulfone	2	0	0

Row number	Compound	Pulses	Nr Found	MRL Ex
281	Phorate-oxonsulfoxid	2	0	0
282	Phosalone	2	0	0
283	Phosmet	2	0	0
284	Phosmet (phosmet and phosmet oxon expressed as phosmet)	2	0	0
285	Phosmet oxon	2	0	0
286	Phosphamidon	2	0	0
287	Phoxim	2	0	0
288	Picloram	2	0	0
289	Picoxystrobin	2	0	0
290	Piperonyl Butoxide	2	0	0
291	Pirimicarb	2	0	0
292	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	2	0	0
293	Pirimiphos-Ethyl	2	0	0
294	Pirimiphos-methyl	2	0	0
295	Prochloraz	2	0	0
296	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0	0	0
297	Procymidone	2	0	0
298	Profenofos	2	0	0
299	Propachlor	2	0	0
300	Propachlor: oxalinic derivate of propachlor, expressed as propachlor	0	0	0
301	Propamocarb	0	0	0
302	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	2	0	0
303	Propargite	2	0	0
304	Propham	2	0	0
305	Propiconazole	2	0	0
306	Propineb	0	0	0
307	Propoxur	2	0	0
308	Propyzamide	2	0	0

<i>Row number</i>	<i>Compound</i>	<i>Pulses</i>	<i>Nr Found</i>	<i>MRL Ex</i>
309	Prothioconazole	2	0	0
310	Prothioconazole (prothioconazole-desthio)	2	0	0
311	Prothioconazole-Desthio	2	0	0
312	Prothiofos	2	0	0
313	Pymetrozine	2	0	0
314	Pyraclostrobin	2	0	0
315	Pyrazophos	2	0	0
316	Pyrethrins	2	0	0
317	Pyridaben	2	0	0
318	Pyrifenox	2	0	0
319	Pyrimethanil	2	0	0
320	Pyriproxyfen	2	0	0
321	Quinalphos	2	0	0
322	Quinmerac	2	0	0
323	Quinoxifen	2	0	0
324	Quintozene	2	0	0
325	Quintozene (sum of quintozene and pentachloro-aniline expressed as quintozene)	2	0	0
326	Quizalofop (including Quizalofop-P)	2	0	0
327	Quizalofop-P-Ethyl	2	0	0
328	Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers))	0	0	0
329	Rimsulfuron	2	0	0
330	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	2	0	0
331	Spiroxamine	2	0	0
332	Sulfotep	2	0	0
333	Tebuconazole	2	0	0
334	Tebufenozide	2	0	0
335	Tebufenpyrad	2	0	0
336	Tecnazene	2	0	0

Row number	Compound	Pulses	Nr Found	MRL Ex
337	Teflubenzuron	2	0	0
338	Tefluthrin	2	0	0
339	Terbufos	2	0	0
340	Terbufos (sum of terbufos, its sulfoxide and sulfone, expressed as terbufos)	2	0	0
341	Terbufos Sulfone	2	0	0
342	Terbufos Sulfoxide	2	0	0
343	Tetraconazole	2	0	0
344	Tetradifon	2	0	0
345	Thiabendazole	2	0	0
346	Thiacloprid	2	0	0
347	Thiametoxam	2	0	0
348	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	2	0	0
349	Thifensulfuron-methyl	2	0	0
350	Thiodicarb	2	0	0
351	Thiometon	2	0	0
352	Thiophanate-methyl	2	0	0
353	Tolclofos-methyl	2	0	0
354	Tolyfluanid	2	0	0
355	Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	2	0	0
356	Triadimefon	2	0	0
357	Triadimefon (sum of Triadimefon and Triadimenol)	2	0	0
358	Triadimenol	2	0	0
359	Triazamate	2	0	0
360	Triazophos	2	0	0
361	Trichlorfon	2	0	0
362	Trifloxystrobin	2	0	0
363	Triflumuron	2	0	0
364	Trifluralin	2	0	0

<i>Row number</i>	<i>Compound</i>	<i>Pulses</i>	<i>Nr Found</i>	<i>MRL Ex</i>
365	Triforine	2	0	0
366	Triticonazole	2	0	0
367	Vamidothion	2	0	0
368	Vamidothion (sum of Vamidothion, Vamidothion-sulfone and Vamidothion-sulfoxide expressed as Vamidothion)	2	0	0
369	Vamidothion sulfone	2	0	0
370	Vamidothion sulfoxide	2	0	0
371	Vinclozolin	2	0	0
372	Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	2	0	0
373	Zoxamide	2	0	0
374	alpha-Endosulfan	2	0	0
375	beta-Endosulfan	2	0	0
376	tau-Fluvalinate	2	0	0
		702	4	0

Row number	Compound	Spices	Nr Found	MRL Ex
1	2,4 DB	4	0	0
2	2,4,5-T	4	0	0
3	2,4,5-TP	4	0	0
4	2,4-D	4	1	0
5	2,4-D (sum)	0	0	0
6	2-anilino-4-(2-hydroxypropyl)- 6-methylpyrimidin	4	0	0
7	2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine	0	0	0
8	3-Chloroaniline	4	0	0
9	3-hydroxy -carbofuran	4	0	0
10	4-CPA	4	0	0
11	Abamectin (sum)	4	0	0
12	Acephate	4	0	0
13	Acetamiprid	4	0	0
14	Acrinathrin	4	0	0
15	Aldicarb	4	0	0
16	Aldicarb (sum)	4	0	0
17	Aldicarb-Sulfone	4	0	0
18	Aldicarb-Sulfoxide	4	0	0
19	Aldrin	4	0	0
20	Aldrin and Dieldrin	4	0	0
21	Amitraz (sum)	0	0	0
22	Azinphos-ethyl	4	0	0
23	Azinphos-methyl	4	0	0
24	Azoxystrobin	4	0	0
25	Bentazone	4	0	0
26	Bentazone (sum animal products)	4	0	0
27	Bentazone-8-hydroxy	4	0	0
28	Bifenthrin	4	0	0

Row number	Compound	Spices	Nr Found	MRL Ex
29	Biphenyl	4	0	0
30	Bitertanol	4	0	0
31	Boscalid	4	1	0
32	Bromide ion	0	0	0
33	Bromophos-ethyl	4	0	0
34	Bromopropylate	4	0	0
35	Bromoxynil	4	0	0
36	Bromuconazole (sum)	4	0	0
37	Bupirimate	4	0	0
38	Buprofezin	4	0	0
39	Cadusafos	4	0	0
40	Camphechlor	0	0	0
41	Captafol	4	0	0
42	Captan	4	0	0
43	Carbaryl	4	0	0
44	Carbendazim	4	0	0
45	Carbendazim and benomyl	4	0	0
46	Carbofuran	4	0	0
47	Carbofuran (sum)	4	0	0
48	Carbosulfan	4	0	0
49	Chinomethionat	4	0	0
50	Chlordane	0	0	0
51	Chlordecone	0	0	0
52	Chlorfenapyr	4	0	0
53	Chlorfenvinphos	4	0	0
54	Chlormequat	0	0	0
55	Chlorobenzilate	0	0	0
56	Chlorothalonil	4	0	0

Row number	Compound	Spices	Nr Found	MRL Ex
57	Chloroxuron	4	0	0
58	Chlorpropham	4	0	0
59	Chlorpropham (sum)	4	0	0
60	Chlorpyrifos	4	3	0
61	Chlorpyrifos-methyl	4	0	0
62	Clofentezine	4	0	0
63	Clopyralid	4	0	0
64	Clothianidin	4	0	0
65	Cycloxydim	4	0	0
66	Cyfluthrin	0	0	0
67	Cyfluthrin (sum)	4	0	0
68	Cypermethrin (sum)	4	0	0
69	Cyproconazole	4	0	0
70	Cyprodinil	4	0	0
71	Cyromazine	4	0	0
72	DDD, o,p-	4	0	0
73	DDD, p,p-	4	0	0
74	DDE, o,p-	4	0	0
75	DDE, p,p-	4	0	0
76	DDT (sum)	4	0	0
77	DDT, o,p-	4	0	0
78	DDT, p,p-	4	0	0
79	DMSA	4	0	0
80	DMST	4	0	0
81	Deltamethrin	4	0	0
82	Demeton-S-Methyl	4	0	0
83	Demeton-S-Methyl (sum baby and infant food)	0	0	0
84	Demeton-S-Methylsulfone	4	0	0

<i>Row number</i>	<i>Compound</i>	<i>Spices</i>	<i>Nr Found</i>	<i>MRL Ex</i>
85	Desmethyl Pirimicarb	4	0	0
86	Diafenthuron	4	0	0
87	Diazinon	4	0	0
88	Dicamba	4	0	0
89	Dichlofluanid	4	0	0
90	Dichlofluanid (suma dichlofluanidu a DMSA)	4	0	0
91	Dichloroaniline, 3,5-	4	0	0
92	Dichlorprop	4	0	0
93	Dichlorvos	4	0	0
94	Dicloran	4	0	0
95	Dicofol (sum)	4	0	0
96	Dicrotophos	4	0	0
97	Dieldrin	4	0	0
98	Diethofencarb	4	0	0
99	Difenoconazole	4	0	0
100	Diflubenzuron	4	0	0
101	Dimethoate	4	0	0
102	Dimethoate (sum)	4	0	0
103	Dimethomorph	4	0	0
104	Dimoxystrobin	4	0	0
105	Diniconazole	4	0	0
106	Dinotefuran	4	0	0
107	Diphenylamine	4	0	0
108	Disulfoton	4	0	0
109	Disulfoton (sum)	4	0	0
110	Disulfoton-Sulfon	4	0	0
111	Disulfoton-Sulfoxid	4	0	0
112	Dithiocarbamates	0	0	0

Row number	Compound	Spices	Nr Found	MRL Ex
113	Dodine	4	0	0
114	EPN	4	0	0
115	Endosulfan (sum)	4	0	0
116	Endosulfansulfate	4	0	0
117	Endrin	4	0	0
118	Epoxiconazole	4	0	0
119	Ethiofencarb	4	0	0
120	Ethion	4	0	0
121	Ethoprophos	4	0	0
122	Ethoxyquin	4	0	0
123	Etofenprox	4	0	0
124	Etrimfos	4	0	0
125	Fenamidone	4	0	0
126	Fenamiphos	4	0	0
127	Fenamiphos (sum)	4	0	0
128	Fenamiphos-Sulfon	4	0	0
129	Fenamiphos-Sulfoxid	4	0	0
130	Fenarimol	4	0	0
131	Fenazaquin	4	0	0
132	Fenbuconazole	4	0	0
133	Fenhexamid	4	0	0
134	Fenitrothion	4	0	0
135	Fenoxaprop-P	4	0	0
136	Fenoxycarb	4	0	0
137	Fenpropathrin	4	0	0
138	Fenpropimorph	4	0	0
139	Fenpyroximate	4	0	0
140	Fensulfothion	4	0	0

<i>Row number</i>	<i>Compound</i>	<i>Spices</i>	<i>Nr Found</i>	<i>MRL Ex</i>
141	Fensulfothion (sum of fensulfothion, its oxygen analogue and their sulfones, expressed as fensulfothion)	4	0	0
142	Fensulfothion oxon	4	0	0
143	Fensulfothion-oxon-sulphone	4	0	0
144	Fenthion	4	0	0
145	Fenthion (sum)	4	0	0
146	Fenthion oxon sulfone	4	0	0
147	Fenthion-Oxon	4	0	0
148	Fenthion-Oxonsulfoxide	4	0	0
149	Fenthion-Sulfon	4	0	0
150	Fenthion-Sulfoxide	4	0	0
151	Fentin, expressed as triphenlytin cation	0	0	0
152	Fenvalerate	0	0	0
153	Fenvalerate and Esfenvalerate (Sum of RR and SS isomers)	4	0	0
154	Fenvalerate and Esfenvalerate (Sum of RS and SR isomers)	4	0	0
155	Fipronil	4	0	0
156	Fipronil (sum of fipronil and fipronil-desulfinyl, expressed as fipronil)	0	0	0
157	Fipronil (sum)	4	0	0
158	Fipronil-Desulfinyl	4	0	0
159	Fipronil-Sulfone	4	0	0
160	Florasulam	4	0	0
161	Fluazifop (free acid)	4	1	0
162	Fluazifop-Butyl	4	0	0
163	Fluazifop-P-butyl (sum)	4	1	0
164	Flucythrinate	4	0	0
165	Fludioxonil	4	0	0
166	Flufenoxuron	4	0	0
167	Fluoxastrobin	4	0	0
168	Fluquinconazole	4	0	0

Row number	Compound	Spices	Nr Found	MRL Ex
169	Fluroxypyr (sum)	4	0	0
170	Flusilazole	4	0	0
171	Flutriafol	4	0	0
172	Folpet	4	0	0
173	Fomesafen	4	0	0
174	Fonofos	4	0	0
175	Formetanate	0	0	0
176	Formetanate	0	0	0
177	Formetanate	4	0	0
178	Formothion	4	0	0
179	Fosthiazate	4	0	0
180	Glyphosate	0	0	0
181	HCH, delta-	4	0	0
182	Haloxyfop	4	0	0
183	Haloxyfop including haloxyfop-R	4	0	0
184	Haloxyfop-Ethoxyethylester	4	0	0
185	Haloxyfop-Methyl	4	0	0
186	Heptachlor	4	0	0
187	Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	4	0	0
188	Heptachlor epoxide	4	0	0
189	Heptenophos	4	0	0
190	Hexachlorobenzene	4	0	0
191	Hexachlorocyclohexane (HCH), alpha-isomer	4	0	0
192	Hexachlorocyclohexane (HCH), beta-isomer	4	0	0
193	Hexachlorocyclohexane (HCH), sum of isomers, except the gamma isomer	4	0	0
194	Hexaconazole	4	0	0
195	Hexaflumuron	4	0	0
196	Hexythiazox	4	0	0

Row number	Compound	Spices	Nr Found	MRL Ex
197	Imazalil	4	0	0
198	Imazapyr	4	0	0
199	Imazaquin	4	0	0
200	Imazethapyr	4	0	0
201	Imazosulfuron	4	0	0
202	Imidacloprid	4	1	0
203	Indoxacarb as sum of the isomers S and R	4	0	0
204	Ioxynil	0	0	0
205	Ioxynil, including its esters expressed as ioxynil	4	0	0
206	Iprodione	4	0	0
207	Iprovalicarb	4	0	0
208	Isofenphos-methyl	4	0	0
209	Isoproturon	4	0	0
210	Kresoxim-methyl	4	0	0
211	Lambda-Cyhalothrin	4	0	0
212	Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))	4	0	0
213	Linuron	4	1	0
214	Lufenuron	4	0	0
215	MCPA	4	0	0
216	MCPA and MCPB (MCPA, MCPB including their salts, esters and conjugates expressed as MCPA)	4	0	0
217	MCPB	4	0	0
218	Malaoxon	4	0	0
219	Malathion	4	0	0
220	Malathion (sum of malathion and malaoxon expressed as malathion)	4	0	0
221	Mecarbam	4	0	0
222	Mecoprop (sum of mecoprop-p and mecoprop expressed as mecoprop)	4	0	0
223	Mepanipyrim	4	0	0
224	Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine) expressed as mepanipyrim)	4	0	0

Row number	Compound	Spices	Nr Found	MRL Ex
225	Mepiquat	0	0	0
226	Mepronil	4	0	0
227	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	4	0	0
228	Metamitron	4	0	0
229	Metamitron-desamino	4	0	0
230	Metconazole	4	0	0
231	Methacrifos	4	0	0
232	Methamidophos	4	0	0
233	Methidathion	4	0	0
234	Methiocarb	4	0	0
235	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	4	0	0
236	Methiocarb-Sulfon	4	0	0
237	Methiocarb-Sulfoxid	4	0	0
238	Methomyl	4	0	0
239	Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	4	0	0
240	Methoxychlor	0	0	0
241	Methoxyfenozide	4	0	0
242	Metobromuron	4	0	0
243	Metolcarb	4	0	0
244	Metominostrobin	4	0	0
245	Metosulam	4	0	0
246	Metoxuron	4	0	0
247	Metsulfuron-methyl	4	0	0
248	Mevinphos (sum of E- and Z-isomers)	4	0	0
249	Mirex	4	0	0
250	Monocrotophos	4	0	0
251	Monuron	4	0	0
252	Myclobutanil	4	0	0

Row number	Compound	Spices	Nr Found	MRL Ex
253	Naphthoxyacetic acid, 2-	4	0	0
254	Nitenpyram	4	0	0
255	Nitrofen	4	0	0
256	Omethoate	4	0	0
257	Orthophenylphenol	4	0	0
258	Oxadixyl	4	0	0
259	Oxamyl	4	0	0
260	Oxamyl-Oxime	4	0	0
261	Oxydemeton-methyl	4	0	0
262	Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	4	0	0
263	Paclobutrazol	4	0	0
264	Paraoxon-Methyl	4	0	0
265	Parathion	4	0	0
266	Parathion-methyl	4	0	0
267	Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	4	0	0
268	Penconazole	4	0	0
269	Pencycuron	4	0	0
270	Pendimethalin	4	0	0
271	Pentachloroaniline	4	0	0
272	Pentachlorophenol	4	0	0
273	Permethrin (sum of isomers)	4	0	0
274	Phenthoate	4	0	0
275	Phorate	4	0	0
276	Phorate (sum of phorate, its oxygen analogue and their sulfones expressed as phorate)	4	0	0
277	Phorate-O-analogue	4	0	0
278	Phorate-Sulfon	4	0	0
279	Phorate-Sulfoxid	4	0	0
280	Phorate-oxonsulfone	4	0	0

<i>Row number</i>	<i>Compound</i>	<i>Spices</i>	<i>Nr Found</i>	<i>MRL Ex</i>
281	Phorate-oxonsulfoxid	4	0	0
282	Phosalone	4	0	0
283	Phosmet	4	0	0
284	Phosmet (phosmet and phosmet oxon expressed as phosmet)	4	0	0
285	Phosmet oxon	4	0	0
286	Phosphamidon	4	0	0
287	Phoxim	4	0	0
288	Picloram	4	0	0
289	Picoxystrobin	4	0	0
290	Piperonyl Butoxide	4	1	0
291	Pirimicarb	4	0	0
292	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	4	0	0
293	Pirimiphos-Ethyl	4	0	0
294	Pirimiphos-methyl	4	0	0
295	Prochloraz	4	0	0
296	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0	0	0
297	Procymidone	4	0	0
298	Profenofos	4	0	0
299	Propachlor	4	0	0
300	Propachlor: oxalinic derivate of propachlor, expressed as propachlor	0	0	0
301	Propamocarb	0	0	0
302	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	4	0	0
303	Propargite	4	0	0
304	Propham	4	0	0
305	Propiconazole	4	0	0
306	Propineb	0	0	0
307	Propoxur	4	0	0
308	Propyzamide	4	0	0

<i>Row number</i>	<i>Compound</i>	<i>Spices</i>	<i>Nr Found</i>	<i>MRL Ex</i>
309	Prothioconazole	4	0	0
310	Prothioconazole (prothioconazole-desthio)	4	0	0
311	Prothioconazole-Desthio	4	0	0
312	Prothiofos	4	0	0
313	Pymetrozine	4	0	0
314	Pyraclostrobin	4	1	0
315	Pyrazophos	4	0	0
316	Pyrethrins	4	0	0
317	Pyridaben	4	0	0
318	Pyrifenox	4	0	0
319	Pyrimethanil	4	0	0
320	Pyriproxyfen	4	0	0
321	Quinalphos	4	0	0
322	Quinmerac	4	0	0
323	Quinoxifen	4	0	0
324	Quintozene	4	0	0
325	Quintozene (sum of quintozene and pentachloro-aniline expressed as quintozene)	4	0	0
326	Quizalofop (including Quizalofop-P)	4	0	0
327	Quizalofop-P-Ethyl	4	0	0
328	Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers))	0	0	0
329	Rimsulfuron	4	0	0
330	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	4	0	0
331	Spiroxamine	4	0	0
332	Sulfotep	4	0	0
333	Tebuconazole	4	0	0
334	Tebufenozide	4	0	0
335	Tebufenpyrad	4	0	0
336	Tecnazene	4	0	0

<i>Row number</i>	<i>Compound</i>	<i>Spices</i>	<i>Nr Found</i>	<i>MRL Ex</i>
337	Teflubenzuron	4	0	0
338	Tefluthrin	4	0	0
339	Terbufos	4	0	0
340	Terbufos (sum of terbufos, its sulfoxide and sulfone, expressed as terbufos)	4	0	0
341	Terbufos Sulfone	4	0	0
342	Terbufos Sulfoxide	4	0	0
343	Tetraconazole	4	0	0
344	Tetradifon	4	0	0
345	Thiabendazole	4	0	0
346	Thiacloprid	4	0	0
347	Thiametoxam	4	0	0
348	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	4	0	0
349	Thifensulfuron-methyl	4	0	0
350	Thiodicarb	4	0	0
351	Thiometon	4	0	0
352	Thiophanate-methyl	4	0	0
353	Tolclofos-methyl	4	0	0
354	Tolyfluanid	4	0	0
355	Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	4	0	0
356	Triadimefon	4	0	0
357	Triadimefon (sum of Triadimefon and Triadimenol)	4	0	0
358	Triadimenol	4	0	0
359	Triazamate	4	0	0
360	Triazophos	4	0	0
361	Trichlorfon	4	0	0
362	Trifloxystrobin	4	0	0
363	Triflumuron	4	0	0
364	Trifluralin	4	0	0

<i>Row number</i>	<i>Compound</i>	<i>Spices</i>	<i>Nr Found</i>	<i>MRL Ex</i>
365	Triforine	4	0	0
366	Triticonazole	4	0	0
367	Vamidothion	4	0	0
368	Vamidothion (sum of Vamidothion, Vamidothion-sulfone and Vamidothion-sulfoxide expressed as Vamidothion)	4	0	0
369	Vamidothion sulfone	4	0	0
370	Vamidothion sulfoxide	4	0	0
371	Vinclozolin	4	0	0
372	Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	4	0	0
373	Zoxamide	4	0	0
374	alpha-Endosulfan	4	0	0
375	beta-Endosulfan	4	0	0
376	tau-Fluvalinate	4	0	0
		1400	11	0

Row number	Compound	Sugar Plants	Nr Found	MRL Ex
1	2,4 DB	0	0	0
2	2,4,5-T	0	0	0
3	2,4,5-TP	0	0	0
4	2,4-D	0	0	0
5	2,4-D (sum)	0	0	0
6	2-anilino-4-(2-hydroxypropyl)- 6-methylpyrimidin	0	0	0
7	2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine	0	0	0
8	3-Chloroaniline	0	0	0
9	3-hydroxy -carbofuran	0	0	0
10	4-CPA	0	0	0
11	Abamectin (sum)	0	0	0
12	Acephate	0	0	0
13	Acetamiprid	0	0	0
14	Acrinathrin	0	0	0
15	Aldicarb	0	0	0
16	Aldicarb (sum)	0	0	0
17	Aldicarb-Sulfone	0	0	0
18	Aldicarb-Sulfoxide	0	0	0
19	Aldrin	0	0	0
20	Aldrin and Dieldrin	0	0	0
21	Amitraz (sum)	0	0	0
22	Azinphos-ethyl	0	0	0
23	Azinphos-methyl	0	0	0
24	Azoxystrobin	0	0	0
25	Bentazone	0	0	0
26	Bentazone (sum animal products)	0	0	0
27	Bentazone-8-hydroxy	0	0	0
28	Bifenthrin	0	0	0

<i>Row number</i>	<i>Compound</i>	<i>Sugar Plants</i>	<i>Nr Found</i>	<i>MRL Ex</i>
29	Biphenyl	0	0	0
30	Bitertanol	0	0	0
31	Boscalid	0	0	0
32	Bromide ion	0	0	0
33	Bromophos-ethyl	0	0	0
34	Bromopropylate	0	0	0
35	Bromoxynil	0	0	0
36	Bromuconazole (sum)	0	0	0
37	Bupirimate	0	0	0
38	Buprofezin	0	0	0
39	Cadusafos	0	0	0
40	Camphechlor	0	0	0
41	Captafol	0	0	0
42	Captan	0	0	0
43	Carbaryl	0	0	0
44	Carbendazim	0	0	0
45	Carbendazim and benomyl	0	0	0
46	Carbofuran	0	0	0
47	Carbofuran (sum)	0	0	0
48	Carbosulfan	0	0	0
49	Chinomethionat	0	0	0
50	Chlordane	0	0	0
51	Chlordecone	0	0	0
52	Chlorfenapyr	0	0	0
53	Chlorfenvinphos	0	0	0
54	Chlormequat	0	0	0
55	Chlorobenzilate	0	0	0
56	Chlorothalonil	0	0	0

<i>Row number</i>	<i>Compound</i>	<i>Sugar Plants</i>	<i>Nr Found</i>	<i>MRL Ex</i>
57	Chloroxuron	0	0	0
58	Chlorpropham	0	0	0
59	Chlorpropham (sum)	0	0	0
60	Chlorpyrifos	0	0	0
61	Chlorpyrifos-methyl	0	0	0
62	Clofentezine	0	0	0
63	Clopyralid	0	0	0
64	Clothianidin	0	0	0
65	Cycloxydim	0	0	0
66	Cyfluthrin	0	0	0
67	Cyfluthrin (sum)	0	0	0
68	Cypermethrin (sum)	0	0	0
69	Cyproconazole	0	0	0
70	Cyprodinil	0	0	0
71	Cyromazine	0	0	0
72	DDD, o,p-	0	0	0
73	DDD, p,p-	0	0	0
74	DDE, o,p-	0	0	0
75	DDE, p,p-	0	0	0
76	DDT (sum)	0	0	0
77	DDT, o,p-	0	0	0
78	DDT, p,p-	0	0	0
79	DMSA	0	0	0
80	DMST	0	0	0
81	Deltamethrin	0	0	0
82	Demeton-S-Methyl	0	0	0
83	Demeton-S-Methyl (sum baby and infant food)	0	0	0
84	Demeton-S-Methylsulfone	0	0	0

Row number	Compound	Sugar Plants	Nr Found	MRL Ex
85	Desmethyl Pirimicarb	0	0	0
86	Diafenthiuron	0	0	0
87	Diazinon	0	0	0
88	Dicamba	0	0	0
89	Dichlofluanid	0	0	0
90	Dichlofluanid (suma dichlofluanidu a DMSA)	0	0	0
91	Dichloroaniline, 3,5-	0	0	0
92	Dichlorprop	0	0	0
93	Dichlorvos	0	0	0
94	Dicloran	0	0	0
95	Dicofol (sum)	0	0	0
96	Dicrotophos	0	0	0
97	Dieldrin	0	0	0
98	Diethofencarb	0	0	0
99	Difenoconazole	0	0	0
100	Diflubenzuron	0	0	0
101	Dimethoate	0	0	0
102	Dimethoate (sum)	0	0	0
103	Dimethomorph	0	0	0
104	Dimoxystrobin	0	0	0
105	Diniconazole	0	0	0
106	Dinotefuran	0	0	0
107	Diphenylamine	0	0	0
108	Disulfoton	0	0	0
109	Disulfoton (sum)	0	0	0
110	Disulfoton-Sulfon	0	0	0
111	Disulfoton-Sulfoxid	0	0	0
112	Dithiocarbamates	0	0	0

<i>Row number</i>	<i>Compound</i>	<i>Sugar Plants</i>	<i>Nr Found</i>	<i>MRL Ex</i>
113	Dodine	0	0	0
114	EPN	0	0	0
115	Endosulfan (sum)	0	0	0
116	Endosulfansulfate	0	0	0
117	Endrin	0	0	0
118	Epoxiconazole	0	0	0
119	Ethiofencarb	0	0	0
120	Ethion	0	0	0
121	Ethoprophos	0	0	0
122	Ethoxyquin	0	0	0
123	Etofenprox	0	0	0
124	Etrimfos	0	0	0
125	Fenamidone	0	0	0
126	Fenamiphos	0	0	0
127	Fenamiphos (sum)	0	0	0
128	Fenamiphos-Sulfon	0	0	0
129	Fenamiphos-Sulfoxid	0	0	0
130	Fenarimol	0	0	0
131	Fenazaquin	0	0	0
132	Fenbuconazole	0	0	0
133	Fenhexamid	0	0	0
134	Fenitrothion	0	0	0
135	Fenoxaprop-P	0	0	0
136	Fenoxycarb	0	0	0
137	Fenpropathrin	0	0	0
138	Fenpropimorph	0	0	0
139	Fenpyroximate	0	0	0
140	Fensulfothion	0	0	0

<i>Row number</i>	<i>Compound</i>	<i>Sugar Plants</i>	<i>Nr Found</i>	<i>MRL Ex</i>
141	Fensulfothion (sum of fensulfothion, its oxygen analogue and their sulfones, expressed as fensulfothion)	0	0	0
142	Fensulfothion oxon	0	0	0
143	Fensulfothion-oxon-sulphone	0	0	0
144	Fenthion	0	0	0
145	Fenthion (sum)	0	0	0
146	Fenthion oxon sulfone	0	0	0
147	Fenthion-Oxon	0	0	0
148	Fenthion-Oxonsulfoxide	0	0	0
149	Fenthion-Sulfon	0	0	0
150	Fenthion-Sulfoxide	0	0	0
151	Fentin, expressed as triphenlytin cation	0	0	0
152	Fenvalerate	0	0	0
153	Fenvalerate and Esfenvalerate (Sum of RR and SS isomers)	0	0	0
154	Fenvalerate and Esfenvalerate (Sum of RS and SR isomers)	0	0	0
155	Fipronil	0	0	0
156	Fipronil (sum of fipronil and fipronil-desulfinyl, expressed as fipronil)	0	0	0
157	Fipronil (sum)	0	0	0
158	Fipronil-Desulfinyl	0	0	0
159	Fipronil-Sulfone	0	0	0
160	Florasulam	0	0	0
161	Fluazifop (free acid)	0	0	0
162	Fluazifop-Butyl	0	0	0
163	Fluazifop-P-butyl (sum)	0	0	0
164	Flucythrinate	0	0	0
165	Fludioxonil	0	0	0
166	Flufenoxuron	0	0	0
167	Fluoxastrobin	0	0	0
168	Fluquinconazole	0	0	0

<i>Row number</i>	<i>Compound</i>	<i>Sugar Plants</i>	<i>Nr Found</i>	<i>MRL Ex</i>
169	Fluroxypyr (sum)	0	0	0
170	Flusilazole	0	0	0
171	Flutriafol	0	0	0
172	Folpet	0	0	0
173	Fomesafen	0	0	0
174	Fonofos	0	0	0
175	Formetanate	0	0	0
176	Formetanate	0	0	0
177	Formetanate	0	0	0
178	Formothion	0	0	0
179	Fosthiazate	0	0	0
180	Glyphosate	0	0	0
181	HCH, delta-	0	0	0
182	Haloxyfop	0	0	0
183	Haloxyfop including haloxyfop-R	0	0	0
184	Haloxyfop-Ethoxyethylester	0	0	0
185	Haloxyfop-Methyl	0	0	0
186	Heptachlor	0	0	0
187	Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	0	0	0
188	Heptachlor epoxide	0	0	0
189	Heptenophos	0	0	0
190	Hexachlorobenzene	0	0	0
191	Hexachlorocyclohexane (HCH), alpha-isomer	0	0	0
192	Hexachlorocyclohexane (HCH), beta-isomer	0	0	0
193	Hexachlorocyclohexane (HCH), sum of isomers, except the gamma isomer	0	0	0
194	Hexaconazole	0	0	0
195	Hexaflumuron	0	0	0
196	Hexythiazox	0	0	0

<i>Row number</i>	<i>Compound</i>	<i>Sugar Plants</i>	<i>Nr Found</i>	<i>MRL Ex</i>
197	Imazalil	0	0	0
198	Imazapyr	0	0	0
199	Imazaquin	0	0	0
200	Imazethapyr	0	0	0
201	Imazosulfuron	0	0	0
202	Imidacloprid	0	0	0
203	Indoxacarb as sum of the isomers S and R	0	0	0
204	Ioxynil	0	0	0
205	Ioxynil, including its esters expressed as ioxynil	0	0	0
206	Iprodione	0	0	0
207	Iprovalicarb	0	0	0
208	Isofenphos-methyl	0	0	0
209	Isoproturon	0	0	0
210	Kresoxim-methyl	0	0	0
211	Lambda-Cyhalothrin	0	0	0
212	Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))	0	0	0
213	Linuron	0	0	0
214	Lufenuron	0	0	0
215	MCPA	0	0	0
216	MCPA and MCPB (MCPA, MCPB including their salts, esters and conjugates expressed as MCPA)	0	0	0
217	MCPB	0	0	0
218	Malaoxon	0	0	0
219	Malathion	0	0	0
220	Malathion (sum of malathion and malaoxon expressed as malathion)	0	0	0
221	Mecarbam	0	0	0
222	Mecoprop (sum of mecoprop-p and mecoprop expressed as mecoprop)	0	0	0
223	Mepanipyrim	0	0	0
224	Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine) expressed as mepanipyrim)	0	0	0

Row number	Compound	Sugar Plants	Nr Found	MRL Ex
225	Mepiquat	0	0	0
226	Mepronil	0	0	0
227	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0	0	0
228	Metamitron	0	0	0
229	Metamitron-desamino	0	0	0
230	Metconazole	0	0	0
231	Methacrifos	0	0	0
232	Methamidophos	0	0	0
233	Methidathion	0	0	0
234	Methiocarb	0	0	0
235	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0	0	0
236	Methiocarb-Sulfon	0	0	0
237	Methiocarb-Sulfoxid	0	0	0
238	Methomyl	0	0	0
239	Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0	0	0
240	Methoxychlor	0	0	0
241	Methoxyfenozide	0	0	0
242	Metobromuron	0	0	0
243	Metolcarb	0	0	0
244	Metominostrobin	0	0	0
245	Metosulam	0	0	0
246	Metoxuron	0	0	0
247	Metsulfuron-methyl	0	0	0
248	Mevinphos (sum of E- and Z-isomers)	0	0	0
249	Mirex	0	0	0
250	Monocrotophos	0	0	0
251	Monuron	0	0	0
252	Myclobutanil	0	0	0

<i>Row number</i>	<i>Compound</i>	<i>Sugar Plants</i>	<i>Nr Found</i>	<i>MRL Ex</i>
253	Naphthoxyacetic acid, 2-	0	0	0
254	Nitenpyram	0	0	0
255	Nitrofen	0	0	0
256	Omethoate	0	0	0
257	Orthophenylphenol	0	0	0
258	Oxadixyl	0	0	0
259	Oxamyl	0	0	0
260	Oxamyl-Oxime	0	0	0
261	Oxydemeton-methyl	0	0	0
262	Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0	0	0
263	Paclobutrazol	0	0	0
264	Paraoxon-Methyl	0	0	0
265	Parathion	0	0	0
266	Parathion-methyl	0	0	0
267	Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0	0	0
268	Penconazole	0	0	0
269	Pencycuron	0	0	0
270	Pendimethalin	0	0	0
271	Pentachloroaniline	0	0	0
272	Pentachlorophenol	0	0	0
273	Permethrin (sum of isomers)	0	0	0
274	Phenthoate	0	0	0
275	Phorate	0	0	0
276	Phorate (sum of phorate, its oxygen analogue and their sulfones expressed as phorate)	0	0	0
277	Phorate-O-analogue	0	0	0
278	Phorate-Sulfon	0	0	0
279	Phorate-Sulfoxid	0	0	0
280	Phorate-oxonsulfone	0	0	0

Row number	Compound	Sugar Plants	Nr Found	MRL Ex
281	Phorate-oxonsulfoxid	0	0	0
282	Phosalone	0	0	0
283	Phosmet	0	0	0
284	Phosmet (phosmet and phosmet oxon expressed as phosmet)	0	0	0
285	Phosmet oxon	0	0	0
286	Phosphamidon	0	0	0
287	Phoxim	0	0	0
288	Picloram	0	0	0
289	Picoxystrobin	0	0	0
290	Piperonyl Butoxide	0	0	0
291	Pirimicarb	0	0	0
292	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0	0	0
293	Pirimiphos-Ethyl	0	0	0
294	Pirimiphos-methyl	0	0	0
295	Prochloraz	0	0	0
296	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0	0	0
297	Procymidone	0	0	0
298	Profenofos	0	0	0
299	Propachlor	0	0	0
300	Propachlor: oxalinic derivate of propachlor, expressed as propachlor	0	0	0
301	Propamocarb	0	0	0
302	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0	0	0
303	Propargite	0	0	0
304	Propham	0	0	0
305	Propiconazole	0	0	0
306	Propineb	0	0	0
307	Propoxur	0	0	0
308	Propyzamide	0	0	0

<i>Row number</i>	<i>Compound</i>	<i>Sugar Plants</i>	<i>Nr Found</i>	<i>MRL Ex</i>
309	Prothioconazole	0	0	0
310	Prothioconazole (prothioconazole-desthio)	0	0	0
311	Prothioconazole-Desthio	0	0	0
312	Prothiofos	0	0	0
313	Pymetrozine	0	0	0
314	Pyraclostrobin	0	0	0
315	Pyrazophos	0	0	0
316	Pyrethrins	0	0	0
317	Pyridaben	0	0	0
318	Pyrifenox	0	0	0
319	Pyrimethanil	0	0	0
320	Pyriproxyfen	0	0	0
321	Quinalphos	0	0	0
322	Quinmerac	0	0	0
323	Quinoxifen	0	0	0
324	Quintozene	0	0	0
325	Quintozene (sum of quintozene and pentachloro-aniline expressed as quintozene)	0	0	0
326	Quizalofop (including Quizalofop-P)	0	0	0
327	Quizalofop-P-Ethyl	0	0	0
328	Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers))	0	0	0
329	Rimsulfuron	0	0	0
330	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0	0	0
331	Spiroxamine	0	0	0
332	Sulfotep	0	0	0
333	Tebuconazole	0	0	0
334	Tebufenozide	0	0	0
335	Tebufenpyrad	0	0	0
336	Tecnazene	0	0	0

<i>Row number</i>	<i>Compound</i>	<i>Sugar Plants</i>	<i>Nr Found</i>	<i>MRL Ex</i>
337	Teflubenzuron	0	0	0
338	Tefluthrin	0	0	0
339	Terbufos	0	0	0
340	Terbufos (sum of terbufos, its sulfoxide and sulfone, expressed as terbufos)	0	0	0
341	Terbufos Sulfone	0	0	0
342	Terbufos Sulfoxide	0	0	0
343	Tetraconazole	0	0	0
344	Tetradifon	0	0	0
345	Thiabendazole	0	0	0
346	Thiacloprid	0	0	0
347	Thiametoxam	0	0	0
348	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0	0	0
349	Thifensulfuron-methyl	0	0	0
350	Thiodicarb	0	0	0
351	Thiometon	0	0	0
352	Thiophanate-methyl	0	0	0
353	Tolclofos-methyl	0	0	0
354	Tolyfluanid	0	0	0
355	Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	0	0	0
356	Triadimefon	0	0	0
357	Triadimefon (sum of Triadimefon and Triadimenol)	0	0	0
358	Triadimenol	0	0	0
359	Triazamate	0	0	0
360	Triazophos	0	0	0
361	Trichlorfon	0	0	0
362	Trifloxystrobin	0	0	0
363	Triflumuron	0	0	0
364	Trifluralin	0	0	0

<i>Row number</i>	<i>Compound</i>	<i>Sugar Plants</i>	<i>Nr Found</i>	<i>MRL Ex</i>
365	Triforine	0	0	0
366	Triticonazole	0	0	0
367	Vamidothion	0	0	0
368	Vamidothion (sum of Vamidothion, Vamidothion-sulfone and Vamidothion-sulfoxide expressed as Vamidothion)	0	0	0
369	Vamidothion sulfone	0	0	0
370	Vamidothion sulfoxide	0	0	0
371	Vinclozolin	0	0	0
372	Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	0	0	0
373	Zoxamide	0	0	0
374	alpha-Endosulfan	0	0	0
375	beta-Endosulfan	0	0	0
376	tau-Fluvalinate	0	0	0
		0	0	0

Row number	Compound	Vegetables	Nr Found	MRL Ex
1	2,4 DB	580	0	0
2	2,4,5-T	580	0	0
3	2,4,5-TP	580	0	0
4	2,4-D	499	3	0
5	2,4-D (sum)	81	0	0
6	2-anilino-4-(2-hydroxypropyl)- 6-methylpyrimidin	499	0	0
7	2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine	81	0	0
8	3-Chloroaniline	580	1	0
9	3-hydroxy -carbofuran	580	0	0
10	4-CPA	580	0	0
11	Abamectin (sum)	580	0	0
12	Acephate	580	0	0
13	Acetamiprid	580	12	2
14	Acrinathrin	580	4	0
15	Aldicarb	580	0	0
16	Aldicarb (sum)	580	0	0
17	Aldicarb-Sulfone	580	0	0
18	Aldicarb-Sulfoxide	580	0	0
19	Aldrin	580	0	0
20	Aldrin and Dieldrin	580	0	0
21	Amitraz (sum)	0	0	0
22	Azinphos-ethyl	580	0	0
23	Azinphos-methyl	580	0	0
24	Azoxystrobin	580	63	0
25	Bentazone	580	0	0
26	Bentazone (sum animal products)	580	0	0
27	Bentazone-8-hydroxy	580	0	0
28	Bifenthrin	580	1	0

Row number	Compound	Vegetables	Nr Found	MRL Ex
29	Biphenyl	580	0	0
30	Bitertanol	580	1	0
31	Boscalid	580	81	0
32	Bromide ion	68	8	0
33	Bromophos-ethyl	580	0	0
34	Bromopropylate	580	1	0
35	Bromoxynil	580	0	0
36	Bromuconazole (sum)	580	0	0
37	Bupirimate	580	1	0
38	Buprofezin	580	3	0
39	Cadusafos	580	0	0
40	Camphechlor	0	0	0
41	Captafol	580	0	0
42	Captan	580	0	0
43	Carbaryl	580	0	0
44	Carbendazim	580	8	0
45	Carbendazim and benomyl	580	8	0
46	Carbofuran	580	0	0
47	Carbofuran (sum)	580	0	0
48	Carbosulfan	580	0	0
49	Chinomethionat	580	0	0
50	Chlordane	0	0	0
51	Chlordecone	0	0	0
52	Chlorfenapyr	580	1	0
53	Chlorfenvinphos	580	0	0
54	Chlormequat	0	0	0
55	Chlorobenzilate	0	0	0
56	Chlorothalonil	580	30	0

Row number	Compound	Vegetables	Nr Found	MRL Ex
57	Chloroxuron	580	0	0
58	Chlorpropham	580	12	0
59	Chlorpropham (sum)	580	6	0
60	Chlorpyrifos	580	32	2
61	Chlorpyrifos-methyl	580	5	1
62	Clofentezine	580	2	1
63	Clopyralid	580	0	0
64	Clothianidin	580	10	0
65	Cycloxydim	580	0	0
66	Cyfluthrin	0	0	0
67	Cyfluthrin (sum)	580	0	0
68	Cypermethrin (sum)	580	6	0
69	Cyproconazole	580	5	1
70	Cyprodinil	580	35	0
71	Cyromazine	580	3	0
72	DDD, o,p-	580	0	0
73	DDD, p,p-	580	0	0
74	DDE, o,p-	580	0	0
75	DDE, p,p-	580	7	0
76	DDT (sum)	580	3	0
77	DDT, o,p-	580	1	0
78	DDT, p,p-	580	2	0
79	DMSA	580	0	0
80	DMST	580	0	0
81	Deltamethrin	580	0	0
82	Demeton-S-Methyl	580	0	0
83	Demeton-S-Methyl (sum baby and infant food)	0	0	0
84	Demeton-S-Methylsulfone	580	0	0

<i>Row number</i>	<i>Compound</i>	<i>Vegetables</i>	<i>Nr Found</i>	<i>MRL Ex</i>
85	Desmethyl Pirimicarb	580	5	0
86	Diafenthiuron	580	0	0
87	Diazinon	580	1	0
88	Dicamba	580	0	0
89	Dichlofluanid	580	0	0
90	Dichlofluanid (suma dichlofluanidu a DMSA)	580	0	0
91	Dichloroaniline, 3,5-	580	0	0
92	Dichlorprop	580	0	0
93	Dichlorvos	580	0	0
94	Dicloran	580	1	0
95	Dicofol (sum)	580	1	0
96	Dicrotophos	580	0	0
97	Dieldrin	580	0	0
98	Diethofencarb	580	1	0
99	Difenoconazole	580	27	0
100	Diflubenzuron	580	0	0
101	Dimethoate	580	3	0
102	Dimethoate (sum)	580	6	1
103	Dimethomorph	580	42	2
104	Dimoxystrobin	580	0	0
105	Diniconazole	580	0	0
106	Dinotefuran	580	0	0
107	Diphenylamine	580	0	0
108	Disulfoton	580	0	0
109	Disulfoton (sum)	580	0	0
110	Disulfoton-Sulfon	580	0	0
111	Disulfoton-Sulfoxid	580	0	0
112	Dithiocarbamates	106	13	1

Row number	Compound	Vegetables	Nr Found	MRL Ex
113	Dodine	580	0	0
114	EPN	580	0	0
115	Endosulfan (sum)	580	2	0
116	Endosulfansulfate	580	3	0
117	Endrin	580	0	0
118	Epoxiconazole	580	0	0
119	Ethiofencarb	580	0	0
120	Ethion	580	0	0
121	Ethoprophos	580	0	0
122	Ethoxyquin	580	0	0
123	Etofenprox	580	0	0
124	Etrimfos	580	0	0
125	Fenamidone	580	2	0
126	Fenamiphos	580	0	0
127	Fenamiphos (sum)	580	0	0
128	Fenamiphos-Sulfon	580	0	0
129	Fenamiphos-Sulfoxid	580	0	0
130	Fenarimol	580	0	0
131	Fenazaquin	580	1	0
132	Fenbuconazole	580	0	0
133	Fenhexamid	580	14	0
134	Fenitrothion	580	0	0
135	Fenoxaprop-P	580	0	0
136	Fenoxycarb	580	0	0
137	Fenpropathrin	580	0	0
138	Fenpropimorph	580	2	0
139	Fenpyroximate	580	2	0
140	Fensulfothion	580	0	0

Row number	Compound	Vegetables	Nr Found	MRL Ex
141	Fensulfothion (sum of fensulfothion, its oxygen analogue and their sulfones, expressed as fensulfothion)	580	0	0
142	Fensulfothion oxon	565	0	0
143	Fensulfothion-oxon-sulphone	580	0	0
144	Fenthion	580	0	0
145	Fenthion (sum)	580	0	0
146	Fenthion oxon sulfone	565	0	0
147	Fenthion-Oxon	565	0	0
148	Fenthion-Oxonsulfoxide	565	0	0
149	Fenthion-Sulfon	580	0	0
150	Fenthion-Sulfoxide	580	0	0
151	Fentin, expressed as triphenyltin cation	0	0	0
152	Fenvalerate	0	0	0
153	Fenvalerate and Esfenvalerate (Sum of RR and SS isomers)	580	2	1
154	Fenvalerate and Esfenvalerate (Sum of RS and SR isomers)	580	2	0
155	Fipronil	580	0	0
156	Fipronil (sum of fipronil and fipronil-desulfinyl, expressed as fipronil)	0	0	0
157	Fipronil (sum)	580	0	0
158	Fipronil-Desulfinyl	565	0	0
159	Fipronil-Sulfone	499	0	0
160	Florasulam	565	0	0
161	Fluazifop (free acid)	580	9	0
162	Fluazifop-Butyl	580	0	0
163	Fluazifop-P-butyl (sum)	580	9	1
164	Flucythrinate	580	0	0
165	Fludioxonil	580	19	0
166	Flufenoxuron	580	0	0
167	Fluoxastrobin	580	0	0
168	Fluquinconazole	580	0	0

<i>Row number</i>	<i>Compound</i>	<i>Vegetables</i>	<i>Nr Found</i>	<i>MRL Ex</i>
169	Fluroxypyr (sum)	580	0	0
170	Flusilazole	580	0	0
171	Flutriafol	580	7	0
172	Folpet	580	0	0
173	Fomesafen	580	0	0
174	Fonofos	580	0	0
175	Formetanate	2	0	0
176	Formetanate	2	0	0
177	Formetanate	580	5	2
178	Formothion	580	0	0
179	Fosthiazate	566	2	0
180	Glyphosate	0	0	0
181	HCH, delta-	580	0	0
182	Haloxyfop	580	1	0
183	Haloxyfop including haloxyfop-R	580	0	0
184	Haloxyfop-Ethoxyethylester	580	0	0
185	Haloxyfop-Methyl	580	0	0
186	Heptachlor	580	0	0
187	Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	580	0	0
188	Heptachlor epoxide	580	0	0
189	Heptenophos	580	0	0
190	Hexachlorobenzene	580	0	0
191	Hexachlorocyclohexane (HCH), alpha-isomer	580	0	0
192	Hexachlorocyclohexane (HCH), beta-isomer	580	0	0
193	Hexachlorocyclohexane (HCH), sum of isomers, except the gamma isomer	580	0	0
194	Hexaconazole	580	0	0
195	Hexaflumuron	580	0	0
196	Hexythiazox	580	2	0

<i>Row number</i>	<i>Compound</i>	<i>Vegetables</i>	<i>Nr Found</i>	<i>MRL Ex</i>
197	Imazalil	580	7	0
198	Imazapyr	580	0	0
199	Imazaquin	580	0	0
200	Imazethapyr	580	0	0
201	Imazosulfuron	580	0	0
202	Imidacloprid	580	41	0
203	Indoxacarb as sum of the isomers S and R	580	8	0
204	Ioxynil	61	0	0
205	Ioxynil, including its esters expressed as ioxynil	519	1	0
206	Iprodione	580	12	1
207	Iprovalicarb	580	0	0
208	Isofenphos-methyl	580	0	0
209	Isoproturon	580	0	0
210	Kresoxim-methyl	580	3	0
211	Lambda-Cyhalothrin	580	13	1
212	Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))	580	1	0
213	Linuron	580	23	0
214	Lufenuron	580	4	0
215	MCPA	580	0	0
216	MCPA and MCPB (MCPA, MCPB including their salts, esters and conjugates expressed as MCPA)	580	0	0
217	MCPB	580	0	0
218	Malaoxon	580	0	0
219	Malathion	580	0	0
220	Malathion (sum of malathion and malaoxon expressed as malathion)	580	0	0
221	Mecarbam	580	0	0
222	Mecoprop (sum of mecoprop-p and mecoprop expressed as mecoprop)	580	0	0
223	Mepanipyrim	580	3	0
224	Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine) expressed as mepanipyrim)	580	1	0

Row number	Compound	Vegetables	Nr Found	MRL Ex
225	Mepiquat	0	0	0
226	Mepronil	580	0	0
227	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	580	55	2
228	Metamitron	580	0	0
229	Metamitron-desamino	580	0	0
230	Metconazole	580	0	0
231	Methacrifos	580	0	0
232	Methamidophos	580	0	0
233	Methidathion	580	0	0
234	Methiocarb	580	1	0
235	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	580	3	0
236	Methiocarb-Sulfon	580	1	0
237	Methiocarb-Sulfoxid	580	3	0
238	Methomyl	580	2	0
239	Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	580	2	2
240	Methoxychlor	0	0	0
241	Methoxyfenozide	580	4	0
242	Metobromuron	580	0	0
243	Metolcarb	580	0	0
244	Metominostrobin	580	0	0
245	Metosulam	580	0	0
246	Metoxuron	580	0	0
247	Metsulfuron-methyl	580	0	0
248	Mevinphos (sum of E- and Z-isomers)	580	0	0
249	Mirex	580	0	0
250	Monocrotophos	580	0	0
251	Monuron	580	0	0
252	Myclobutanil	580	3	0

<i>Row number</i>	<i>Compound</i>	<i>Vegetables</i>	<i>Nr Found</i>	<i>MRL Ex</i>
253	Naphthoxyacetic acid, 2-	580	0	0
254	Nitenpyram	580	0	0
255	Nitrofen	580	0	0
256	Omethoate	580	7	0
257	Orthophenylphenol	580	0	0
258	Oxadixyl	580	1	0
259	Oxamyl	580	3	1
260	Oxamyl-Oxime	580	10	0
261	Oxydemeton-methyl	580	0	0
262	Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	580	0	0
263	Paclobutrazol	580	0	0
264	Paraoxon-Methyl	580	0	0
265	Parathion	580	0	0
266	Parathion-methyl	580	0	0
267	Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	580	0	0
268	Penconazole	580	4	0
269	Pencycuron	580	2	0
270	Pendimethalin	580	5	0
271	Pentachloroaniline	580	1	0
272	Pentachlorophenol	580	0	0
273	Permethrin (sum of isomers)	580	0	0
274	Phenthoate	580	0	0
275	Phorate	580	0	0
276	Phorate (sum of phorate, its oxygen analogue and their sulfones expressed as phorate)	580	0	0
277	Phorate-O-analogue	519	0	0
278	Phorate-Sulfon	580	0	0
279	Phorate-Sulfoxid	580	0	0
280	Phorate-oxonsulfone	576	0	0

Row number	Compound	Vegetables	Nr Found	MRL Ex
281	Phorate-oxonsulfoxid	576	0	0
282	Phosalone	580	0	0
283	Phosmet	580	2	0
284	Phosmet (phosmet and phosmet oxon expressed as phosmet)	580	1	0
285	Phosmet oxon	564	0	0
286	Phosphamidon	580	0	0
287	Phoxim	580	0	0
288	Picloram	580	0	0
289	Picoxystrobin	580	0	0
290	Piperonyl Butoxide	580	3	0
291	Pirimicarb	580	1	0
292	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	580	5	0
293	Pirimiphos-Ethyl	580	0	0
294	Pirimiphos-methyl	580	0	0
295	Prochloraz	499	8	0
296	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	81	0	0
297	Procymidone	580	6	2
298	Profenofos	580	0	0
299	Propachlor	499	0	0
300	Propachlor: oxalinic derivate of propachlor, expressed as propachlor	81	0	0
301	Propamocarb	2	0	0
302	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	580	78	1
303	Propargite	580	2	0
304	Propham	580	0	0
305	Propiconazole	580	1	0
306	Propineb	0	0	0
307	Propoxur	580	1	0
308	Propyzamide	580	1	0

<i>Row number</i>	<i>Compound</i>	<i>Vegetables</i>	<i>Nr Found</i>	<i>MRL Ex</i>
309	Prothioconazole	580	0	0
310	Prothioconazole (prothioconazole-desthio)	580	0	0
311	Prothioconazole-Desthio	565	0	0
312	Prothiofos	580	0	0
313	Pymetrozine	580	5	0
314	Pyraclostrobin	580	15	0
315	Pyrazophos	580	0	0
316	Pyrethrins	580	0	0
317	Pyridaben	580	6	0
318	Pyrifenox	579	0	0
319	Pyrimethanil	580	13	0
320	Pyriproxyfen	580	4	0
321	Quinalphos	580	0	0
322	Quinmerac	580	1	0
323	Quinoxifen	580	0	0
324	Quintozene	580	0	0
325	Quintozene (sum of quintozene and pentachloro-aniline expressed as quintozene)	580	1	0
326	Quizalofop (including Quizalofop-P)	580	8	0
327	Quizalofop-P-Ethyl	580	0	0
328	Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers))	0	0	0
329	Rimsulfuron	580	0	0
330	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	580	7	0
331	Spiroxamine	580	3	1
332	Sulfotep	580	0	0
333	Tebuconazole	580	28	1
334	Tebufenozide	580	2	0
335	Tebufenpyrad	580	1	0
336	Tecnazene	580	0	0

<i>Row number</i>	<i>Compound</i>	<i>Vegetables</i>	<i>Nr Found</i>	<i>MRL Ex</i>
337	Teflubenzuron	580	2	0
338	Tefluthrin	580	1	0
339	Terbufos	580	0	0
340	Terbufos (sum of terbufos, its sulfoxide and sulfone, expressed as terbufos)	580	0	0
341	Terbufos Sulfone	580	0	0
342	Terbufos Sulfoxide	580	0	0
343	Tetraconazole	580	0	0
344	Tetradifon	580	2	0
345	Thiabendazole	580	4	0
346	Thiacloprid	580	9	0
347	Thiametoxam	580	7	0
348	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	580	8	0
349	Thifensulfuron-methyl	580	0	0
350	Thiodicarb	580	0	0
351	Thiometon	580	0	0
352	Thiophanate-methyl	580	3	0
353	Tolclofos-methyl	580	3	0
354	Tolyfluanid	580	0	0
355	Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	580	0	0
356	Triadimefon	580	0	0
357	Triadimefon (sum of Triadimefon and Triadimenol)	580	7	0
358	Triadimenol	580	10	0
359	Triazamate	569	0	0
360	Triazophos	580	0	0
361	Trichlorfon	580	0	0
362	Trifloxystrobin	580	3	0
363	Triflumuron	580	0	0
364	Trifluralin	580	3	0

Row number	Compound	Vegetables	Nr Found	MRL Ex
365	Triforine	580	0	0
366	Triticonazole	580	0	0
367	Vamidothion	580	0	0
368	Vamidothion (sum of Vamidothion, Vamidothion-sulfone and Vamidothion-sulfoxide expressed as Vamidothion)	580	0	0
369	Vamidothion sulfone	580	0	0
370	Vamidothion sulfoxide	580	0	0
371	Vinclozolin	580	1	0
372	Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	580	0	0
373	Zoxamide	580	2	0
374	alpha-Endosulfan	580	1	0
375	beta-Endosulfan	580	1	0
376	tau-Fluvalinate	580	0	0
		202883	1033	27

Strategy=Enforcement Origin=Domestic Country=Czech Republic

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Cereals	Other cereals	Cooking in air (Baking)	Non-organic production	1	0	0	0	0	0
Vegetables	Head cabbage	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Lettuce	Unprocessed	Non-organic production	1	0	0	0	0	0
<i>Origin</i>				3	0	0	0	0	0
<i>Region</i>				3	0	0	0	0	0

Strategy=Enforcement Origin=EEA Country=Italy

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Vegetables	Broccoli	Unprocessed	Non-organic production	1	0	0	0	0	0

Strategy=Enforcement Origin=EEA Country=Spain

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Vegetables	Cucumbers	Unprocessed	Non-organic production	1	1	0	0	0	0
<i>Region</i>				2	1	0	0	0	0

Strategy=Enforcement Origin=TC Country=Ecuador

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Papaya	Unprocessed	Non-organic production	1	1	0	0	0	0

Strategy=Enforcement Origin=TC Country=India

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Other products (incl. not classified and animal feed) OTHER Processed Non-organic production				2	0	0	0	0	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Enforcement Origin=TC Country=Morocco

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Vegetables	Tomatoes	Unprocessed	Non-organic production	1	1	0	0	0	0
Region				4	2	0	0	0	0
Strategy				9	3	0	0	0	0

Total = total samples in national and EU programe, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Origin=Domestic Country=Czech Republic

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Animal products	Bovine Liver	Unprocessed	Domestic or cultivated	6	2	0	6	2	0
Animal products	Bovine Meat	Unprocessed	Domestic or cultivated	5	3	0	0	0	0
Animal products	Dairy products Cattle	Churning	Industrial production	15	10	0	0	0	0
Animal products	Eggs Chicken	Unprocessed	Industrial production	5	1	0	0	0	0
Animal products	Honey	Unprocessed	Industrial production	5	0	0	0	0	0
Animal products	Poultry liver	Unprocessed	Battery production	1	0	0	1	0	0
Animal products	Poultry meat	Unprocessed	Battery production	5	0	0	5	0	0
Animal products	Poultry meat	Unprocessed	Industrial production	3	0	0	3	0	0
Animal products	Poultry products	Unprocessed	Battery production	7	0	0	0	0	0
Animal products	Swine Liver	Unprocessed	Domestic or cultivated	8	0	0	8	0	0
Animal products	Swine Meat	Unprocessed	Industrial production	5	1	0	0	0	0
Baby food	Baby food for infants and young children	Preserving	Non-organic production	1	1	0	0	0	0
Baby food	Baby food for infants and young children	Processed	Non-organic production	1	0	0	0	0	0
Baby food	Processed cereal-based baby foods	Processed	Non-organic production	1	0	0	1	0	0
Cereals	Barley	Unprocessed	Non-organic production	16	11	0	0	0	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Origin=Domestic Country=Czech Republic

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Cereals	Barley	Unprocessed	Organic production	4	0	0	0	0	0
Cereals	Buckwheat	Unprocessed	Non-organic production	1	0	0	0	0	0
Cereals	Maize	Unprocessed	Non-organic production	8	0	0	0	0	0
Cereals	Maize	Unprocessed	Organic production	1	0	0	0	0	0
Cereals	Oats	Unprocessed	Non-organic production	9	3	0	0	0	0
Cereals	Oats	Unprocessed	Organic production	7	0	0	0	0	0
Cereals	Other cereals	Cooking in air (Baking)	Non-organic production	5	3	1	0	0	0
Cereals	Other cereals	Unprocessed	Organic production	5	0	0	0	0	0
Cereals	Rice	Unprocessed	Non-organic production	2	0	0	2	0	0
Cereals	Rye	Milling	Non-organic production	2	2	0	0	0	0
Cereals	Rye	Unprocessed	Non-organic production	22	14	3	0	0	0
Cereals	Rye	Unprocessed	Organic production	4	1	0	0	0	0
Cereals	Wheat	Cooking in air (Baking)	Non-organic production	8	2	0	0	0	0
Cereals	Wheat	Milling	Non-organic production	3	0	0	3	0	0
Cereals	Wheat	Milling	Organic production	1	0	0	1	0	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Origin=Domestic Country=Czech Republic

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Cereals	Wheat	Milling - refined flour	Genetically modified	4	4	0	0	0	0
Cereals	Wheat	Milling - refined flour	Non-organic production	8	3	0	0	0	0
Cereals	Wheat	Milling - refined flour	Organic production	1	1	0	0	0	0
Cereals	Wheat	Milling - unprocessed flour	Organic production	3	2	0	0	0	0
Cereals	Wheat	Unprocessed	Non-organic production	37	20	0	0	0	0
Cereals	Wheat	Unprocessed	Organic production	2	0	0	0	0	0
Fish products	Fish, fish products, shell fish, molluscs and other marine and freshwater food products	Unprocessed	Wild or gathered	4	3	0	0	0	0
Fruits and nuts	Apples	Pressing	Non-organic production	2	0	0	0	0	0
Fruits and nuts	Apples	Unprocessed	Non-organic production	14	14	0	0	0	0
Fruits and nuts	Peaches	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruits and nuts	Pears	Unprocessed	Non-organic production	7	6	0	7	5	0
Fruits and nuts	Plums	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruits and nuts	Strawberries	Unprocessed	Non-organic production	5	5	1	0	0	0
Other plant products	Linseed	Decortication	Non-organic production	1	0	0	0	0	0
Other plant products	Other herbal infusions	Dehydration	Non-organic production	1	0	0	0	0	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Origin=Domestic Country=Czech Republic

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Other plant products	Pumpkin seeds	Processed	Organic production	1	1	0	0	0	0
Other plant products	Rape seed	Oil production - refined oils	Non-organic production	1	0	0	0	0	0
Other plant products	Soya bean	Unprocessed	Non-organic production	2	2	1	0	0	0
Other plant products	Soya bean	Unprocessed	Organic production	1	0	0	0	0	0
Other products (incl. not classified and animal feed)	INFANT WATER	Milling	Non-organic production	1	0	0	0	0	0
Other products (incl. not classified and animal feed)	INFANT WATER	Processed	Non-organic production	1	0	0	0	0	0
Other products (incl. not classified and animal feed)	OTHER	Dehydration	Non-organic production	1	0	0	0	0	0
Other products (incl. not classified and animal feed)	OTHER	Oil production - refined oils	Non-organic production	1	0	0	0	0	0
Other products (incl. not classified and animal feed)	OTHER	Pressing	Non-organic production	2	1	0	0	0	0
Other products (incl. not classified and animal feed)	OTHER	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Beans (with pods)	Unprocessed	Non-organic production	3	1	0	3	0	0
Vegetables	Broccoli	Unprocessed	Non-organic production	3	0	0	0	0	0
Vegetables	Carrots	Unprocessed	Non-organic production	11	9	0	11	9	0
Vegetables	Cauliflower	Unprocessed	Non-organic production	5	4	0	0	0	0
Vegetables	Celeriac	Unprocessed	Non-organic production	5	5	0	0	0	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Origin=Domestic Country=Czech Republic

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Vegetables	Chinese cabbage	Unprocessed	Non-organic production	7	4	0	0	0	0
Vegetables	Cucumbers	Unprocessed	Non-organic production	5	3	0	5	3	0
Vegetables	Cultivated fungi	Unprocessed	Non-organic production	8	5	0	0	0	0
Vegetables	Garlic	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Gherkins	Pickling	Non-organic production	5	4	0	0	0	0
Vegetables	Gherkins	Pickling	Organic production	1	1	0	0	0	0
Vegetables	Head cabbage	Unprocessed	Non-organic production	15	7	1	0	0	0
Vegetables	Kohlrabi	Unprocessed	Non-organic production	2	2	0	0	0	0
Vegetables	Leaf vegetables and fresh herbs	Unprocessed	Non-organic production	2	0	0	0	0	0
Vegetables	Lettuce	Unprocessed	Non-organic production	18	13	2	0	0	0
Vegetables	Onions	Unprocessed	Non-organic production	6	3	0	0	0	0
Vegetables	Onions	Unprocessed	Organic production	1	0	0	0	0	0
Vegetables	Parsley root	Unprocessed	Non-organic production	3	2	0	0	0	0
Vegetables	Peas (with pods)	Unprocessed	Non-organic production	4	1	0	0	0	0
Vegetables	Peas (without pods)	Unprocessed	Non-organic production	1	0	0	0	0	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Origin=Domestic Country=Czech Republic

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Vegetables	Peppers	Dehydration	Non-organic production	1	1	0	0	0	0
Vegetables	Peppers	Unprocessed	Non-organic production	5	3	0	0	0	0
Vegetables	Potatoes	Unprocessed	Non-organic production	20	12	0	20	10	0
Vegetables	Potatoes	Unprocessed	Organic production	3	1	0	3	0	0
Vegetables	Radishes	Unprocessed	Non-organic production	5	4	0	0	0	0
Vegetables	Spinach	Freezing	Non-organic production	1	1	0	1	1	0
Vegetables	Spinach	Unprocessed	Non-organic production	1	0	0	1	0	0
Vegetables	Tomatoes	Unprocessed	Non-organic production	5	5	0	0	0	0
Origin				416	209	9	81	30	0
Region				416	209	9	81	30	0

Strategy=Surveillance Origin=EEA Country=Austria

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Cereals	Rye	Unprocessed	Organic production	1	0	0	0	0	0
Fruits and nuts	Apples	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruits and nuts	Apples	Unprocessed	Organic production	1	0	0	0	0	0
Fruits and nuts	Oranges	Juicing	Non-organic production	1	0	0	0	0	0
Fruits and nuts	Oranges	Juicing	Organic production	1	1	0	0	0	0
Other plant products	Tea	Fermentation	Organic production	1	0	0	0	0	0
Vegetables	Carrots	Unprocessed	Organic production	6	1	0	6	1	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Origin=EEA Country=Austria

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Vegetables	Celeriac	Unprocessed	Non-organic production	2	2	1	0	0	0
Vegetables	Cucumbers	Unprocessed	Non-organic production	1	1	0	1	1	0
Vegetables	Leek	Unprocessed	Organic production	1	0	0	0	0	0
Vegetables	Onions	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Onions	Unprocessed	Organic production	1	0	0	0	0	0
Vegetables	Peas (without pods)	Freezing	Non-organic production	1	1	0	0	0	0
Vegetables	Potatoes	Unprocessed	Organic production	7	1	0	7	1	0
Vegetables	Spinach	Unprocessed	Non-organic production	1	1	0	1	1	0
<i>Origin</i>				27	9	1	15	4	0

Strategy=Surveillance Origin=EEA Country=Belgium

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Fruits and nuts	Apples	Unprocessed	Non-organic production	2	1	0	0	0	0
Fruits and nuts	Pears	Unprocessed	Non-organic production	7	7	0	7	7	0
Fruits and nuts	Strawberries	Unprocessed	Non-organic production	5	5	0	0	0	0
Vegetables	Aubergines (egg plants)	Unprocessed	Non-organic production	1	1	0	0	0	0
Vegetables	Beans (with pods)	Unprocessed	Non-organic production	1	0	0	1	0	0
Vegetables	Brussels sprouts	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Carrots	Unprocessed	Non-organic production	3	3	0	3	3	0
Vegetables	Leek	Unprocessed	Non-organic production	16	13	0	0	0	0
Vegetables	Lettuce	Unprocessed	Non-organic production	8	8	0	0	0	0
Vegetables	Spinach	Freezing	Non-organic production	1	1	0	1	1	0
Vegetables	Spinach	Freezing	Organic production	1	0	0	1	0	0
Vegetables	Tomatoes	Unprocessed	Non-organic production	2	2	0	0	0	0
<i>Origin</i>				48	41	0	13	11	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Origin=EEA Country=Bulgaria

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Other plant products	Sunflower seed	Decortication	Non-organic production	1	0	0	0	0	0
Vegetables	Cucumbers	Unprocessed	Non-organic production	2	1	0	2	1	0
Origin				3	1	0	2	1	0

Strategy=Surveillance Origin=EEA Country=Denmark

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Vegetables	Carrots	Unprocessed	Non-organic production	1	0	0	1	0	0

Strategy=Surveillance Origin=EEA Country=European Union

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Cereals	Rice	Unprocessed	Non-organic production	1	0	0	1	0	0
Vegetables	Gherkins	Pickling	Organic production	1	1	0	0	0	0
Vegetables	Tomatoes	Cooking with a grill or barbecue	Non-organic production	1	1	0	0	0	0
Origin				3	2	0	1	0	0

Strategy=Surveillance Origin=EEA Country=France

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Cereals	Maize	Unprocessed	Non-organic production	1	0	0	0	0	0
Fruits and nuts	Apples	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruits and nuts	Apricots	Unprocessed	Non-organic production	2	2	0	0	0	0
Fruits and nuts	Pears	Unprocessed	Non-organic production	1	0	0	1	0	0
Vegetables	Carrots	Unprocessed	Non-organic production	2	0	0	2	0	0
Vegetables	Cauliflower	Unprocessed	Non-organic production	5	0	0	0	0	0
Vegetables	Head cabbage	Unprocessed	Non-organic production	2	0	0	0	0	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Origin=EEA Country=France

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Vegetables	Leek	Unprocessed	Non-organic production	4	1	0	0	0	0
Vegetables	Potatoes	Unprocessed	Non-organic production	6	6	0	6	3	0
Vegetables	Spinach	Unprocessed	Non-organic production	1	1	0	1	1	0
<i>Origin</i>				25	11	0	10	4	0

Strategy=Surveillance Origin=EEA Country=Germany

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Baby food	Baby food for infants and young children	Preserving	Organic production	1	0	0	0	0	0
Baby food	Infant formulae	Dehydration	Non-organic production	1	0	0	0	0	0
Baby food	Infant formulae	Processed	Non-organic production	2	0	0	0	0	0
Baby food	Infant formulae	Processed	Organic production	1	0	0	0	0	0
Baby food	Infant formulae	Unprocessed	Non-organic production	1	0	0	0	0	0
Baby food	Processed cereal-based baby foods	Cooking in air (Baking)	Organic production	3	0	0	0	0	0
Baby food	Processed cereal-based baby foods	Processed	Organic production	3	0	0	3	0	0
Cereals	Rye	Unprocessed	Non-organic production	3	2	0	0	0	0
Cereals	Wheat	Milling - unprocessed flour	Organic production	2	0	0	0	0	0
Fruits and nuts	Apples	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruits and nuts	Oranges	Juicing	Non-organic production	1	1	0	0	0	0
Fruits and nuts	Oranges	Pressing	Organic production	1	0	0	0	0	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Origin=EEA Country=Germany

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Strawberries	Unprocessed	Non-organic production	2	2	0	0	0	0
Other plant products	Anise	Dehydration	Non-organic production	1	1	0	0	0	0
Other plant products	Rape seed	Oil production - Cold press	Non-organic production	1	0	0	0	0	0
Other products (incl. not classified and animal feed)	OTHER	Oil production - Warm press	Non-organic production	1	1	0	0	0	0
Vegetables	Cauliflower	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Gherkins	Pickling	Non-organic production	1	1	0	0	0	0
Vegetables	Head cabbage	Unprocessed	Non-organic production	2	0	0	0	0	0
Vegetables	Leek	Unprocessed	Organic production	1	0	0	0	0	0
Vegetables	Onions	Unprocessed	Non-organic production	3	0	0	0	0	0
Vegetables	Peppers	Pickling	Non-organic production	1	0	0	0	0	0
Vegetables	Potatoes	Unprocessed	Non-organic production	2	0	0	2	0	0
Vegetables	Potatoes	Unprocessed	Organic production	2	0	0	2	0	0
Vegetables	Radishes	Unprocessed	Non-organic production	4	3	1	0	0	0
Vegetables	Spinach	Freezing	Non-organic production	1	1	0	1	1	0
Vegetables	Spinach	Unprocessed	Non-organic production	4	4	1	4	4	1
Origin				47	17	2	12	5	1

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Origin=EEA Country=Greece

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Fruits and nuts	Mandarins	Unprocessed	Non-organic production	1	1	1	1	1	1
Fruits and nuts	Oranges	Unprocessed	Non-organic production	3	3	0	3	3	0
Fruits and nuts	Table grapes	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Peppers	Unprocessed	Non-organic production	3	3	1	0	0	0
Vegetables	Potatoes	Unprocessed	Non-organic production	2	1	0	2	1	0
<i>Origin</i>				10	8	2	6	5	1

Strategy=Surveillance Origin=EEA Country=Hungary

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Baby food	Baby food for infants and young children	Preserving	Organic production	2	1	0	0	0	0
Baby food	Follow-on formulae	Preserving	Organic production	1	0	0	0	0	0
Baby food	Follow-on formulae	Processed	Organic production	1	0	0	0	0	0
Fruits and nuts	Plums	Unprocessed	Non-organic production	4	4	0	0	0	0
Vegetables	Beans (with pods)	Freezing	Non-organic production	2	2	0	2	2	0
Vegetables	Chinese cabbage	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Peppers	Unprocessed	Non-organic production	5	4	1	0	0	0
Vegetables	Sweet corn	Canning	Non-organic production	1	0	0	0	0	0
Vegetables	Sweet corn	Freezing	Non-organic production	2	0	0	0	0	0
<i>Origin</i>				19	11	1	2	2	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Origin=EEA Country=Italy

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Cereals	Other cereals	Milling	Organic production	1	1	0	0	0	0
Cereals	Rice	Unprocessed	Non-organic production	9	3	0	9	3	0
Cereals	Rice	Unprocessed	Organic production	8	4	0	8	2	0
Fruits and nuts	Apples	Unprocessed	Non-organic production	12	10	0	0	0	0
Fruits and nuts	Apples	Unprocessed	Organic production	15	2	0	0	0	0
Fruits and nuts	Apricots	Unprocessed	Non-organic production	2	1	0	0	0	0
Fruits and nuts	Kiwi	Unprocessed	Non-organic production	5	3	0	0	0	0
Fruits and nuts	Kiwi	Unprocessed	Organic production	3	0	0	0	0	0
Fruits and nuts	Lemons	Unprocessed	Organic production	3	0	0	0	0	0
Fruits and nuts	Mandarins	Unprocessed	Organic production	1	0	0	1	0	0
Fruits and nuts	Oranges	Unprocessed	Organic production	1	0	0	1	0	0
Fruits and nuts	Peaches	Unprocessed	Non-organic production	15	15	1	0	0	0
Fruits and nuts	Pears	Unprocessed	Organic production	1	0	0	1	0	0
Fruits and nuts	Plums	Unprocessed	Non-organic production	1	0	0	0	0	0
Fruits and nuts	Table grapes	Unprocessed	Non-organic production	14	7	0	0	0	0
Fruits and nuts	Wine grapes	Oil production - refined oils	Non-organic production	1	0	0	0	0	0
Other plant products	Other oilseeds	Unprocessed	Organic production	1	1	0	0	0	0
Vegetables	Aubergines (egg plants)	Unprocessed	Non-organic production	1	1	0	0	0	0
Vegetables	Broccoli	Unprocessed	Non-organic production	4	3	1	0	0	0
Vegetables	Carrots	Unprocessed	Non-organic production	6	6	0	6	6	0
Vegetables	Carrots	Unprocessed	Organic production	7	1	0	7	1	0
Vegetables	Cauliflower	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Garlic	Unprocessed	Organic production	1	0	0	0	0	0
Vegetables	Head cabbage	Unprocessed	Non-organic production	5	3	0	0	0	0
Vegetables	Kohlrabi	Unprocessed	Non-organic production	1	0	0	0	0	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Origin=EEA Country=Italy

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Vegetables	Lettuce	Unprocessed	Non-organic production	2	2	0	0	0	0
Vegetables	Onions	Unprocessed	Organic production	2	0	0	0	0	0
Vegetables	Peas (with pods)	Unprocessed	Non-organic production	7	3	0	0	0	0
Vegetables	Potatoes	Unprocessed	Non-organic production	1	1	0	1	1	0
Vegetables	Potatoes	Unprocessed	Organic production	2	0	0	2	0	0
Vegetables	Radishes	Unprocessed	Non-organic production	6	2	0	0	0	0
Vegetables	Spinach	Unprocessed	Non-organic production	4	1	0	4	1	0
Vegetables	Spring onions	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Tomatoes	Preserving	Organic production	1	0	0	0	0	0
Vegetables	Tomatoes	Unprocessed	Organic production	8	2	0	0	0	0
<i>Origin</i>				153	72	2	40	14	0

Strategy=Surveillance Origin=EEA Country=Netherlands

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Baby food	Infant formulae	Dehydration	Non-organic production	1	0	0	0	0	0
Fruits and nuts	Pears	Unprocessed	Non-organic production	2	1	0	2	1	0
Vegetables	Aubergines (egg plants)	Unprocessed	Non-organic production	6	2	0	0	0	0
Vegetables	Broccoli	Unprocessed	Non-organic production	2	0	0	0	0	0
Vegetables	Brussels sprouts	Unprocessed	Non-organic production	7	7	0	0	0	0
Vegetables	Carrots	Unprocessed	Non-organic production	1	1	0	1	1	0
Vegetables	Carrots	Unprocessed	Organic production	1	0	0	1	0	0
Vegetables	Cauliflower	Unprocessed	Non-organic production	3	2	0	0	0	0
Vegetables	Celeriac	Unprocessed	Non-organic production	2	2	0	0	0	0
Vegetables	Cucumbers	Unprocessed	Non-organic production	2	1	0	2	1	0
Vegetables	Cucumbers	Unprocessed	Organic production	2	0	0	2	0	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Origin=EEA Country=Netherlands

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Vegetables	Head cabbage	Unprocessed	Non-organic production	2	0	0	0	0	0
Vegetables	Leek	Unprocessed	Non-organic production	4	2	0	0	0	0
Vegetables	Lettuce	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Onions	Unprocessed	Non-organic production	1	1	0	0	0	0
Vegetables	Onions	Unprocessed	Organic production	4	0	0	0	0	0
Vegetables	Parsley root	Unprocessed	Non-organic production	1	1	0	0	0	0
Vegetables	Peppers	Unprocessed	Non-organic production	11	8	0	0	0	0
Vegetables	Potatoes	Unprocessed	Organic production	1	1	0	1	1	0
Vegetables	Spinach	Unprocessed	Non-organic production	1	1	0	1	1	0
Vegetables	Tomatoes	Unprocessed	Non-organic production	8	5	0	0	0	0
<i>Origin</i>				63	35	0	10	5	0

Strategy=Surveillance Origin=EEA Country=Poland

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Baby food	Baby food for infants and young children	Preserving	Non-organic production	1	0	0	0	0	0
Baby food	Infant formulae	Processed	Non-organic production	1	0	0	0	0	0
Cereals	Other cereals	Unprocessed	Organic production	1	0	0	0	0	0
Cereals	Rice	Unprocessed	Non-organic production	1	0	0	1	0	0
Cereals	Rye	Unprocessed	Organic production	1	0	0	0	0	0
Fruits and nuts	Apples	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruits and nuts	Oranges	Juicing	Non-organic production	1	0	0	0	0	0
Fruits and nuts	Pears	Unprocessed	Non-organic production	1	1	0	1	1	0
Fruits and nuts	Plums	Unprocessed	Non-organic production	1	1	0	0	0	0
Other plant products	Tea	Dehydration	Non-organic production	1	1	1	0	0	0
Vegetables	Broccoli	Unprocessed	Non-organic production	1	1	0	0	0	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Origin=EEA Country=Poland

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Vegetables	Carrots	Unprocessed	Non-organic production	3	2	0	3	2	0
Vegetables	Cauliflower	Unprocessed	Non-organic production	2	1	0	0	0	0
Vegetables	Celeriac	Unprocessed	Non-organic production	1	1	0	0	0	0
Vegetables	Chinese cabbage	Unprocessed	Non-organic production	8	3	1	0	0	0
Vegetables	Cucumbers	Unprocessed	Non-organic production	5	4	0	5	3	0
Vegetables	Cultivated fungi	Unprocessed	Non-organic production	3	3	0	0	0	0
Vegetables	Gherkins	Pickling	Non-organic production	1	0	0	0	0	0
Vegetables	Head cabbage	Unprocessed	Non-organic production	6	2	0	0	0	0
Vegetables	Onions	Unprocessed	Non-organic production	1	1	0	0	0	0
Vegetables	Parsley root	Unprocessed	Non-organic production	4	1	0	0	0	0
Vegetables	Parsnips	Unprocessed	Non-organic production	1	1	0	0	0	0
Vegetables	Peas (without pods)	Freezing	Non-organic production	1	1	0	0	0	0
Vegetables	Tomatoes	Cooking with a grill or barbecue	Non-organic production	1	0	0	0	0	0
Vegetables	Tomatoes	Unprocessed	Non-organic production	5	5	0	0	0	0
<i>Origin</i>				<i>53</i>	<i>30</i>	<i>2</i>	<i>10</i>	<i>6</i>	<i>0</i>

Strategy=Surveillance Origin=EEA Country=Portugal

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Vegetables	Parsley root	Unprocessed	Non-organic production	3	3	0	0	0	0

Strategy=Surveillance Origin=EEA Country=Romania

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Vegetables	Cucumbers	Unprocessed	Non-organic production	6	5	0	6	4	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Origin=EEA Country=Slovakia

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Cereals	Oats	Unprocessed	Organic production	2	0	0	0	0	0
Fruits and nuts	Apples	Juicing	Non-organic production	1	0	0	0	0	0
Fruits and nuts	Apples	Unprocessed	Non-organic production	3	3	0	0	0	0
Fruits and nuts	Oranges	Juicing	Non-organic production	1	1	0	0	0	0
Vegetables	Carrots	Unprocessed	Non-organic production	1	1	0	1	1	0
Vegetables	Head cabbage	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Potatoes	Unprocessed	Non-organic production	1	1	0	1	0	0
Vegetables	Potatoes	Unprocessed	Organic production	2	0	0	2	0	0
<i>Origin</i>				12	6	0	4	1	0

Strategy=Surveillance Origin=EEA Country=Spain

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Baby food	Baby food for infants and young children	Processed	Non-organic production	1	0	0	0	0	0
Baby food	Processed cereal-based baby foods	Preserving	Non-organic production	1	0	0	0	0	0
Cereals	Rice	Unprocessed	Non-organic production	2	1	0	2	1	0
Fruits and nuts	Apples	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruits and nuts	Apricots	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruits and nuts	Grapefruit	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruits and nuts	Lemons	Unprocessed	Non-organic production	5	5	0	0	0	0
Fruits and nuts	Lychee (Litchi)	Unprocessed	Non-organic production	1	0	0	0	0	0
Fruits and nuts	Mandarins	Unprocessed	Non-organic production	11	11	0	11	11	0
Fruits and nuts	Oranges	Unprocessed	Non-organic production	11	11	0	11	11	0
Fruits and nuts	Peaches	Unprocessed	Non-organic production	11	11	1	0	0	0
Fruits and nuts	Pears	Unprocessed	Non-organic production	2	1	0	2	1	0
Fruits and nuts	Persimmon	Unprocessed	Non-organic production	1	1	0	0	0	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Origin=EEA Country=Spain

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Plums	Unprocessed	Non-organic production	1	0	0	0	0	0
Fruits and nuts	Strawberries	Unprocessed	Non-organic production	7	7	0	0	0	0
Fruits and nuts	Table grapes	Unprocessed	Non-organic production	1	1	0	0	0	0
Vegetables	Aubergines (egg plants)	Unprocessed	Non-organic production	12	10	0	0	0	0
Vegetables	Beans (with pods)	Unprocessed	Non-organic production	1	1	0	1	1	0
Vegetables	Beans (without pods)	Unprocessed	Non-organic production	1	1	0	0	0	0
Vegetables	Broccoli	Unprocessed	Non-organic production	3	2	0	0	0	0
Vegetables	Chinese cabbage	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Courgettes	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Cucumbers	Unprocessed	Non-organic production	24	20	3	24	20	3
Vegetables	Garlic	Unprocessed	Non-organic production	2	0	0	0	0	0
Vegetables	Garlic	Unprocessed	Organic production	1	0	0	0	0	0
Vegetables	Lettuce	Unprocessed	Non-organic production	10	10	0	0	0	0
Vegetables	Onions	Unprocessed	Non-organic production	1	1	0	0	0	0
Vegetables	Parsley root	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Peppers	Unprocessed	Non-organic production	11	8	0	0	0	0
Vegetables	Potatoes	Unprocessed	Non-organic production	3	1	0	3	1	0
Vegetables	Spinach	Freezing	Non-organic production	1	0	0	1	0	0
Vegetables	Spinach	Unprocessed	Non-organic production	8	7	0	8	7	0
Vegetables	Tomatoes	Unprocessed	Non-organic production	14	14	2	0	0	0
<i>Origin</i>				153	127	6	63	53	3

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Origin=EEA Country=Sweden

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Baby food	Baby food for infants and young children	Processed	Non-organic production	1	0	0	0	0	0
Baby food	Follow-on formulae	Processed	Non-organic production	1	0	0	0	0	0
Baby food	Infant formulae	Preserving	Non-organic production	1	1	0	0	0	0
Vegetables	Cucumbers	Unprocessed	Non-organic production	2	2	0	2	2	0
<i>Origin</i>				5	3	0	2	2	0

Strategy=Surveillance Origin=EEA Country=United Kingdom

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Baby food	Infant formulae	Processed	Non-organic production	3	0	0	0	0	0
Cereals	Oats	Unprocessed	Organic production	1	0	0	0	0	0
Cereals	Wheat	Milling - unprocessed flour	Organic production	1	0	0	0	0	0
Fruits and nuts	Oranges	Juicing	Organic production	1	0	0	0	0	0
<i>Origin</i>				6	0	0	0	0	0
<i>Region</i>				637	381	16	197	117	5

Strategy=Surveillance Origin=TC Country=Argentina

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Cereals	Maize	Processed	Non-organic production	1	0	0	0	0	0
Cereals	Maize	Unprocessed	Non-organic production	1	0	0	0	0	0
Cereals	Maize	Unprocessed	Organic production	1	0	0	0	0	0
Fruits and nuts	Apples	Unprocessed	Organic production	3	0	0	0	0	0
Fruits and nuts	Mandarins	Unprocessed	Non-organic production	1	1	0	1	1	0
Fruits and nuts	Oranges	Unprocessed	Non-organic production	1	0	0	1	0	0
Fruits and nuts	Peaches	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruits and nuts	Pears	Unprocessed	Non-organic production	6	3	0	6	3	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Origin=TC Country=Argentina

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Pears	Unprocessed	Organic production	3	0	0	3	0	0
Fruits and nuts	Table grapes	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Garlic	Unprocessed	Organic production	1	0	0	0	0	0
<i>Origin</i>				20	5	0	11	4	0

Strategy=Surveillance Origin=TC Country=Brazil

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Limes	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruits and nuts	Mangoes	Unprocessed	Non-organic production	4	4	0	0	0	0
Fruits and nuts	Papaya	Unprocessed	Non-organic production	2	2	0	0	0	0
<i>Origin</i>				7	7	0	0	0	0

Strategy=Surveillance Origin=TC Country=Cambodia

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Cereals	Rice	Unprocessed	Non-organic production	1	0	0	1	0	0

Strategy=Surveillance Origin=TC Country=Canada

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Other plant products	Soya bean	Decortication	Non-organic production	2	0	0	0	0	0
Other plant products	Soya bean	Unprocessed	Non-organic production	3	0	0	0	0	0
<i>Origin</i>				5	0	0	0	0	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Origin=TC Country=Chile

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Apples	Unprocessed	Non-organic production	2	2	0	0	0	0
Fruits and nuts	Kiwi	Unprocessed	Non-organic production	2	1	0	0	0	0
Fruits and nuts	Peaches	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruits and nuts	Table grapes	Unprocessed	Non-organic production	2	1	0	0	0	0
Vegetables	Garlic	Unprocessed	Non-organic production	2	0	0	0	0	0
<i>Origin</i>				9	5	0	0	0	0

Strategy=Surveillance Origin=TC Country=China

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Other plant products	Pumpkin seeds	Decortication	Organic production	1	1	0	0	0	0
Other plant products	Soya bean	Unprocessed	Organic production	1	0	0	0	0	0
Other plant products	Sunflower seed	Decortication	Non-organic production	1	0	0	0	0	0
Other plant products	Sunflower seed	Decortication	Organic production	2	0	0	0	0	0
Other plant products	Sunflower seed	Unprocessed	Organic production	1	0	0	0	0	0
Other plant products	Tea	Dehydration	Non-organic production	2	2	0	0	0	0
Vegetables	Garlic	Unprocessed	Non-organic production	4	1	0	0	0	0
Vegetables	Garlic	Unprocessed	Organic production	1	0	0	0	0	0
<i>Origin</i>				13	4	0	0	0	0

Strategy=Surveillance Origin=TC Country=Colombia

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Bananas	Unprocessed	Non-organic production	4	4	0	0	0	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Origin=TC Country=Costa Rica

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Bananas	Unprocessed	Non-organic production	3	2	0	0	0	0
Fruits and nuts	Pineapples	Unprocessed	Non-organic production	2	2	0	0	0	0
<i>Origin</i>				5	4	0	0	0	0

Strategy=Surveillance Origin=TC Country=Cote D'Ivoire

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Bananas	Unprocessed	Non-organic production	4	3	0	0	0	0

Strategy=Surveillance Origin=TC Country=Croatia

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Baby food	Processed cereal-based baby foods	Processed	Organic production	3	0	0	3	0	0

Strategy=Surveillance Origin=TC Country=Ecuador

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Bananas	Unprocessed	Organic production	1	0	0	0	0	0
Fruits and nuts	Papaya	Unprocessed	Non-organic production	3	3	1	0	0	0
Fruits and nuts	Pineapples	Unprocessed	Non-organic production	1	1	0	0	0	0
<i>Origin</i>				5	4	1	0	0	0

Strategy=Surveillance Origin=TC Country=Egypt

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Oranges	Unprocessed	Non-organic production	1	1	0	1	1	0
Fruits and nuts	Table grapes	Unprocessed	Non-organic production	2	2	0	0	0	0
Vegetables	Beans (with pods)	Unprocessed	Non-organic production	1	0	0	1	0	0
Vegetables	Potatoes	Unprocessed	Organic production	3	0	0	3	0	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Origin=TC Country=Egypt

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Vegetables	Tomatoes	Unprocessed	Non-organic production	1	1	0	0	0	0
<i>Origin</i>				8	4	0	5	1	0

Strategy=Surveillance Origin=TC Country=Ghana

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Fruits and nuts	Bananas	Unprocessed	Non-organic production	2	1	0	0	0	0
Fruits and nuts	Pineapples	Unprocessed	Non-organic production	3	3	0	0	0	0
<i>Origin</i>				5	4	0	0	0	0

Strategy=Surveillance Origin=TC Country=Guatemala

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Vegetables	Peas (with pods)	Unprocessed	Non-organic production	1	1	0	0	0	0

Strategy=Surveillance Origin=TC Country=Honduras

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Fruits and nuts	Pineapples	Unprocessed	Non-organic production	1	1	0	0	0	0
Other plant products	Coffee	Unprocessed	Non-organic production	1	0	0	0	0	0
<i>Origin</i>				2	1	0	0	0	0

Strategy=Surveillance Origin=TC Country=India

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Cereals	Rice	Unprocessed	Non-organic production	1	1	0	1	1	0
Cereals	Rice	Unprocessed	Organic production	1	0	0	1	0	0
Fruits and nuts	Pomegranate	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruits and nuts	Table grapes	Unprocessed	Non-organic production	4	4	0	0	0	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Origin=TC Country=India

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Other plant products	Sesame seed	Decortication	Non-organic production	1	1	1	0	0	0
Other products (incl. not classified and animal feed)	OTHER	Processed	Non-organic production	2	0	0	0	0	0
Other products (incl. not classified and animal feed)	OTHER	Unprocessed	Non-organic production	1	0	0	0	0	0
Origin				11	7	1	2	1	0

Strategy=Surveillance Origin=TC Country=Israel

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Mangoes	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Leaf vegetables and fresh herbs	Unprocessed	Non-organic production	1	1	1	0	0	0
Vegetables	Peppers	Unprocessed	Non-organic production	4	2	0	0	0	0
Vegetables	Rosemary	Unprocessed	Non-organic production	1	0	0	0	0	0
Origin				7	3	1	0	0	0

Strategy=Surveillance Origin=TC Country=Kenya

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Vegetables	Beans (with pods)	Unprocessed	Non-organic production	4	3	0	4	2	0

Strategy=Surveillance Origin=TC Country=Madagascar

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Lychee (Litchi)	Unprocessed	Non-organic production	3	0	0	0	0	0

Strategy=Surveillance Origin=TC Country=Martinique

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Bananas	Unprocessed	Non-organic production	6	2	0	0	0	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Origin=TC Country=Morocco

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Fruits and nuts	Peaches	Unprocessed	Non-organic production	1	1	0	0	0	0
Vegetables	Beans (with pods)	Unprocessed	Non-organic production	9	6	1	9	5	1
Vegetables	Peppers	Unprocessed	Non-organic production	3	2	0	0	0	0
Vegetables	Tomatoes	Unprocessed	Non-organic production	12	12	1	0	0	0
<i>Origin</i>				25	21	2	9	5	1

Strategy=Surveillance Origin=TC Country=New Zealand

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Fruits and nuts	Apples	Unprocessed	Non-organic production	1	1	0	0	0	0

Strategy=Surveillance Origin=TC Country=Peru

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Fruits and nuts	Bananas	Unprocessed	Organic production	1	1	1	0	0	0
Fruits and nuts	Mandarins	Unprocessed	Non-organic production	1	1	0	1	1	0
Fruits and nuts	Table grapes	Unprocessed	Non-organic production	2	1	0	0	0	0
<i>Origin</i>				4	3	1	1	1	0

Strategy=Surveillance Origin=TC Country=Senegal

<i>Product Class</i>	<i>Product</i>	<i>Treatment</i>	<i>Production Method</i>	<i>Total</i>	<i>ND</i>	<i>Ex</i>	<i>EUTotal</i>	<i>EUND</i>	<i>EUEx</i>
Vegetables	Tomatoes	Unprocessed	Non-organic production	1	1	0	0	0	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Origin=TC Country=South Africa

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Grapefruit	Unprocessed	Non-organic production	3	2	0	0	0	0
Fruits and nuts	Oranges	Unprocessed	Non-organic production	4	4	0	4	4	0
Fruits and nuts	Oranges	Unprocessed	Organic production	2	0	0	2	0	0
Fruits and nuts	Pears	Unprocessed	Non-organic production	4	1	0	4	1	0
Fruits and nuts	Table grapes	Unprocessed	Non-organic production	7	5	0	0	0	0
<i>Origin</i>				20	12	0	10	5	0

Strategy=Surveillance Origin=TC Country=Thailand

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Cereals	Rice	Unprocessed	Non-organic production	3	0	0	3	0	0

Strategy=Surveillance Origin=TC Country=Turkey

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Baby food	Processed cereal-based baby foods	Processed	Non-organic production	2	0	0	2	0	0
Fruits and nuts	Grapefruit	Unprocessed	Non-organic production	5	4	1	0	0	0
Fruits and nuts	Lemons	Unprocessed	Non-organic production	2	2	0	0	0	0
Fruits and nuts	Mandarins	Unprocessed	Non-organic production	1	1	0	1	1	0
Fruits and nuts	Table grapes	Unprocessed	Non-organic production	1	0	0	0	0	0
Other plant products	Lentils (dry)	Unprocessed	Organic production	2	0	0	0	0	0
Other plant products	Other pulses, dry	Decortication	Non-organic production	1	1	0	0	0	0
Other plant products	Spices	Dehydration	Non-organic production	1	1	0	0	0	0
Vegetables	Peppers	Unprocessed	Non-organic production	3	3	1	0	0	0
Vegetables	Tomatoes	Unprocessed	Non-organic production	2	2	1	0	0	0
<i>Origin</i>				20	14	3	3	1	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Origin=TC Country=United States

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Cereals	Rice	Unprocessed	Non-organic production	1	1	0	1	1	0

Strategy=Surveillance Origin=TC Country=Uruguay

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Fruits and nuts	Mandarins	Unprocessed	Non-organic production	2	2	0	2	2	0

Strategy=Surveillance Origin=TC Country=Vietnam

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Fish products	Fish, fish products, shell fish, molluscs and other marine and freshwater food products	Unprocessed	Wild or gathered	1	0	0	0	0	0
Vegetables	Gherkins	Pickling	Non-organic production	2	2	2	0	0	0
Origin				3	2	2	0	0	0
Region				203	118	11	55	23	1

Strategy=Surveillance Origin=UNK Country=Unknown

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Baby food	Baby food for infants and young children	Processed	Non-organic production	2	1	0	0	0	0
Baby food	Infant formulae	Processed	Non-organic production	1	0	0	0	0	0
Baby food	Processed cereal-based baby foods	Processed	Non-organic production	1	0	0	1	0	0
Cereals	Maize	Processed	Non-organic production	2	1	0	0	0	0
Cereals	Other cereals	Cooking in air (Baking)	Non-organic production	1	1	0	0	0	0
Cereals	Other cereals	Extrusion	Non-organic production	1	0	0	0	0	0
Cereals	Rice	Polishing	Non-organic production	2	1	0	0	0	0
Cereals	Rice	Unprocessed	Non-organic production	5	2	0	5	2	0

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Strategy=Surveillance Origin=UNK Country=Unknown

Product Class	Product	Treatment	Production Method	Total	ND	Ex	EUTotal	EUND	EUEx
Cereals	Rice	Unprocessed	Organic production	1	1	0	1	1	0
Cereals	Rye	Cooking in air (Baking)	Non-organic production	1	0	0	0	0	0
Cereals	Rye	Unprocessed	Non-organic production	2	0	0	0	0	0
Cereals	Wheat	Milling - refined flour	Non-organic production	2	1	0	0	0	0
Fruits and nuts	Oranges	Juicing	Non-organic production	2	2	0	0	0	0
Other plant products	Lentils (dry)	Decortication	Non-organic production	1	1	0	0	0	0
Other plant products	Soya bean	Unprocessed	Organic production	1	0	0	0	0	0
Other plant products	Spices	Dehydration	Non-organic production	1	1	0	0	0	0
Other plant products	Spices	Milling	Non-organic production	1	1	0	0	0	0
Other plant products	Sunflower seed	Oil production - refined oils	Non-organic production	1	1	0	0	0	0
Other plant products	Tea	Dehydration	Organic production	2	1	0	0	0	0
Other plant products	Tea	Fermentation	Non-organic production	1	1	0	0	0	0
Vegetables	Beans (with pods)	Freezing	Non-organic production	1	1	0	1	1	0
Vegetables	Gherkins	Pickling	Non-organic production	1	1	0	0	0	0
Vegetables	Peas (with pods)	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Sweet corn	Freezing	Non-organic production	1	0	0	0	0	0
Origin				35	18	0	8	4	0
Region				35	18	0	8	4	0
Strategy				1291	726	36	341	174	6
				1300	729	36	341	174	6

Total = total samples in national and EU programme, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Table A5: Overview of country of origin for samples taken in National and EU co-ordinated programmes

ProductType=Animal products

<i>Country</i>	<i>Total</i>	<i>Below LOQ</i>	<i>Between LOQ and MRL</i>	<i>Exceeding MRL</i>	<i>Non Compliant</i>
Czech Republic	65	48	17	0	0

ProductType=Baby food

<i>Country</i>	<i>Total</i>	<i>Below LOQ</i>	<i>Between LOQ and MRL</i>	<i>Exceeding MRL</i>	<i>Non Compliant</i>
Croatia	3	3	0	0	0
Czech Republic	3	2	1	0	0
Germany	12	12	0	0	0
Hungary	4	3	1	0	0
Netherlands	1	1	0	0	0
Poland	2	2	0	0	0
Spain	2	2	0	0	0
Sweden	3	2	1	0	0
Turkey	2	2	0	0	0
United Kingdom	3	3	0	0	0
Unknown	4	3	1	0	0
ProductType	39	35	4	0	0

Figures in bold totals for all countries

Table A5: Overview of country of origin for samples taken in National and EU co-ordinated programmes

ProductType=Cereals

<i>Country</i>	<i>Total</i>	<i>Below LOQ</i>	<i>Between LOQ and MRL</i>	<i>Exceeding MRL</i>	<i>Non Compliant</i>
Argentina	3	3	0	0	0
Austria	1	1	0	0	0
Cambodia	1	1	0	0	0
Czech Republic	154	88	62	4	1
European Union	1	1	0	0	0
France	1	1	0	0	0
Germany	5	3	2	0	0
India	2	1	1	0	0
Italy	18	10	8	0	0
Poland	3	3	0	0	0
Slovakia	2	2	0	0	0
Spain	2	1	1	0	0
Thailand	3	3	0	0	0
United Kingdom	2	2	0	0	0
United States	1	0	1	0	0
Unknown	17	10	7	0	0
ProductType	216	130	82	4	1

ProductType=Fish products

<i>Country</i>	<i>Total</i>	<i>Below LOQ</i>	<i>Between LOQ and MRL</i>	<i>Exceeding MRL</i>	<i>Non Compliant</i>
Czech Republic	4	1	3	0	0
Vietnam	1	1	0	0	0
ProductType	5	2	3	0	0

Figures in bold totals for all countries

Table A5: Overview of country of origin for samples taken in National and EU co-ordinated programmes

ProductType=Fruits and nuts

<i>Country</i>	<i>Total</i>	<i>Below LOQ</i>	<i>Between LOQ and MRL</i>	<i>Exceeding MRL</i>	<i>Non Compliant</i>
Argentina	16	11	5	0	0
Austria	4	2	2	0	0
Belgium	14	1	13	0	0
Brazil	7	0	7	0	0
Chile	7	2	5	0	0
Colombia	4	0	4	0	0
Costa Rica	5	1	4	0	0
Cote D'Ivoire	4	1	3	0	0
Czech Republic	30	3	26	1	0
Ecuador	6	1	4	1	1
Egypt	3	0	3	0	0
France	4	1	3	0	0
Germany	5	1	4	0	0
Ghana	5	1	4	0	0
Greece	5	1	3	1	0
Honduras	1	0	1	0	0
Hungary	4	0	4	0	0
India	5	0	5	0	0
Israel	1	1	0	0	0
Italy	74	36	37	1	0
Madagascar	3	3	0	0	0
Martinique	6	4	2	0	0
Morocco	1	0	1	0	0
Netherlands	2	1	1	0	0
New Zealand	1	0	1	0	0

Figures in bold totals for all countries

Table A5: Overview of country of origin for samples taken in National and EU co-ordinated programmes

ProductType=Fruits and nuts

<i>Country</i>	<i>Total</i>	<i>Below LOQ</i>	<i>Between LOQ and MRL</i>	<i>Exceeding MRL</i>	<i>Non Compliant</i>
Peru	4	1	2	1	0
Poland	4	1	3	0	0
Slovakia	5	1	4	0	0
South Africa	20	8	12	0	0
Spain	54	3	50	1	1
Turkey	9	2	6	1	0
United Kingdom	1	1	0	0	0
Unknown	2	0	2	0	0
Uruguay	2	0	2	0	0
ProductType	318	88	223	7	2

ProductType=Others

<i>Country</i>	<i>Total</i>	<i>Below LOQ</i>	<i>Between LOQ and MRL</i>	<i>Exceeding MRL</i>	<i>Non Compliant</i>
Austria	1	1	0	0	0
Bulgaria	1	1	0	0	0
Canada	5	5	0	0	0
China	8	5	3	0	0
Czech Republic	14	10	3	1	0
Germany	3	1	2	0	0
Honduras	1	1	0	0	0
India	6	5	0	1	0
Italy	1	0	1	0	0
Poland	1	0	0	1	1

Figures in bold totals for all countries

Table A5: Overview of country of origin for samples taken in National and EU co-ordinated programmes

ProductType=Others

<i>Country</i>	<i>Total</i>	<i>Below LOQ</i>	<i>Between LOQ and MRL</i>	<i>Exceeding MRL</i>	<i>Non Compliant</i>
Turkey	4	2	2	0	0
Unknown	8	2	6	0	0
ProductType	53	33	17	3	1

ProductType=Vegetables

<i>Country</i>	<i>Total</i>	<i>Below LOQ</i>	<i>Between LOQ and MRL</i>	<i>Exceeding MRL</i>	<i>Non Compliant</i>
Argentina	1	1	0	0	0
Austria	21	14	6	1	1
Belgium	34	6	28	0	0
Bulgaria	2	1	1	0	0
Chile	2	2	0	0	0
China	5	4	1	0	0
Czech Republic	149	58	88	3	3
Denmark	1	1	0	0	0
Egypt	5	4	1	0	0
European Union	2	0	2	0	0
France	20	12	8	0	0
Germany	22	13	7	2	0
Greece	5	1	3	1	0
Guatemala	1	0	1	0	0
Hungary	11	5	5	1	0
Israel	6	3	2	1	1
Italy	61	36	24	1	1

Figures in bold totals for all countries

Table A5: Overview of country of origin for samples taken in National and EU co-ordinated programmes

<i>ProductType=Vegetables</i>					
<i>Country</i>	<i>Total</i>	<i>Below LOQ</i>	<i>Between LOQ and MRL</i>	<i>Exceeding MRL</i>	<i>Non Compliant</i>
Kenya	4	1	3	0	0
Morocco	25	4	19	2	1
Netherlands	60	26	34	0	0
Poland	43	17	25	1	1
Portugal	3	0	3	0	0
Romania	6	1	5	0	0
Senegal	1	0	1	0	0
Slovakia	5	3	2	0	0
Spain	96	20	71	5	2
Sweden	2	0	2	0	0
Turkey	5	0	3	2	0
Unknown	4	2	2	0	0
Vietnam	2	0	0	2	0
<i>ProductType</i>	<i>604</i>	<i>235</i>	<i>347</i>	<i>22</i>	<i>10</i>
	1300	571	693	36	14

Figures in bold totals for all countries

Product=Beans (with pods) Treatment=Freezing

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
2,4-D	0.008	0.008	1	1	0	0	0.004	0.004	0.004	.	0
2,4-D (sum)	0.008	0.008	2	2	0	0	0.004	0.004	0.004	0.05	0
2-anilino-4-(2-hydroxypropyl)- 6-methylpyrimidin	0.008	0.008	1	1	0	0	0.004	0.004	0.004	.	0
3-Chloroaniline	0.100	0.100	3	3	0	0	0.050	0.050	0.050	.	0
3-hydroxy -carbofuran	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0
Abamectin (sum)	0.040	0.040	3	3	0	0	0.020	0.020	0.020	0.01	0
Acephate	0.100	0.100	3	3	0	0	0.050	0.050	0.050	0.02	0
Acetamiprid	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.01	0
Acrinathrin	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.3	0
Aldicarb	0.008	0.008	3	3	0	0	0.004	0.004	0.004	.	0
Aldicarb (sum)	0.018	0.018	3	3	0	0	0.009	0.009	0.009	0.02	0
Aldicarb-Sulfone	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0
Aldicarb-Sulfoxide	0.008	0.008	3	3	0	0	0.004	0.004	0.004	.	0
Azinphos-methyl	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.05	0
Azoxystrobin	0.002	0.002	3	3	0	0	0.001	0.001	0.001	3	0
Bifenthrin	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.5	0
Bitertanol	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.05	0
Boscalid	0.002	0.002	3	2	1	0	0.037	0.013	0.001	2	0
Bromide ion	5.000	5.000	1	1	0	0	2.500	2.500	2.500	30	0
Bromopropylate	0.002	0.002	3	3	0	0	0.001	0.001	0.001	1	0
Bromuconazole (sum)	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.05	0
Bupirimate	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.05	0
Buprofezin	0.002	0.002	3	3	0	0	0.001	0.001	0.001	1	0
Carbaryl	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Beans (with pods) Treatment=Freezing

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Carbendazim	0.008	0.008	3	2	1	0	0.018	0.009	0.004	.	0
Carbendazim and benomyl	0.008	0.008	3	2	1	0	0.018	0.009	0.004	0.2	0
Carbofuran	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0
Carbofuran (sum)	0.004	0.004	3	3	0	0	0.002	0.002	0.002	0.02	0
Carbosulfan	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.05	0
Chlorfenapyr	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.05	0
Chlorfenvinphos	0.040	0.040	3	3	0	0	0.020	0.020	0.020	0.02	0
Chlorothalonil	0.008	0.008	3	3	0	0	0.004	0.004	0.004	5	0
Chlorpropham (sum)	0.108	0.108	3	3	0	0	0.054	0.054	0.054	0.05	0
Chlorpyrifos	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.05	0
Chlorpyrifos-methyl	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.05	0
Clofentezine	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.02	0
Clothianidin	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.2	0
Cyfluthrin (sum)	0.040	0.040	3	3	0	0	0.020	0.020	0.020	0.1	0
Cypermethrin (sum)	0.040	0.040	3	3	0	0	0.020	0.020	0.020	0.7	0
Cyproconazole	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.05	0
Cyprodinil	0.002	0.002	3	2	1	0	0.008	0.003	0.001	2	0
DMST	0.008	0.008	3	3	0	0	0.004	0.004	0.004	.	0
Deltamethrin	0.040	0.040	3	3	0	0	0.020	0.020	0.020	0.2	0
Demeton-S-Methylsulfone	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0
Desmethyl Pirimicarb	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0
Diazinon	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.01	0
Dichlofluanid	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.01	0
Dichloroaniline, 3,5-	0.100	0.100	3	3	0	0	0.050	0.050	0.050	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Beans (with pods) Treatment=Freezing

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Dichlorvos	0.100	0.100	3	3	0	0	0.050	0.050	0.050	0.01	0	
Dicloran	0.002	0.002	3	3	0	0	0.001	0.001	0.001	2	0	
Dicofol (sum)	0.040	0.040	3	3	0	0	0.020	0.020	0.020	0.02	0	
Dicrotophos	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.01	0	
Difenoconazole	0.002	0.002	3	3	0	0	0.001	0.001	0.001	1	0	
Dimethoate	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0	
Dimethoate (sum)	0.003	0.004	3	1	2	0	0.004	0.003	0.003	0.02	0	
Dimethomorph	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.05	0	
Diphenylamine	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.05	0	
Dithiocarbamates	0.030	0.030	2	2	0	0	0.015	0.015	0.015	1	0	
EPN	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.01	0	
Endosulfan (sum)	0.006	0.006	3	3	0	0	0.003	0.003	0.003	0.05	0	
Endosulfansulfate	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0	
Epoxiconazole	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.05	0	
Ethion	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.01	0	
Ethoprophos	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.02	0	
Etofenprox	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.5	0	
Fenamiphos	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0	
Fenamiphos (sum)	0.006	0.006	3	3	0	0	0.003	0.003	0.003	0.02	0	
Fenamiphos-Sulfon	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0	
Fenamiphos-Sulfoxid	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0	
Fenarimol	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.02	0	
Fenazaquin	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.1	0	
Fenbuconazole	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.05	0	

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Beans (with pods) Treatment=Freezing

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Fenhexamid	0.002	0.002	3	3	0	0	0.001	0.001	0.001	2	0
Fenitrothion	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.01	0
Fenoxycarb	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.05	0
Fenpropathrin	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.01	0
Fenpropimorph	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.05	0
Fenthion	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0
Fenthion (sum)	0.024	0.024	3	3	0	0	0.012	0.012	0.012	0.01	0
Fenthion oxon sulfone	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0
Fenthion-Oxon	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0
Fenthion-Oxonsulfoxide	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0
Fenthion-Sulfon	0.008	0.008	3	3	0	0	0.004	0.004	0.004	.	0
Fenthion-Sulfoxide	0.008	0.008	3	3	0	0	0.004	0.004	0.004	.	0
Fipronil	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0
Fipronil (sum)	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.005	0
Fipronil-Sulfone	0.008	0.008	1	1	0	0	0.004	0.004	0.004	.	0
Fluazifop (free acid)	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0
Fluazifop-P-butyl (sum)	0.002	0.002	3	3	0	0	0.001	0.001	0.001	1	0
Fludioxonil	0.002	0.002	3	3	0	0	0.001	0.001	0.001	1	0
Flufenoxuron	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.5	0
Fluquinconazole	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.05	0
Flusilazole	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.02	0
Flutriafol	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.05	0
Formetanate	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.3	0
Fosthiazate	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Beans (with pods) Treatment=Freezing

Compound	Between LOQ and MRL										
	Min LOQ	Max LOQ	Total	Below LOQ	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant	
Haloxypop	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0
Haloxypop including haloxypop-R	0.004	0.004	3	3	0	0	0.002	0.002	0.002	0.1	0
Hexaconazole	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.02	0
Hexythiazox	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.5	0
Imazalil	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.05	0
Imidacloprid	0.002	0.002	3	3	0	0	0.001	0.001	0.001	2	0
Indoxacarb as sum of the isomers S and R	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.02	0
Iprodione	0.040	0.040	3	3	0	0	0.020	0.020	0.020	5	0
Iprovalicarb	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.05	0
Kresoxim-methyl	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.05	0
Lambda-Cyhalothrin	0.008	0.008	3	2	1	0	0.011	0.006	0.004	0.2	0
Linuron	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.05	0
Lufenuron	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.02	0
Malaoxon	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0
Malathion	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0
Malathion (sum of malathion and malaoxon expressed as malathion)	0.004	0.004	3	3	0	0	0.002	0.002	0.002	1	0
Mepanipyrim	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0
Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine) expressed as mepanipyrim)	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.01	0
Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.05	0
Metconazole	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.02	0
Methamidophos	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.01	0
Methidathion	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.02	0
Methiocarb	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Beans (with pods) Treatment=Freezing

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.006	0.006	3	3	0	0	0.003	0.003	0.003	0.2	0
Methiocarb-Sulfon	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0
Methiocarb-Sulfoxid	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0
Methomyl	0.008	0.008	3	3	0	0	0.004	0.004	0.004	.	0
Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.02	0
Methoxyfenozide	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.2	0
Monocrotophos	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.01	0
Myclobutanil	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.3	0
Nitenpyram	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.01	0
Omethoate	0.002	0.002	3	1	2	0	0.004	0.003	0.003	.	0
Oxadixyl	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.01	0
Oxamyl	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.01	0
Oxydemeton-methyl	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0.004	0.004	3	3	0	0	0.002	0.002	0.002	0.02	0
Paclobutrazol	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.02	0
Paraoxon-Methyl	0.008	0.008	3	3	0	0	0.004	0.004	0.004	.	0
Parathion	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.05	0
Parathion-methyl	0.008	0.008	3	3	0	0	0.004	0.004	0.004	.	0
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.016	0.016	3	3	0	0	0.008	0.008	0.008	0.02	0
Penconazole	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.05	0
Pencycuron	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.05	0
Pendimethalin	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.2	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Beans (with pods) Treatment=Freezing

Compound			Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
	Min LOQ	Max LOQ									
Phenthoate	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.01	0
Phosalone	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.05	0
Phosmet	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0
Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.004	0.004	3	3	0	0	0.002	0.002	0.002	0.05	0
Phosmet oxon	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0
Phoxim	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.01	0
Pirimicarb	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0
Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.004	0.004	3	3	0	0	0.002	0.002	0.002	1	0
Pirimiphos-methyl	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.05	0
Prochloraz	0.002	0.002	1	1	0	0	0.001	0.001	0.001	.	0
Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0.002	0.002	2	2	0	0	0.001	0.001	0.001	0.05	0
Procymidone	0.002	0.002	3	3	0	0	0.001	0.001	0.001	1	0
Profenofos	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.05	0
Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.1	0
Propargite	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.01	0
Propiconazole	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.05	0
Propyzamide	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.02	0
Prothioconazole (prothioconazole-desthio)	0.048	0.048	3	3	0	0	0.024	0.024	0.024	.	0
Pyraclostrobin	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.02	0
Pyrethrins	0.040	0.040	3	3	0	0	0.020	0.020	0.020	1	0
Pyridaben	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.05	0
Pyrimethanil	0.002	0.002	3	3	0	0	0.001	0.001	0.001	2	0
Pyriproxyfen	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.05	0
Quinoxifen	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Beans (with pods) Treatment=Freezing

Compound	Between										
	Min LOQ	Max LOQ	Total	Below LOQ	LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.5	0
Spiroxamine	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.05	0
Tebuconazole	0.008	0.008	3	3	0	0	0.004	0.004	0.004	2	0
Tebufenozide	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.05	0
Tebufenpyrad	0.002	0.002	3	3	0	0	0.001	0.001	0.001	1	0
Teflubenzuron	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.05	0
Tefluthrin	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.05	0
Tetraconazole	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.02	0
Tetradifon	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.02	0
Thiabendazole	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.05	0
Thiacloprid	0.002	0.002	3	3	0	0	0.001	0.001	0.001	1	0
Thiametoxam	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.05	0
Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.05	0
Thiodicarb	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0
Thiophanate-methyl	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.1	0
Tolclofos-methyl	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.1	0
Tolyfluanid	0.008	0.008	3	3	0	0	0.004	0.004	0.004	.	0
Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	0.016	0.016	3	3	0	0	0.008	0.008	0.008	3	0
Triadimefon	0.008	0.008	3	3	0	0	0.004	0.004	0.004	.	0
Triadimefon (sum of Triadimefon and Triadimenol)	0.016	0.016	3	3	0	0	0.008	0.008	0.008	0.1	0
Triadimenol	0.008	0.008	3	3	0	0	0.004	0.004	0.004	.	0
Triazophos	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.01	0
Trichlorfon	0.040	0.040	3	3	0	0	0.020	0.020	0.020	0.5	0
Trifloxystrobin	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.5	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Beans (with pods) Treatment=Freezing

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Triflumuron	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.05	0
Trifluralin	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.5	0
Triticonazole	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.01	0
Vinclozolin	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0
Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	0.102	0.102	3	3	0	0	0.051	0.051	0.051	.	0
Zoxamide	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.02	0
alpha-Endosulfan	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0
beta-Endosulfan	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0
tau-Fluvalinate	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Beans (with pods) Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
2,4-D	0.008	0.008	15	15	0	0	0.004	0.004	0.004	.	0
2,4-D (sum)	0.008	0.008	2	2	0	0	0.004	0.004	0.004	0.05	0
2-anilino-4-(2-hydroxypropyl)- 6-methylpyrimidin	0.008	0.008	15	15	0	0	0.004	0.004	0.004	.	0
3-Chloroaniline	0.100	0.100	17	17	0	0	0.050	0.050	0.050	.	0
3-hydroxy -carbofuran	0.002	0.002	17	17	0	0	0.001	0.001	0.001	.	0
Abamectin (sum)	0.040	0.040	17	17	0	0	0.020	0.020	0.020	0.01	0
Acephate	0.100	0.100	17	17	0	0	0.050	0.050	0.050	0.02	0
Acetamiprid	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.01	0
Acrinathrin	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.3	0
Aldicarb	0.008	0.008	17	17	0	0	0.004	0.004	0.004	.	0
Aldicarb (sum)	0.018	0.018	17	17	0	0	0.009	0.009	0.009	0.02	0
Aldicarb-Sulfone	0.002	0.002	17	17	0	0	0.001	0.001	0.001	.	0
Aldicarb-Sulfoxide	0.008	0.008	17	17	0	0	0.004	0.004	0.004	.	0
Azinphos-methyl	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.05	0
Azoxystrobin	0.002	0.002	17	15	2	0	0.086	0.009	0.001	3	0
Bifenthrin	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.5	0
Bitertanol	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.05	0
Boscalid	0.002	0.002	17	17	0	0	0.001	0.001	0.001	2	0
Bromide ion	5.000	5.000	10	8	2	0	7.100	3.410	2.500	30	0
Bromopropylate	0.002	0.002	17	17	0	0	0.001	0.001	0.001	1	0
Bromuconazole (sum)	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.05	0
Bupirimate	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.05	0
Buprofezin	0.002	0.002	17	17	0	0	0.001	0.001	0.001	1	0
Carbaryl	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Beans (with pods) Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Carbendazim	0.008	0.008	17	17	0	0	0.004	0.004	0.004	.	0
Carbendazim and benomyl	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.2	0
Carbofuran	0.002	0.002	17	17	0	0	0.001	0.001	0.001	.	0
Carbofuran (sum)	0.004	0.004	17	17	0	0	0.002	0.002	0.002	0.02	0
Carbosulfan	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.05	0
Chlorfenapyr	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.05	0
Chlorfenvinphos	0.040	0.040	17	17	0	0	0.020	0.020	0.020	0.02	0
Chlorothalonil	0.008	0.008	17	17	0	0	0.004	0.004	0.004	5	0
Chlorpropham (sum)	0.108	0.108	17	17	0	0	0.054	0.054	0.054	0.05	0
Chlorpyrifos	0.002	0.002	17	16	1	0	0.010	0.002	0.001	0.05	0
Chlorpyrifos-methyl	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.05	0
Clofentezine	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.02	0
Clothianidin	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.2	0
Cyfluthrin (sum)	0.040	0.040	17	17	0	0	0.020	0.020	0.020	0.1	0
Cypermethrin (sum)	0.040	0.040	17	16	1	0	0.065	0.023	0.020	0.7	0
Cyproconazole	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.05	0
Cyprodinil	0.002	0.002	17	17	0	0	0.001	0.001	0.001	2	0
DMST	0.008	0.008	17	17	0	0	0.004	0.004	0.004	.	0
Deltamethrin	0.040	0.040	17	17	0	0	0.020	0.020	0.020	0.2	0
Demeton-S-Methylsulfone	0.002	0.002	17	17	0	0	0.001	0.001	0.001	.	0
Desmethyl Pirimicarb	0.002	0.002	17	17	0	0	0.001	0.001	0.001	.	0
Diazinon	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.01	0
Dichlofluanid	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.01	0
Dichloroaniline, 3,5-	0.100	0.100	17	17	0	0	0.050	0.050	0.050	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Beans (with pods) Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Dichlorvos	0.100	0.100	17	17	0	0	0.050	0.050	0.050	0.01	0
Dicloran	0.002	0.002	17	17	0	0	0.001	0.001	0.001	2	0
Dicofol (sum)	0.040	0.040	17	17	0	0	0.020	0.020	0.020	0.02	0
Dicrotophos	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.01	0
Difenoconazole	0.002	0.002	17	17	0	0	0.001	0.001	0.001	1	0
Dimethoate	0.002	0.002	17	17	0	0	0.001	0.001	0.001	.	0
Dimethoate (sum)	0.004	0.004	17	17	0	0	0.002	0.002	0.002	0.02	0
Dimethomorph	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.05	0
Diphenylamine	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.05	0
Dithiocarbamates	0.030	0.030	15	13	2	0	0.090	0.025	0.015	1	0
EPN	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.01	0
Endosulfan (sum)	0.006	0.006	17	16	1	0	0.012	0.004	0.003	0.05	0
Endosulfansulfate	0.002	0.002	17	15	2	0	0.012	0.002	0.001	.	0
Epoxiconazole	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.05	0
Ethion	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.01	0
Ethoprophos	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.02	0
Etofenprox	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.5	0
Fenamiphos	0.002	0.002	17	17	0	0	0.001	0.001	0.001	.	0
Fenamiphos (sum)	0.006	0.006	17	17	0	0	0.003	0.003	0.003	0.02	0
Fenamiphos-Sulfon	0.002	0.002	17	17	0	0	0.001	0.001	0.001	.	0
Fenamiphos-Sulfoxid	0.002	0.002	17	17	0	0	0.001	0.001	0.001	.	0
Fenarimol	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.02	0
Fenazaquin	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.1	0
Fenbuconazole	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Beans (with pods) Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Fenhexamid	0.002	0.002	17	17	0	0	0.001	0.001	0.001	2	0
Fenitrothion	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.01	0
Fenoxycarb	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.05	0
Fenpropathrin	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.01	0
Fenpropimorph	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.05	0
Fenthion	0.002	0.002	17	17	0	0	0.001	0.001	0.001	.	0
Fenthion (sum)	0.024	0.024	17	17	0	0	0.012	0.012	0.012	0.01	0
Fenthion oxon sulfone	0.002	0.002	16	16	0	0	0.001	0.001	0.001	.	0
Fenthion-Oxon	0.002	0.002	16	16	0	0	0.001	0.001	0.001	.	0
Fenthion-Oxonsulfoxide	0.002	0.002	16	16	0	0	0.001	0.001	0.001	.	0
Fenthion-Sulfon	0.008	0.008	17	17	0	0	0.004	0.004	0.004	.	0
Fenthion-Sulfoxide	0.008	0.008	17	17	0	0	0.004	0.004	0.004	.	0
Fipronil	0.002	0.002	17	17	0	0	0.001	0.001	0.001	.	0
Fipronil (sum)	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.005	0
Fipronil-Sulfone	0.008	0.008	15	15	0	0	0.004	0.004	0.004	.	0
Fluazifop (free acid)	0.002	0.002	17	17	0	0	0.001	0.001	0.001	.	0
Fluazifop-P-butyl (sum)	0.002	0.002	17	17	0	0	0.001	0.001	0.001	1	0
Fludioxonil	0.002	0.002	17	17	0	0	0.001	0.001	0.001	1	0
Flufenoxuron	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.5	0
Fluquinconazole	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.05	0
Flusilazole	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.02	0
Flutriafol	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.05	0
Formetanate	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.3	0
Fosthiazate	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Beans (with pods) Treatment=Unprocessed

Compound	Between LOQ and MRL										
	Min LOQ	Max LOQ	Total	Below LOQ	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant	
Haloxyfop	0.002	0.002	17	17	0	0	0.001	0.001	0.001	.	0
Haloxyfop including haloxyfop-R	0.004	0.004	17	17	0	0	0.002	0.002	0.002	0.1	0
Hexaconazole	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.02	0
Hexythiazox	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.5	0
Imazalil	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.05	0
Imidacloprid	0.002	0.002	17	17	0	0	0.001	0.001	0.001	2	0
Indoxacarb as sum of the isomers S and R	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.02	0
Iprodione	0.040	0.040	17	17	0	0	0.020	0.020	0.020	5	0
Iprovalicarb	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.05	0
Kresoxim-methyl	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.05	0
Lambda-Cyhalothrin	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.2	0
Linuron	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.05	0
Lufenuron	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.02	0
Malaoxon	0.002	0.002	17	17	0	0	0.001	0.001	0.001	.	0
Malathion	0.002	0.002	17	17	0	0	0.001	0.001	0.001	.	0
Malathion (sum of malathion and malaoxon expressed as malathion)	0.004	0.004	17	17	0	0	0.002	0.002	0.002	1	0
Mepanipyrim	0.002	0.002	17	17	0	0	0.001	0.001	0.001	.	0
Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine) expressed as mepanipyrim)	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.01	0
Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.05	0
Metconazole	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.02	0
Methamidophos	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.01	0
Methidathion	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.02	0
Methiocarb	0.002	0.002	17	17	0	0	0.001	0.001	0.001	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Beans (with pods) Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.006	0.006	17	16	1	0	0.006	0.003	0.003	0.2	0
Methiocarb-Sulfon	0.002	0.002	17	17	0	0	0.001	0.001	0.001	.	0
Methiocarb-Sulfoxid	0.002	0.002	17	16	1	0	0.006	0.001	0.001	.	0
Methomyl	0.008	0.008	17	17	0	0	0.004	0.004	0.004	.	0
Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.02	0
Methoxyfenozide	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.2	0
Monocrotophos	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.01	0
Myclobutanil	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.3	0
Nitenpyram	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.01	0
Omethoate	0.002	0.002	17	17	0	0	0.001	0.001	0.001	.	0
Oxadixyl	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.01	0
Oxamyl	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.01	0
Oxydemeton-methyl	0.002	0.002	17	17	0	0	0.001	0.001	0.001	.	0
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0.004	0.004	17	17	0	0	0.002	0.002	0.002	0.02	0
Paclobutrazol	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.02	0
Paraoxon-Methyl	0.008	0.008	17	17	0	0	0.004	0.004	0.004	.	0
Parathion	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.05	0
Parathion-methyl	0.008	0.008	17	17	0	0	0.004	0.004	0.004	.	0
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.016	0.016	17	17	0	0	0.008	0.008	0.008	0.02	0
Penconazole	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.05	0
Pencycuron	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.05	0
Pendimethalin	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.2	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Beans (with pods) Treatment=Unprocessed

Compound	Between										
	Min LOQ	Max LOQ	Total	Below LOQ	LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Phenthoate	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.01	0
Phosalone	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.05	0
Phosmet	0.002	0.002	17	16	1	0	0.002	0.001	0.001	.	0
Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.004	0.004	17	17	0	0	0.002	0.002	0.002	0.05	0
Phosmet oxon	0.002	0.002	16	16	0	0	0.001	0.001	0.001	.	0
Phoxim	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.01	0
Pirimicarb	0.002	0.002	17	17	0	0	0.001	0.001	0.001	.	0
Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.004	0.004	17	17	0	0	0.002	0.002	0.002	1	0
Pirimiphos-methyl	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.05	0
Prochloraz	0.002	0.002	15	15	0	0	0.001	0.001	0.001	.	0
Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0.002	0.002	2	2	0	0	0.001	0.001	0.001	0.05	0
Procymidone	0.002	0.002	17	17	0	0	0.001	0.001	0.001	1	0
Profenofos	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.05	0
Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.002	0.002	17	15	1	1	0.130	0.014	0.001	0.1	0
Propargite	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.01	0
Propiconazole	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.05	0
Propyzamide	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.02	0
Prothioconazole (prothioconazole-desthio)	0.048	0.048	17	17	0	0	0.024	0.024	0.024	.	0
Pyraclostrobin	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.02	0
Pyrethrins	0.040	0.040	17	17	0	0	0.020	0.020	0.020	1	0
Pyridaben	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.05	0
Pyrimethanil	0.002	0.002	17	17	0	0	0.001	0.001	0.001	2	0
Pyriproxyfen	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.05	0
Quinoxifen	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Beans (with pods) Treatment=Unprocessed

Compound			Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
	Min LOQ	Max LOQ									
Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.5	0
Spiroxamine	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.05	0
Tebuconazole	0.008	0.008	17	17	0	0	0.004	0.004	0.004	2	0
Tebufenozide	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.05	0
Tebufenpyrad	0.002	0.002	17	17	0	0	0.001	0.001	0.001	1	0
Teflubenzuron	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.05	0
Tefluthrin	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.05	0
Tetraconazole	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.02	0
Tetradifon	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.02	0
Thiabendazole	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.05	0
Thiacloprid	0.002	0.002	17	17	0	0	0.001	0.001	0.001	1	0
Thiametoxam	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.05	0
Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.05	0
Thiodicarb	0.002	0.002	17	17	0	0	0.001	0.001	0.001	.	0
Thiophanate-methyl	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.1	0
Tolclofos-methyl	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.1	0
Tolyfluanid	0.008	0.008	17	17	0	0	0.004	0.004	0.004	.	0
Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	0.016	0.016	17	17	0	0	0.008	0.008	0.008	3	0
Triadimefon	0.008	0.008	17	17	0	0	0.004	0.004	0.004	.	0
Triadimefon (sum of Triadimefon and Triadimenol)	0.016	0.016	17	17	0	0	0.008	0.008	0.008	0.1	0
Triadimenol	0.008	0.008	17	17	0	0	0.004	0.004	0.004	.	0
Triazophos	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.01	0
Trichlorfon	0.040	0.040	17	17	0	0	0.020	0.020	0.020	0.5	0
Trifloxystrobin	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.5	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Beans (with pods) Treatment=Unprocessed

Compound	Between										
	Min LOQ	Max LOQ	Total	Below LOQ	LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Triflumuron	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.05	0
Trifluralin	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.5	0
Triticonazole	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.01	0
Vinclozolin	0.002	0.002	17	16	1	0	0.007	0.001	0.001	.	0
Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	0.102	0.102	17	17	0	0	0.051	0.051	0.051	.	0
Zoxamide	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.02	0
alpha-Endosulfan	0.002	0.002	17	17	0	0	0.001	0.001	0.001	.	0
beta-Endosulfan	0.002	0.002	17	17	0	0	0.001	0.001	0.001	.	0
tau-Fluvalinate	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Bovine Liver Treatment=Unprocessed

Compound	Between LOQ and MRL										
	Min LOQ	Max LOQ	Total	Below LOQ	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant	
Azinphos-ethyl	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.01	0
Bifenthrin	0.005	0.005	6	6	0	0	0.003	0.003	0.003	0.05	0
Chlorobenzilate	0.030	0.030	6	6	0	0	0.015	0.015	0.015	0.1	0
Chlorpyrifos	0.002	0.002	6	6	0	0	0.001	0.001	0.001	0	0
Chlorpyrifos-methyl	0.004	0.004	6	6	0	0	0.002	0.002	0.002	0.05	0
Cypermethrin (sum)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.2	0
	0.005	0.005	5	5	0	0	0.003	0.003	0.003	0.02	0
DDT (sum)	0.002	0.002	1	0	1	0	0.062	0.062	0.062	1	0
	0.001	0.001	5	4	1	0	0.002	0.001	0.001	0.1	0
Deltamethrin	0.005	0.005	5	5	0	0	0.003	0.003	0.003	0.03	0
	0.005	0.005	1	1	0	0	0.003	0.003	0.003	0.05	0
Diazinon	0.003	0.003	6	6	0	0	0.002	0.002	0.002	0.05	0
Dieldrin	0.001	0.001	1	1	0	0	0.001	0.001	0.001	0.2	0
	0.001	0.001	5	5	0	0	0.001	0.001	0.001	0.02	0
Endosulfan (sum)	0.001	0.001	6	6	0	0	0.001	0.001	0.001	0.05	0
Endrin	0.000	0.000	5	5	0	0	0.000	0.000	0.000	0.01	0
	0.001	0.001	1	1	0	0	0.001	0.001	0.001	0.05	0
Fenthion	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.05	0
Heptachlor	0.001	0.001	1	1	0	0	0.001	0.001	0.001	0.2	0
	0.001	0.001	5	5	0	0	0.001	0.001	0.001	0.02	0
Hexachlorobenzene	0.001	0.001	1	0	1	0	0.039	0.039	0.039	0.2	0
	0.001	0.001	5	5	0	0	0.001	0.001	0.001	0.02	0
Hexachlorocyclohexane (HCH), alpha-isomer	0.002	0.002	1	1	0	0	0.001	0.001	0.001	0.2	0
	0.001	0.001	5	5	0	0	0.001	0.001	0.001	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Bovine Liver Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Hexachlorocyclohexane (HCH), beta-isomer	0.002	0.002	1	1	0	0	0.001	0.001	0.001	0.1	0
	0.001	0.001	5	5	0	0	0.001	0.001	0.001	0.01	0
Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))	0.001	0.001	5	5	0	0	0.001	0.001	0.001	0.01	0
	0.001	0.001	1	1	0	0	0.001	0.001	0.001	0.02	0
Methidathion	0.020	0.020	6	6	0	0	0.010	0.010	0.010	0.02	0
Methoxychlor	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.01	0
Parathion	0.020	0.020	6	6	0	0	0.010	0.010	0.010	0.05	0
Parathion-methyl	0.020	0.020	6	6	0	0	0.010	0.010	0.010	0.02	0
Permethrin (sum of isomers)	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.05	0
Pirimiphos-methyl	0.003	0.003	6	6	0	0	0.002	0.002	0.002	0.05	0
Profenofos	0.020	0.020	6	6	0	0	0.010	0.010	0.010	0.05	0
Pyrazophos	0.020	0.020	6	6	0	0	0.010	0.010	0.010	0.02	0
Quintozene	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.01	0
Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers))	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.1	0
Tecnazene	0.030	0.030	6	6	0	0	0.015	0.015	0.015	0.05	0
Triazophos	0.010	0.010	6	6	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Carrots Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
2,4-D	0.008	0.008	32	32	0	0	0.004	0.004	0.004	.	0
2,4-D (sum)	0.008	0.008	6	6	0	0	0.004	0.004	0.004	0.05	0
2-anilino-4-(2-hydroxypropyl)- 6-methylpyrimidin	0.008	0.008	32	32	0	0	0.004	0.004	0.004	.	0
3-Chloroaniline	0.100	0.100	38	38	0	0	0.050	0.050	0.050	.	0
3-hydroxy -carbofuran	0.002	0.002	38	38	0	0	0.001	0.001	0.001	.	0
Abamectin (sum)	0.040	0.040	38	38	0	0	0.020	0.020	0.020	0.01	0
Acephate	0.100	0.100	38	38	0	0	0.050	0.050	0.050	0.02	0
Acetamiprid	0.002	0.002	38	38	0	0	0.001	0.001	0.001	0.01	0
Acrinathrin	0.008	0.008	38	38	0	0	0.004	0.004	0.004	0.05	0
Aldicarb	0.008	0.008	38	38	0	0	0.004	0.004	0.004	.	0
Aldicarb (sum)	0.018	0.018	38	38	0	0	0.009	0.009	0.009	0.02	0
Aldicarb-Sulfone	0.002	0.002	38	38	0	0	0.001	0.001	0.001	.	0
Aldicarb-Sulfoxide	0.008	0.008	38	38	0	0	0.004	0.004	0.004	.	0
Azinphos-methyl	0.002	0.002	38	38	0	0	0.001	0.001	0.001	0.05	0
Azoxystrobin	0.002	0.002	38	27	11	0	0.017	0.003	0.001	1	0
Bifenthrin	0.008	0.008	38	38	0	0	0.004	0.004	0.004	0.05	0
Bitertanol	0.008	0.008	38	38	0	0	0.004	0.004	0.004	0.05	0
Boscalid	0.002	0.002	38	30	8	0	0.056	0.007	0.001	1	0
Bromide ion	5.000	5.000	15	12	3	0	8.000	3.333	2.500	50	0
Bromopropylate	0.002	0.002	38	38	0	0	0.001	0.001	0.001	0.05	0
Bromuconazole (sum)	0.008	0.008	38	38	0	0	0.004	0.004	0.004	0.05	0
Bupirimate	0.002	0.002	38	38	0	0	0.001	0.001	0.001	0.05	0
Buprofezin	0.002	0.002	38	38	0	0	0.001	0.001	0.001	0.05	0
Captan	0.040	0.040	38	38	0	0	0.020	0.020	0.020	0.1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Carrots Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Carbaryl	0.002	0.002	38	38	0	0	0.001	0.001	0.001	0.05	0
Carbendazim	0.008	0.008	38	38	0	0	0.004	0.004	0.004	.	0
Carbendazim and benomyl	0.008	0.008	38	38	0	0	0.004	0.004	0.004	0.1	0
Carbofuran	0.002	0.002	38	38	0	0	0.001	0.001	0.001	.	0
Carbofuran (sum)	0.004	0.004	38	38	0	0	0.002	0.002	0.002	0.02	0
Carbosulfan	0.008	0.008	38	38	0	0	0.004	0.004	0.004	0.1	0
Chlorfenapyr	0.010	0.010	38	38	0	0	0.005	0.005	0.005	0.05	0
Chlorfenvinphos	0.040	0.040	38	38	0	0	0.020	0.020	0.020	0.5	0
Chlorothalonil	0.008	0.008	38	38	0	0	0.004	0.004	0.004	1	0
Chlorpropham (sum)	0.108	0.108	38	38	0	0	0.054	0.054	0.054	0.05	0
Chlorpyrifos	0.002	0.002	38	36	2	0	0.090	0.004	0.001	0.1	0
Chlorpyrifos-methyl	0.002	0.002	38	37	1	0	0.008	0.001	0.001	0.05	0
Clofentezine	0.002	0.002	38	38	0	0	0.001	0.001	0.001	0.02	0
Clothianidin	0.002	0.002	38	38	0	0	0.001	0.001	0.001	0.05	0
Cyfluthrin (sum)	0.040	0.040	38	38	0	0	0.020	0.020	0.020	0.02	0
Cypermethrin (sum)	0.040	0.040	38	38	0	0	0.020	0.020	0.020	0.05	0
Cyproconazole	0.002	0.002	38	38	0	0	0.001	0.001	0.001	0.05	0
Cyprodinil	0.002	0.002	38	38	0	0	0.001	0.001	0.001	2	0
DMST	0.008	0.008	38	38	0	0	0.004	0.004	0.004	.	0
Deltamethrin	0.040	0.040	38	38	0	0	0.020	0.020	0.020	0.05	0
Demeton-S-Methylsulfone	0.002	0.002	38	38	0	0	0.001	0.001	0.001	.	0
Desmethyl Pirimicarb	0.002	0.002	38	38	0	0	0.001	0.001	0.001	.	0
Diazinon	0.008	0.008	38	38	0	0	0.004	0.004	0.004	0.01	0
Dichlofluanid	0.008	0.008	38	38	0	0	0.004	0.004	0.004	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Carrots Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Dichloroaniline, 3,5-	0.100	0.100	38	38	0	0	0.050	0.050	0.050	.		0
Dichlorvos	0.100	0.100	38	38	0	0	0.050	0.050	0.050	0.01		0
Dicloran	0.002	0.002	38	38	0	0	0.001	0.001	0.001	0.1		0
Dicofol (sum)	0.040	0.040	38	38	0	0	0.020	0.020	0.020	0.02		0
Difenoconazole	0.002	0.002	38	30	8	0	0.014	0.002	0.001	0.3		0
Dimethoate	0.002	0.002	38	38	0	0	0.001	0.001	0.001	.		0
Dimethoate (sum)	0.004	0.004	38	38	0	0	0.002	0.002	0.002	0.02		0
Dimethomorph	0.002	0.002	38	38	0	0	0.001	0.001	0.001	0.05		0
Diphenylamine	0.008	0.008	38	38	0	0	0.004	0.004	0.004	0.05		0
Dithiocarbamates	0.030	0.030	20	20	0	0	0.015	0.015	0.015	0.2		0
EPN	0.002	0.002	38	38	0	0	0.001	0.001	0.001	0.01		0
Endosulfan (sum)	0.006	0.006	38	38	0	0	0.003	0.003	0.003	0.05		0
Endosulfansulfate	0.002	0.002	38	38	0	0	0.001	0.001	0.001	.		0
Epoxiconazole	0.002	0.002	38	38	0	0	0.001	0.001	0.001	0.05		0
Ethion	0.002	0.002	38	38	0	0	0.001	0.001	0.001	0.01		0
Ethoprophos	0.002	0.002	38	38	0	0	0.001	0.001	0.001	0.02		0
Etofenprox	0.002	0.002	38	38	0	0	0.001	0.001	0.001	0.01		0
Fenamiphos	0.002	0.002	38	38	0	0	0.001	0.001	0.001	.		0
Fenamiphos (sum)	0.006	0.006	38	38	0	0	0.003	0.003	0.003	0.02		0
Fenamiphos-Sulfon	0.002	0.002	38	38	0	0	0.001	0.001	0.001	.		0
Fenamiphos-Sulfoxid	0.002	0.002	38	38	0	0	0.001	0.001	0.001	.		0
Fenarimol	0.008	0.008	38	38	0	0	0.004	0.004	0.004	0.02		0
Fenazaquin	0.002	0.002	38	38	0	0	0.001	0.001	0.001	0.01		0
Fenbuconazole	0.002	0.002	38	38	0	0	0.001	0.001	0.001	0.05		0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Carrots Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Fenhexamid	0.002	0.002	38	38	0	0	0.001	0.001	0.001	0.05	0
Fenitrothion	0.002	0.002	38	38	0	0	0.001	0.001	0.001	0.01	0
Fenoxycarb	0.002	0.002	38	38	0	0	0.001	0.001	0.001	0.05	0
Fenpropathrin	0.002	0.002	38	38	0	0	0.001	0.001	0.001	0.01	0
Fenpropimorph	0.002	0.002	38	38	0	0	0.001	0.001	0.001	0.05	0
Fenthion	0.002	0.002	38	38	0	0	0.001	0.001	0.001	.	0
Fenthion (sum)	0.024	0.024	38	38	0	0	0.012	0.012	0.012	0.01	0
Fenthion oxon sulfone	0.002	0.002	38	38	0	0	0.001	0.001	0.001	.	0
Fenthion-Oxon	0.002	0.002	38	38	0	0	0.001	0.001	0.001	.	0
Fenthion-Oxonsulfoxide	0.002	0.002	38	38	0	0	0.001	0.001	0.001	.	0
Fenthion-Sulfon	0.008	0.008	38	38	0	0	0.004	0.004	0.004	.	0
Fenthion-Sulfoxide	0.008	0.008	38	38	0	0	0.004	0.004	0.004	.	0
Fipronil	0.002	0.002	38	38	0	0	0.001	0.001	0.001	.	0
Fipronil (sum)	0.010	0.010	38	38	0	0	0.005	0.005	0.005	0.005	0
Fipronil-Sulfone	0.008	0.008	32	32	0	0	0.004	0.004	0.004	.	0
Fluazifop (free acid)	0.002	0.002	38	38	0	0	0.001	0.001	0.001	.	0
Fluazifop-P-butyl (sum)	0.002	0.002	38	38	0	0	0.001	0.001	0.001	0.3	0
Fludioxonil	0.002	0.002	38	38	0	0	0.001	0.001	0.001	1	0
Flufenoxuron	0.002	0.002	38	38	0	0	0.001	0.001	0.001	0.05	0
Fluquinconazole	0.002	0.002	38	38	0	0	0.001	0.001	0.001	0.05	0
Flusilazole	0.002	0.002	38	38	0	0	0.001	0.001	0.001	0.02	0
Flutriafol	0.008	0.008	38	38	0	0	0.004	0.004	0.004	0.2	0
Folpet	0.008	0.008	38	38	0	0	0.004	0.004	0.004	0.02	0
Formetanate	0.002	0.002	38	38	0	0	0.001	0.001	0.001	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Carrots Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Fosthiazate	0.002	0.002	38	38	0	0	0.001	0.001	0.001	0.02	0
Haloxyfop	0.002	0.002	38	38	0	0	0.001	0.001	0.001	.	0
Haloxyfop including haloxyfop-R	0.004	0.004	38	38	0	0	0.002	0.002	0.002	0.1	0
Hexaconazole	0.002	0.002	38	38	0	0	0.001	0.001	0.001	0.02	0
Hexythiazox	0.002	0.002	38	38	0	0	0.001	0.001	0.001	0.5	0
Imazalil	0.002	0.002	38	38	0	0	0.001	0.001	0.001	0.05	0
Imidacloprid	0.002	0.002	38	38	0	0	0.001	0.001	0.001	0.5	0
Indoxacarb as sum of the isomers S and R	0.008	0.008	38	38	0	0	0.004	0.004	0.004	0.02	0
Iprodione	0.040	0.040	38	38	0	0	0.020	0.020	0.020	0.5	0
Iprovalicarb	0.002	0.002	38	38	0	0	0.001	0.001	0.001	0.05	0
Kresoxim-methyl	0.002	0.002	38	38	0	0	0.001	0.001	0.001	0.05	0
Lambda-Cyhalothrin	0.008	0.008	38	37	1	0	0.008	0.004	0.004	0.02	0
Linuron	0.002	0.002	38	29	9	0	0.062	0.005	0.001	0.2	0
Lufenuron	0.002	0.002	38	38	0	0	0.001	0.001	0.001	0.02	0
Malaoxon	0.002	0.002	38	38	0	0	0.001	0.001	0.001	.	0
Malathion	0.002	0.002	38	38	0	0	0.001	0.001	0.001	.	0
Malathion (sum of malathion and malaoxon expressed as malathion)	0.004	0.004	38	38	0	0	0.002	0.002	0.002	0.02	0
Mepanipyrim	0.002	0.002	38	38	0	0	0.001	0.001	0.001	.	0
Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine) expressed as mepanipyrim)	0.010	0.010	38	38	0	0	0.005	0.005	0.005	0.01	0
Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.002	0.002	38	37	1	0	0.004	0.001	0.001	0.1	0
Metconazole	0.002	0.002	38	38	0	0	0.001	0.001	0.001	0.02	0
Methamidophos	0.008	0.008	38	38	0	0	0.004	0.004	0.004	0.01	0
Methidathion	0.002	0.002	38	38	0	0	0.001	0.001	0.001	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Carrots Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Methiocarb	0.002	0.002	38	38	0	0	0.001	0.001	0.001	.	0
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.006	0.006	38	38	0	0	0.003	0.003	0.003	0.1	0
Methiocarb-Sulfon	0.002	0.002	38	38	0	0	0.001	0.001	0.001	.	0
Methiocarb-Sulfoxid	0.002	0.002	38	38	0	0	0.001	0.001	0.001	.	0
Methomyl	0.008	0.008	38	38	0	0	0.004	0.004	0.004	.	0
Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	38	38	0	0	0.005	0.005	0.005	0.02	0
Methoxyfenozide	0.002	0.002	38	38	0	0	0.001	0.001	0.001	0.02	0
Monocrotophos	0.002	0.002	38	38	0	0	0.001	0.001	0.001	0.01	0
Myclobutanil	0.008	0.008	38	38	0	0	0.004	0.004	0.004	0.2	0
Omethoate	0.002	0.002	38	38	0	0	0.001	0.001	0.001	.	0
Oxadixyl	0.008	0.008	38	38	0	0	0.004	0.004	0.004	0.05	0
Oxamyl	0.002	0.002	38	38	0	0	0.001	0.001	0.001	0.01	0
Oxydemeton-methyl	0.002	0.002	38	38	0	0	0.001	0.001	0.001	.	0
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0.004	0.004	38	38	0	0	0.002	0.002	0.002	0.02	0
Paclobutrazol	0.008	0.008	38	38	0	0	0.004	0.004	0.004	0.02	0
Paraoxon-Methyl	0.008	0.008	38	38	0	0	0.004	0.004	0.004	.	0
Parathion	0.008	0.008	38	38	0	0	0.004	0.004	0.004	0.05	0
Parathion-methyl	0.008	0.008	38	38	0	0	0.004	0.004	0.004	.	0
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.016	0.016	38	38	0	0	0.008	0.008	0.008	0.02	0
Penconazole	0.002	0.002	38	38	0	0	0.001	0.001	0.001	0.05	0
Pencycuron	0.002	0.002	38	38	0	0	0.001	0.001	0.001	0.05	0
Pendimethalin	0.008	0.008	38	35	3	0	0.046	0.006	0.004	0.2	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Carrots Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Phenthoate	0.008	0.008	38	38	0	0	0.004	0.004	0.004	0.01	0
Phosalone	0.008	0.008	38	38	0	0	0.004	0.004	0.004	0.05	0
Phosmet	0.002	0.002	38	38	0	0	0.001	0.001	0.001	.	0
Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.004	0.004	38	38	0	0	0.002	0.002	0.002	0.05	0
Phosmet oxon	0.002	0.002	38	38	0	0	0.001	0.001	0.001	.	0
Phoxim	0.008	0.008	38	38	0	0	0.004	0.004	0.004	0.01	0
Pirimicarb	0.002	0.002	38	38	0	0	0.001	0.001	0.001	.	0
Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.004	0.004	38	38	0	0	0.002	0.002	0.002	0.5	0
Pirimiphos-methyl	0.008	0.008	38	38	0	0	0.004	0.004	0.004	1	0
Prochloraz	0.002	0.002	32	32	0	0	0.001	0.001	0.001	.	0
Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0.002	0.002	6	6	0	0	0.001	0.001	0.001	0.05	0
Procymidone	0.002	0.002	38	38	0	0	0.001	0.001	0.001	0.02	0
Profenofos	0.002	0.002	38	38	0	0	0.001	0.001	0.001	0.05	0
Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.002	0.002	38	38	0	0	0.001	0.001	0.001	10	0
Propargite	0.008	0.008	38	38	0	0	0.004	0.004	0.004	0.01	0
Propiconazole	0.002	0.002	38	38	0	0	0.001	0.001	0.001	0.05	0
Propyzamide	0.008	0.008	38	38	0	0	0.004	0.004	0.004	0.02	0
Prothioconazole (prothioconazole-desthio)	0.048	0.048	38	38	0	0	0.024	0.024	0.024	.	0
Pyraclostrobin	0.002	0.002	38	38	0	0	0.001	0.001	0.001	0.1	0
Pyrethrins	0.040	0.040	38	38	0	0	0.020	0.020	0.020	1	0
Pyridaben	0.002	0.002	38	38	0	0	0.001	0.001	0.001	0.05	0
Pyrimethanil	0.002	0.002	38	38	0	0	0.001	0.001	0.001	1	0
Pyriproxyfen	0.002	0.002	38	38	0	0	0.001	0.001	0.001	0.05	0
Quinoxifen	0.002	0.002	38	38	0	0	0.001	0.001	0.001	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Carrots Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.008	0.008	38	38	0	0	0.004	0.004	0.004	0.02	0
Spiroxamine	0.002	0.002	38	38	0	0	0.001	0.001	0.001	0.05	0
Tebuconazole	0.008	0.008	38	35	3	0	0.016	0.005	0.004	0.5	0
Tebufenozide	0.002	0.002	38	38	0	0	0.001	0.001	0.001	0.05	0
Tebufenpyrad	0.002	0.002	38	38	0	0	0.001	0.001	0.001	0.05	0
Teflubenzuron	0.002	0.002	38	38	0	0	0.001	0.001	0.001	0.05	0
Tefluthrin	0.002	0.002	38	37	1	0	0.013	0.001	0.001	0.05	0
Tetraconazole	0.002	0.002	38	38	0	0	0.001	0.001	0.001	0.02	0
Tetradifon	0.002	0.002	38	38	0	0	0.001	0.001	0.001	0.02	0
Thiabendazole	0.002	0.002	38	38	0	0	0.001	0.001	0.001	0.05	0
Thiacloprid	0.002	0.002	38	38	0	0	0.001	0.001	0.001	0.05	0
Thiametoxam	0.008	0.008	38	38	0	0	0.004	0.004	0.004	0.1	0
Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.010	38	38	0	0	0.005	0.005	0.005	0.3	0
Thiodicarb	0.002	0.002	38	38	0	0	0.001	0.001	0.001	.	0
Thiophanate-methyl	0.008	0.008	38	38	0	0	0.004	0.004	0.004	0.1	0
Tolclofos-methyl	0.008	0.008	38	38	0	0	0.004	0.004	0.004	0.5	0
Tolyfluanid	0.008	0.008	38	38	0	0	0.004	0.004	0.004	.	0
Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	0.016	0.016	38	38	0	0	0.008	0.008	0.008	0.05	0
Triadimefon	0.008	0.008	38	38	0	0	0.004	0.004	0.004	.	0
Triadimefon (sum of Triadimefon and Triadimenol)	0.016	0.016	38	38	0	0	0.008	0.008	0.008	0.1	0
Triadimenol	0.008	0.008	38	38	0	0	0.004	0.004	0.004	.	0
Triazophos	0.002	0.002	38	38	0	0	0.001	0.001	0.001	0.01	0
Trichlorfon	0.040	0.040	38	38	0	0	0.020	0.020	0.020	0.5	0
Trifloxystrobin	0.002	0.002	38	38	0	0	0.001	0.001	0.001	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Carrots Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Triflumuron	0.008	0.008	38	38	0	0	0.004	0.004	0.004	0.05	0
Trifluralin	0.008	0.008	38	36	2	0	0.210	0.010	0.004	1	0
Triticonazole	0.008	0.008	38	38	0	0	0.004	0.004	0.004	0.01	0
Vinclozolin	0.002	0.002	38	38	0	0	0.001	0.001	0.001	.	0
Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	0.102	0.102	38	38	0	0	0.051	0.051	0.051	.	0
Zoxamide	0.002	0.002	38	38	0	0	0.001	0.001	0.001	0.02	0
alpha-Endosulfan	0.002	0.002	38	38	0	0	0.001	0.001	0.001	.	0
beta-Endosulfan	0.002	0.002	38	38	0	0	0.001	0.001	0.001	.	0
tau-Fluvalinate	0.008	0.008	38	38	0	0	0.004	0.004	0.004	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Cucumbers Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
2,4-D	0.008	0.008	37	37	0	0	0.004	0.004	0.004	.	0
2,4-D (sum)	0.008	0.008	7	7	0	0	0.004	0.004	0.004	0.05	0
2-anilino-4-(2-hydroxypropyl)- 6-methylpyrimidin	0.008	0.008	37	37	0	0	0.004	0.004	0.004	.	0
3-Chloroaniline	0.100	0.100	44	44	0	0	0.050	0.050	0.050	.	0
3-hydroxy -carbofuran	0.002	0.002	44	44	0	0	0.001	0.001	0.001	.	0
Abamectin (sum)	0.040	0.040	44	44	0	0	0.020	0.020	0.020	0.02	0
Acephate	0.100	0.100	44	44	0	0	0.050	0.050	0.050	0.02	0
Acetamiprid	0.002	0.002	44	40	4	0	0.022	0.002	0.001	0.3	0
Acrinathrin	0.008	0.008	44	42	2	0	0.019	0.005	0.004	0.1	0
Aldicarb	0.008	0.008	44	44	0	0	0.004	0.004	0.004	.	0
Aldicarb (sum)	0.018	0.018	44	44	0	0	0.009	0.009	0.009	0.02	0
Aldicarb-Sulfone	0.002	0.002	44	44	0	0	0.001	0.001	0.001	.	0
Aldicarb-Sulfoxide	0.008	0.008	44	44	0	0	0.004	0.004	0.004	.	0
Azinphos-methyl	0.002	0.002	44	44	0	0	0.001	0.001	0.001	0.2	0
Azoxystrobin	0.002	0.002	44	39	5	0	0.038	0.003	0.001	1	0
Bifenthrin	0.008	0.008	44	44	0	0	0.004	0.004	0.004	0.1	0
Bitertanol	0.008	0.008	44	44	0	0	0.004	0.004	0.004	0.5	0
Boscalid	0.002	0.002	44	41	3	0	0.019	0.002	0.001	2	0
Bromide ion	5.000	5.000	14	14	0	0	2.500	2.500	2.500	50	0
Bromopropylate	0.002	0.002	44	44	0	0	0.001	0.001	0.001	0.05	0
Bromuconazole (sum)	0.008	0.008	44	44	0	0	0.004	0.004	0.004	0.05	0
Bupirimate	0.002	0.002	44	44	0	0	0.001	0.001	0.001	1	0
Buprofezin	0.002	0.002	44	44	0	0	0.001	0.001	0.001	1	0
Captan	0.040	0.040	44	44	0	0	0.020	0.020	0.020	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Cucumbers Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Carbaryl	0.002	0.002	44	44	0	0	0.001	0.001	0.001	0.05	0
Carbendazim	0.008	0.008	44	44	0	0	0.004	0.004	0.004	.	0
Carbendazim and benomyl	0.008	0.008	44	44	0	0	0.004	0.004	0.004	0.1	0
Carbofuran	0.002	0.002	44	44	0	0	0.001	0.001	0.001	.	0
Carbofuran (sum)	0.004	0.004	44	44	0	0	0.002	0.002	0.002	0.02	0
Carbosulfan	0.008	0.008	44	44	0	0	0.004	0.004	0.004	0.05	0
Chlorfenapyr	0.010	0.010	44	44	0	0	0.005	0.005	0.005	0.05	0
Chlorfenvinphos	0.040	0.040	44	44	0	0	0.020	0.020	0.020	0.02	0
Chlorothalonil	0.008	0.008	44	35	9	0	0.330	0.029	0.004	1	0
Chlorpropham (sum)	0.108	0.108	44	44	0	0	0.054	0.054	0.054	0.05	0
Chlorpyrifos	0.002	0.002	44	43	0	1	0.095	0.003	0.001	0.05	0
Chlorpyrifos-methyl	0.002	0.002	44	44	0	0	0.001	0.001	0.001	0.05	0
Clofentezine	0.002	0.002	44	44	0	0	0.001	0.001	0.001	0.02	0
Clothianidin	0.002	0.002	44	43	1	0	0.006	0.001	0.001	0.02	0
Cyfluthrin (sum)	0.040	0.040	44	44	0	0	0.020	0.020	0.020	0.1	0
Cypermethrin (sum)	0.040	0.040	44	44	0	0	0.020	0.020	0.020	0.2	0
Cyproconazole	0.002	0.002	44	43	1	0	0.004	0.001	0.001	0.05	0
Cyprodinil	0.002	0.002	44	33	11	0	0.041	0.004	0.001	0.5	0
DMST	0.008	0.008	44	44	0	0	0.004	0.004	0.004	.	0
Deltamethrin	0.040	0.040	44	44	0	0	0.020	0.020	0.020	0.2	0
Demeton-S-Methylsulfone	0.002	0.002	44	44	0	0	0.001	0.001	0.001	.	0
Desmethyl Pirimicarb	0.002	0.002	44	44	0	0	0.001	0.001	0.001	.	0
Diazinon	0.008	0.008	44	44	0	0	0.004	0.004	0.004	0.01	0
Dichlofluanid	0.008	0.008	44	44	0	0	0.004	0.004	0.004	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Cucumbers Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Dichloroaniline, 3,5-	0.100	0.100	44	44	0	0	0.050	0.050	0.050	.		0
Dichlorvos	0.100	0.100	44	44	0	0	0.050	0.050	0.050	0.01		0
Dicloran	0.002	0.002	44	44	0	0	0.001	0.001	0.001	0.3		0
Dicofol (sum)	0.040	0.040	44	44	0	0	0.020	0.020	0.020	0.2		0
Difenoconazole	0.002	0.002	44	44	0	0	0.001	0.001	0.001	0.1		0
Dimethoate	0.002	0.002	44	44	0	0	0.001	0.001	0.001	.		0
Dimethoate (sum)	0.004	0.004	44	44	0	0	0.002	0.002	0.002	0.02		0
Dimethomorph	0.002	0.002	44	35	9	0	0.026	0.003	0.001	1		0
Diphenylamine	0.008	0.008	44	44	0	0	0.004	0.004	0.004	0.05		0
Dithiocarbamates	0.030	0.030	17	11	6	0	0.730	0.089	0.015	2		0
EPN	0.002	0.002	44	44	0	0	0.001	0.001	0.001	0.01		0
Endosulfan (sum)	0.006	0.006	44	44	0	0	0.003	0.003	0.003	0.05		0
Endosulfansulfate	0.002	0.002	44	44	0	0	0.001	0.001	0.001	.		0
Epoxiconazole	0.002	0.002	44	44	0	0	0.001	0.001	0.001	0.05		0
Ethion	0.002	0.002	44	44	0	0	0.001	0.001	0.001	0.01		0
Ethoprophos	0.002	0.002	44	44	0	0	0.001	0.001	0.001	0.02		0
Etofenprox	0.002	0.002	44	44	0	0	0.001	0.001	0.001	0.2		0
Fenamiphos	0.002	0.002	44	44	0	0	0.001	0.001	0.001	.		0
Fenamiphos (sum)	0.006	0.006	44	44	0	0	0.003	0.003	0.003	0.02		0
Fenamiphos-Sulfon	0.002	0.002	44	44	0	0	0.001	0.001	0.001	.		0
Fenamiphos-Sulfoxid	0.002	0.002	44	44	0	0	0.001	0.001	0.001	.		0
Fenarimol	0.008	0.008	44	44	0	0	0.004	0.004	0.004	0.2		0
Fenazaquin	0.002	0.002	44	44	0	0	0.001	0.001	0.001	0.2		0
Fenbuconazole	0.002	0.002	44	44	0	0	0.001	0.001	0.001	0.2		0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Cucumbers Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Fenhexamid	0.002	0.002	44	40	4	0	0.016	0.002	0.001	1	0
Fenitrothion	0.002	0.002	44	44	0	0	0.001	0.001	0.001	0.01	0
Fenoxycarb	0.002	0.002	44	44	0	0	0.001	0.001	0.001	0.05	0
Fenpropathrin	0.002	0.002	44	44	0	0	0.001	0.001	0.001	0.01	0
Fenpropimorph	0.002	0.002	44	44	0	0	0.001	0.001	0.001	0.05	0
Fenthion	0.002	0.002	44	44	0	0	0.001	0.001	0.001	.	0
Fenthion (sum)	0.024	0.024	44	44	0	0	0.012	0.012	0.012	0.01	0
Fenthion oxon sulfone	0.002	0.002	43	43	0	0	0.001	0.001	0.001	.	0
Fenthion-Oxon	0.002	0.002	43	43	0	0	0.001	0.001	0.001	.	0
Fenthion-Oxonsulfoxide	0.002	0.002	43	43	0	0	0.001	0.001	0.001	.	0
Fenthion-Sulfon	0.008	0.008	44	44	0	0	0.004	0.004	0.004	.	0
Fenthion-Sulfoxide	0.008	0.008	44	44	0	0	0.004	0.004	0.004	.	0
Fipronil	0.002	0.002	44	44	0	0	0.001	0.001	0.001	.	0
Fipronil (sum)	0.010	0.010	44	44	0	0	0.005	0.005	0.005	0.005	0
Fipronil-Sulfone	0.008	0.008	37	37	0	0	0.004	0.004	0.004	.	0
Fluazifop (free acid)	0.002	0.002	44	44	0	0	0.001	0.001	0.001	.	0
Fluazifop-P-butyl (sum)	0.002	0.002	44	44	0	0	0.001	0.001	0.001	0.2	0
Fludioxonil	0.002	0.002	44	43	1	0	0.019	0.001	0.001	1	0
Flufenoxuron	0.002	0.002	44	44	0	0	0.001	0.001	0.001	0.2	0
Fluquinconazole	0.002	0.002	44	44	0	0	0.001	0.001	0.001	0.05	0
Flusilazole	0.002	0.002	44	44	0	0	0.001	0.001	0.001	0.02	0
Flutriafol	0.008	0.008	44	44	0	0	0.004	0.004	0.004	0.05	0
Folpet	0.008	0.008	44	44	0	0	0.004	0.004	0.004	0.02	0
Formetanate	0.002	0.002	44	40	2	2	0.230	0.010	0.001	0.05	2

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Cucumbers Treatment=Unprocessed

Compound	Between											
	Min LOQ	Max LOQ	Total	Below LOQ	LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant	
Fosthiazate	0.002	0.002	43	43	0	0	0.001	0.001	0.001	0.02	0	
Haloxypop	0.002	0.002	44	44	0	0	0.001	0.001	0.001	.	0	
Haloxypop including haloxypop-R	0.004	0.004	44	44	0	0	0.002	0.002	0.002	0.05	0	
Hexaconazole	0.002	0.002	44	44	0	0	0.001	0.001	0.001	0.02	0	
Hexythiazox	0.002	0.002	44	43	1	0	0.009	0.001	0.001	0.5	0	
Imazalil	0.002	0.002	44	44	0	0	0.001	0.001	0.001	0.2	0	
Imidacloprid	0.002	0.002	44	40	4	0	0.022	0.002	0.001	1	0	
Indoxacarb as sum of the isomers S and R	0.008	0.008	44	44	0	0	0.004	0.004	0.004	0.2	0	
Iprodione	0.040	0.040	44	42	2	0	0.400	0.029	0.020	2	0	
Iprovalicarb	0.002	0.002	44	44	0	0	0.001	0.001	0.001	0.1	0	
Kresoxim-methyl	0.002	0.002	44	44	0	0	0.001	0.001	0.001	0.05	0	
Lambda-Cyhalothrin	0.008	0.008	44	44	0	0	0.004	0.004	0.004	0.1	0	
Linuron	0.002	0.002	44	44	0	0	0.001	0.001	0.001	0.05	0	
Lufenuron	0.002	0.002	44	42	2	0	0.066	0.004	0.001	0.2	0	
Malaoxon	0.002	0.002	44	44	0	0	0.001	0.001	0.001	.	0	
Malathion	0.002	0.002	44	44	0	0	0.001	0.001	0.001	.	0	
Malathion (sum of malathion and malaoxon expressed as malathion)	0.004	0.004	44	44	0	0	0.002	0.002	0.002	0.2	0	
Mepanipyrim	0.002	0.002	44	44	0	0	0.001	0.001	0.001	.	0	
Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine) expressed as mepanipyrim)	0.010	0.010	44	44	0	0	0.005	0.005	0.005	0.01	0	
Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.002	0.002	44	31	13	0	0.170	0.008	0.001	0.5	0	
Metconazole	0.002	0.002	44	44	0	0	0.001	0.001	0.001	0.02	0	
Methamidophos	0.008	0.008	44	44	0	0	0.004	0.004	0.004	0.01	0	
Methidathion	0.002	0.002	44	44	0	0	0.001	0.001	0.001	0.05	0	

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Cucumbers Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Methiocarb	0.002	0.002	44	44	0	0	0.001	0.001	0.001	.	0
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.006	0.006	44	43	1	0	0.017	0.003	0.003	0.2	0
Methiocarb-Sulfon	0.002	0.002	44	43	1	0	0.004	0.001	0.001	.	0
Methiocarb-Sulfoxid	0.002	0.002	44	43	1	0	0.012	0.001	0.001	.	0
Methomyl	0.008	0.008	44	44	0	0	0.004	0.004	0.004	.	0
Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	44	44	0	0	0.005	0.005	0.005	0.1	0
Methoxyfenozide	0.002	0.002	44	44	0	0	0.001	0.001	0.001	0.02	0
Monocrotophos	0.002	0.002	44	44	0	0	0.001	0.001	0.001	0.01	0
Myclobutanil	0.008	0.008	44	43	1	0	0.010	0.004	0.004	0.1	0
Omethoate	0.002	0.002	44	44	0	0	0.001	0.001	0.001	.	0
Oxadixyl	0.008	0.008	44	44	0	0	0.004	0.004	0.004	0.01	0
Oxamyl	0.002	0.002	44	43	1	0	0.011	0.001	0.001	0.02	0
Oxydemeton-methyl	0.002	0.002	44	44	0	0	0.001	0.001	0.001	.	0
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0.004	0.004	44	44	0	0	0.002	0.002	0.002	0.02	0
Paclobutrazol	0.008	0.008	44	44	0	0	0.004	0.004	0.004	0.02	0
Paraoxon-Methyl	0.008	0.008	44	44	0	0	0.004	0.004	0.004	.	0
Parathion	0.008	0.008	44	44	0	0	0.004	0.004	0.004	0.05	0
Parathion-methyl	0.008	0.008	44	44	0	0	0.004	0.004	0.004	.	0
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.016	0.016	44	44	0	0	0.008	0.008	0.008	0.02	0
Penconazole	0.002	0.002	44	42	2	0	0.004	0.001	0.001	0.1	0
Pencycuron	0.002	0.002	44	44	0	0	0.001	0.001	0.001	0.05	0
Pendimethalin	0.008	0.008	44	44	0	0	0.004	0.004	0.004	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Cucumbers Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Phenthoate	0.008	0.008	44	44	0	0	0.004	0.004	0.004	0.01	0
Phosalone	0.008	0.008	44	44	0	0	0.004	0.004	0.004	0.05	0
Phosmet	0.002	0.002	44	44	0	0	0.001	0.001	0.001	.	0
Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.004	0.004	44	44	0	0	0.002	0.002	0.002	0.05	0
Phosmet oxon	0.002	0.002	43	43	0	0	0.001	0.001	0.001	.	0
Phoxim	0.008	0.008	44	44	0	0	0.004	0.004	0.004	0.01	0
Pirimicarb	0.002	0.002	44	44	0	0	0.001	0.001	0.001	.	0
Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.004	0.004	44	44	0	0	0.002	0.002	0.002	1	0
Pirimiphos-methyl	0.008	0.008	44	44	0	0	0.004	0.004	0.004	0.1	0
Prochloraz	0.002	0.002	37	37	0	0	0.001	0.001	0.001	.	0
Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0.002	0.002	7	7	0	0	0.001	0.001	0.001	0.05	0
Procymidone	0.002	0.002	44	44	0	0	0.001	0.001	0.001	0.02	0
Profenofos	0.002	0.002	44	44	0	0	0.001	0.001	0.001	0.05	0
Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.002	0.002	44	14	30	0	0.840	0.082	0.020	10	0
Propargite	0.008	0.008	44	44	0	0	0.004	0.004	0.004	0.01	0
Propiconazole	0.002	0.002	44	44	0	0	0.001	0.001	0.001	0.05	0
Propyzamide	0.008	0.008	44	44	0	0	0.004	0.004	0.004	0.02	0
Prothioconazole (prothioconazole-desthio)	0.048	0.048	44	44	0	0	0.024	0.024	0.024	.	0
Pyraclostrobin	0.002	0.002	44	44	0	0	0.001	0.001	0.001	0.3	0
Pyrethrins	0.040	0.040	44	44	0	0	0.020	0.020	0.020	1	0
Pyridaben	0.002	0.002	44	43	1	0	0.010	0.001	0.001	0.1	0
Pyrimethanil	0.002	0.002	44	39	5	0	0.032	0.002	0.001	1	0
Pyriproxyfen	0.002	0.002	44	44	0	0	0.001	0.001	0.001	0.1	0
Quinoxifen	0.002	0.002	44	44	0	0	0.001	0.001	0.001	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Cucumbers Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.008	0.008	44	44	0	0	0.004	0.004	0.004	1	0
Spiroxamine	0.002	0.002	44	44	0	0	0.001	0.001	0.001	0.05	0
Tebuconazole	0.008	0.008	44	44	0	0	0.004	0.004	0.004	0.5	0
Tebufenozide	0.002	0.002	44	44	0	0	0.001	0.001	0.001	0.05	0
Tebufenpyrad	0.002	0.002	44	44	0	0	0.001	0.001	0.001	0.1	0
Teflubenzuron	0.002	0.002	44	44	0	0	0.001	0.001	0.001	0.5	0
Tefluthrin	0.002	0.002	44	44	0	0	0.001	0.001	0.001	0.05	0
Tetraconazole	0.002	0.002	44	44	0	0	0.001	0.001	0.001	0.2	0
Tetradifon	0.002	0.002	44	44	0	0	0.001	0.001	0.001	2	0
Thiabendazole	0.002	0.002	44	44	0	0	0.001	0.001	0.001	0.05	0
Thiacloprid	0.002	0.002	44	43	1	0	0.028	0.002	0.001	0.3	0
Thiametoxam	0.008	0.008	44	42	2	0	0.120	0.007	0.004	0.3	0
Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.010	44	42	2	0	0.130	0.008	0.005	0.3	0
Thiodicarb	0.002	0.002	44	44	0	0	0.001	0.001	0.001	.	0
Thiophanate-methyl	0.008	0.008	44	44	0	0	0.004	0.004	0.004	0.1	0
Tolclofos-methyl	0.008	0.008	44	44	0	0	0.004	0.004	0.004	0.05	0
Tolyfluanid	0.008	0.008	44	44	0	0	0.004	0.004	0.004	.	0
Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	0.016	0.016	44	44	0	0	0.008	0.008	0.008	2	0
Triadimefon	0.008	0.008	44	44	0	0	0.004	0.004	0.004	.	0
Triadimefon (sum of Triadimefon and Triadimenol)	0.016	0.016	44	44	0	0	0.008	0.008	0.008	0.2	0
Triadimenol	0.008	0.008	44	44	0	0	0.004	0.004	0.004	.	0
Triazophos	0.002	0.002	44	44	0	0	0.001	0.001	0.001	0.01	0
Trichlorfon	0.040	0.040	44	44	0	0	0.020	0.020	0.020	0.5	0
Trifloxystrobin	0.002	0.002	44	44	0	0	0.001	0.001	0.001	0.2	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Cucumbers Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
						Above MRL					
Triflumuron	0.008	0.008	44	44	0	0	0.004	0.004	0.004	0.05	0
Trifluralin	0.008	0.008	44	44	0	0	0.004	0.004	0.004	0.5	0
Triticonazole	0.008	0.008	44	44	0	0	0.004	0.004	0.004	0.01	0
Vinclozolin	0.002	0.002	44	44	0	0	0.001	0.001	0.001	.	0
Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	0.102	0.102	44	44	0	0	0.051	0.051	0.051	1	0
Zoxamide	0.002	0.002	44	44	0	0	0.001	0.001	0.001	0.02	0
alpha-Endosulfan	0.002	0.002	44	44	0	0	0.001	0.001	0.001	.	0
beta-Endosulfan	0.002	0.002	44	44	0	0	0.001	0.001	0.001	.	0
tau-Fluvalinate	0.008	0.008	44	44	0	0	0.004	0.004	0.004	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Mandarins Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
2,4-D	0.008	0.008	10	8	2	0	0.180	0.022	0.004	.	0
2,4-D (sum)	0.008	0.008	8	8	0	0	0.004	0.004	0.004	1	0
2-anilino-4-(2-hydroxypropyl)- 6-methylpyrimidin	0.008	0.008	10	10	0	0	0.004	0.004	0.004	.	0
3-Chloroaniline	0.100	0.100	18	18	0	0	0.050	0.050	0.050	.	0
3-hydroxy -carbofuran	0.002	0.002	18	18	0	0	0.001	0.001	0.001	.	0
Abamectin (sum)	0.040	0.040	18	18	0	0	0.020	0.020	0.020	0.01	0
Acephate	0.100	0.100	18	18	0	0	0.050	0.050	0.050	0.02	0
Acetamiprid	0.002	0.002	18	18	0	0	0.001	0.001	0.001	1	0
Acrinathrin	0.008	0.008	18	18	0	0	0.004	0.004	0.004	0.2	0
Aldicarb	0.008	0.008	18	18	0	0	0.004	0.004	0.004	.	0
Aldicarb (sum)	0.018	0.018	18	18	0	0	0.009	0.009	0.009	0.02	0
Aldicarb-Sulfone	0.002	0.002	18	18	0	0	0.001	0.001	0.001	.	0
Aldicarb-Sulfoxide	0.008	0.008	18	18	0	0	0.004	0.004	0.004	.	0
Azinphos-methyl	0.002	0.002	18	18	0	0	0.001	0.001	0.001	0.05	0
Azoxystrobin	0.002	0.002	18	18	0	0	0.001	0.001	0.001	15	0
Bifenthrin	0.008	0.008	18	18	0	0	0.004	0.004	0.004	0.1	0
Bitertanol	0.008	0.008	18	18	0	0	0.004	0.004	0.004	0.05	0
Boscalid	0.002	0.002	18	17	1	0	0.015	0.002	0.001	0.05	0
Bromopropylate	0.002	0.002	18	18	0	0	0.001	0.001	0.001	2	0
Bromuconazole (sum)	0.008	0.008	18	18	0	0	0.004	0.004	0.004	0.05	0
Bupirimate	0.002	0.002	18	18	0	0	0.001	0.001	0.001	0.05	0
Buprofezin	0.002	0.002	18	18	0	0	0.001	0.001	0.001	1	0
Captan	0.040	0.040	18	18	0	0	0.020	0.020	0.020	0.02	0
Carbaryl	0.002	0.002	18	18	0	0	0.001	0.001	0.001	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Mandarins Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Carbendazim	0.008	0.008	18	17	1	0	0.018	0.005	0.004	.	0
Carbendazim and benomyl	0.008	0.008	18	17	1	0	0.018	0.005	0.004	0.7	0
Carbofuran	0.002	0.002	18	18	0	0	0.001	0.001	0.001	.	0
Carbofuran (sum)	0.004	0.004	18	18	0	0	0.002	0.002	0.002	0.3	0
Carbosulfan	0.008	0.008	18	18	0	0	0.004	0.004	0.004	0.05	0
Chlorfenapyr	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.05	0
Chlorfenvinphos	0.040	0.040	18	18	0	0	0.020	0.020	0.020	0.02	0
Chlorothalonil	0.008	0.008	18	18	0	0	0.004	0.004	0.004	0.01	0
Chlorpropham (sum)	0.140	0.140	18	18	0	0	0.070	0.070	0.070	0.05	0
Chlorpyrifos	0.002	0.002	18	5	13	0	0.250	0.071	0.049	2	0
Chlorpyrifos-methyl	0.002	0.002	18	18	0	0	0.001	0.001	0.001	1	0
Clofentezine	0.002	0.002	18	18	0	0	0.001	0.001	0.001	0.5	0
Clothianidin	0.002	0.002	18	18	0	0	0.001	0.001	0.001	0.1	0
Cyfluthrin (sum)	0.040	0.040	18	18	0	0	0.020	0.020	0.020	0.02	0
Cypermethrin (sum)	0.040	0.040	18	18	0	0	0.020	0.020	0.020	2	0
Cyproconazole	0.002	0.002	18	18	0	0	0.001	0.001	0.001	0.05	0
Cyprodinil	0.002	0.002	18	18	0	0	0.001	0.001	0.001	0.05	0
DMST	0.008	0.008	18	18	0	0	0.004	0.004	0.004	.	0
Deltamethrin	0.040	0.040	18	18	0	0	0.020	0.020	0.020	0.05	0
Demeton-S-Methylsulfone	0.002	0.002	18	18	0	0	0.001	0.001	0.001	.	0
Desmethyl Pirimicarb	0.002	0.002	18	18	0	0	0.001	0.001	0.001	.	0
Diazinon	0.008	0.008	18	18	0	0	0.004	0.004	0.004	0.01	0
Dichlofluanid	0.008	0.008	18	18	0	0	0.004	0.004	0.004	0.01	0
Dichloroaniline, 3,5-	0.100	0.100	18	18	0	0	0.050	0.050	0.050	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Mandarins Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Dichlorvos	0.100	0.100	18	18	0	0	0.050	0.050	0.050	0.01	0
Dicloran	0.002	0.002	18	18	0	0	0.001	0.001	0.001	0.1	0
Dicofol (sum)	0.100	0.100	18	18	0	0	0.050	0.050	0.050	2	0
Difenoconazole	0.002	0.002	18	18	0	0	0.001	0.001	0.001	0.1	0
Dimethoate	0.002	0.002	18	18	0	0	0.001	0.001	0.001	.	0
Dimethoate (sum)	0.004	0.004	18	18	0	0	0.002	0.002	0.002	0.02	0
Dimethomorph	0.002	0.002	18	18	0	0	0.001	0.001	0.001	0.05	0
Diphenylamine	0.008	0.008	18	18	0	0	0.004	0.004	0.004	0.05	0
Dithiocarbamates	0.030	0.030	12	10	2	0	0.380	0.066	0.015	5	0
EPN	0.002	0.002	18	18	0	0	0.001	0.001	0.001	0.01	0
Endosulfan (sum)	0.006	0.006	18	18	0	0	0.003	0.003	0.003	0.05	0
Endosulfansulfate	0.002	0.002	18	18	0	0	0.001	0.001	0.001	.	0
Epoxiconazole	0.002	0.002	18	18	0	0	0.001	0.001	0.001	0.05	0
Ethion	0.002	0.002	18	18	0	0	0.001	0.001	0.001	0.01	0
Ethoprophos	0.002	0.002	18	18	0	0	0.001	0.001	0.001	0.02	0
Etofenprox	0.002	0.002	18	18	0	0	0.001	0.001	0.001	1	0
Fenamiphos	0.002	0.002	18	18	0	0	0.001	0.001	0.001	.	0
Fenamiphos (sum)	0.006	0.006	18	18	0	0	0.003	0.003	0.003	0.02	0
Fenamiphos-Sulfon	0.002	0.002	18	18	0	0	0.001	0.001	0.001	.	0
Fenamiphos-Sulfoxid	0.002	0.002	18	18	0	0	0.001	0.001	0.001	.	0
Fenarimol	0.008	0.008	18	18	0	0	0.004	0.004	0.004	0.02	0
Fenazaquin	0.002	0.002	18	18	0	0	0.001	0.001	0.001	0.5	0
Fenbuconazole	0.002	0.002	18	18	0	0	0.001	0.001	0.001	0.05	0
Fenhexamid	0.002	0.002	18	18	0	0	0.001	0.001	0.001	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Mandarins Treatment=Unprocessed

Compound	Between LOQ and MRL										
	Min LOQ	Max LOQ	Total	Below LOQ	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant	
Fenitrothion	0.002	0.002	18	18	0	0	0.001	0.001	0.001	0.01	0
Fenoxycarb	0.002	0.002	18	18	0	0	0.001	0.001	0.001	2	0
Fenpropathrin	0.002	0.002	18	18	0	0	0.001	0.001	0.001	2	0
Fenpropimorph	0.002	0.002	18	18	0	0	0.001	0.001	0.001	0.05	0
Fenthion	0.002	0.002	18	18	0	0	0.001	0.001	0.001	.	0
Fenthion (sum)	0.024	0.024	18	18	0	0	0.012	0.012	0.012	3	0
Fenthion oxon sulfone	0.002	0.002	18	18	0	0	0.001	0.001	0.001	.	0
Fenthion-Oxon	0.002	0.002	18	18	0	0	0.001	0.001	0.001	.	0
Fenthion-Oxonsulfoxide	0.002	0.002	18	18	0	0	0.001	0.001	0.001	.	0
Fenthion-Sulfon	0.008	0.008	18	18	0	0	0.004	0.004	0.004	.	0
Fenthion-Sulfoxide	0.008	0.008	18	18	0	0	0.004	0.004	0.004	.	0
Fipronil	0.002	0.002	18	18	0	0	0.001	0.001	0.001	.	0
Fipronil (sum)	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.005	0
Fipronil-Sulfone	0.008	0.008	10	10	0	0	0.004	0.004	0.004	.	0
Fluazifop (free acid)	0.002	0.002	18	18	0	0	0.001	0.001	0.001	.	0
Fluazifop-P-butyl (sum)	0.002	0.002	18	18	0	0	0.001	0.001	0.001	0.2	0
Fludioxonil	0.002	0.002	18	17	1	0	0.006	0.001	0.001	7	0
Flufenoxuron	0.002	0.002	18	18	0	0	0.001	0.001	0.001	0.3	0
Fluquinconazole	0.002	0.002	18	18	0	0	0.001	0.001	0.001	0.05	0
Flusilazole	0.002	0.002	18	18	0	0	0.001	0.001	0.001	0.1	0
Flutriafol	0.008	0.008	18	17	1	0	0.008	0.004	0.004	0.2	0
Folpet	0.008	0.008	18	18	0	0	0.004	0.004	0.004	0.02	0
Formetanate	0.002	0.002	18	18	0	0	0.001	0.001	0.001	0.05	0
Fosthiazate	0.002	0.002	18	18	0	0	0.001	0.001	0.001	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Mandarins Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Haloxypop	0.002	0.002	18	18	0	0	0.001	0.001	0.001	.	0
Haloxypop including haloxypop-R	0.004	0.004	18	18	0	0	0.002	0.002	0.002	0.05	0
Hexaconazole	0.002	0.002	18	18	0	0	0.001	0.001	0.001	0.02	0
Hexythiazox	0.002	0.002	18	14	4	0	0.015	0.003	0.001	1	0
Imazalil	0.002	0.002	18	1	17	0	3.700	1.138	0.855	5	0
Imidacloprid	0.002	0.002	18	16	2	0	0.041	0.005	0.001	1	0
Indoxacarb as sum of the isomers S and R	0.008	0.008	18	18	0	0	0.004	0.004	0.004	0.02	0
Iprodione	0.040	0.040	18	18	0	0	0.020	0.020	0.020	1	0
Iprovalicarb	0.002	0.002	18	18	0	0	0.001	0.001	0.001	0.05	0
Kresoxim-methyl	0.002	0.002	18	18	0	0	0.001	0.001	0.001	0.05	0
Lambda-Cyhalothrin	0.008	0.008	18	17	1	0	0.009	0.004	0.004	0.2	0
Linuron	0.002	0.002	18	18	0	0	0.001	0.001	0.001	0.05	0
Lufenuron	0.002	0.002	18	18	0	0	0.001	0.001	0.001	1	0
Malaoxon	0.002	0.002	18	18	0	0	0.001	0.001	0.001	.	0
Malathion	0.002	0.002	18	17	1	0	0.004	0.001	0.001	.	0
Malathion (sum of malathion and malaoxon expressed as malathion)	0.004	0.004	18	17	1	0	0.004	0.002	0.002	7	0
Mepanipyrim	0.002	0.002	18	18	0	0	0.001	0.001	0.001	.	0
Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine) expressed as mepanipyrim)	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.01	0
Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.002	0.002	18	17	1	0	0.005	0.001	0.001	0.5	0
Metconazole	0.002	0.002	18	18	0	0	0.001	0.001	0.001	0.02	0
Methamidophos	0.008	0.008	18	18	0	0	0.004	0.004	0.004	0.01	0
Methidathion	0.002	0.002	18	18	0	0	0.001	0.001	0.001	5	0
Methiocarb	0.002	0.002	18	18	0	0	0.001	0.001	0.001	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Mandarins Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.006	0.006	18	18	0	0	0.003	0.003	0.003	0.2	0
Methiocarb-Sulfon	0.002	0.002	18	18	0	0	0.001	0.001	0.001	.	0
Methiocarb-Sulfoxid	0.002	0.002	18	18	0	0	0.001	0.001	0.001	.	0
Methomyl	0.008	0.008	18	18	0	0	0.004	0.004	0.004	.	0
Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.02	0
Methoxyfenozide	0.002	0.002	18	18	0	0	0.001	0.001	0.001	1	0
Monocrotophos	0.002	0.002	18	18	0	0	0.001	0.001	0.001	0.01	0
Myclobutanil	0.008	0.008	18	18	0	0	0.004	0.004	0.004	3	0
Omethoate	0.002	0.002	18	18	0	0	0.001	0.001	0.001	.	0
Oxadixyl	0.008	0.008	18	18	0	0	0.004	0.004	0.004	0.01	0
Oxamyl	0.002	0.002	18	18	0	0	0.001	0.001	0.001	0.02	0
Oxydemeton-methyl	0.002	0.002	18	18	0	0	0.001	0.001	0.001	.	0
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0.004	0.004	18	18	0	0	0.002	0.002	0.002	0.02	0
Paclobutrazol	0.008	0.008	18	18	0	0	0.004	0.004	0.004	0.5	0
Paraoxon-Methyl	0.040	0.040	18	18	0	0	0.020	0.020	0.020	.	0
Parathion	0.008	0.008	18	18	0	0	0.004	0.004	0.004	0.05	0
Parathion-methyl	0.040	0.040	18	18	0	0	0.020	0.020	0.020	.	0
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.080	0.080	18	18	0	0	0.040	0.040	0.040	0.02	0
Penconazole	0.002	0.002	18	18	0	0	0.001	0.001	0.001	0.05	0
Pencycuron	0.002	0.002	18	18	0	0	0.001	0.001	0.001	0.05	0
Pendimethalin	0.008	0.008	18	18	0	0	0.004	0.004	0.004	0.05	0
Phenthoate	0.008	0.008	18	18	0	0	0.004	0.004	0.004	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Mandarins Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Phosalone	0.008	0.008	18	18	0	0	0.004	0.004	0.004	0.05	0
Phosmet	0.040	0.040	18	17	1	0	0.270	0.034	0.020	.	0
Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.042	0.042	18	17	0	1	0.270	0.035	0.021	0.2	0
Phosmet oxon	0.002	0.002	18	18	0	0	0.001	0.001	0.001	.	0
Phoxim	0.008	0.008	18	18	0	0	0.004	0.004	0.004	0.01	0
Pirimicarb	0.002	0.002	18	18	0	0	0.001	0.001	0.001	.	0
Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.004	0.004	18	18	0	0	0.002	0.002	0.002	3	0
Pirimiphos-methyl	0.008	0.008	18	18	0	0	0.004	0.004	0.004	2	0
Prochloraz	0.002	0.002	10	7	3	0	0.120	0.019	0.001	.	0
Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0.002	0.002	8	8	0	0	0.001	0.001	0.001	10	0
Procymidone	0.002	0.002	18	18	0	0	0.001	0.001	0.001	0.02	0
Profenofos	0.002	0.002	18	18	0	0	0.001	0.001	0.001	0.05	0
Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.002	0.002	18	18	0	0	0.001	0.001	0.001	10	0
Propargite	0.008	0.008	18	17	1	0	0.102	0.009	0.004	3	0
Propiconazole	0.002	0.002	18	18	0	0	0.001	0.001	0.001	0.05	0
Propyzamide	0.008	0.008	18	18	0	0	0.004	0.004	0.004	0.02	0
Prothioconazole (prothioconazole-desthio)	0.048	0.048	18	18	0	0	0.024	0.024	0.024	.	0
Pyraclostrobin	0.002	0.002	18	17	1	0	0.066	0.005	0.001	1	0
Pyrethrins	0.040	0.040	18	18	0	0	0.020	0.020	0.020	1	0
Pyridaben	0.002	0.002	18	16	2	0	0.011	0.002	0.001	0.5	0
Pyrimethanil	0.002	0.002	18	15	3	0	0.370	0.022	0.001	10	0
Pyriproxyfen	0.002	0.002	18	12	6	0	0.044	0.006	0.001	0.6	0
Quinoxifen	0.002	0.002	18	18	0	0	0.001	0.001	0.001	0.02	0
Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.008	0.008	18	18	0	0	0.004	0.004	0.004	0.3	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Mandarins Treatment=Unprocessed

Compound	Between LOQ and MRL										
	Min LOQ	Max LOQ	Total	Below LOQ	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant	
Spiroxamine	0.002	0.002	18	18	0	0	0.001	0.001	0.001	0.05	0
Tebuconazole	0.008	0.008	18	18	0	0	0.004	0.004	0.004	3	0
Tebufenozide	0.002	0.002	18	18	0	0	0.001	0.001	0.001	2	0
Tebufenpyrad	0.002	0.002	18	15	3	0	0.110	0.008	0.001	0.5	0
Teflubenzuron	0.002	0.002	18	18	0	0	0.001	0.001	0.001	0.05	0
Tefluthrin	0.002	0.002	18	18	0	0	0.001	0.001	0.001	0.05	0
Tetraconazole	0.002	0.002	18	18	0	0	0.001	0.001	0.001	0.02	0
Tetradifon	0.002	0.002	18	18	0	0	0.001	0.001	0.001	2	0
Thiabendazole	0.002	0.002	18	10	8	0	5.000	0.555	0.001	5	0
Thiacloprid	0.002	0.002	18	18	0	0	0.001	0.001	0.001	0.02	0
Thiametoxam	0.008	0.008	18	18	0	0	0.004	0.004	0.004	0.2	0
Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.010	18	18	0	0	0.005	0.005	0.005	0.2	0
Thiodicarb	0.002	0.002	18	18	0	0	0.001	0.001	0.001	.	0
Thiophanate-methyl	0.008	0.008	18	18	0	0	0.004	0.004	0.004	6	0
Tolclofos-methyl	0.008	0.008	18	18	0	0	0.004	0.004	0.004	0.05	0
Tolyfluanid	0.008	0.008	18	18	0	0	0.004	0.004	0.004	.	0
Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	0.016	0.016	18	18	0	0	0.008	0.008	0.008	0.05	0
Triadimefon	0.008	0.008	18	18	0	0	0.004	0.004	0.004	.	0
Triadimefon (sum of Triadimefon and Triadimenol)	0.016	0.016	18	18	0	0	0.008	0.008	0.008	0.1	0
Triadimenol	0.008	0.008	18	18	0	0	0.004	0.004	0.004	.	0
Triazophos	0.002	0.002	18	18	0	0	0.001	0.001	0.001	0.01	0
Trichlorfon	0.040	0.040	18	18	0	0	0.020	0.020	0.020	0.5	0
Trifloxystrobin	0.002	0.002	18	18	0	0	0.001	0.001	0.001	0.3	0
Triflumuron	0.008	0.008	18	18	0	0	0.004	0.004	0.004	1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Mandarins Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Trifluralin	0.008	0.008	18	18	0	0	0.004	0.004	0.004	0.1	0
Triticonazole	0.008	0.008	18	18	0	0	0.004	0.004	0.004	0.01	0
Vinclozolin	0.002	0.002	18	18	0	0	0.001	0.001	0.001	.	0
Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	0.102	0.102	18	18	0	0	0.051	0.051	0.051	0.05	0
Zoxamide	0.002	0.002	18	18	0	0	0.001	0.001	0.001	0.02	0
alpha-Endosulfan	0.002	0.002	18	18	0	0	0.001	0.001	0.001	.	0
beta-Endosulfan	0.002	0.002	18	18	0	0	0.001	0.001	0.001	.	0
tau-Fluvalinate	0.008	0.008	18	17	1	0	0.014	0.005	0.004	0.1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Oranges Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
2,4-D	0.008	0.008	17	12	5	0	0.270	0.048	0.004	.	0
2,4-D (sum)	0.008	0.008	5	4	1	0	0.014	0.006	0.004	1	0
2-anilino-4-(2-hydroxypropyl)- 6-methylpyrimidin	0.008	0.008	17	17	0	0	0.004	0.004	0.004	.	0
3-Chloroaniline	0.100	0.100	22	22	0	0	0.050	0.050	0.050	.	0
3-hydroxy -carbofuran	0.002	0.002	22	22	0	0	0.001	0.001	0.001	.	0
Abamectin (sum)	0.040	0.040	22	22	0	0	0.020	0.020	0.020	0.01	0
Acephate	0.100	0.100	22	22	0	0	0.050	0.050	0.050	0.02	0
Acetamiprid	0.002	0.002	22	22	0	0	0.001	0.001	0.001	1	0
Acrinathrin	0.008	0.008	22	22	0	0	0.004	0.004	0.004	0.2	0
Aldicarb	0.008	0.008	22	22	0	0	0.004	0.004	0.004	.	0
Aldicarb (sum)	0.018	0.018	22	22	0	0	0.009	0.009	0.009	0.02	0
Aldicarb-Sulfone	0.002	0.002	22	22	0	0	0.001	0.001	0.001	.	0
Aldicarb-Sulfoxide	0.008	0.008	22	22	0	0	0.004	0.004	0.004	.	0
Azinphos-methyl	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.05	0
Azoxystrobin	0.002	0.002	22	22	0	0	0.001	0.001	0.001	15	0
Bifenthrin	0.008	0.008	22	22	0	0	0.004	0.004	0.004	0.1	0
Bitertanol	0.008	0.008	22	22	0	0	0.004	0.004	0.004	0.05	0
Boscalid	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.05	0
Bromide ion	5.000	5.000	12	12	0	0	2.500	2.500	2.500	30	0
Bromopropylate	0.002	0.002	22	22	0	0	0.001	0.001	0.001	2	0
Bromuconazole (sum)	0.008	0.008	22	22	0	0	0.004	0.004	0.004	0.05	0
Bupirimate	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.05	0
Buprofezin	0.002	0.002	22	21	1	0	0.002	0.001	0.001	1	0
Captan	0.040	0.040	22	22	0	0	0.020	0.020	0.020	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Oranges Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Carbaryl	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.05	0
Carbendazim	0.008	0.008	22	21	1	0	0.041	0.006	0.004	.	0
Carbendazim and benomyl	0.008	0.008	22	21	1	0	0.041	0.006	0.004	0.5	0
Carbofuran	0.002	0.002	22	22	0	0	0.001	0.001	0.001	.	0
Carbofuran (sum)	0.004	0.004	22	22	0	0	0.002	0.002	0.002	0.3	0
Carbosulfan	0.008	0.008	22	22	0	0	0.004	0.004	0.004	0.05	0
Chlorfenapyr	0.010	0.010	22	22	0	0	0.005	0.005	0.005	0.05	0
Chlorfenvinphos	0.040	0.040	22	22	0	0	0.020	0.020	0.020	0.02	0
Chlorothalonil	0.008	0.008	22	22	0	0	0.004	0.004	0.004	0.01	0
Chlorpropham (sum)	0.108	0.140	22	22	0	0	0.070	0.066	0.070	0.05	0
Chlorpyrifos	0.002	0.002	22	9	13	0	0.300	0.046	0.009	0.3	0
Chlorpyrifos-methyl	0.002	0.002	22	20	2	0	0.046	0.004	0.001	0.5	0
Clofentezine	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.5	0
Clothianidin	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.1	0
Cyfluthrin (sum)	0.040	0.040	22	22	0	0	0.020	0.020	0.020	0.02	0
Cypermethrin (sum)	0.040	0.040	22	22	0	0	0.020	0.020	0.020	2	0
Cyproconazole	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.05	0
Cyprodinil	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.05	0
DMST	0.008	0.008	22	22	0	0	0.004	0.004	0.004	.	0
Deltamethrin	0.040	0.040	22	22	0	0	0.020	0.020	0.020	0.05	0
Demeton-S-Methylsulfone	0.002	0.002	22	22	0	0	0.001	0.001	0.001	.	0
Desmethyl Pirimicarb	0.002	0.002	22	22	0	0	0.001	0.001	0.001	.	0
Diazinon	0.008	0.008	22	22	0	0	0.004	0.004	0.004	0.01	0
Dichlofluanid	0.008	0.008	22	22	0	0	0.004	0.004	0.004	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Oranges Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Dichloroaniline, 3,5-	0.100	0.100	22	22	0	0	0.050	0.050	0.050	.	0
Dichlorvos	0.100	0.100	22	22	0	0	0.050	0.050	0.050	0.01	0
Dicloran	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.1	0
Dicofol (sum)	0.100	0.100	22	22	0	0	0.050	0.050	0.050	2	0
Difenoconazole	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.1	0
Dimethoate	0.002	0.002	22	22	0	0	0.001	0.001	0.001	.	0
Dimethoate (sum)	0.004	0.004	22	22	0	0	0.002	0.002	0.002	0.02	0
Dimethomorph	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.05	0
Diphenylamine	0.008	0.008	22	22	0	0	0.004	0.004	0.004	0.05	0
Dithiocarbamates	0.030	0.030	15	14	1	0	0.070	0.019	0.015	5	0
EPN	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.01	0
Endosulfan (sum)	0.006	0.006	22	22	0	0	0.003	0.003	0.003	0.05	0
Endosulfansulfate	0.002	0.002	22	22	0	0	0.001	0.001	0.001	.	0
Epoxiconazole	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.05	0
Ethion	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.01	0
Ethoprophos	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.02	0
Etofenprox	0.002	0.002	22	22	0	0	0.001	0.001	0.001	1	0
Fenamiphos	0.002	0.002	22	22	0	0	0.001	0.001	0.001	.	0
Fenamiphos (sum)	0.006	0.006	22	22	0	0	0.003	0.003	0.003	0.02	0
Fenamiphos-Sulfon	0.002	0.002	22	22	0	0	0.001	0.001	0.001	.	0
Fenamiphos-Sulfoxid	0.002	0.002	22	22	0	0	0.001	0.001	0.001	.	0
Fenarimol	0.008	0.008	22	22	0	0	0.004	0.004	0.004	0.02	0
Fenazaquin	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.5	0
Fenbuconazole	0.002	0.002	22	22	0	0	0.001	0.001	0.001	1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Oranges Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Fenhexamid	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.05	0
Fenitrothion	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.01	0
Fenoxycarb	0.002	0.002	22	22	0	0	0.001	0.001	0.001	2	0
Fenpropathrin	0.002	0.002	22	22	0	0	0.001	0.001	0.001	2	0
Fenpropimorph	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.05	0
Fenthion	0.002	0.002	22	22	0	0	0.001	0.001	0.001	.	0
Fenthion (sum)	0.024	0.024	22	22	0	0	0.012	0.012	0.012	3	0
Fenthion oxon sulfone	0.002	0.002	21	21	0	0	0.001	0.001	0.001	.	0
Fenthion-Oxon	0.002	0.002	21	21	0	0	0.001	0.001	0.001	.	0
Fenthion-Oxonsulfoxide	0.002	0.002	21	21	0	0	0.001	0.001	0.001	.	0
Fenthion-Sulfon	0.008	0.008	22	22	0	0	0.004	0.004	0.004	.	0
Fenthion-Sulfoxide	0.008	0.008	22	22	0	0	0.004	0.004	0.004	.	0
Fipronil	0.002	0.002	22	22	0	0	0.001	0.001	0.001	.	0
Fipronil (sum)	0.010	0.010	22	22	0	0	0.005	0.005	0.005	0.005	0
Fipronil-Sulfone	0.008	0.008	17	17	0	0	0.004	0.004	0.004	.	0
Fluazifop (free acid)	0.002	0.002	22	22	0	0	0.001	0.001	0.001	.	0
Fluazifop-P-butyl (sum)	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.1	0
Fludioxonil	0.002	0.002	22	21	1	0	0.012	0.002	0.001	7	0
Flufenoxuron	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.3	0
Fluquinconazole	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.05	0
Flusilazole	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.1	0
Flutriafol	0.008	0.008	22	22	0	0	0.004	0.004	0.004	0.2	0
Folpet	0.008	0.008	22	22	0	0	0.004	0.004	0.004	0.02	0
Formetanate	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Oranges Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Fosthiazate	0.002	0.002	21	21	0	0	0.001	0.001	0.001	0.02	0
Haloxypop	0.002	0.002	22	22	0	0	0.001	0.001	0.001	.	0
Haloxypop including haloxypop-R	0.004	0.004	22	22	0	0	0.002	0.002	0.002	0.05	0
Hexaconazole	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.02	0
Hexythiazox	0.002	0.002	22	20	2	0	0.014	0.002	0.001	1	0
Imazalil	0.002	0.002	22	4	18	0	2.300	0.523	0.375	5	0
Imidacloprid	0.002	0.002	22	18	4	0	0.170	0.014	0.001	1	0
Indoxacarb as sum of the isomers S and R	0.008	0.008	22	22	0	0	0.004	0.004	0.004	0.02	0
Iprodione	0.040	0.040	22	22	0	0	0.020	0.020	0.020	0.02	0
Iprovalicarb	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.05	0
Kresoxim-methyl	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.05	0
Lambda-Cyhalothrin	0.008	0.008	22	22	0	0	0.004	0.004	0.004	0.2	0
Linuron	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.05	0
Lufenuron	0.002	0.002	22	22	0	0	0.001	0.001	0.001	1	0
Malaoxon	0.002	0.002	22	22	0	0	0.001	0.001	0.001	.	0
Malathion	0.002	0.002	22	20	2	0	0.017	0.002	0.001	.	0
Malathion (sum of malathion and malaoxon expressed as malathion)	0.003	0.004	22	20	2	0	0.017	0.003	0.002	7	0
Mepanipyrim	0.002	0.002	22	22	0	0	0.001	0.001	0.001	.	0
Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine) expressed as mepanipyrim)	0.010	0.010	22	22	0	0	0.005	0.005	0.005	0.1	0
Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.5	0
Metconazole	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.02	0
Methamidophos	0.008	0.008	22	22	0	0	0.004	0.004	0.004	0.01	0
Methidathion	0.002	0.002	22	22	0	0	0.001	0.001	0.001	5	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Oranges Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Methiocarb	0.002	0.002	22	22	0	0	0.001	0.001	0.001	.	0
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.006	0.006	22	22	0	0	0.003	0.003	0.003	0.1	0
Methiocarb-Sulfon	0.002	0.002	22	22	0	0	0.001	0.001	0.001	.	0
Methiocarb-Sulfoxid	0.002	0.002	22	22	0	0	0.001	0.001	0.001	.	0
Methomyl	0.008	0.008	22	22	0	0	0.004	0.004	0.004	.	0
Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	22	22	0	0	0.005	0.005	0.005	0.02	0
Methoxyfenozide	0.002	0.002	22	22	0	0	0.001	0.001	0.001	1	0
Monocrotophos	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.01	0
Myclobutanil	0.008	0.008	22	22	0	0	0.004	0.004	0.004	3	0
Omethoate	0.002	0.002	22	22	0	0	0.001	0.001	0.001	.	0
Oxadixyl	0.008	0.008	22	22	0	0	0.004	0.004	0.004	0.01	0
Oxamyl	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.01	0
Oxydemeton-methyl	0.002	0.002	22	22	0	0	0.001	0.001	0.001	.	0
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0.004	0.004	22	22	0	0	0.002	0.002	0.002	0.02	0
Paclobutrazol	0.008	0.008	22	22	0	0	0.004	0.004	0.004	0.5	0
Paraoxon-Methyl	0.040	0.040	22	22	0	0	0.020	0.020	0.020	.	0
Parathion	0.008	0.008	22	22	0	0	0.004	0.004	0.004	0.05	0
Parathion-methyl	0.040	0.040	22	22	0	0	0.020	0.020	0.020	.	0
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.080	0.080	22	22	0	0	0.040	0.040	0.040	0.02	0
Penconazole	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.05	0
Pencycuron	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.05	0
Pendimethalin	0.008	0.008	22	22	0	0	0.004	0.004	0.004	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Oranges Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Phenthoate	0.008	0.008	22	22	0	0	0.004	0.004	0.004	0.01	0
Phosalone	0.008	0.008	22	22	0	0	0.004	0.004	0.004	0.05	0
Phosmet	0.040	0.040	22	22	0	0	0.020	0.020	0.020	.	0
Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.042	0.042	22	22	0	0	0.021	0.021	0.021	0.2	0
Phosmet oxon	0.002	0.002	21	21	0	0	0.001	0.001	0.001	.	0
Phoxim	0.008	0.008	22	22	0	0	0.004	0.004	0.004	0.01	0
Pirimicarb	0.002	0.002	22	22	0	0	0.001	0.001	0.001	.	0
Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.004	0.004	22	22	0	0	0.002	0.002	0.002	3	0
Pirimiphos-methyl	0.008	0.008	22	22	0	0	0.004	0.004	0.004	1	0
Prochloraz	0.002	0.002	17	17	0	0	0.001	0.001	0.001	.	0
Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0.002	0.002	5	5	0	0	0.001	0.001	0.001	10	0
Procymidone	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.02	0
Profenofos	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.05	0
Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.1	0
Propargite	0.008	0.008	22	22	0	0	0.004	0.004	0.004	3	0
Propiconazole	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.05	0
Propyzamide	0.008	0.008	22	22	0	0	0.004	0.004	0.004	0.02	0
Prothioconazole (prothioconazole-desthio)	0.048	0.048	22	22	0	0	0.024	0.024	0.024	.	0
Pyraclostrobin	0.002	0.002	22	19	3	0	0.028	0.004	0.001	1	0
Pyrethrins	0.040	0.040	22	22	0	0	0.020	0.020	0.020	1	0
Pyridaben	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.5	0
Pyrimethanil	0.002	0.002	22	19	3	0	0.470	0.029	0.001	10	0
Pyriproxyfen	0.002	0.002	22	15	7	0	0.021	0.004	0.001	0.6	0
Quinoxifen	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Oranges Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.008	0.008	22	22	0	0	0.004	0.004	0.004	0.3	0
Spiroxamine	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.05	0
Tebuconazole	0.008	0.008	22	22	0	0	0.004	0.004	0.004	0.05	0
Tebufenozide	0.002	0.002	22	22	0	0	0.001	0.001	0.001	2	0
Tebufenpyrad	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.5	0
Teflubenzuron	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.05	0
Tefluthrin	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.01	0
Tetraconazole	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.02	0
Tetradifon	0.002	0.002	22	22	0	0	0.001	0.001	0.001	2	0
Thiabendazole	0.002	0.002	22	13	9	0	2.400	0.219	0.001	5	0
Thiacloprid	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.02	0
Thiametoxam	0.008	0.008	22	22	0	0	0.004	0.004	0.004	0.2	0
Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.010	22	22	0	0	0.005	0.005	0.005	0.2	0
Thiodicarb	0.002	0.002	22	22	0	0	0.001	0.001	0.001	.	0
Thiophanate-methyl	0.008	0.008	22	22	0	0	0.004	0.004	0.004	6	0
Tolclofos-methyl	0.008	0.008	22	22	0	0	0.004	0.004	0.004	0.05	0
Tolyfluanid	0.008	0.008	22	22	0	0	0.004	0.004	0.004	.	0
Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	0.016	0.016	22	22	0	0	0.008	0.008	0.008	0.05	0
Triadimefon	0.008	0.008	22	22	0	0	0.004	0.004	0.004	.	0
Triadimefon (sum of Triadimefon and Triadimenol)	0.016	0.016	22	22	0	0	0.008	0.008	0.008	0.1	0
Triadimenol	0.008	0.008	22	22	0	0	0.004	0.004	0.004	.	0
Triazophos	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.01	0
Trichlorfon	0.040	0.040	22	22	0	0	0.020	0.020	0.020	0.5	0
Trifloxystrobin	0.002	0.002	22	21	1	0	0.025	0.002	0.001	0.3	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Oranges Treatment=Unprocessed

Compound	Between										
	Min LOQ	Max LOQ	Total	Below LOQ	LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Triflumuron	0.008	0.008	22	22	0	0	0.004	0.004	0.004	1	0
Trifluralin	0.008	0.008	22	22	0	0	0.004	0.004	0.004	0.1	0
Triticonazole	0.008	0.008	22	22	0	0	0.004	0.004	0.004	0.01	0
Vinclozolin	0.002	0.002	22	22	0	0	0.001	0.001	0.001	.	0
Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	0.102	0.102	22	22	0	0	0.051	0.051	0.051	0.05	0
Zoxamide	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.02	0
alpha-Endosulfan	0.002	0.002	22	22	0	0	0.001	0.001	0.001	.	0
beta-Endosulfan	0.002	0.002	22	22	0	0	0.001	0.001	0.001	.	0
tau-Fluvalinate	0.008	0.008	22	22	0	0	0.004	0.004	0.004	0.1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Pears Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
2,4-D	0.008	0.008	20	20	0	0	0.004	0.004	0.004	.	0
2,4-D (sum)	0.008	0.008	2	2	0	0	0.004	0.004	0.004	0.05	0
2-anilino-4-(2-hydroxypropyl)- 6-methylpyrimidin	0.008	0.008	20	20	0	0	0.004	0.004	0.004	.	0
3-Chloroaniline	0.100	0.100	22	22	0	0	0.050	0.050	0.050	.	0
3-hydroxy -carbofuran	0.002	0.002	22	22	0	0	0.001	0.001	0.001	.	0
Abamectin (sum)	0.040	0.040	22	22	0	0	0.020	0.020	0.020	0.01	0
Acephate	0.100	0.100	22	22	0	0	0.050	0.050	0.050	0.02	0
Acetamiprid	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.1	0
Acrinathrin	0.008	0.008	22	22	0	0	0.004	0.004	0.004	0.1	0
Aldicarb	0.008	0.008	22	22	0	0	0.004	0.004	0.004	.	0
Aldicarb (sum)	0.018	0.018	22	22	0	0	0.009	0.009	0.009	0.02	0
Aldicarb-Sulfone	0.002	0.002	22	22	0	0	0.001	0.001	0.001	.	0
Aldicarb-Sulfoxide	0.008	0.008	22	22	0	0	0.004	0.004	0.004	.	0
Amitraz (sum)	0.001	0.010	23	23	0	0	0.005	0.002	0.001	0.05	0
	0.001	0.001	1	1	0	0	0.001	0.001	0.001	0.001	0
Azinphos-methyl	0.002	0.002	22	21	1	0	0.012	0.002	0.001	0.05	0
Azoxystrobin	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.05	0
Bifenthrin	0.008	0.008	22	22	0	0	0.004	0.004	0.004	0.3	0
Bitertanol	0.008	0.008	22	22	0	0	0.004	0.004	0.004	2	0
Boscalid	0.002	0.002	22	15	7	0	0.120	0.020	0.001	2	0
Bromide ion	5.000	5.000	12	12	0	0	2.500	2.500	2.500	20	0
Bromopropylate	0.002	0.002	22	22	0	0	0.001	0.001	0.001	2	0
Bromuconazole (sum)	0.008	0.008	22	22	0	0	0.004	0.004	0.004	0.05	0
Bupirimate	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.2	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Pears Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Buprofezin	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.5	0
Carbaryl	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.05	0
Carbendazim	0.008	0.008	22	22	0	0	0.004	0.004	0.004	.	0
Carbendazim and benomyl	0.008	0.008	22	22	0	0	0.004	0.004	0.004	0.2	0
Carbofuran	0.002	0.002	22	22	0	0	0.001	0.001	0.001	.	0
Carbofuran (sum)	0.004	0.004	22	22	0	0	0.002	0.002	0.002	0.02	0
Carbosulfan	0.008	0.008	22	22	0	0	0.004	0.004	0.004	0.05	0
Chlorfenapyr	0.010	0.010	22	22	0	0	0.005	0.005	0.005	0.05	0
Chlorfenvinphos	0.040	0.040	22	22	0	0	0.020	0.020	0.020	0.02	0
Chlormequat	0.020	0.020	12	12	0	0	0.010	0.010	0.010	0.2	0
Chlorothalonil	0.008	0.008	22	22	0	0	0.004	0.004	0.004	1	0
Chlorpropham (sum)	0.108	0.108	22	22	0	0	0.054	0.054	0.054	0.05	0
Chlorpyrifos	0.002	0.002	22	19	3	0	0.021	0.003	0.001	0.5	0
Chlorpyrifos-methyl	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.5	0
Clofentezine	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.5	0
Clothianidin	0.002	0.002	22	20	2	0	0.017	0.002	0.001	0.05	0
Cyfluthrin (sum)	0.040	0.040	22	22	0	0	0.020	0.020	0.020	0.2	0
Cypermethrin (sum)	0.040	0.040	22	22	0	0	0.020	0.020	0.020	1	0
Cyproconazole	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.1	0
Cyprodinil	0.002	0.002	22	15	7	0	0.180	0.034	0.001	1	0
DMST	0.008	0.008	22	22	0	0	0.004	0.004	0.004	.	0
Deltamethrin	0.040	0.040	22	22	0	0	0.020	0.020	0.020	0.1	0
Demeton-S-Methylsulfone	0.002	0.002	22	22	0	0	0.001	0.001	0.001	.	0
Desmethyl Pirimicarb	0.002	0.002	22	22	0	0	0.001	0.001	0.001	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Pears Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Diazinon	0.008	0.008	22	22	0	0	0.004	0.004	0.004	0.01	0
Dichlofluanid	0.008	0.008	22	22	0	0	0.004	0.004	0.004	0.01	0
Dichloroaniline, 3,5-	0.100	0.100	22	22	0	0	0.050	0.050	0.050	.	0
Dichlorvos	0.100	0.100	22	22	0	0	0.050	0.050	0.050	0.01	0
Dicloran	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.1	0
Dicofol (sum)	0.040	0.040	22	22	0	0	0.020	0.020	0.020	0.02	0
Difenoconazole	0.002	0.002	22	17	5	0	0.013	0.002	0.001	0.5	0
Dimethoate	0.002	0.002	22	22	0	0	0.001	0.001	0.001	.	0
Dimethoate (sum)	0.004	0.004	22	22	0	0	0.002	0.002	0.002	0.02	0
Dimethomorph	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.05	0
Diphenylamine	0.008	0.008	22	22	0	0	0.004	0.004	0.004	10	0
Dithiocarbamates	0.030	0.030	17	10	7	0	0.400	0.059	0.015	5	0
EPN	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.01	0
Endosulfan (sum)	0.006	0.006	22	22	0	0	0.003	0.003	0.003	0.3	0
Endosulfansulfate	0.002	0.002	22	22	0	0	0.001	0.001	0.001	.	0
Epoxiconazole	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.05	0
Ethion	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.01	0
Ethoprophos	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.02	0
Etofenprox	0.002	0.002	22	22	0	0	0.001	0.001	0.001	1	0
Fenamiphos	0.002	0.002	22	22	0	0	0.001	0.001	0.001	.	0
Fenamiphos (sum)	0.006	0.006	22	22	0	0	0.003	0.003	0.003	0.02	0
Fenamiphos-Sulfon	0.002	0.002	22	22	0	0	0.001	0.001	0.001	.	0
Fenamiphos-Sulfoxid	0.002	0.002	22	22	0	0	0.001	0.001	0.001	.	0
Fenarimol	0.008	0.008	22	22	0	0	0.004	0.004	0.004	0.3	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Pears Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Fenazaquin	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.1	0
Fenbuconazole	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.2	0
Fenhexamid	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.05	0
Fenitrothion	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.01	0
Fenoxycarb	0.002	0.002	22	20	2	0	0.022	0.002	0.001	1	0
Fenpropathrin	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.01	0
Fenpropimorph	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.05	0
Fenthion	0.002	0.002	22	22	0	0	0.001	0.001	0.001	.	0
Fenthion (sum)	0.024	0.024	22	22	0	0	0.012	0.012	0.012	0.01	0
Fenthion oxon sulfone	0.002	0.002	22	22	0	0	0.001	0.001	0.001	.	0
Fenthion-Oxon	0.002	0.002	22	22	0	0	0.001	0.001	0.001	.	0
Fenthion-Oxonsulfoxide	0.002	0.002	22	22	0	0	0.001	0.001	0.001	.	0
Fenthion-Sulfon	0.008	0.008	22	22	0	0	0.004	0.004	0.004	.	0
Fenthion-Sulfoxide	0.008	0.008	22	22	0	0	0.004	0.004	0.004	.	0
Fipronil	0.002	0.002	22	22	0	0	0.001	0.001	0.001	.	0
Fipronil (sum)	0.010	0.010	22	22	0	0	0.005	0.005	0.005	0.005	0
Fipronil-Sulfone	0.008	0.008	20	20	0	0	0.004	0.004	0.004	.	0
Fluazifop (free acid)	0.002	0.002	22	22	0	0	0.001	0.001	0.001	.	0
Fluazifop-P-butyl (sum)	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.2	0
Fludioxonil	0.002	0.002	22	16	6	0	0.130	0.020	0.001	5	0
Flufenoxuron	0.002	0.002	22	20	2	0	0.013	0.002	0.001	0.5	0
Fluquinconazole	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.2	0
Flusilazole	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.02	0
Flutriafol	0.008	0.008	22	22	0	0	0.004	0.004	0.004	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Pears Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Formetanate	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.05	0
Fosthiazate	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.02	0
Haloxypop	0.002	0.002	22	22	0	0	0.001	0.001	0.001	.	0
Haloxypop including haloxypop-R	0.004	0.004	22	22	0	0	0.002	0.002	0.002	0.05	0
Hexaconazole	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.1	0
Hexythiazox	0.002	0.002	22	22	0	0	0.001	0.001	0.001	1	0
Imazalil	0.002	0.002	22	22	0	0	0.001	0.001	0.001	2	0
Imidacloprid	0.002	0.002	22	21	1	0	0.098	0.005	0.001	0.5	0
Indoxacarb as sum of the isomers S and R	0.008	0.008	22	18	4	0	0.027	0.006	0.004	0.3	0
Iprodione	0.040	0.040	22	21	1	0	0.117	0.024	0.020	5	0
Iprovalicarb	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.05	0
Kresoxim-methyl	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.2	0
Lambda-Cyhalothrin	0.008	0.008	22	21	1	0	0.011	0.004	0.004	0.1	0
Linuron	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.05	0
Lufenuron	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.5	0
Malaoxon	0.002	0.002	22	22	0	0	0.001	0.001	0.001	.	0
Malathion	0.002	0.002	22	22	0	0	0.001	0.001	0.001	.	0
Malathion (sum of malathion and malaoxon expressed as malathion)	0.004	0.004	22	22	0	0	0.002	0.002	0.002	0.5	0
Mepanipyrim	0.002	0.002	22	22	0	0	0.001	0.001	0.001	.	0
Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine) expressed as mepanipyrim)	0.010	0.010	22	22	0	0	0.005	0.005	0.005	0.01	0
Mepiquat	0.020	0.020	12	12	0	0	0.010	0.010	0.010	0.05	0
Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.002	0.002	22	22	0	0	0.001	0.001	0.001	1	0
Metconazole	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Pears Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Methamidophos	0.008	0.008	22	22	0	0	0.004	0.004	0.004	0.01	0
Methidathion	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.05	0
Methiocarb	0.002	0.002	22	22	0	0	0.001	0.001	0.001	.	0
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.006	0.006	22	22	0	0	0.003	0.003	0.003	0.1	0
Methiocarb-Sulfon	0.002	0.002	22	22	0	0	0.001	0.001	0.001	.	0
Methiocarb-Sulfoxid	0.002	0.002	22	22	0	0	0.001	0.001	0.001	.	0
Methomyl	0.008	0.008	22	22	0	0	0.004	0.004	0.004	.	0
Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	22	22	0	0	0.005	0.005	0.005	0.02	0
Methoxyfenozide	0.002	0.002	22	20	2	0	0.051	0.004	0.001	2	0
Monocrotophos	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.01	0
Myclobutanil	0.008	0.008	22	22	0	0	0.004	0.004	0.004	0.5	0
Omethoate	0.002	0.002	22	22	0	0	0.001	0.001	0.001	.	0
Oxadixyl	0.008	0.008	22	22	0	0	0.004	0.004	0.004	0.01	0
Oxamyl	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.01	0
Oxydemeton-methyl	0.002	0.002	22	22	0	0	0.001	0.001	0.001	.	0
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0.004	0.004	22	22	0	0	0.002	0.002	0.002	0.02	0
Paclobutrazol	0.008	0.008	22	22	0	0	0.004	0.004	0.004	0.5	0
Paraoxon-Methyl	0.008	0.008	22	22	0	0	0.004	0.004	0.004	.	0
Parathion	0.008	0.008	22	22	0	0	0.004	0.004	0.004	0.05	0
Parathion-methyl	0.008	0.008	22	22	0	0	0.004	0.004	0.004	.	0
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.016	0.016	22	22	0	0	0.008	0.008	0.008	0.02	0
Penconazole	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.2	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Pears Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Pencycuron	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.05	0
Pendimethalin	0.008	0.008	22	22	0	0	0.004	0.004	0.004	0.05	0
Phenthoate	0.008	0.008	22	22	0	0	0.004	0.004	0.004	0.01	0
Phosalone	0.008	0.008	22	22	0	0	0.004	0.004	0.004	0.05	0
Phosmet	0.002	0.002	22	22	0	0	0.001	0.001	0.001	.	0
Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.004	0.004	22	22	0	0	0.002	0.002	0.002	0.2	0
Phosmet oxon	0.002	0.002	22	22	0	0	0.001	0.001	0.001	.	0
Phoxim	0.008	0.008	22	22	0	0	0.004	0.004	0.004	0.01	0
Pirimicarb	0.002	0.002	22	22	0	0	0.001	0.001	0.001	.	0
Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.004	0.004	22	22	0	0	0.002	0.002	0.002	2	0
Pirimiphos-methyl	0.008	0.008	22	22	0	0	0.004	0.004	0.004	0.05	0
Prochloraz	0.002	0.002	20	20	0	0	0.001	0.001	0.001	.	0
Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0.002	0.002	2	2	0	0	0.001	0.001	0.001	0.05	0
Procymidone	0.002	0.002	22	22	0	0	0.001	0.001	0.001	1	0
Profenofos	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.05	0
Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.002	0.002	22	22	0	0	0.001	0.001	0.001	10	0
Propargite	0.008	0.008	22	22	0	0	0.004	0.004	0.004	3	0
Propiconazole	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.05	0
Propyzamide	0.008	0.008	22	22	0	0	0.004	0.004	0.004	0.02	0
Prothioconazole (prothioconazole-desthio)	0.048	0.048	22	22	0	0	0.024	0.024	0.024	.	0
Pyraclostrobin	0.002	0.002	22	18	4	0	0.083	0.012	0.001	0.3	0
Pyrethrins	0.040	0.040	22	22	0	0	0.020	0.020	0.020	1	0
Pyridaben	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.5	0
Pirimethanil	0.002	0.002	22	22	0	0	0.001	0.001	0.001	5	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Pears Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Pyriproxyfen	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.2	0
Quinoxifen	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.02	0
Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.008	0.008	22	22	0	0	0.004	0.004	0.004	1	0
Spiroxamine	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.05	0
Tebuconazole	0.008	0.008	22	22	0	0	0.004	0.004	0.004	1	0
Tebufenozide	0.002	0.002	22	22	0	0	0.001	0.001	0.001	1	0
Tebufenpyrad	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.2	0
Teflubenzuron	0.002	0.002	22	22	0	0	0.001	0.001	0.001	1	0
Tefluthrin	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.05	0
Tetraconazole	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.3	0
Tetradifon	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.02	0
Thiabendazole	0.002	0.002	22	19	3	0	0.230	0.016	0.001	5	0
Thiacloprid	0.002	0.002	22	18	4	0	0.027	0.004	0.001	0.3	0
Thiametoxam	0.008	0.008	22	22	0	0	0.004	0.004	0.004	0.2	0
Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.010	22	21	1	0	0.020	0.006	0.005	0.2	0
Thiodicarb	0.002	0.002	22	22	0	0	0.001	0.001	0.001	.	0
Thiophanate-methyl	0.008	0.008	22	22	0	0	0.004	0.004	0.004	0.5	0
Tolclofos-methyl	0.008	0.008	22	22	0	0	0.004	0.004	0.004	0.05	0
Tolyfluanid	0.008	0.008	22	22	0	0	0.004	0.004	0.004	.	0
Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	0.016	0.016	22	22	0	0	0.008	0.008	0.008	3	0
Triadimefon	0.008	0.008	22	22	0	0	0.004	0.004	0.004	.	0
Triadimefon (sum of Triadimefon and Triadimenol)	0.016	0.016	22	22	0	0	0.008	0.008	0.008	0.1	0
Triadimenol	0.008	0.008	22	22	0	0	0.004	0.004	0.004	.	0
Triazophos	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Pears Treatment=Unprocessed

Compound	Between										
	Min LOQ	Max LOQ	Total	Below LOQ	LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Trichlorfon	0.040	0.040	22	22	0	0	0.020	0.020	0.020	1	0
Trifloxystrobin	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.5	0
Triflumuron	0.008	0.008	22	22	0	0	0.004	0.004	0.004	0.5	0
Trifluralin	0.008	0.008	22	22	0	0	0.004	0.004	0.004	0.1	0
Triticonazole	0.008	0.008	22	22	0	0	0.004	0.004	0.004	0.01	0
Vinclozolin	0.002	0.002	22	22	0	0	0.001	0.001	0.001	.	0
Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	0.102	0.102	22	22	0	0	0.051	0.051	0.051	.	0
Zoxamide	0.002	0.002	22	22	0	0	0.001	0.001	0.001	0.02	0
alpha-Endosulfan	0.002	0.002	22	22	0	0	0.001	0.001	0.001	.	0
beta-Endosulfan	0.002	0.002	22	22	0	0	0.001	0.001	0.001	.	0
tau-Fluvalinate	0.008	0.008	22	22	0	0	0.004	0.004	0.004	0.1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Potatoes Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
2,4-D	0.008	0.008	44	44	0	0	0.004	0.004	0.004	.	0
2,4-D (sum)	0.008	0.008	10	10	0	0	0.004	0.004	0.004	0.05	0
2-anilino-4-(2-hydroxypropyl)- 6-methylpyrimidin	0.008	0.008	44	44	0	0	0.004	0.004	0.004	.	0
3-Chloroaniline	0.100	0.100	54	53	1	0	0.650	0.061	0.050	.	0
3-hydroxy -carbofuran	0.002	0.002	54	54	0	0	0.001	0.001	0.001	.	0
Abamectin (sum)	0.040	0.040	54	54	0	0	0.020	0.020	0.020	0.01	0
Acephate	0.100	0.100	54	54	0	0	0.050	0.050	0.050	0.02	0
Acetamiprid	0.002	0.002	54	54	0	0	0.001	0.001	0.001	0.01	0
Acrinathrin	0.008	0.008	54	54	0	0	0.004	0.004	0.004	0.05	0
Aldicarb	0.008	0.008	54	54	0	0	0.004	0.004	0.004	.	0
Aldicarb (sum)	0.018	0.018	54	54	0	0	0.009	0.009	0.009	0.02	0
Aldicarb-Sulfone	0.002	0.002	54	54	0	0	0.001	0.001	0.001	.	0
Aldicarb-Sulfoxide	0.008	0.008	54	54	0	0	0.004	0.004	0.004	.	0
Azinphos-methyl	0.002	0.002	54	54	0	0	0.001	0.001	0.001	0.05	0
Azoxystrobin	0.002	0.002	54	54	0	0	0.001	0.001	0.001	1	0
Bifenthrin	0.008	0.008	54	54	0	0	0.004	0.004	0.004	0.05	0
Bitertanol	0.008	0.008	54	54	0	0	0.004	0.004	0.004	0.05	0
Boscalid	0.002	0.002	54	54	0	0	0.001	0.001	0.001	0.5	0
Bromide ion	5.000	5.000	11	11	0	0	2.500	2.500	2.500	50	0
Bromopropylate	0.002	0.002	54	54	0	0	0.001	0.001	0.001	0.05	0
Bromuconazole (sum)	0.008	0.008	54	54	0	0	0.004	0.004	0.004	0.05	0
Bupirimate	0.002	0.002	54	54	0	0	0.001	0.001	0.001	0.05	0
Buprofezin	0.002	0.002	54	54	0	0	0.001	0.001	0.001	0.05	0
Captan	0.040	0.040	54	54	0	0	0.020	0.020	0.020	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Potatoes Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Carbaryl	0.002	0.002	54	54	0	0	0.001	0.001	0.001	0.05	0
Carbendazim	0.008	0.008	54	54	0	0	0.004	0.004	0.004	.	0
Carbendazim and benomyl	0.008	0.008	54	54	0	0	0.004	0.004	0.004	0.1	0
Carbofuran	0.002	0.002	54	54	0	0	0.001	0.001	0.001	.	0
Carbofuran (sum)	0.004	0.004	54	54	0	0	0.002	0.002	0.002	0.02	0
Carbosulfan	0.008	0.008	54	54	0	0	0.004	0.004	0.004	0.05	0
Chlorfenapyr	0.010	0.010	54	54	0	0	0.005	0.005	0.005	0.05	0
Chlorfenvinphos	0.040	0.040	54	54	0	0	0.020	0.020	0.020	0.02	0
Chlorothalonil	0.008	0.008	54	54	0	0	0.004	0.004	0.004	0.01	0
Chlorpropham	0.008	0.008	54	44	10	0	4.200	0.265	0.004	10	0
Chlorpyrifos	0.002	0.002	54	53	1	0	0.028	0.002	0.001	0.05	0
Chlorpyrifos-methyl	0.002	0.002	54	54	0	0	0.001	0.001	0.001	0.05	0
Clofentezine	0.002	0.002	54	54	0	0	0.001	0.001	0.001	0.02	0
Clothianidin	0.002	0.002	54	54	0	0	0.001	0.001	0.001	0.05	0
Cyfluthrin (sum)	0.040	0.040	54	54	0	0	0.020	0.020	0.020	0.04	0
Cypermethrin (sum)	0.040	0.040	54	54	0	0	0.020	0.020	0.020	0.05	0
Cyproconazole	0.002	0.002	54	54	0	0	0.001	0.001	0.001	0.05	0
Cyprodinil	0.002	0.002	54	54	0	0	0.001	0.001	0.001	0.05	0
DMST	0.008	0.008	54	54	0	0	0.004	0.004	0.004	.	0
Deltamethrin	0.040	0.040	54	54	0	0	0.020	0.020	0.020	0.05	0
Demeton-S-Methylsulfone	0.002	0.002	54	54	0	0	0.001	0.001	0.001	.	0
Desmethyl Pirimicarb	0.002	0.002	54	54	0	0	0.001	0.001	0.001	.	0
Diazinon	0.008	0.008	54	54	0	0	0.004	0.004	0.004	0.01	0
Dichlofluanid	0.008	0.008	54	54	0	0	0.004	0.004	0.004	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Potatoes Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Dichloroaniline, 3,5-	0.100	0.100	54	54	0	0	0.050	0.050	0.050	.	0
Dichlorvos	0.100	0.100	54	54	0	0	0.050	0.050	0.050	0.01	0
Dicloran	0.002	0.002	54	54	0	0	0.001	0.001	0.001	0.1	0
Dicofol (sum)	0.040	0.040	54	54	0	0	0.020	0.020	0.020	0.02	0
Difenoconazole	0.002	0.002	54	54	0	0	0.001	0.001	0.001	0.1	0
Dimethoate	0.002	0.002	54	54	0	0	0.001	0.001	0.001	.	0
Dimethoate (sum)	0.004	0.004	54	54	0	0	0.002	0.002	0.002	0.02	0
Dimethomorph	0.002	0.002	54	53	1	0	0.005	0.001	0.001	0.5	0
Diphenylamine	0.008	0.008	54	54	0	0	0.004	0.004	0.004	0.05	0
Dithiocarbamates	0.030	0.030	18	17	1	0	0.040	0.016	0.015	0.3	0
EPN	0.002	0.002	54	54	0	0	0.001	0.001	0.001	0.01	0
Endosulfan (sum)	0.006	0.006	54	54	0	0	0.003	0.003	0.003	0.05	0
Endosulfansulfate	0.002	0.002	54	54	0	0	0.001	0.001	0.001	.	0
Epoxiconazole	0.002	0.002	54	54	0	0	0.001	0.001	0.001	0.05	0
Ethion	0.002	0.002	54	54	0	0	0.001	0.001	0.001	0.01	0
Ethoprophos	0.002	0.002	54	54	0	0	0.001	0.001	0.001	0.05	0
Etofenprox	0.002	0.002	54	54	0	0	0.001	0.001	0.001	0.5	0
Fenamiphos	0.002	0.002	54	54	0	0	0.001	0.001	0.001	.	0
Fenamiphos (sum)	0.006	0.006	54	54	0	0	0.003	0.003	0.003	0.02	0
Fenamiphos-Sulfon	0.002	0.002	54	54	0	0	0.001	0.001	0.001	.	0
Fenamiphos-Sulfoxid	0.002	0.002	54	54	0	0	0.001	0.001	0.001	.	0
Fenarimol	0.008	0.008	54	54	0	0	0.004	0.004	0.004	0.02	0
Fenazaquin	0.002	0.002	54	54	0	0	0.001	0.001	0.001	0.01	0
Fenbuconazole	0.002	0.002	54	54	0	0	0.001	0.001	0.001	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Potatoes Treatment=Unprocessed

Compound	Between										
	Min LOQ	Max LOQ	Total	Below LOQ	LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Fenhexamid	0.002	0.002	54	54	0	0	0.001	0.001	0.001	0.05	0
Fenitrothion	0.002	0.002	54	54	0	0	0.001	0.001	0.001	0.01	0
Fenoxycarb	0.002	0.002	54	54	0	0	0.001	0.001	0.001	0.05	0
Fenpropathrin	0.002	0.002	54	54	0	0	0.001	0.001	0.001	0.01	0
Fenpropimorph	0.002	0.002	54	54	0	0	0.001	0.001	0.001	0.05	0
Fenthion	0.002	0.002	54	54	0	0	0.001	0.001	0.001	.	0
Fenthion (sum)	0.024	0.024	54	54	0	0	0.012	0.012	0.012	0.01	0
Fenthion oxon sulfone	0.002	0.002	52	52	0	0	0.001	0.001	0.001	.	0
Fenthion-Oxon	0.002	0.002	52	52	0	0	0.001	0.001	0.001	.	0
Fenthion-Oxonsulfoxide	0.002	0.002	52	52	0	0	0.001	0.001	0.001	.	0
Fenthion-Sulfon	0.008	0.008	54	54	0	0	0.004	0.004	0.004	.	0
Fenthion-Sulfoxide	0.008	0.008	54	54	0	0	0.004	0.004	0.004	.	0
Fipronil	0.002	0.002	54	54	0	0	0.001	0.001	0.001	.	0
Fipronil (sum)	0.010	0.010	54	54	0	0	0.005	0.005	0.005	0.01	0
Fipronil-Sulfone	0.008	0.008	44	44	0	0	0.004	0.004	0.004	.	0
Fluazifop (free acid)	0.002	0.002	54	54	0	0	0.001	0.001	0.001	.	0
Fluazifop-P-butyl (sum)	0.002	0.002	54	54	0	0	0.001	0.001	0.001	0.1	0
Fludioxonil	0.002	0.002	54	54	0	0	0.001	0.001	0.001	1	0
Flufenoxuron	0.002	0.002	54	54	0	0	0.001	0.001	0.001	0.05	0
Fluquinconazole	0.002	0.002	54	54	0	0	0.001	0.001	0.001	0.05	0
Flusilazole	0.002	0.002	54	54	0	0	0.001	0.001	0.001	0.02	0
Flutriafol	0.008	0.008	54	54	0	0	0.004	0.004	0.004	0.2	0
Folpet	0.008	0.008	54	54	0	0	0.004	0.004	0.004	0.1	0
Formetanate	0.002	0.002	54	54	0	0	0.001	0.001	0.001	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Potatoes Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Fosthiazate	0.002	0.002	52	51	1	0	0.012	0.001	0.001	0.02	0
Haloxypop	0.002	0.002	54	53	1	0	0.028	0.002	0.001	.	0
Haloxypop including haloxypop-R	0.004	0.004	54	54	0	0	0.002	0.002	0.002	0.1	0
Hexaconazole	0.002	0.002	54	54	0	0	0.001	0.001	0.001	0.02	0
Hexythiazox	0.002	0.002	54	54	0	0	0.001	0.001	0.001	0.05	0
Imazalil	0.002	0.002	54	52	2	0	0.500	0.010	0.001	3	0
Imidacloprid	0.002	0.002	54	51	3	0	0.010	0.001	0.001	0.5	0
Indoxacarb as sum of the isomers S and R	0.008	0.008	54	54	0	0	0.004	0.004	0.004	0.02	0
Iprodione	0.040	0.040	54	54	0	0	0.020	0.020	0.020	0.02	0
Iprovalicarb	0.002	0.002	54	54	0	0	0.001	0.001	0.001	0.05	0
Kresoxim-methyl	0.002	0.002	54	54	0	0	0.001	0.001	0.001	0.05	0
Lambda-Cyhalothrin	0.008	0.008	54	54	0	0	0.004	0.004	0.004	0.02	0
Linuron	0.002	0.002	54	54	0	0	0.001	0.001	0.001	0.05	0
Lufenuron	0.002	0.002	54	54	0	0	0.001	0.001	0.001	0.05	0
Malaoxon	0.002	0.002	54	54	0	0	0.001	0.001	0.001	.	0
Malathion	0.002	0.002	54	54	0	0	0.001	0.001	0.001	.	0
Malathion (sum of malathion and malaoxon expressed as malathion)	0.004	0.004	54	54	0	0	0.002	0.002	0.002	0.02	0
Mepanipyrim	0.002	0.002	54	54	0	0	0.001	0.001	0.001	.	0
Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine) expressed as mepanipyrim)	0.010	0.010	54	54	0	0	0.005	0.005	0.005	0.01	0
Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.002	0.002	54	51	3	0	0.015	0.001	0.001	0.05	0
Metconazole	0.002	0.002	54	54	0	0	0.001	0.001	0.001	0.02	0
Methamidophos	0.008	0.008	54	54	0	0	0.004	0.004	0.004	0.01	0
Methidathion	0.002	0.002	54	54	0	0	0.001	0.001	0.001	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Potatoes Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Methiocarb	0.002	0.002	54	54	0	0	0.001	0.001	0.001	.	0
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.006	0.006	54	54	0	0	0.003	0.003	0.003	0.1	0
Methiocarb-Sulfon	0.002	0.002	54	54	0	0	0.001	0.001	0.001	.	0
Methiocarb-Sulfoxid	0.002	0.002	54	54	0	0	0.001	0.001	0.001	.	0
Methomyl	0.008	0.008	54	54	0	0	0.004	0.004	0.004	.	0
Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	54	54	0	0	0.005	0.005	0.005	0.02	0
Methoxyfenozide	0.002	0.002	54	54	0	0	0.001	0.001	0.001	0.02	0
Monocrotophos	0.002	0.002	54	54	0	0	0.001	0.001	0.001	0.01	0
Myclobutanil	0.008	0.008	54	53	1	0	0.015	0.004	0.004	0.02	0
Omethoate	0.002	0.002	54	54	0	0	0.001	0.001	0.001	.	0
Oxadixyl	0.008	0.008	54	54	0	0	0.004	0.004	0.004	0.05	0
Oxamyl	0.002	0.002	54	54	0	0	0.001	0.001	0.001	0.01	0
Oxydemeton-methyl	0.002	0.002	54	54	0	0	0.001	0.001	0.001	.	0
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0.004	0.004	54	54	0	0	0.002	0.002	0.002	0.02	0
Paclobutrazol	0.008	0.008	54	54	0	0	0.004	0.004	0.004	0.02	0
Paraoxon-Methyl	0.008	0.008	54	54	0	0	0.004	0.004	0.004	.	0
Parathion	0.008	0.008	54	54	0	0	0.004	0.004	0.004	0.05	0
Parathion-methyl	0.008	0.008	54	54	0	0	0.004	0.004	0.004	.	0
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.016	0.016	54	54	0	0	0.008	0.008	0.008	0.02	0
Penconazole	0.002	0.002	54	54	0	0	0.001	0.001	0.001	0.05	0
Pencycuron	0.002	0.002	54	53	1	0	0.008	0.001	0.001	0.1	0
Pendimethalin	0.008	0.008	54	54	0	0	0.004	0.004	0.004	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Potatoes Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Phenthoate	0.008	0.008	54	54	0	0	0.004	0.004	0.004	0.01	0
Phosalone	0.008	0.008	54	54	0	0	0.004	0.004	0.004	0.05	0
Phosmet	0.002	0.002	54	54	0	0	0.001	0.001	0.001	.	0
Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.004	0.004	54	54	0	0	0.002	0.002	0.002	0.05	0
Phosmet oxon	0.002	0.002	52	52	0	0	0.001	0.001	0.001	.	0
Phoxim	0.008	0.008	54	54	0	0	0.004	0.004	0.004	0.01	0
Pirimicarb	0.002	0.002	54	54	0	0	0.001	0.001	0.001	.	0
Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.004	0.004	54	54	0	0	0.002	0.002	0.002	0.2	0
Pirimiphos-methyl	0.008	0.008	54	54	0	0	0.004	0.004	0.004	0.05	0
Prochloraz	0.002	0.002	44	44	0	0	0.001	0.001	0.001	.	0
Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.05	0
Procymidone	0.002	0.002	54	54	0	0	0.001	0.001	0.001	0.02	0
Profenofos	0.002	0.002	54	54	0	0	0.001	0.001	0.001	0.05	0
Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.002	0.002	54	44	10	0	0.021	0.002	0.001	0.5	0
Propargite	0.008	0.008	54	54	0	0	0.004	0.004	0.004	0.01	0
Propiconazole	0.002	0.002	54	54	0	0	0.001	0.001	0.001	0.05	0
Propyzamide	0.008	0.008	54	54	0	0	0.004	0.004	0.004	0.02	0
Prothioconazole (prothioconazole-desthio)	0.048	0.048	54	54	0	0	0.024	0.024	0.024	.	0
Pyraclostrobin	0.002	0.002	54	54	0	0	0.001	0.001	0.001	0.02	0
Pyrethrins	0.040	0.040	54	54	0	0	0.020	0.020	0.020	1	0
Pyridaben	0.002	0.002	54	54	0	0	0.001	0.001	0.001	0.05	0
Pyrimethanil	0.002	0.002	54	54	0	0	0.001	0.001	0.001	0.05	0
Pyriproxyfen	0.002	0.002	54	54	0	0	0.001	0.001	0.001	0.05	0
Quinoxifen	0.002	0.002	54	54	0	0	0.001	0.001	0.001	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Potatoes Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.008	0.008	54	54	0	0	0.004	0.004	0.004	0.02	0
Spiroxamine	0.002	0.002	54	54	0	0	0.001	0.001	0.001	0.05	0
Tebuconazole	0.008	0.008	54	54	0	0	0.004	0.004	0.004	0.2	0
Tebufenozide	0.002	0.002	54	54	0	0	0.001	0.001	0.001	0.05	0
Tebufenpyrad	0.002	0.002	54	54	0	0	0.001	0.001	0.001	0.05	0
Teflubenzuron	0.002	0.002	54	54	0	0	0.001	0.001	0.001	0.1	0
Tefluthrin	0.002	0.002	54	54	0	0	0.001	0.001	0.001	0.01	0
Tetraconazole	0.002	0.002	54	54	0	0	0.001	0.001	0.001	0.02	0
Tetradifon	0.002	0.002	54	54	0	0	0.001	0.001	0.001	0.02	0
Thiabendazole	0.002	0.002	54	53	1	0	0.018	0.001	0.001	15	0
Thiacloprid	0.002	0.002	54	54	0	0	0.001	0.001	0.001	0.02	0
Thiametoxam	0.008	0.008	54	54	0	0	0.004	0.004	0.004	0.1	0
Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.010	54	54	0	0	0.005	0.005	0.005	0.1	0
Thiodicarb	0.002	0.002	54	54	0	0	0.001	0.001	0.001	.	0
Thiophanate-methyl	0.008	0.008	54	54	0	0	0.004	0.004	0.004	0.1	0
Tolclofos-methyl	0.008	0.008	54	54	0	0	0.004	0.004	0.004	0.2	0
Tolyfluanid	0.008	0.008	54	54	0	0	0.004	0.004	0.004	.	0
Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	0.016	0.016	54	54	0	0	0.008	0.008	0.008	0.05	0
Triadimefon	0.008	0.008	54	54	0	0	0.004	0.004	0.004	.	0
Triadimefon (sum of Triadimefon and Triadimenol)	0.016	0.016	54	54	0	0	0.008	0.008	0.008	0.1	0
Triadimenol	0.008	0.008	54	54	0	0	0.004	0.004	0.004	.	0
Triazophos	0.002	0.002	54	54	0	0	0.001	0.001	0.001	0.01	0
Trichlorfon	0.040	0.040	54	54	0	0	0.020	0.020	0.020	0.1	0
Trifloxystrobin	0.002	0.002	54	54	0	0	0.001	0.001	0.001	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Potatoes Treatment=Unprocessed

Compound	Between										
	Min LOQ	Max LOQ	Total	Below LOQ	LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Triflumuron	0.008	0.008	54	54	0	0	0.004	0.004	0.004	0.05	0
Trifluralin	0.008	0.008	54	54	0	0	0.004	0.004	0.004	0.1	0
Triticonazole	0.008	0.008	54	54	0	0	0.004	0.004	0.004	0.01	0
Vinclozolin	0.002	0.002	54	54	0	0	0.001	0.001	0.001	.	0
Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	0.102	0.102	54	54	0	0	0.051	0.051	0.051	0.05	0
Zoxamide	0.002	0.002	54	54	0	0	0.001	0.001	0.001	0.02	0
alpha-Endosulfan	0.002	0.002	54	54	0	0	0.001	0.001	0.001	.	0
beta-Endosulfan	0.002	0.002	54	54	0	0	0.001	0.001	0.001	.	0
tau-Fluvalinate	0.008	0.008	54	54	0	0	0.004	0.004	0.004	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Poultry liver Treatment=Unprocessed

Compound	Between										
	Min LOQ	Max LOQ	Total	Below LOQ	LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Azinphos-ethyl	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
Bifenthrin	0.005	0.005	1	1	0	0	0.003	0.003	0.003	0.05	0
Chlorobenzilate	0.030	0.030	1	1	0	0	0.015	0.015	0.015	0.1	0
Chlorpyrifos	0.002	0.002	1	1	0	0	0.001	0.001	0.001	0.05	0
Chlorpyrifos-methyl	0.004	0.004	1	1	0	0	0.002	0.002	0.002	0.05	0
Cypermethrin (sum)	0.005	0.005	1	1	0	0	0.003	0.003	0.003	0.05	0
DDT (sum)	0.001	0.001	1	1	0	0	0.001	0.001	0.001	0.1	0
Deltamethrin	0.005	0.005	1	1	0	0	0.003	0.003	0.003	0.01	0
Diazinon	0.003	0.003	1	1	0	0	0.002	0.002	0.002	0.05	0
Dieldrin	0.001	0.001	1	1	0	0	0.001	0.001	0.001	0.02	0
Endosulfan (sum)	0.001	0.001	1	1	0	0	0.001	0.001	0.001	0.05	0
Endrin	0.000	0.000	1	1	0	0	0.000	0.000	0.000	0.01	0
Fenthion	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Heptachlor	0.001	0.001	1	1	0	0	0.001	0.001	0.001	0.02	0
Hexachlorobenzene	0.001	0.001	1	1	0	0	0.001	0.001	0.001	0.02	0
Hexachlorocyclohexane (HCH), alpha-isomer	0.001	0.001	1	1	0	0	0.001	0.001	0.001	0.02	0
Hexachlorocyclohexane (HCH), beta-isomer	0.001	0.001	1	1	0	0	0.001	0.001	0.001	0.01	0
Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))	0.001	0.001	1	1	0	0	0.001	0.001	0.001	0.01	0
Methidathion	0.020	0.020	1	1	0	0	0.010	0.010	0.010	0.02	0
Methoxychlor	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
Parathion	0.020	0.020	1	1	0	0	0.010	0.010	0.010	0.05	0
Parathion-methyl	0.020	0.020	1	1	0	0	0.010	0.010	0.010	0.02	0
Permethrin (sum of isomers)	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.05	0
Pirimiphos-methyl	0.003	0.003	1	1	0	0	0.002	0.002	0.002	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Poultry liver Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Profenofos	0.020	0.020	1	1	0	0	0.010	0.010	0.010	0.05	0
Pyrazophos	0.020	0.020	1	1	0	0	0.010	0.010	0.010	0.02	0
Quintozene	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0
Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers))	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.1	0
Tecnazene	0.030	0.030	1	1	0	0	0.015	0.015	0.015	0.05	0
Triazophos	0.010	0.010	1	1	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Poultry meat Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Azinphos-ethyl	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.01	0
Bifenthrin	0.005	0.005	8	8	0	0	0.003	0.003	0.003	0.05	0
Chlorobenzilate	0.030	0.030	8	8	0	0	0.015	0.015	0.015	0.1	0
Chlorpyrifos	0.002	0.002	8	8	0	0	0.001	0.001	0.001	0.05	0
Chlorpyrifos-methyl	0.004	0.004	8	8	0	0	0.002	0.002	0.002	0.05	0
Cypermethrin (sum)	0.005	0.005	8	8	0	0	0.003	0.003	0.003	0.05	0
DDT (sum)	0.001	0.001	8	8	0	0	0.001	0.001	0.001	0.1	0
Deltamethrin	0.005	0.005	8	8	0	0	0.003	0.003	0.003	0.01	0
Diazinon	0.003	0.003	8	8	0	0	0.002	0.002	0.002	0.05	0
Dieldrin	0.001	0.001	8	8	0	0	0.001	0.001	0.001	0.02	0
Endosulfan (sum)	0.001	0.001	8	8	0	0	0.001	0.001	0.001	0.05	0
Endrin	0.000	0.000	8	8	0	0	0.000	0.000	0.000	0.01	0
Fenthion	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.05	0
Heptachlor	0.001	0.001	8	8	0	0	0.001	0.001	0.001	0.02	0
Hexachlorobenzene	0.001	0.001	8	8	0	0	0.001	0.001	0.001	0.02	0
Hexachlorocyclohexane (HCH), alpha-isomer	0.001	0.001	8	8	0	0	0.001	0.001	0.001	0.02	0
Hexachlorocyclohexane (HCH), beta-isomer	0.001	0.001	8	8	0	0	0.001	0.001	0.001	0.01	0
Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))	0.001	0.001	8	8	0	0	0.001	0.001	0.001	0.01	0
Methidathion	0.020	0.020	8	8	0	0	0.010	0.010	0.010	0.02	0
Methoxychlor	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.01	0
Parathion	0.020	0.020	8	8	0	0	0.010	0.010	0.010	0.05	0
Parathion-methyl	0.020	0.020	8	8	0	0	0.010	0.010	0.010	0.02	0
Permethrin (sum of isomers)	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.05	0
Pirimiphos-methyl	0.003	0.003	8	8	0	0	0.002	0.002	0.002	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Poultry meat Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Profenofos	0.020	0.020	8	8	0	0	0.010	0.010	0.010	0.05	0
Pyrazophos	0.020	0.020	8	8	0	0	0.010	0.010	0.010	0.02	0
Quintozene	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.01	0
Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers))	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.1	0
Tecnazene	0.030	0.030	8	8	0	0	0.015	0.015	0.015	0.05	0
Triazophos	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Processed cereal-based baby foods Treatment=Processed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
2,4-D	0.008	0.008	8	8	0	0	0.004	0.004	0.004	0.01	0
2,4-D (sum)	0.008	0.008	2	2	0	0	0.004	0.004	0.004	0.01	0
2-anilino-4-(2-hydroxypropyl)- 6-methylpyrimidin	0.008	0.008	8	8	0	0	0.004	0.004	0.004	.	0
3-Chloroaniline	0.100	0.100	10	10	0	0	0.050	0.050	0.050	.	0
3-hydroxy -carbofuran	0.002	0.002	10	10	0	0	0.001	0.001	0.001	.	0
Abamectin (sum)	0.040	0.040	10	10	0	0	0.020	0.020	0.020	.	0
Acephate	0.100	0.100	10	10	0	0	0.050	0.050	0.050	.	0
Acetamiprid	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Acrinathrin	0.008	0.008	10	10	0	0	0.004	0.004	0.004	0.01	0
Aldicarb	0.008	0.008	10	10	0	0	0.004	0.004	0.004	.	0
Aldicarb (sum)	0.018	0.018	10	10	0	0	0.009	0.009	0.009	.	0
Aldicarb-Sulfone	0.002	0.002	10	10	0	0	0.001	0.001	0.001	.	0
Aldicarb-Sulfoxide	0.008	0.008	10	10	0	0	0.004	0.004	0.004	.	0
Aldrin	0.002	0.002	10	10	0	0	0.001	0.001	0.001	.	0
Aldrin and Dieldrin	0.004	0.010	10	10	0	0	0.005	0.003	0.002	.	0
Azinphos-ethyl	0.008	0.008	10	10	0	0	0.004	0.004	0.004	0.01	0
Azinphos-methyl	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Azoxystrobin	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Bifenthrin	0.008	0.008	10	10	0	0	0.004	0.004	0.004	0.01	0
Bitertanol	0.008	0.008	10	10	0	0	0.004	0.004	0.004	0.01	0
Boscalid	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Bromopropylate	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Bromuconazole (sum)	0.008	0.008	10	10	0	0	0.004	0.004	0.004	0.01	0
Bupirimate	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Processed cereal-based baby foods Treatment=Processed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Buprofezin	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Captan	0.040	0.040	10	10	0	0	0.020	0.020	0.020	.	0
Carbaryl	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Carbendazim	0.008	0.008	10	10	0	0	0.004	0.004	0.004	.	0
Carbendazim and benomyl	0.008	0.008	10	10	0	0	0.004	0.004	0.004	0.01	0
Carbofuran	0.002	0.002	10	10	0	0	0.001	0.001	0.001	.	0
Carbofuran (sum)	0.004	0.004	10	10	0	0	0.002	0.002	0.002	0.01	0
Carbosulfan	0.008	0.008	10	10	0	0	0.004	0.004	0.004	0.01	0
Chlorfenapyr	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.01	0
Chlorfenvinphos	0.040	0.040	10	10	0	0	0.020	0.020	0.020	.	0
Chlorothalonil	0.008	0.008	10	10	0	0	0.004	0.004	0.004	0.01	0
Chlorpropham (sum)	0.108	0.108	10	10	0	0	0.054	0.054	0.054	.	0
Chlorpyrifos	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Chlorpyrifos-methyl	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Clofentezine	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Clothianidin	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Cyfluthrin (sum)	0.040	0.040	10	10	0	0	0.020	0.020	0.020	.	0
Cypermethrin (sum)	0.040	0.040	10	10	0	0	0.020	0.020	0.020	.	0
Cyproconazole	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Cyprodinil	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
DDD, p,p-	0.002	0.002	10	10	0	0	0.001	0.001	0.001	.	0
DDE, p,p-	0.002	0.002	10	10	0	0	0.001	0.001	0.001	.	0
DDT (sum)	0.008	0.008	10	10	0	0	0.004	0.004	0.004	0.01	0
DDT, o,p-	0.002	0.002	10	10	0	0	0.001	0.001	0.001	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Processed cereal-based baby foods Treatment=Processed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
DDT, p,p-	0.002	0.002	10	10	0	0	0.001	0.001	0.001	.	0
DMST	0.008	0.008	10	10	0	0	0.004	0.004	0.004	.	0
Deltamethrin	0.040	0.040	10	10	0	0	0.020	0.020	0.020	.	0
Demeton-S-Methyl	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.006	0
Demeton-S-Methyl (sum baby and infant food)	0.006	0.006	10	10	0	0	0.003	0.003	0.003	0.006	0
Demeton-S-Methylsulfone	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.006	0
Desmethyl Pirimicarb	0.002	0.002	10	10	0	0	0.001	0.001	0.001	.	0
Diazinon	0.008	0.008	10	10	0	0	0.004	0.004	0.004	0.01	0
Dichlofluanid	0.008	0.008	10	10	0	0	0.004	0.004	0.004	0.01	0
Dichloroaniline, 3,5-	0.100	0.100	10	10	0	0	0.050	0.050	0.050	.	0
Dichlorvos	0.100	0.100	10	10	0	0	0.050	0.050	0.050	.	0
Dicloran	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Dicofol (sum)	0.040	0.040	10	10	0	0	0.020	0.020	0.020	.	0
Dieldrin	0.002	0.002	10	10	0	0	0.001	0.001	0.001	.	0
Difenoconazole	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Dimethomorph	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Diphenylamine	0.008	0.008	10	10	0	0	0.004	0.004	0.004	0.01	0
Dithiocarbamates	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.01	0
EPN	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Endosulfan (sum)	0.006	0.006	10	10	0	0	0.003	0.003	0.003	0.01	0
Endosulfansulfate	0.002	0.002	10	10	0	0	0.001	0.001	0.001	.	0
Endrin	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.003	0
Epoxiconazole	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Ethion	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Processed cereal-based baby foods Treatment=Processed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Ethoprophos	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.008	0
Etofenprox	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Fenamiphos	0.002	0.002	10	10	0	0	0.001	0.001	0.001	.	0
Fenamiphos (sum)	0.006	0.006	10	10	0	0	0.003	0.003	0.003	0.01	0
Fenamiphos-Sulfon	0.002	0.002	10	10	0	0	0.001	0.001	0.001	.	0
Fenamiphos-Sulfoxid	0.002	0.002	10	10	0	0	0.001	0.001	0.001	.	0
Fenarimol	0.008	0.008	10	10	0	0	0.004	0.004	0.004	0.01	0
Fenazaquin	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Fenbuconazole	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Fenhexamid	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Fenitrothion	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Fenoxycarb	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Fenpropathrin	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Fenpropimorph	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Fenthion	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Fenthion (sum)	0.024	0.024	10	10	0	0	0.012	0.012	0.012	.	0
Fenthion oxon sulfone	0.002	0.002	10	10	0	0	0.001	0.001	0.001	.	0
Fenthion-Oxon	0.002	0.002	10	10	0	0	0.001	0.001	0.001	.	0
Fenthion-Oxonsulfoxide	0.002	0.002	10	10	0	0	0.001	0.001	0.001	.	0
Fenthion-Sulfon	0.008	0.008	10	10	0	0	0.004	0.004	0.004	.	0
Fenthion-Sulfoxide	0.008	0.008	10	10	0	0	0.004	0.004	0.004	.	0
Fipronil	0.002	0.002	10	10	0	0	0.001	0.001	0.001	.	0
Fipronil (sum of fipronil and fipronil-desulfinyl, expressed as fipronil)	0.004	0.004	10	10	0	0	0.002	0.002	0.002	0.004	0
Fipronil-Desulfinyl	0.002	0.002	10	10	0	0	0.001	0.001	0.001	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Processed cereal-based baby foods Treatment=Processed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Fipronil-Sulfone	0.008	0.008	8	8	0	0	0.004	0.004	0.004	.	0
Fluazifop (free acid)	0.002	0.002	10	10	0	0	0.001	0.001	0.001	.	0
Fluazifop-P-butyl (sum)	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Fludioxonil	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Flufenoxuron	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Fluquinconazole	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Flusilazole	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Flutriafol	0.008	0.008	10	10	0	0	0.004	0.004	0.004	0.01	0
Folpet	0.008	0.008	10	10	0	0	0.004	0.004	0.004	0.01	0
Formetanate	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Fosthiazate	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Haloxyfop	0.002	0.002	10	10	0	0	0.001	0.001	0.001	.	0
Haloxyfop including haloxyfop-R	0.006	0.006	10	10	0	0	0.003	0.003	0.003	.	0
Haloxyfop-Ethoxyethylester	0.002	0.002	10	10	0	0	0.001	0.001	0.001	.	0
Haloxyfop-Methyl	0.002	0.002	10	10	0	0	0.001	0.001	0.001	.	0
Heptachlor	0.002	0.002	10	10	0	0	0.001	0.001	0.001	.	0
Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	0.004	0.004	10	10	0	0	0.002	0.002	0.002	.	0
Heptachlor epoxide	0.002	0.002	10	10	0	0	0.001	0.001	0.001	.	0
Hexachlorobenzene	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.003	0
Hexachlorocyclohexane (HCH), alpha-isomer	0.002	0.002	10	10	0	0	0.001	0.001	0.001	.	0
Hexachlorocyclohexane (HCH), beta-isomer	0.002	0.002	10	10	0	0	0.001	0.001	0.001	.	0
Hexaconazole	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Hexythiazox	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Imazalil	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Processed cereal-based baby foods Treatment=Processed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Imidacloprid	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Indoxacarb as sum of the isomers S and R	0.008	0.008	10	10	0	0	0.004	0.004	0.004	0.01	0
Iprodione	0.040	0.040	10	10	0	0	0.020	0.020	0.020	.	0
Iprovalicarb	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Kresoxim-methyl	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Lambda-Cyhalothrin	0.008	0.008	10	10	0	0	0.004	0.004	0.004	0.01	0
Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Linuron	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Lufenuron	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Malaoxon	0.002	0.002	10	10	0	0	0.001	0.001	0.001	.	0
Malathion	0.002	0.002	10	10	0	0	0.001	0.001	0.001	.	0
Malathion (sum of malathion and malaoxon expressed as malathion)	0.004	0.004	10	10	0	0	0.002	0.002	0.002	0.01	0
Mepanipyrim	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine) expressed as mepanipyrim)	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.01	0
Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Metconazole	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Methamidophos	0.008	0.008	10	10	0	0	0.004	0.004	0.004	0.01	0
Methidathion	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Methiocarb	0.002	0.002	10	10	0	0	0.001	0.001	0.001	.	0
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.006	0.006	10	10	0	0	0.003	0.003	0.003	0.01	0
Methiocarb-Sulfon	0.002	0.002	10	10	0	0	0.001	0.001	0.001	.	0
Methiocarb-Sulfoxid	0.002	0.002	10	10	0	0	0.001	0.001	0.001	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Processed cereal-based baby foods Treatment=Processed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Methomyl	0.008	0.008	10	10	0	0	0.004	0.004	0.004	.	0
Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.01	0
Methoxyfenozide	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Monocrotophos	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Myclobutanil	0.008	0.008	10	10	0	0	0.004	0.004	0.004	0.01	0
Omethoate	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.003	0
Oxadixyl	0.008	0.008	10	10	0	0	0.004	0.004	0.004	0.01	0
Oxamyl	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Oxydemeton-methyl	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.006	0
Paclobutrazol	0.008	0.008	10	10	0	0	0.004	0.004	0.004	0.01	0
Paraoxon-Methyl	0.008	0.008	10	10	0	0	0.004	0.004	0.004	.	0
Parathion	0.008	0.008	10	10	0	0	0.004	0.004	0.004	0.01	0
Parathion-methyl	0.008	0.008	10	10	0	0	0.004	0.004	0.004	.	0
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.016	0.016	10	10	0	0	0.008	0.008	0.008	.	0
Penconazole	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Pencycuron	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Pendimethalin	0.008	0.008	10	10	0	0	0.004	0.004	0.004	0.01	0
Pentachloroaniline	0.002	0.002	10	10	0	0	0.001	0.001	0.001	.	0
Permethrin (sum of isomers)	0.008	0.008	10	10	0	0	0.004	0.004	0.004	0.01	0
Phenthoate	0.008	0.008	10	10	0	0	0.004	0.004	0.004	0.01	0
Phosalone	0.008	0.008	10	10	0	0	0.004	0.004	0.004	0.01	0
Phosmet	0.002	0.002	10	10	0	0	0.001	0.001	0.001	.	0
Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.004	0.004	10	10	0	0	0.002	0.002	0.002	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Processed cereal-based baby foods Treatment=Processed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Phosmet oxon	0.002	0.002	10	10	0	0	0.001	0.001	0.001	.	0
Phoxim	0.008	0.008	10	10	0	0	0.004	0.004	0.004	0.01	0
Pirimicarb	0.002	0.002	10	10	0	0	0.001	0.001	0.001	.	0
Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.004	0.004	10	10	0	0	0.002	0.002	0.002	0.01	0
Pirimiphos-methyl	0.008	0.008	10	10	0	0	0.004	0.004	0.004	0.01	0
Prochloraz	0.002	0.002	8	8	0	0	0.001	0.001	0.001	0.01	0
Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0.002	0.002	2	2	0	0	0.001	0.001	0.001	0.01	0
Procymidone	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Profenofos	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Propargite	0.008	0.008	10	10	0	0	0.004	0.004	0.004	0.01	0
Propiconazole	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Propineb	0.006	0.006	10	10	0	0	0.003	0.003	0.003	.	0
Propyzamide	0.008	0.008	10	10	0	0	0.004	0.004	0.004	0.01	0
Prothioconazole (prothioconazole-desthio)	0.048	0.048	10	10	0	0	0.024	0.024	0.024	.	0
Pyraclostrobin	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Pyrazophos	0.008	0.008	10	10	0	0	0.004	0.004	0.004	0.01	0
Pyrethrins	0.040	0.040	10	10	0	0	0.020	0.020	0.020	.	0
Pyridaben	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Pyrimethanil	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Pyriproxyfen	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Quinoxifen	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Quintozene	0.008	0.008	10	10	0	0	0.004	0.004	0.004	.	0
Quintozene (sum of quintozene and pentachloro-aniline expressed as quintozene)	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Processed cereal-based baby foods Treatment=Processed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.008	0.008	10	10	0	0	0.004	0.004	0.004	0.01	0
Spiroxamine	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Tebuconazole	0.008	0.008	10	10	0	0	0.004	0.004	0.004	0.01	0
Tebufenozide	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Tebufenpyrad	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Tecnazene	0.008	0.008	10	10	0	0	0.004	0.004	0.004	0.01	0
Teflubenzuron	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Tefluthrin	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Tetraconazole	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Tetradifon	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Thiabendazole	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Thiacloprid	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Thiametoxam	0.008	0.008	10	10	0	0	0.004	0.004	0.004	.	0
Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.010	10	10	0	0	0.005	0.005	0.005	0.01	0
Thiodicarb	0.002	0.002	10	10	0	0	0.001	0.001	0.001	.	0
Thiophanate-methyl	0.008	0.008	10	10	0	0	0.004	0.004	0.004	0.01	0
Tolclofos-methyl	0.008	0.008	10	10	0	0	0.004	0.004	0.004	0.01	0
Tolyfluanid	0.008	0.008	10	10	0	0	0.004	0.004	0.004	.	0
Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	0.016	0.016	10	10	0	0	0.008	0.008	0.008	.	0
Triadimefon	0.008	0.008	10	10	0	0	0.004	0.004	0.004	.	0
Triadimefon (sum of Triadimefon and Triadimenol)	0.016	0.016	10	10	0	0	0.008	0.008	0.008	.	0
Triadimenol	0.008	0.008	10	10	0	0	0.004	0.004	0.004	.	0
Triazophos	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Trichlorfon	0.040	0.040	10	10	0	0	0.020	0.020	0.020	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Processed cereal-based baby foods Treatment=Processed

Compound	Between										
	Min LOQ	Max LOQ	Total	Below LOQ	LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Trifloxystrobin	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
Triflumuron	0.008	0.008	10	10	0	0	0.004	0.004	0.004	0.01	0
Trifluralin	0.008	0.008	10	10	0	0	0.004	0.004	0.004	0.01	0
Triticonazole	0.008	0.008	10	10	0	0	0.004	0.004	0.004	0.01	0
Vinclozolin	0.002	0.002	10	10	0	0	0.001	0.001	0.001	.	0
Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	0.102	0.102	10	10	0	0	0.051	0.051	0.051	.	0
Zoxamide	0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.01	0
alpha-Endosulfan	0.002	0.002	10	10	0	0	0.001	0.001	0.001	.	0
beta-Endosulfan	0.002	0.002	10	10	0	0	0.001	0.001	0.001	.	0
tau-Fluvalinate	0.008	0.008	10	10	0	0	0.004	0.004	0.004	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Rice Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
2,4-D	0.008	0.008	21	21	0	0	0.004	0.004	0.004	.	0
2,4-D (sum)	0.008	0.008	2	2	0	0	0.004	0.004	0.004	0.05	0
2-anilino-4-(2-hydroxypropyl)- 6-methylpyrimidin	0.008	0.008	21	21	0	0	0.004	0.004	0.004	.	0
3-Chloroaniline	0.100	0.100	23	23	0	0	0.050	0.050	0.050	.	0
3-hydroxy -carbofuran	0.002	0.002	23	23	0	0	0.001	0.001	0.001	.	0
Abamectin (sum)	0.040	0.040	23	23	0	0	0.020	0.020	0.020	0.01	0
Acephate	0.100	0.100	23	23	0	0	0.050	0.050	0.050	0.02	0
Acetamiprid	0.002	0.002	23	23	0	0	0.001	0.001	0.001	0.01	0
Acrinathrin	0.008	0.008	23	23	0	0	0.004	0.004	0.004	0.05	0
Aldicarb	0.008	0.008	23	23	0	0	0.004	0.004	0.004	.	0
Aldicarb (sum)	0.018	0.018	23	23	0	0	0.009	0.009	0.009	0.05	0
Aldicarb-Sulfone	0.002	0.002	23	23	0	0	0.001	0.001	0.001	.	0
Aldicarb-Sulfoxide	0.008	0.008	23	23	0	0	0.004	0.004	0.004	.	0
Azinphos-methyl	0.002	0.002	23	23	0	0	0.001	0.001	0.001	0.05	0
Azoxystrobin	0.002	0.002	23	21	2	0	0.005	0.001	0.001	5	0
Bifenthrin	0.008	0.008	23	23	0	0	0.004	0.004	0.004	0.05	0
Bitertanol	0.008	0.008	23	23	0	0	0.004	0.004	0.004	0.05	0
Boscalid	0.002	0.002	23	23	0	0	0.001	0.001	0.001	0.5	0
Bromide ion	5.000	5.000	11	10	1	0	32.000	5.182	2.500	50	0
Bromopropylate	0.002	0.002	23	23	0	0	0.001	0.001	0.001	0.05	0
Bromuconazole (sum)	0.008	0.008	23	23	0	0	0.004	0.004	0.004	0.2	0
Bupirimate	0.008	0.008	23	23	0	0	0.004	0.004	0.004	0.05	0
Buprofezin	0.002	0.002	23	22	1	0	0.025	0.002	0.001	0.5	0
Captan	0.040	0.040	23	23	0	0	0.020	0.020	0.020	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Rice Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Carbaryl	0.002	0.002	23	23	0	0	0.001	0.001	0.001	1	0
Carbendazim	0.008	0.008	23	23	0	0	0.004	0.004	0.004	.	0
Carbendazim and benomyl	0.008	0.008	23	23	0	0	0.004	0.004	0.004	0.01	0
Carbofuran	0.002	0.002	23	23	0	0	0.001	0.001	0.001	.	0
Carbofuran (sum)	0.004	0.004	23	23	0	0	0.002	0.002	0.002	0.02	0
Carbosulfan	0.008	0.008	23	23	0	0	0.004	0.004	0.004	0.05	0
Chlorfenapyr	0.010	0.010	23	23	0	0	0.005	0.005	0.005	0.05	0
Chlorfenvinphos	0.040	0.040	23	23	0	0	0.020	0.020	0.020	0.02	0
Chlorothalonil	0.008	0.008	23	23	0	0	0.004	0.004	0.004	0.01	0
Chlorpropham (sum)	0.108	0.108	23	23	0	0	0.054	0.054	0.054	0.02	0
Chlorpyrifos	0.002	0.002	23	21	2	0	0.020	0.002	0.001	0.05	0
Chlorpyrifos-methyl	0.008	0.008	23	23	0	0	0.004	0.004	0.004	3	0
Clothianidin	0.002	0.002	23	23	0	0	0.001	0.001	0.001	0.02	0
Cyfluthrin (sum)	0.040	0.040	23	23	0	0	0.020	0.020	0.020	0.02	0
Cypermethrin (sum)	0.040	0.040	23	23	0	0	0.020	0.020	0.020	2	0
Cyproconazole	0.002	0.002	23	22	1	0	0.004	0.001	0.001	0.1	0
Cyprodinil	0.002	0.002	23	23	0	0	0.001	0.001	0.001	0.05	0
DMST	0.008	0.008	23	23	0	0	0.004	0.004	0.004	.	0
Deltamethrin	0.040	0.040	23	22	1	0	0.270	0.031	0.020	2	0
Demeton-S-Methylsulfone	0.002	0.002	23	23	0	0	0.001	0.001	0.001	.	0
Desmethyl Pirimicarb	0.002	0.002	23	23	0	0	0.001	0.001	0.001	.	0
Diazinon	0.008	0.008	23	23	0	0	0.004	0.004	0.004	0.02	0
Dichlofluanid	0.040	0.040	23	23	0	0	0.020	0.020	0.020	.	0
Dichloroaniline, 3,5-	0.100	0.100	23	23	0	0	0.050	0.050	0.050	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Rice Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	Non	
										MRL	Compliant
Dichlorvos	0.100	0.100	23	23	0	0	0.050	0.050	0.050	0.01	0
Dicloran	0.002	0.002	23	23	0	0	0.001	0.001	0.001	0.01	0
Dicofol (sum)	0.040	0.040	23	23	0	0	0.020	0.020	0.020	0.02	0
Difenoconazole	0.002	0.002	23	22	1	0	0.003	0.001	0.001	0.05	0
Dimethoate	0.002	0.002	23	23	0	0	0.001	0.001	0.001	.	0
Dimethoate (sum)	0.004	0.004	23	23	0	0	0.002	0.002	0.002	0.02	0
Dimethomorph	0.002	0.002	23	23	0	0	0.001	0.001	0.001	0.05	0
Diphenylamine	0.100	0.100	23	23	0	0	0.050	0.050	0.050	0.05	0
Dithiocarbamates	0.030	0.030	9	9	0	0	0.015	0.015	0.015	0.05	0
EPN	0.002	0.002	23	23	0	0	0.001	0.001	0.001	0.01	0
Endosulfan (sum)	0.006	0.006	23	23	0	0	0.003	0.003	0.003	0.05	0
Endosulfansulfate	0.002	0.002	23	23	0	0	0.001	0.001	0.001	.	0
Epoxiconazole	0.002	0.002	23	23	0	0	0.001	0.001	0.001	0.1	0
Ethion	0.002	0.002	23	23	0	0	0.001	0.001	0.001	0.01	0
Ethoprophos	0.002	0.002	23	23	0	0	0.001	0.001	0.001	0.02	0
Etofenprox	0.008	0.008	23	23	0	0	0.004	0.004	0.004	0.5	0
Fenamiphos	0.002	0.002	23	23	0	0	0.001	0.001	0.001	.	0
Fenamiphos (sum)	0.006	0.006	23	23	0	0	0.003	0.003	0.003	0.02	0
Fenamiphos-Sulfon	0.002	0.002	23	23	0	0	0.001	0.001	0.001	.	0
Fenamiphos-Sulfoxid	0.002	0.002	23	23	0	0	0.001	0.001	0.001	.	0
Fenarimol	0.008	0.008	23	23	0	0	0.004	0.004	0.004	0.02	0
Fenazaquin	0.002	0.002	23	23	0	0	0.001	0.001	0.001	0.01	0
Fenbuconazole	0.002	0.002	23	23	0	0	0.001	0.001	0.001	0.05	0
Fenhexamid	0.002	0.002	23	23	0	0	0.001	0.001	0.001	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Rice Treatment=Unprocessed

Compound	Between LOQ and MRL										
	Min LOQ	Max LOQ	Total	Below LOQ	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant	
Fenitrothion	0.002	0.002	23	23	0	0	0.001	0.001	0.001	0.05	0
Fenoxycarb	0.002	0.002	23	23	0	0	0.001	0.001	0.001	0.05	0
Fenpropathrin	0.008	0.008	23	23	0	0	0.004	0.004	0.004	0.01	0
Fenpropimorph	0.002	0.002	23	23	0	0	0.001	0.001	0.001	0.05	0
Fenthion	0.100	0.100	23	23	0	0	0.050	0.050	0.050	.	0
Fenthion (sum)	0.122	0.122	23	23	0	0	0.061	0.061	0.061	0.01	0
Fenthion oxon sulfone	0.002	0.002	23	23	0	0	0.001	0.001	0.001	.	0
Fenthion-Oxon	0.002	0.002	23	23	0	0	0.001	0.001	0.001	.	0
Fenthion-Oxonsulfoxide	0.002	0.002	23	23	0	0	0.001	0.001	0.001	.	0
Fenthion-Sulfon	0.008	0.008	23	23	0	0	0.004	0.004	0.004	.	0
Fenthion-Sulfoxide	0.008	0.008	23	23	0	0	0.004	0.004	0.004	.	0
Fipronil	0.002	0.002	23	23	0	0	0.001	0.001	0.001	.	0
Fipronil (sum)	0.010	0.010	23	23	0	0	0.005	0.005	0.005	.	0
Fipronil-Sulfone	0.008	0.008	21	21	0	0	0.004	0.004	0.004	.	0
Fluazifop (free acid)	0.002	0.002	23	23	0	0	0.001	0.001	0.001	.	0
Fluazifop-P-butyl (sum)	0.002	0.002	23	23	0	0	0.001	0.001	0.001	0.1	0
Fludioxonil	0.002	0.002	23	23	0	0	0.001	0.001	0.001	0.05	0
Flufenoxuron	0.002	0.002	23	23	0	0	0.001	0.001	0.001	0.05	0
Fluquinconazole	0.002	0.002	23	23	0	0	0.001	0.001	0.001	0.05	0
Flusilazole	0.002	0.002	23	23	0	0	0.001	0.001	0.001	0.02	0
Flutriafol	0.008	0.008	23	23	0	0	0.004	0.004	0.004	0.5	0
Folpet	0.008	0.008	23	23	0	0	0.004	0.004	0.004	0.02	0
Formetanate	0.002	0.002	23	23	0	0	0.001	0.001	0.001	0.05	0
Fosthiazate	0.002	0.002	23	23	0	0	0.001	0.001	0.001	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Rice Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Glyphosate	0.460	0.460	14	14	0	0	0.230	0.230	0.230	0.1	0
Haloxypop	0.002	0.002	23	23	0	0	0.001	0.001	0.001	.	0
Haloxypop including haloxypop-R	0.004	0.004	23	23	0	0	0.002	0.002	0.002	0.1	0
Hexaconazole	0.002	0.002	23	23	0	0	0.001	0.001	0.001	0.02	0
Hexythiazox	0.002	0.002	23	22	1	0	0.019	0.002	0.001	0.5	0
Imazalil	0.002	0.002	23	23	0	0	0.001	0.001	0.001	0.05	0
Imidacloprid	0.002	0.002	23	21	2	0	0.008	0.002	0.001	1.5	0
Indoxacarb as sum of the isomers S and R	0.008	0.008	23	23	0	0	0.004	0.004	0.004	0.02	0
Iprodione	0.040	0.040	23	23	0	0	0.020	0.020	0.020	3	0
Iprovalicarb	0.002	0.002	23	23	0	0	0.001	0.001	0.001	0.05	0
Kresoxim-methyl	0.002	0.002	23	23	0	0	0.001	0.001	0.001	0.05	0
Lambda-Cyhalothrin	0.008	0.008	23	23	0	0	0.004	0.004	0.004	1	0
Linuron	0.002	0.002	23	23	0	0	0.001	0.001	0.001	0.05	0
Lufenuron	0.002	0.002	23	23	0	0	0.001	0.001	0.001	0.02	0
Malaoxon	0.002	0.002	23	23	0	0	0.001	0.001	0.001	.	0
Malathion	0.002	0.002	23	22	1	0	0.008	0.001	0.001	.	0
Malathion (sum of malathion and malaoxon expressed as malathion)	0.004	0.004	23	21	2	0	0.008	0.002	0.002	8	0
Mepanipyrim	0.002	0.002	23	23	0	0	0.001	0.001	0.001	.	0
Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine) expressed as mepanipyrim)	0.010	0.010	23	23	0	0	0.005	0.005	0.005	0.01	0
Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.002	0.002	23	23	0	0	0.001	0.001	0.001	0.05	0
Metconazole	0.002	0.002	23	23	0	0	0.001	0.001	0.001	0.1	0
Methamidophos	0.040	0.040	23	23	0	0	0.020	0.020	0.020	0.01	0
Methidathion	0.002	0.002	23	23	0	0	0.001	0.001	0.001	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Rice Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Methiocarb	0.002	0.002	23	23	0	0	0.001	0.001	0.001	.	0
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.006	0.006	23	23	0	0	0.003	0.003	0.003	0.1	0
Methiocarb-Sulfon	0.002	0.002	23	23	0	0	0.001	0.001	0.001	.	0
Methiocarb-Sulfoxid	0.002	0.002	23	23	0	0	0.001	0.001	0.001	.	0
Methomyl	0.008	0.008	23	23	0	0	0.004	0.004	0.004	.	0
Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	23	23	0	0	0.005	0.005	0.005	0.02	0
Methoxyfenozide	0.002	0.002	23	23	0	0	0.001	0.001	0.001	0.05	0
Monocrotophos	0.002	0.002	23	23	0	0	0.001	0.001	0.001	0.01	0
Myclobutanil	0.040	0.040	23	23	0	0	0.020	0.020	0.020	0.02	0
Omethoate	0.002	0.002	23	23	0	0	0.001	0.001	0.001	.	0
Oxadixyl	0.008	0.008	23	23	0	0	0.004	0.004	0.004	0.01	0
Oxamyl	0.002	0.002	23	23	0	0	0.001	0.001	0.001	0.01	0
Oxydemeton-methyl	0.002	0.002	23	23	0	0	0.001	0.001	0.001	.	0
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0.004	0.004	23	23	0	0	0.002	0.002	0.002	0.02	0
Paclobutrazol	0.008	0.008	23	23	0	0	0.004	0.004	0.004	0.02	0
Paraoxon-Methyl	0.040	0.040	23	23	0	0	0.020	0.020	0.020	.	0
Parathion	0.008	0.008	23	23	0	0	0.004	0.004	0.004	0.05	0
Parathion-methyl	0.008	0.008	23	23	0	0	0.004	0.004	0.004	.	0
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.048	0.048	23	23	0	0	0.024	0.024	0.024	0.02	0
Penconazole	0.002	0.002	23	23	0	0	0.001	0.001	0.001	0.05	0
Pencycuron	0.002	0.002	23	23	0	0	0.001	0.001	0.001	0.05	0
Pendimethalin	0.008	0.008	23	23	0	0	0.004	0.004	0.004	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Rice Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Phenthoate	0.008	0.008	23	23	0	0	0.004	0.004	0.004	0.01	0
Phosalone	0.008	0.008	23	23	0	0	0.004	0.004	0.004	0.05	0
Phosmet	0.002	0.002	23	23	0	0	0.001	0.001	0.001	.	0
Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.004	0.004	23	23	0	0	0.002	0.002	0.002	0.05	0
Phosmet oxon	0.002	0.002	23	23	0	0	0.001	0.001	0.001	.	0
Phoxim	0.008	0.008	23	23	0	0	0.004	0.004	0.004	0.01	0
Pirimicarb	0.002	0.002	23	23	0	0	0.001	0.001	0.001	.	0
Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.004	0.004	23	23	0	0	0.002	0.002	0.002	0.2	0
Pirimiphos-methyl	0.008	0.008	23	18	5	0	0.340	0.027	0.004	5	0
Prochloraz	0.002	0.002	21	21	0	0	0.001	0.001	0.001	.	0
Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0.002	0.002	2	2	0	0	0.001	0.001	0.001	1	0
Procymidone	0.002	0.002	23	23	0	0	0.001	0.001	0.001	0.02	0
Profenofos	0.002	0.002	23	23	0	0	0.001	0.001	0.001	0.05	0
Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.002	0.002	23	23	0	0	0.001	0.001	0.001	0.1	0
Propargite	0.008	0.008	23	23	0	0	0.004	0.004	0.004	0.01	0
Propiconazole	0.002	0.002	23	22	1	0	0.016	0.002	0.001	0.05	0
Propyzamide	0.008	0.008	23	23	0	0	0.004	0.004	0.004	0.02	0
Prothioconazole (prothioconazole-desthio)	0.048	0.048	23	23	0	0	0.024	0.024	0.024	.	0
Pyraclostrobin	0.002	0.002	23	23	0	0	0.001	0.001	0.001	0.02	0
Pyrethrins	0.100	0.100	23	23	0	0	0.050	0.050	0.050	3	0
Pyridaben	0.002	0.002	23	23	0	0	0.001	0.001	0.001	0.05	0
Pyrimethanil	0.002	0.002	23	23	0	0	0.001	0.001	0.001	0.05	0
Pyriproxyfen	0.002	0.002	23	23	0	0	0.001	0.001	0.001	0.05	0
Quinoxifen	0.002	0.002	23	23	0	0	0.001	0.001	0.001	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Rice Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.008	0.008	23	23	0	0	0.004	0.004	0.004	1	0
Spiroxamine	0.002	0.002	23	23	0	0	0.001	0.001	0.001	0.05	0
Tebuconazole	0.008	0.008	23	22	1	0	0.009	0.004	0.004	2	0
Tebufenozide	0.002	0.002	23	23	0	0	0.001	0.001	0.001	3	0
Tebufenpyrad	0.002	0.002	23	23	0	0	0.001	0.001	0.001	0.05	0
Teflubenzuron	0.002	0.002	23	23	0	0	0.001	0.001	0.001	0.05	0
Tefluthrin	0.002	0.002	23	23	0	0	0.001	0.001	0.001	0.05	0
Tetraconazole	0.002	0.002	23	23	0	0	0.001	0.001	0.001	0.05	0
Tetradifon	0.002	0.002	23	23	0	0	0.001	0.001	0.001	0.02	0
Thiabendazole	0.002	0.002	23	23	0	0	0.001	0.001	0.001	0.05	0
Thiacloprid	0.002	0.002	23	23	0	0	0.001	0.001	0.001	0.05	0
Thiametoxam	0.008	0.008	23	23	0	0	0.004	0.004	0.004	0.05	0
Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.010	23	23	0	0	0.005	0.005	0.005	0.05	0
Thiodicarb	0.002	0.002	23	23	0	0	0.001	0.001	0.001	.	0
Thiophanate-methyl	0.008	0.008	23	23	0	0	0.004	0.004	0.004	0.01	0
Tolclofos-methyl	0.008	0.008	23	23	0	0	0.004	0.004	0.004	0.05	0
Tolyfluanid	0.040	0.040	23	23	0	0	0.020	0.020	0.020	.	0
Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	0.016	0.048	23	23	0	0	0.024	0.023	0.024	0.05	0
Triadimefon	0.008	0.008	23	23	0	0	0.004	0.004	0.004	.	0
Triadimefon (sum of Triadimefon and Triadimenol)	0.016	0.016	23	23	0	0	0.008	0.008	0.008	0.1	0
Triadimenol	0.008	0.008	23	23	0	0	0.004	0.004	0.004	.	0
Triazophos	0.002	0.002	23	23	0	0	0.001	0.001	0.001	0.02	0
Trichlorfon	0.040	0.040	23	23	0	0	0.020	0.020	0.020	0.1	0
Trifloxystrobin	0.002	0.002	23	23	0	0	0.001	0.001	0.001	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Rice Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Triflumuron	0.008	0.008	23	23	0	0	0.004	0.004	0.004	0.05	0
Trifluralin	0.008	0.008	23	23	0	0	0.004	0.004	0.004	0.1	0
Triticonazole	0.008	0.008	23	23	0	0	0.004	0.004	0.004	0.01	0
Vinclozolin	0.002	0.002	23	23	0	0	0.001	0.001	0.001	.	0
Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	0.102	0.102	23	23	0	0	0.051	0.051	0.051	0.05	0
Zoxamide	0.002	0.002	23	23	0	0	0.001	0.001	0.001	0.02	0
alpha-Endosulfan	0.002	0.002	23	23	0	0	0.001	0.001	0.001	.	0
beta-Endosulfan	0.002	0.002	23	23	0	0	0.001	0.001	0.001	.	0
tau-Fluvalinate	0.008	0.008	23	23	0	0	0.004	0.004	0.004	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Spinach Treatment=Freezing

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
2,4-D	0.008	0.008	3	3	0	0	0.004	0.004	0.004	.	0
2,4-D (sum)	0.008	0.008	2	2	0	0	0.004	0.004	0.004	0.05	0
2-anilino-4-(2-hydroxypropyl)- 6-methylpyrimidin	0.008	0.008	3	3	0	0	0.004	0.004	0.004	.	0
3-Chloroaniline	0.100	0.100	5	5	0	0	0.050	0.050	0.050	.	0
3-hydroxy -carbofuran	0.002	0.002	5	5	0	0	0.001	0.001	0.001	.	0
Abamectin (sum)	0.040	0.040	5	5	0	0	0.020	0.020	0.020	0.01	0
Acephate	0.100	0.100	5	5	0	0	0.050	0.050	0.050	0.02	0
Acetamiprid	0.002	0.002	5	5	0	0	0.001	0.001	0.001	3	0
Acrinathrin	0.008	0.008	5	5	0	0	0.004	0.004	0.004	0.05	0
Aldicarb	0.008	0.008	5	5	0	0	0.004	0.004	0.004	.	0
Aldicarb (sum)	0.018	0.018	5	5	0	0	0.009	0.009	0.009	0.02	0
Aldicarb-Sulfone	0.002	0.002	5	5	0	0	0.001	0.001	0.001	.	0
Aldicarb-Sulfoxide	0.008	0.008	5	5	0	0	0.004	0.004	0.004	.	0
Azinphos-methyl	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.05	0
Azoxystrobin	0.002	0.002	5	4	1	0	0.024	0.006	0.001	0.05	0
Bifenthrin	0.008	0.008	5	5	0	0	0.004	0.004	0.004	0.05	0
Bitertanol	0.008	0.008	5	5	0	0	0.004	0.004	0.004	0.05	0
Boscalid	0.002	0.002	5	4	1	0	0.011	0.003	0.001	10	0
Bromide ion	5.000	5.000	3	3	0	0	2.500	2.500	2.500	50	0
Bromopropylate	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.05	0
Bromuconazole (sum)	0.008	0.008	5	5	0	0	0.004	0.004	0.004	0.05	0
Bupirimate	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.05	0
Buprofezin	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.05	0
Captan	0.040	0.040	5	5	0	0	0.020	0.020	0.020	0.1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Spinach Treatment=Freezing

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Carbaryl	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.05	0
Carbendazim	0.008	0.008	5	5	0	0	0.004	0.004	0.004	.	0
Carbendazim and benomyl	0.008	0.008	5	5	0	0	0.004	0.004	0.004	0.1	0
Carbofuran	0.002	0.002	5	5	0	0	0.001	0.001	0.001	.	0
Carbofuran (sum)	0.004	0.004	5	5	0	0	0.002	0.002	0.002	0.02	0
Carbosulfan	0.008	0.008	5	5	0	0	0.004	0.004	0.004	0.05	0
Chlorfenapyr	0.010	0.010	5	5	0	0	0.005	0.005	0.005	0.05	0
Chlorfenvinphos	0.040	0.040	5	5	0	0	0.020	0.020	0.020	0.1	0
Chlorothalonil	0.008	0.008	5	5	0	0	0.004	0.004	0.004	0.01	0
Chlorpropham (sum)	0.108	0.108	5	5	0	0	0.054	0.054	0.054	0.05	0
Chlorpyrifos	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.05	0
Chlorpyrifos-methyl	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.05	0
Clofentezine	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.02	0
Clothianidin	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.02	0
Cyfluthrin (sum)	0.040	0.040	5	5	0	0	0.020	0.020	0.020	0.02	0
Cypermethrin (sum)	0.040	0.040	5	5	0	0	0.020	0.020	0.020	0.7	0
Cyproconazole	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.05	0
Cyprodinil	0.002	0.002	5	5	0	0	0.001	0.001	0.001	8	0
DMST	0.008	0.008	5	5	0	0	0.004	0.004	0.004	.	0
Deltamethrin	0.040	0.040	5	5	0	0	0.020	0.020	0.020	0.5	0
Demeton-S-Methylsulfone	0.002	0.002	5	5	0	0	0.001	0.001	0.001	.	0
Desmethyl Pirimicarb	0.002	0.002	5	5	0	0	0.001	0.001	0.001	.	0
Diazinon	0.008	0.008	5	5	0	0	0.004	0.004	0.004	0.01	0
Dichlofluanid	0.008	0.008	5	5	0	0	0.004	0.004	0.004	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Spinach Treatment=Freezing

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Dichloroaniline, 3,5-	0.100	0.100	5	5	0	0	0.050	0.050	0.050	.	0
Dichlorvos	0.100	0.100	5	5	0	0	0.050	0.050	0.050	0.01	0
Dicloran	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.1	0
Dicofol (sum)	0.040	0.040	5	5	0	0	0.020	0.020	0.020	0.02	0
Difenoconazole	0.002	0.002	5	5	0	0	0.001	0.001	0.001	2	0
Dimethoate	0.002	0.002	5	5	0	0	0.001	0.001	0.001	.	0
Dimethoate (sum)	0.004	0.004	5	5	0	0	0.002	0.002	0.002	0.02	0
Dimethomorph	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.1	0
Diphenylamine	0.008	0.008	5	5	0	0	0.004	0.004	0.004	0.05	0
Dithiocarbamates	0.030	0.030	4	4	0	0	0.015	0.015	0.015	0.05	0
EPN	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.01	0
Endosulfan (sum)	0.006	0.006	5	5	0	0	0.003	0.003	0.003	0.05	0
Endosulfansulfate	0.002	0.002	5	5	0	0	0.001	0.001	0.001	.	0
Epoxiconazole	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.05	0
Ethion	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.01	0
Ethoprophos	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.02	0
Etofenprox	0.002	0.002	5	5	0	0	0.001	0.001	0.001	3	0
Fenamiphos	0.002	0.002	5	5	0	0	0.001	0.001	0.001	.	0
Fenamiphos (sum)	0.006	0.006	5	5	0	0	0.003	0.003	0.003	0.02	0
Fenamiphos-Sulfon	0.002	0.002	5	5	0	0	0.001	0.001	0.001	.	0
Fenamiphos-Sulfoxid	0.002	0.002	5	5	0	0	0.001	0.001	0.001	.	0
Fenarimol	0.008	0.008	5	5	0	0	0.004	0.004	0.004	0.02	0
Fenazaquin	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.01	0
Fenbuconazole	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Spinach Treatment=Freezing

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Fenhexamid	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.05	0
Fenitrothion	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.01	0
Fenoxycarb	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.05	0
Fenpropathrin	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.01	0
Fenpropimorph	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.05	0
Fenthion	0.002	0.002	5	5	0	0	0.001	0.001	0.001	.	0
Fenthion (sum)	0.024	0.024	5	5	0	0	0.012	0.012	0.012	0.01	0
Fenthion oxon sulfone	0.002	0.002	5	5	0	0	0.001	0.001	0.001	.	0
Fenthion-Oxon	0.002	0.002	5	5	0	0	0.001	0.001	0.001	.	0
Fenthion-Oxonsulfoxide	0.002	0.002	5	5	0	0	0.001	0.001	0.001	.	0
Fenthion-Sulfon	0.008	0.008	5	5	0	0	0.004	0.004	0.004	.	0
Fenthion-Sulfoxide	0.008	0.008	5	5	0	0	0.004	0.004	0.004	.	0
Fipronil	0.002	0.002	5	5	0	0	0.001	0.001	0.001	.	0
Fipronil (sum)	0.010	0.010	5	5	0	0	0.005	0.005	0.005	0.005	0
Fipronil-Sulfone	0.008	0.008	3	3	0	0	0.004	0.004	0.004	.	0
Fluazifop (free acid)	0.002	0.002	5	4	1	0	0.016	0.004	0.001	.	0
Fluazifop-P-butyl (sum)	0.002	0.002	5	4	1	0	0.019	0.005	0.001	1	0
Fludioxonil	0.002	0.002	5	5	0	0	0.001	0.001	0.001	7	0
Flufenoxuron	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.05	0
Fluquinconazole	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.05	0
Flusilazole	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.02	0
Flutriafol	0.008	0.008	5	5	0	0	0.004	0.004	0.004	0.05	0
Folpet	0.008	0.008	5	5	0	0	0.004	0.004	0.004	10	0
Formetanate	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Spinach Treatment=Freezing

Compound	Between										
	Min LOQ	Max LOQ	Total	Below LOQ	LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Fosthiazate	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.02	0
Haloxypop	0.002	0.002	5	5	0	0	0.001	0.001	0.001	.	0
Haloxypop including haloxypop-R	0.004	0.004	5	5	0	0	0.002	0.002	0.002	0.3	0
Hexaconazole	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.02	0
Hexythiazox	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.5	0
Imazalil	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.05	0
Imidacloprid	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.05	0
Indoxacarb as sum of the isomers S and R	0.008	0.008	5	5	0	0	0.004	0.004	0.004	2	0
Iprodione	0.040	0.040	5	5	0	0	0.020	0.020	0.020	0.02	0
Iprovalicarb	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.05	0
Kresoxim-methyl	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.05	0
Lambda-Cyhalothrin	0.008	0.008	5	3	2	0	0.290	0.063	0.004	0.5	0
Linuron	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.05	0
Lufenuron	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.02	0
Malaoxon	0.002	0.002	5	5	0	0	0.001	0.001	0.001	.	0
Malathion	0.002	0.002	5	5	0	0	0.001	0.001	0.001	.	0
Malathion (sum of malathion and malaoxon expressed as malathion)	0.004	0.004	5	5	0	0	0.002	0.002	0.002	5	0
Mepanipyrim	0.002	0.002	5	5	0	0	0.001	0.001	0.001	.	0
Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine) expressed as mepanipyrim)	0.010	0.010	5	5	0	0	0.005	0.005	0.005	0.01	0
Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.05	0
Metconazole	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.02	0
Methamidophos	0.008	0.008	5	5	0	0	0.004	0.004	0.004	0.01	0
Methidathion	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Spinach Treatment=Freezing

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Methiocarb	0.002	0.002	5	5	0	0	0.001	0.001	0.001	.	0
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.006	0.006	5	5	0	0	0.003	0.003	0.003	0.1	0
Methiocarb-Sulfon	0.002	0.002	5	5	0	0	0.001	0.001	0.001	.	0
Methiocarb-Sulfoxid	0.002	0.002	5	5	0	0	0.001	0.001	0.001	.	0
Methomyl	0.008	0.008	5	5	0	0	0.004	0.004	0.004	.	0
Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	5	5	0	0	0.005	0.005	0.005	0.05	0
Methoxyfenozide	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.02	0
Monocrotophos	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.01	0
Myclobutanil	0.008	0.008	5	5	0	0	0.004	0.004	0.004	0.02	0
Omethoate	0.002	0.002	5	5	0	0	0.001	0.001	0.001	.	0
Oxadixyl	0.008	0.008	5	5	0	0	0.004	0.004	0.004	0.01	0
Oxamyl	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.01	0
Oxydemeton-methyl	0.002	0.002	5	5	0	0	0.001	0.001	0.001	.	0
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0.004	0.004	5	5	0	0	0.002	0.002	0.002	0.01	0
Paclobutrazol	0.008	0.008	5	5	0	0	0.004	0.004	0.004	0.02	0
Paraoxon-Methyl	0.008	0.008	5	5	0	0	0.004	0.004	0.004	.	0
Parathion	0.008	0.008	5	5	0	0	0.004	0.004	0.004	0.05	0
Parathion-methyl	0.008	0.008	5	5	0	0	0.004	0.004	0.004	.	0
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.016	0.016	5	5	0	0	0.008	0.008	0.008	0.02	0
Penconazole	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.05	0
Pencycuron	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.05	0
Pendimethalin	0.008	0.008	5	5	0	0	0.004	0.004	0.004	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Spinach Treatment=Freezing

Compound			Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
	Min LOQ	Max LOQ									
Phenthoate	0.008	0.008	5	5	0	0	0.004	0.004	0.004	0.01	0
Phosalone	0.008	0.008	5	5	0	0	0.004	0.004	0.004	0.05	0
Phosmet	0.002	0.002	5	5	0	0	0.001	0.001	0.001	.	0
Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.004	0.004	5	5	0	0	0.002	0.002	0.002	0.05	0
Phosmet oxon	0.002	0.002	5	5	0	0	0.001	0.001	0.001	.	0
Phoxim	0.008	0.008	5	5	0	0	0.004	0.004	0.004	0.01	0
Pirimicarb	0.002	0.002	5	5	0	0	0.001	0.001	0.001	.	0
Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.004	0.004	5	5	0	0	0.002	0.002	0.002	2	0
Pirimiphos-methyl	0.008	0.008	5	5	0	0	0.004	0.004	0.004	0.05	0
Prochloraz	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0
Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0.002	0.002	2	2	0	0	0.001	0.001	0.001	0.05	0
Procymidone	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.02	0
Profenofos	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.05	0
Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.002	0.002	5	5	0	0	0.001	0.001	0.001	30	0
Propargite	0.008	0.008	5	5	0	0	0.004	0.004	0.004	0.01	0
Propiconazole	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.05	0
Propyzamide	0.008	0.008	5	5	0	0	0.004	0.004	0.004	0.02	0
Prothioconazole (prothioconazole-desthio)	0.048	0.048	5	5	0	0	0.024	0.024	0.024	.	0
Pyraclostrobin	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.5	0
Pyrethrins	0.040	0.040	5	5	0	0	0.020	0.020	0.020	1	0
Pyridaben	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.05	0
Pyrimethanil	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.05	0
Pyriproxyfen	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.05	0
Quinoxifen	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Spinach Treatment=Freezing

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.008	0.008	5	5	0	0	0.004	0.004	0.004	10	0
Spiroxamine	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.05	0
Tebuconazole	0.008	0.008	5	5	0	0	0.004	0.004	0.004	0.05	0
Tebufenozide	0.002	0.002	5	5	0	0	0.001	0.001	0.001	10	0
Tebufenpyrad	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.05	0
Teflubenzuron	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.05	0
Tefluthrin	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.05	0
Tetraconazole	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.02	0
Tetradifon	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.02	0
Thiabendazole	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.05	0
Thiacloprid	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.02	0
Thiametoxam	0.008	0.008	5	5	0	0	0.004	0.004	0.004	0.05	0
Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.010	5	5	0	0	0.005	0.005	0.005	0.05	0
Thiodicarb	0.002	0.002	5	5	0	0	0.001	0.001	0.001	.	0
Thiophanate-methyl	0.008	0.008	5	5	0	0	0.004	0.004	0.004	0.1	0
Tolclofos-methyl	0.008	0.008	5	5	0	0	0.004	0.004	0.004	0.05	0
Tolyfluanid	0.008	0.008	5	5	0	0	0.004	0.004	0.004	.	0
Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	0.016	0.016	5	5	0	0	0.008	0.008	0.008	0.05	0
Triadimefon	0.008	0.008	5	5	0	0	0.004	0.004	0.004	.	0
Triadimefon (sum of Triadimefon and Triadimenol)	0.016	0.016	5	5	0	0	0.008	0.008	0.008	0.1	0
Triadimenol	0.008	0.008	5	5	0	0	0.004	0.004	0.004	.	0
Triazophos	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.01	0
Trichlorfon	0.040	0.040	5	5	0	0	0.020	0.020	0.020	0.5	0
Trifloxystrobin	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Spinach Treatment=Freezing

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Triflumuron	0.008	0.008	5	5	0	0	0.004	0.004	0.004	0.05	0
Trifluralin	0.008	0.008	5	5	0	0	0.004	0.004	0.004	0.5	0
Triticonazole	0.008	0.008	5	5	0	0	0.004	0.004	0.004	0.01	0
Vinclozolin	0.002	0.002	5	5	0	0	0.001	0.001	0.001	.	0
Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	0.102	0.102	5	5	0	0	0.051	0.051	0.051	0.05	0
Zoxamide	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.02	0
alpha-Endosulfan	0.002	0.002	5	5	0	0	0.001	0.001	0.001	.	0
beta-Endosulfan	0.002	0.002	5	5	0	0	0.001	0.001	0.001	.	0
tau-Fluvalinate	0.008	0.008	5	5	0	0	0.004	0.004	0.004	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Spinach Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
2,4-D	0.008	0.008	18	18	0	0	0.004	0.004	0.004	.	0
2,4-D (sum)	0.008	0.008	2	2	0	0	0.004	0.004	0.004	0.05	0
2-anilino-4-(2-hydroxypropyl)- 6-methylpyrimidin	0.008	0.008	18	18	0	0	0.004	0.004	0.004	.	0
3-Chloroaniline	0.100	0.100	20	20	0	0	0.050	0.050	0.050	.	0
3-hydroxy -carbofuran	0.002	0.002	20	20	0	0	0.001	0.001	0.001	.	0
Abamectin (sum)	0.040	0.040	20	20	0	0	0.020	0.020	0.020	0.01	0
Acephate	0.100	0.100	20	20	0	0	0.050	0.050	0.050	0.02	0
Acetamiprid	0.002	0.002	20	20	0	0	0.001	0.001	0.001	3	0
Acrinathrin	0.008	0.008	20	20	0	0	0.004	0.004	0.004	0.05	0
Aldicarb	0.008	0.008	20	20	0	0	0.004	0.004	0.004	.	0
Aldicarb (sum)	0.018	0.018	20	20	0	0	0.009	0.009	0.009	0.02	0
Aldicarb-Sulfone	0.002	0.002	20	20	0	0	0.001	0.001	0.001	.	0
Aldicarb-Sulfoxide	0.008	0.008	20	20	0	0	0.004	0.004	0.004	.	0
Azinphos-methyl	0.002	0.002	20	20	0	0	0.001	0.001	0.001	0.05	0
Azoxystrobin	0.002	0.002	20	20	0	0	0.001	0.001	0.001	0.05	0
Bifenthrin	0.008	0.008	20	20	0	0	0.004	0.004	0.004	0.05	0
Bitertanol	0.008	0.008	20	20	0	0	0.004	0.004	0.004	0.05	0
Boscalid	0.002	0.002	20	16	4	0	0.016	0.002	0.001	10	0
Bromide ion	5.000	5.000	9	6	3	0	23.000	6.622	2.500	50	0
Bromopropylate	0.002	0.002	20	20	0	0	0.001	0.001	0.001	0.05	0
Bromuconazole (sum)	0.008	0.008	20	20	0	0	0.004	0.004	0.004	0.05	0
Bupirimate	0.002	0.002	20	20	0	0	0.001	0.001	0.001	0.05	0
Buprofezin	0.002	0.002	20	20	0	0	0.001	0.001	0.001	0.05	0
Captan	0.040	0.040	20	20	0	0	0.020	0.020	0.020	0.1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Spinach Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Carbaryl	0.002	0.002	20	20	0	0	0.001	0.001	0.001	0.05	0
Carbendazim	0.008	0.008	20	20	0	0	0.004	0.004	0.004	.	0
Carbendazim and benomyl	0.008	0.008	20	20	0	0	0.004	0.004	0.004	0.1	0
Carbofuran	0.002	0.002	20	20	0	0	0.001	0.001	0.001	.	0
Carbofuran (sum)	0.004	0.004	20	20	0	0	0.002	0.002	0.002	0.02	0
Carbosulfan	0.008	0.008	20	20	0	0	0.004	0.004	0.004	0.05	0
Chlorfenapyr	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.05	0
Chlorfenvinphos	0.040	0.040	20	20	0	0	0.020	0.020	0.020	0.1	0
Chlorothalonil	0.008	0.008	20	20	0	0	0.004	0.004	0.004	0.01	0
Chlorpropham (sum)	0.108	0.108	20	20	0	0	0.054	0.054	0.054	0.05	0
Chlorpyrifos	0.002	0.002	20	18	2	0	0.013	0.002	0.001	0.05	0
Chlorpyrifos-methyl	0.002	0.002	20	20	0	0	0.001	0.001	0.001	0.05	0
Clofentezine	0.002	0.002	20	20	0	0	0.001	0.001	0.001	0.02	0
Clothianidin	0.002	0.002	20	15	5	0	0.012	0.003	0.001	0.02	0
Cyfluthrin (sum)	0.040	0.040	20	20	0	0	0.020	0.020	0.020	0.02	0
Cypermethrin (sum)	0.040	0.040	20	20	0	0	0.020	0.020	0.020	0.7	0
Cyproconazole	0.002	0.002	20	20	0	0	0.001	0.001	0.001	0.05	0
Cyprodinil	0.002	0.002	20	20	0	0	0.001	0.001	0.001	8	0
DMST	0.008	0.008	20	20	0	0	0.004	0.004	0.004	.	0
Deltamethrin	0.040	0.040	20	20	0	0	0.020	0.020	0.020	0.5	0
Demeton-S-Methylsulfone	0.002	0.002	20	20	0	0	0.001	0.001	0.001	.	0
Desmethyl Pirimicarb	0.002	0.002	20	16	4	0	0.077	0.007	0.001	.	0
Diazinon	0.008	0.008	20	20	0	0	0.004	0.004	0.004	0.01	0
Dichlofluanid	0.008	0.008	20	20	0	0	0.004	0.004	0.004	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Spinach Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Dichloroaniline, 3,5-	0.100	0.100	20	20	0	0	0.050	0.050	0.050	.		0
Dichlorvos	0.100	0.100	20	20	0	0	0.050	0.050	0.050	0.01		0
Dicloran	0.002	0.002	20	20	0	0	0.001	0.001	0.001	0.1		0
Dicofol (sum)	0.040	0.040	20	20	0	0	0.020	0.020	0.020	0.02		0
Difenoconazole	0.002	0.002	20	20	0	0	0.001	0.001	0.001	2		0
Dimethoate	0.002	0.002	20	20	0	0	0.001	0.001	0.001	.		0
Dimethoate (sum)	0.004	0.004	20	20	0	0	0.002	0.002	0.002	0.02		0
Dimethomorph	0.002	0.002	20	18	1	1	0.130	0.012	0.001	0.1		0
Diphenylamine	0.008	0.008	20	20	0	0	0.004	0.004	0.004	0.05		0
Dithiocarbamates	0.030	0.030	12	12	0	0	0.015	0.015	0.015	0.05		0
EPN	0.002	0.002	20	20	0	0	0.001	0.001	0.001	0.01		0
Endosulfan (sum)	0.006	0.006	20	20	0	0	0.003	0.003	0.003	0.05		0
Endosulfansulfate	0.002	0.002	20	20	0	0	0.001	0.001	0.001	.		0
Epoxiconazole	0.002	0.002	20	20	0	0	0.001	0.001	0.001	0.05		0
Ethion	0.002	0.002	20	20	0	0	0.001	0.001	0.001	0.01		0
Ethoprophos	0.002	0.002	20	20	0	0	0.001	0.001	0.001	0.02		0
Etofenprox	0.002	0.002	20	20	0	0	0.001	0.001	0.001	3		0
Fenamiphos	0.002	0.002	20	20	0	0	0.001	0.001	0.001	.		0
Fenamiphos (sum)	0.006	0.006	20	20	0	0	0.003	0.003	0.003	0.02		0
Fenamiphos-Sulfon	0.002	0.002	20	20	0	0	0.001	0.001	0.001	.		0
Fenamiphos-Sulfoxid	0.002	0.002	20	20	0	0	0.001	0.001	0.001	.		0
Fenarimol	0.008	0.008	20	20	0	0	0.004	0.004	0.004	0.02		0
Fenazaquin	0.002	0.002	20	20	0	0	0.001	0.001	0.001	0.01		0
Fenbuconazole	0.002	0.002	20	20	0	0	0.001	0.001	0.001	0.05		0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Spinach Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Fenhexamid	0.002	0.002	20	20	0	0	0.001	0.001	0.001	0.05	0
Fenitrothion	0.002	0.002	20	20	0	0	0.001	0.001	0.001	0.01	0
Fenoxycarb	0.002	0.002	20	20	0	0	0.001	0.001	0.001	0.05	0
Fenpropathrin	0.002	0.002	20	20	0	0	0.001	0.001	0.001	0.01	0
Fenpropimorph	0.002	0.002	20	20	0	0	0.001	0.001	0.001	0.05	0
Fenthion	0.002	0.002	20	20	0	0	0.001	0.001	0.001	.	0
Fenthion (sum)	0.024	0.024	20	20	0	0	0.012	0.012	0.012	0.01	0
Fenthion oxon sulfone	0.002	0.002	20	20	0	0	0.001	0.001	0.001	.	0
Fenthion-Oxon	0.002	0.002	20	20	0	0	0.001	0.001	0.001	.	0
Fenthion-Oxonsulfoxide	0.002	0.002	20	20	0	0	0.001	0.001	0.001	.	0
Fenthion-Sulfon	0.008	0.008	20	20	0	0	0.004	0.004	0.004	.	0
Fenthion-Sulfoxide	0.008	0.008	20	20	0	0	0.004	0.004	0.004	.	0
Fipronil	0.002	0.002	20	20	0	0	0.001	0.001	0.001	.	0
Fipronil (sum)	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.005	0
Fipronil-Sulfone	0.008	0.008	18	18	0	0	0.004	0.004	0.004	.	0
Fluazifop (free acid)	0.002	0.002	20	20	0	0	0.001	0.001	0.001	.	0
Fluazifop-P-butyl (sum)	0.002	0.002	20	20	0	0	0.001	0.001	0.001	1	0
Fludioxonil	0.002	0.002	20	20	0	0	0.001	0.001	0.001	7	0
Flufenoxuron	0.002	0.002	20	20	0	0	0.001	0.001	0.001	0.05	0
Fluquinconazole	0.002	0.002	20	20	0	0	0.001	0.001	0.001	0.05	0
Flusilazole	0.002	0.002	20	20	0	0	0.001	0.001	0.001	0.02	0
Flutriafol	0.008	0.008	20	19	1	0	0.010	0.004	0.004	0.05	0
Folpet	0.008	0.008	20	20	0	0	0.004	0.004	0.004	10	0
Formetanate	0.002	0.002	20	20	0	0	0.001	0.001	0.001	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Spinach Treatment=Unprocessed

Compound	Between LOQ and MRL										
	Min LOQ	Max LOQ	Total	Below LOQ	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant	
Fosthiazate	0.002	0.002	20	20	0	0	0.001	0.001	0.001	0.02	0
Haloxypop	0.002	0.002	20	20	0	0	0.001	0.001	0.001	.	0
Haloxypop including haloxypop-R	0.004	0.004	20	20	0	0	0.002	0.002	0.002	0.3	0
Hexaconazole	0.002	0.002	20	20	0	0	0.001	0.001	0.001	0.02	0
Hexythiazox	0.002	0.002	20	20	0	0	0.001	0.001	0.001	0.5	0
Imazalil	0.002	0.002	20	20	0	0	0.001	0.001	0.001	0.05	0
Imidacloprid	0.002	0.002	20	17	3	0	0.032	0.003	0.001	0.05	0
Indoxacarb as sum of the isomers S and R	0.008	0.008	20	20	0	0	0.004	0.004	0.004	2	0
Iprodione	0.040	0.040	20	20	0	0	0.020	0.020	0.020	0.02	0
Iprovalicarb	0.002	0.002	20	20	0	0	0.001	0.001	0.001	0.05	0
Kresoxim-methyl	0.002	0.002	20	20	0	0	0.001	0.001	0.001	0.05	0
Lambda-Cyhalothrin	0.008	0.008	20	16	4	0	0.029	0.007	0.004	0.5	0
Linuron	0.002	0.002	20	20	0	0	0.001	0.001	0.001	0.05	0
Lufenuron	0.002	0.002	20	20	0	0	0.001	0.001	0.001	0.02	0
Malaoxon	0.002	0.002	20	20	0	0	0.001	0.001	0.001	.	0
Malathion	0.002	0.002	20	20	0	0	0.001	0.001	0.001	.	0
Malathion (sum of malathion and malaoxon expressed as malathion)	0.004	0.004	20	20	0	0	0.002	0.002	0.002	5	0
Mepanipyrim	0.002	0.002	20	20	0	0	0.001	0.001	0.001	.	0
Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine) expressed as mepanipyrim)	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.01	0
Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.002	0.002	20	20	0	0	0.001	0.001	0.001	0.05	0
Metconazole	0.002	0.002	20	20	0	0	0.001	0.001	0.001	0.02	0
Methamidophos	0.008	0.008	20	20	0	0	0.004	0.004	0.004	0.01	0
Methidathion	0.002	0.002	20	20	0	0	0.001	0.001	0.001	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Spinach Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Methiocarb	0.002	0.002	20	20	0	0	0.001	0.001	0.001	.	0
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.006	0.006	20	20	0	0	0.003	0.003	0.003	0.1	0
Methiocarb-Sulfon	0.002	0.002	20	20	0	0	0.001	0.001	0.001	.	0
Methiocarb-Sulfoxid	0.002	0.002	20	20	0	0	0.001	0.001	0.001	.	0
Methomyl	0.008	0.008	20	20	0	0	0.004	0.004	0.004	.	0
Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	20	20	0	0	0.005	0.005	0.005	0.05	0
Methoxyfenozide	0.002	0.002	20	20	0	0	0.001	0.001	0.001	0.02	0
Monocrotophos	0.002	0.002	20	20	0	0	0.001	0.001	0.001	0.01	0
Myclobutanil	0.008	0.008	20	20	0	0	0.004	0.004	0.004	0.02	0
Omethoate	0.002	0.002	20	20	0	0	0.001	0.001	0.001	.	0
Oxadixyl	0.008	0.008	20	20	0	0	0.004	0.004	0.004	0.01	0
Oxamyl	0.002	0.002	20	20	0	0	0.001	0.001	0.001	0.01	0
Oxydemeton-methyl	0.002	0.002	20	20	0	0	0.001	0.001	0.001	.	0
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0.004	0.004	20	20	0	0	0.002	0.002	0.002	0.01	0
Paclobutrazol	0.008	0.008	20	20	0	0	0.004	0.004	0.004	0.02	0
Paraoxon-Methyl	0.008	0.008	20	20	0	0	0.004	0.004	0.004	.	0
Parathion	0.008	0.008	20	20	0	0	0.004	0.004	0.004	0.05	0
Parathion-methyl	0.008	0.008	20	20	0	0	0.004	0.004	0.004	.	0
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.016	0.016	20	20	0	0	0.008	0.008	0.008	0.02	0
Penconazole	0.002	0.002	20	20	0	0	0.001	0.001	0.001	0.05	0
Pencycuron	0.002	0.002	20	20	0	0	0.001	0.001	0.001	0.05	0
Pendimethalin	0.008	0.008	20	20	0	0	0.004	0.004	0.004	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Spinach Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Phenthoate	0.008	0.008	20	20	0	0	0.004	0.004	0.004	0.01	0
Phosalone	0.008	0.008	20	20	0	0	0.004	0.004	0.004	0.05	0
Phosmet	0.002	0.002	20	20	0	0	0.001	0.001	0.001	.	0
Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.004	0.004	20	20	0	0	0.002	0.002	0.002	0.05	0
Phosmet oxon	0.002	0.002	20	20	0	0	0.001	0.001	0.001	.	0
Phoxim	0.008	0.008	20	20	0	0	0.004	0.004	0.004	0.01	0
Pirimicarb	0.002	0.002	20	19	1	0	0.006	0.001	0.001	.	0
Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.004	0.004	20	16	4	0	0.082	0.008	0.002	2	0
Pirimiphos-methyl	0.008	0.008	20	20	0	0	0.004	0.004	0.004	0.05	0
Prochloraz	0.002	0.002	18	18	0	0	0.001	0.001	0.001	.	0
Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0.002	0.002	2	2	0	0	0.001	0.001	0.001	0.05	0
Procymidone	0.002	0.002	20	20	0	0	0.001	0.001	0.001	0.02	0
Profenofos	0.002	0.002	20	20	0	0	0.001	0.001	0.001	0.05	0
Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.002	0.002	20	17	3	0	1.300	0.067	0.001	30	0
Propargite	0.008	0.008	20	20	0	0	0.004	0.004	0.004	0.01	0
Propiconazole	0.002	0.002	20	20	0	0	0.001	0.001	0.001	0.05	0
Propyzamide	0.008	0.008	20	20	0	0	0.004	0.004	0.004	0.02	0
Prothioconazole (prothioconazole-desthio)	0.048	0.048	20	20	0	0	0.024	0.024	0.024	.	0
Pyraclostrobin	0.002	0.002	20	20	0	0	0.001	0.001	0.001	0.5	0
Pyrethrins	0.040	0.040	20	20	0	0	0.020	0.020	0.020	1	0
Pyridaben	0.002	0.002	20	20	0	0	0.001	0.001	0.001	0.05	0
Pyrimethanil	0.002	0.002	20	20	0	0	0.001	0.001	0.001	0.05	0
Pyriproxyfen	0.002	0.002	20	20	0	0	0.001	0.001	0.001	0.05	0
Quinoxifen	0.002	0.002	20	20	0	0	0.001	0.001	0.001	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Spinach Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.008	0.008	20	19	1	0	0.230	0.015	0.004	10	0
Spiroxamine	0.002	0.002	20	20	0	0	0.001	0.001	0.001	0.05	0
Tebuconazole	0.008	0.008	20	20	0	0	0.004	0.004	0.004	0.05	0
Tebufenozide	0.002	0.002	20	20	0	0	0.001	0.001	0.001	10	0
Tebufenpyrad	0.002	0.002	20	20	0	0	0.001	0.001	0.001	0.05	0
Teflubenzuron	0.002	0.002	20	20	0	0	0.001	0.001	0.001	0.05	0
Tefluthrin	0.002	0.002	20	20	0	0	0.001	0.001	0.001	0.05	0
Tetraconazole	0.002	0.002	20	20	0	0	0.001	0.001	0.001	0.02	0
Tetradifon	0.002	0.002	20	20	0	0	0.001	0.001	0.001	0.02	0
Thiabendazole	0.002	0.002	20	20	0	0	0.001	0.001	0.001	0.05	0
Thiacloprid	0.002	0.002	20	20	0	0	0.001	0.001	0.001	0.02	0
Thiametoxam	0.008	0.008	20	20	0	0	0.004	0.004	0.004	0.05	0
Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.010	20	19	1	0	0.010	0.005	0.005	0.05	0
Thiodicarb	0.002	0.002	20	20	0	0	0.001	0.001	0.001	.	0
Thiophanate-methyl	0.008	0.008	20	20	0	0	0.004	0.004	0.004	0.1	0
Tolclofos-methyl	0.008	0.008	20	20	0	0	0.004	0.004	0.004	0.05	0
Tolyfluanid	0.008	0.008	20	20	0	0	0.004	0.004	0.004	.	0
Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	0.016	0.016	20	20	0	0	0.008	0.008	0.008	0.05	0
Triadimefon	0.008	0.008	20	20	0	0	0.004	0.004	0.004	.	0
Triadimefon (sum of Triadimefon and Triadimenol)	0.016	0.016	20	20	0	0	0.008	0.008	0.008	0.1	0
Triadimenol	0.008	0.008	20	20	0	0	0.004	0.004	0.004	.	0
Triazophos	0.002	0.002	20	20	0	0	0.001	0.001	0.001	0.01	0
Trichlorfon	0.040	0.040	20	20	0	0	0.020	0.020	0.020	0.5	0
Trifloxystrobin	0.002	0.002	20	20	0	0	0.001	0.001	0.001	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Spinach Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Triflumuron	0.008	0.008	20	20	0	0	0.004	0.004	0.004	0.05	0
Trifluralin	0.008	0.008	20	20	0	0	0.004	0.004	0.004	0.5	0
Triticonazole	0.008	0.008	20	20	0	0	0.004	0.004	0.004	0.01	0
Vinclozolin	0.002	0.002	20	20	0	0	0.001	0.001	0.001	.	0
Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	0.102	0.102	20	20	0	0	0.051	0.051	0.051	0.05	0
Zoxamide	0.002	0.002	20	20	0	0	0.001	0.001	0.001	0.02	0
alpha-Endosulfan	0.002	0.002	20	20	0	0	0.001	0.001	0.001	.	0
beta-Endosulfan	0.002	0.002	20	20	0	0	0.001	0.001	0.001	.	0
tau-Fluvalinate	0.008	0.008	20	20	0	0	0.004	0.004	0.004	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Swine Liver Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Azinphos-ethyl	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.01	0
Bifenthrin	0.005	0.005	8	8	0	0	0.003	0.003	0.003	0.05	0
Chlorobenzilate	0.030	0.030	8	8	0	0	0.015	0.015	0.015	0.1	0
Chlorpyrifos	0.002	0.002	8	8	0	0	0.001	0.001	0.001	0	0
Chlorpyrifos-methyl	0.004	0.004	8	8	0	0	0.002	0.002	0.002	0.05	0
Cypermethrin (sum)	0.005	0.005	8	8	0	0	0.003	0.003	0.003	0.02	0
DDT (sum)	0.001	0.001	8	8	0	0	0.001	0.001	0.001	0.1	0
Deltamethrin	0.005	0.005	8	8	0	0	0.003	0.003	0.003	0.03	0
Diazinon	0.003	0.003	8	8	0	0	0.002	0.002	0.002	0.05	0
Dieldrin	0.001	0.001	8	8	0	0	0.001	0.001	0.001	0.02	0
Endosulfan (sum)	0.001	0.001	8	8	0	0	0.001	0.001	0.001	0.05	0
Endrin	0.000	0.000	8	8	0	0	0.000	0.000	0.000	0.01	0
Fenthion	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.05	0
Heptachlor	0.001	0.001	8	8	0	0	0.001	0.001	0.001	0.02	0
Hexachlorobenzene	0.001	0.001	8	8	0	0	0.001	0.001	0.001	0.02	0
Hexachlorocyclohexane (HCH), alpha-isomer	0.001	0.001	8	8	0	0	0.001	0.001	0.001	0.02	0
Hexachlorocyclohexane (HCH), beta-isomer	0.001	0.001	8	8	0	0	0.001	0.001	0.001	0.01	0
Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))	0.001	0.001	8	8	0	0	0.001	0.001	0.001	0.01	0
Methidathion	0.020	0.020	8	8	0	0	0.010	0.010	0.010	0.02	0
Methoxychlor	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.01	0
Parathion	0.020	0.020	8	8	0	0	0.010	0.010	0.010	0.05	0
Parathion-methyl	0.020	0.020	8	8	0	0	0.010	0.010	0.010	0.02	0
Permethrin (sum of isomers)	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.05	0
Pirimiphos-methyl	0.003	0.003	8	8	0	0	0.002	0.002	0.002	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Swine Liver Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Profenofos	0.020	0.020	8	8	0	0	0.010	0.010	0.010	0.05	0
Pyrazophos	0.020	0.020	8	8	0	0	0.010	0.010	0.010	0.02	0
Quintozene	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.01	0
Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers))	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.1	0
Tecnazene	0.030	0.030	8	8	0	0	0.015	0.015	0.015	0.05	0
Triazophos	0.010	0.010	8	8	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Wheat Treatment=Milling

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
2,4-D	0.008	0.008	3	3	0	0	0.004	0.004	0.004	.	0
2-anilino-4-(2-hydroxypropyl)- 6-methylpyrimidin	0.008	0.008	3	3	0	0	0.004	0.004	0.004	.	0
3-Chloroaniline	0.100	0.100	3	3	0	0	0.050	0.050	0.050	.	0
3-hydroxy -carbofuran	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0
Abamectin (sum)	0.040	0.040	3	3	0	0	0.020	0.020	0.020	0.01	0
Acephate	0.100	0.100	3	3	0	0	0.050	0.050	0.050	0.02	0
Acetamiprid	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.01	0
Acrinathrin	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.05	0
Aldicarb	0.008	0.008	3	3	0	0	0.004	0.004	0.004	.	0
Aldicarb (sum)	0.018	0.018	3	3	0	0	0.009	0.009	0.009	0.05	0
Aldicarb-Sulfone	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0
Aldicarb-Sulfoxide	0.008	0.008	3	3	0	0	0.004	0.004	0.004	.	0
Azinphos-methyl	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.05	0
Azoxystrobin	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.3	0
Bifenthrin	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.5	0
Bitertanol	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.05	0
Boscalid	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.5	0
Bromide ion	5.000	5.000	1	1	0	0	2.500	2.500	2.500	50	0
Bromopropylate	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.05	0
Bromuconazole (sum)	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.2	0
Bupirimate	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.05	0
Buprofezin	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.05	0
Captan	0.040	0.040	3	3	0	0	0.020	0.020	0.020	0.02	0
Carbaryl	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.5	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Wheat Treatment=Milling

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Carbendazim	0.008	0.008	3	3	0	0	0.004	0.004	0.004	.	0
Carbendazim and benomyl	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.1	0
Carbofuran	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0
Carbofuran (sum)	0.004	0.004	3	3	0	0	0.002	0.002	0.002	0.02	0
Carbosulfan	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.05	0
Chlorfenapyr	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.05	0
Chlorfenvinphos	0.040	0.040	3	3	0	0	0.020	0.020	0.020	0.02	0
Chlorothalonil	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.1	0
Chlorpropham (sum)	0.108	0.108	3	3	0	0	0.054	0.054	0.054	0.02	0
Chlorpyrifos	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.05	0
Chlorpyrifos-methyl	0.008	0.008	3	3	0	0	0.004	0.004	0.004	3	0
Clothianidin	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.02	0
Cyfluthrin (sum)	0.040	0.040	3	3	0	0	0.020	0.020	0.020	0.02	0
Cypermethrin (sum)	0.040	0.040	3	3	0	0	0.020	0.020	0.020	2	0
Cyproconazole	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.1	0
Cyprodinil	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.5	0
DMST	0.008	0.008	3	3	0	0	0.004	0.004	0.004	.	0
Deltamethrin	0.040	0.040	3	3	0	0	0.020	0.020	0.020	2	0
Demeton-S-Methylsulfone	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0
Desmethyl Pirimicarb	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0
Diazinon	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.02	0
Dichlofluanid	0.040	0.040	3	3	0	0	0.020	0.020	0.020	.	0
Dichloroaniline, 3,5-	0.100	0.100	3	3	0	0	0.050	0.050	0.050	.	0
Dichlorvos	0.100	0.100	3	3	0	0	0.050	0.050	0.050	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Wheat Treatment=Milling

Compound			Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
	Min LOQ	Max LOQ									
Dicloran	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.01	0
Dicofol (sum)	0.040	0.040	3	3	0	0	0.020	0.020	0.020	0.02	0
Difenoconazole	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.1	0
Dimethoate	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0
Dimethoate (sum)	0.004	0.004	3	3	0	0	0.002	0.002	0.002	0.05	0
Dimethomorph	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.05	0
Diphenylamine	0.100	0.100	3	3	0	0	0.050	0.050	0.050	0.05	0
Dithiocarbamates	0.030	0.030	2	2	0	0	0.015	0.015	0.015	1	0
EPN	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.01	0
Endosulfan (sum)	0.006	0.006	3	3	0	0	0.003	0.003	0.003	0.05	0
Endosulfansulfate	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0
Epoxiconazole	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.2	0
Ethion	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.01	0
Ethoprophos	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.02	0
Etofenprox	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.5	0
Fenamiphos	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0
Fenamiphos (sum)	0.006	0.006	3	3	0	0	0.003	0.003	0.003	0.02	0
Fenamiphos-Sulfon	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0
Fenamiphos-Sulfoxid	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0
Fenarimol	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.02	0
Fenazaquin	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.01	0
Fenbuconazole	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.1	0
Fenhexamid	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.05	0
Fenitrothion	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Wheat Treatment=Milling

Compound	Between										
	Min LOQ	Max LOQ	Total	Below LOQ	LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Fenoxycarb	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.05	0
Fenpropathrin	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.01	0
Fenpropimorph	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.5	0
Fenthion	0.100	0.100	3	3	0	0	0.050	0.050	0.050	.	0
Fenthion (sum)	0.122	0.122	3	3	0	0	0.061	0.061	0.061	0.01	0
Fenthion oxon sulfone	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0
Fenthion-Oxon	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0
Fenthion-Oxonsulfoxide	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0
Fenthion-Sulfon	0.008	0.008	3	3	0	0	0.004	0.004	0.004	.	0
Fenthion-Sulfoxide	0.008	0.008	3	3	0	0	0.004	0.004	0.004	.	0
Fipronil	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0
Fipronil (sum)	0.010	0.010	3	3	0	0	0.005	0.005	0.005	.	0
Fipronil-Sulfone	0.008	0.008	3	3	0	0	0.004	0.004	0.004	.	0
Fluazifop (free acid)	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0
Fluazifop-P-butyl (sum)	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.1	0
Fludioxonil	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.2	0
Flufenoxuron	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.05	0
Fluquinconazole	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.1	0
Flusilazole	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.1	0
Flutriafol	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.5	0
Folpet	0.008	0.008	3	3	0	0	0.004	0.004	0.004	2	0
Formetanate	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.05	0
Fosthiazate	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.02	0
Haloxifop	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Wheat Treatment=Milling

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Haloxypop including haloxypop-R	0.004	0.004	3	3	0	0	0.002	0.002	0.002	0.1	0
Hexaconazole	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.1	0
Hexythiazox	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.5	0
Imazalil	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.05	0
Imidacloprid	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.1	0
Indoxacarb as sum of the isomers S and R	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.02	0
Iprodione	0.040	0.040	3	3	0	0	0.020	0.020	0.020	0.5	0
Iprovalicarb	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.05	0
Kresoxim-methyl	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.05	0
Lambda-Cyhalothrin	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.05	0
Linuron	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.05	0
Lufenuron	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.02	0
Malaoxon	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0
Malathion	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0
Malathion (sum of malathion and malaoxon expressed as malathion)	0.004	0.004	3	3	0	0	0.002	0.002	0.002	8	0
Mepanipyrim	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0
Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine) expressed as mepanipyrim)	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.01	0
Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.05	0
Metconazole	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.15	0
Methamidophos	0.040	0.040	3	3	0	0	0.020	0.020	0.020	0.01	0
Methidathion	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.02	0
Methiocarb	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Wheat Treatment=Milling

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.006	0.006	3	3	0	0	0.003	0.003	0.003	0.1	0
Methiocarb-Sulfon	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0
Methiocarb-Sulfoxid	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0
Methomyl	0.008	0.008	3	3	0	0	0.004	0.004	0.004	.	0
Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.02	0
Methoxyfenozide	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.05	0
Monocrotophos	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.01	0
Myclobutanil	0.040	0.040	3	3	0	0	0.020	0.020	0.020	0.02	0
Omethoate	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0
Oxadixyl	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.01	0
Oxamyl	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.01	0
Oxydemeton-methyl	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0.004	0.004	3	3	0	0	0.002	0.002	0.002	0.02	0
Paclobutrazol	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.02	0
Paraoxon-Methyl	0.040	0.040	3	3	0	0	0.020	0.020	0.020	.	0
Parathion	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.05	0
Parathion-methyl	0.008	0.008	3	3	0	0	0.004	0.004	0.004	.	0
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.048	0.048	3	3	0	0	0.024	0.024	0.024	0.02	0
Penconazole	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.05	0
Pencycuron	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.05	0
Pendimethalin	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.05	0
Phenthoate	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Wheat Treatment=Milling

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Phosalone	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.05	0
Phosmet	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0
Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.004	0.004	3	3	0	0	0.002	0.002	0.002	0.05	0
Phosmet oxon	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0
Phoxim	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.01	0
Pirimicarb	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0
Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.004	0.004	3	3	0	0	0.002	0.002	0.002	0.5	0
Pirimiphos-methyl	0.008	0.008	3	3	0	0	0.004	0.004	0.004	5	0
Prochloraz	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0
Procymidone	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.02	0
Profenofos	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.05	0
Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.1	0
Propargite	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.01	0
Propiconazole	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.05	0
Propyzamide	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.02	0
Prothioconazole (prothioconazole-desthio)	0.048	0.048	3	3	0	0	0.024	0.024	0.024	0.1	0
Pyraclostrobin	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.1	0
Pyrethrins	0.100	0.100	3	3	0	0	0.050	0.050	0.050	3	0
Pyridaben	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.05	0
Pyrimethanil	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.05	0
Pyriproxyfen	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.05	0
Quinoxifen	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.02	0
Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.008	0.008	3	3	0	0	0.004	0.004	0.004	1	0
Spiroxamine	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Wheat Treatment=Milling

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Tebuconazole	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.2	0
Tebufenozide	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.05	0
Tebufenpyrad	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.05	0
Teflubenzuron	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.1	0
Tefluthrin	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.05	0
Tetraconazole	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.1	0
Tetradifon	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.02	0
Thiabendazole	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.05	0
Thiacloprid	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.1	0
Thiametoxam	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.05	0
Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.010	3	3	0	0	0.005	0.005	0.005	0.05	0
Thiodicarb	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0
Thiophanate-methyl	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.05	0
Tolclofos-methyl	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.05	0
Tolyfluanid	0.040	0.040	3	3	0	0	0.020	0.020	0.020	.	0
Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	0.048	0.048	3	3	0	0	0.024	0.024	0.024	0.05	0
Triadimefon	0.008	0.008	3	3	0	0	0.004	0.004	0.004	.	0
Triadimefon (sum of Triadimefon and Triadimenol)	0.016	0.016	3	3	0	0	0.008	0.008	0.008	0.2	0
Triadimenol	0.008	0.008	3	3	0	0	0.004	0.004	0.004	.	0
Triazophos	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.02	0
Trichlorfon	0.040	0.040	3	3	0	0	0.020	0.020	0.020	0.1	0
Trifloxystrobin	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.05	0
Triflumuron	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.05	0
Trifluralin	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Product=Wheat Treatment=Milling

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Triticonazole	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.01	0
Vinclozolin	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0
Vinclozolin (sum of Vinclozolin and all metabolites containing the 3,5-dichloraniline moiety, expressed as Vinclozolin)	0.102	0.102	3	3	0	0	0.051	0.051	0.051	0.05	0
Zoxamide	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.02	0
alpha-Endosulfan	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0
beta-Endosulfan	0.002	0.002	3	3	0	0	0.001	0.001	0.001	.	0
tau-Fluvalinate	0.008	0.008	3	3	0	0	0.004	0.004	0.004	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Animal products

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Bovine products	Bovine Liver	DDT (sum)	0.002	0.002	1	0	1	0	0.062	0.062	0.062	1	0
			0.001	0.001	5	4	1	0	0.002	0.001	0.001	0.1	0
		Hexachlorobenzene	0.001	0.001	1	0	1	0	0.039	0.039	0.039	0.2	0
			0.001	0.001	5	5	0	0	0.001	0.001	0.001	0.02	0
	Bovine Meat	DDT (sum)	0.002	0.002	2	0	2	0	0.029	0.027	0.027	1	0
			0.001	0.001	3	2	1	0	0.003	0.001	0.001	0.1	0
		Hexachlorobenzene	0.001	0.001	2	1	1	0	0.027	0.014	0.014	0.2	0
			0.001	0.001	3	2	1	0	0.001	0.001	0.001	0.02	0
Eggs	Eggs Chicken	DDT (sum)	0.002	0.002	1	1	0	0	0.001	0.001	0.001	0.5	0
			0.001	0.001	4	3	1	0	0.018	0.005	0.001	0.05	0
Swine products	Swine Meat	DDT (sum)	0.002	0.002	2	1	1	0	0.047	0.024	0.024	1	0
			0.001	0.001	3	3	0	0	0.001	0.001	0.001	0.1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Cereals

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Cereals	Barley	Carbendazim	0.008	0.008	16	15	1	0	0.008	0.004	0.004	.	0
		Carbendazim and benomyl	0.008	0.008	16	15	1	0	0.008	0.004	0.004	2	0
		Chlorpyrifos	0.002	0.002	16	13	3	0	0.016	0.003	0.001	0.2	0
		Chlorpyrifos-methyl	0.008	0.008	16	12	4	0	0.180	0.019	0.004	3	0
		Cyproconazole	0.002	0.002	16	15	1	0	0.021	0.002	0.001	0.1	0
		Epoxiconazole	0.002	0.002	16	15	1	0	0.004	0.001	0.001	1	0
		Iprodione	0.040	0.040	16	15	1	0	0.200	0.031	0.020	0.5	0
		Picoxystrobin	0.002	0.002	16	15	1	0	0.014	0.002	0.001	0.2	0
		Pirimiphos-methyl	0.008	0.008	16	15	1	0	0.009	0.004	0.004	5	0
		Propiconazole	0.002	0.002	16	14	2	0	0.010	0.002	0.001	0.2	0
		Quinoxifen	0.002	0.002	16	14	2	0	0.012	0.002	0.001	0.2	0
		Tebuconazole	0.008	0.008	16	12	4	0	0.036	0.008	0.004	2	0
	Oats	Chlorpyrifos	0.002	0.002	9	7	2	0	0.008	0.002	0.001	0.05	0
		Chlorpyrifos-methyl	0.008	0.008	9	8	1	0	0.031	0.007	0.004	3	0
	Rice	Azoxystrobin	0.002	0.002	16	15	1	0	0.005	0.001	0.001	5	0
		Bromide ion	5.000	5.000	6	5	1	0	32.000	7.417	2.500	50	0
		Buprofezin	0.002	0.002	16	15	1	0	0.025	0.003	0.001	0.5	0
		Chlorpyrifos	0.002	0.002	16	15	1	0	0.012	0.002	0.001	0.05	0
		Cyproconazole	0.002	0.002	16	15	1	0	0.004	0.001	0.001	0.1	0
		Deltamethrin	0.040	0.040	16	15	1	0	0.270	0.036	0.020	2	0
		Hexythiazox	0.002	0.002	16	15	1	0	0.019	0.002	0.001	0.5	0
		Imidacloprid	0.002	0.002	16	15	1	0	0.006	0.001	0.001	1.5	0
		Malathion (sum of malathion and malaoxon expressed as malathion)	0.004	0.004	16	15	1	0	0.006	0.002	0.002	8	0
		Piperonyl Butoxide	0.002	0.002	16	13	3	0	1.300	0.082	0.001	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Cereals

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Rye	Pirimiphos-methyl		0.008	0.008	16	12	4	0	0.340	0.037	0.004	5	0
	Propiconazole		0.002	0.002	16	15	1	0	0.016	0.002	0.001	0.05	0
	Tebuconazole		0.008	0.008	16	15	1	0	0.009	0.004	0.004	2	0
	Chlormequat		0.020	0.020	9	2	5	2	2.700	0.698	0.200	2	0
	Chlorpyrifos-methyl		0.008	0.008	18	15	3	0	0.017	0.006	0.004	3	0
	Epoxiconazole		0.002	0.002	18	16	2	0	0.007	0.001	0.001	0.2	0
	Pencycuron		0.002	0.002	18	17	0	1	0.061	0.004	0.001	0.05	0
	Pirimiphos-methyl		0.008	0.008	18	15	3	0	0.054	0.009	0.004	5	0
Wheat	Spiroamine		0.002	0.002	18	16	2	0	0.007	0.002	0.001	0.05	0
	Tebuconazole		0.008	0.008	18	16	2	0	0.015	0.005	0.004	0.2	0
	Chlormequat		0.020	0.020	10	6	4	0	0.200	0.054	0.010	2	0
	Chlorpyrifos		0.002	0.002	25	22	3	0	0.012	0.002	0.001	0.05	0
	Chlorpyrifos-methyl		0.008	0.008	25	14	11	0	1.800	0.142	0.004	3	0
	Cyproconazole		0.002	0.002	25	24	1	0	0.006	0.001	0.001	0.1	0
	Fenpropimorph		0.002	0.002	25	24	1	0	0.004	0.001	0.001	0.5	0
	Fonofos		0.002	0.002	25	24	1	0	0.003	0.001	0.001	0.01	0
	Piperonyl Butoxide		0.002	0.002	25	24	1	0	0.004	0.001	0.001	.	0
	Pirimiphos-methyl		0.008	0.008	25	23	2	0	0.030	0.006	0.004	5	0
	Quinmerac		0.002	0.002	25	24	1	0	0.015	0.002	0.001	0.1	0
	Tebuconazole		0.008	0.008	25	21	4	0	0.010	0.005	0.004	0.2	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

ProductClass=Fish products

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Foodgroup not relevant	Fish, fish products, shell fish, molluscs and other marine and freshwater food products	DDT (sum)	0.001	0.001	5	2	3	0	0.017	0.004	0.002	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Brassica vegetables	Broccoli	2,4-D	0.008	0.008	12	10	2	0	0.036	0.008	0.004	.	0
		Azoxystrobin	0.002	0.002	13	12	1	0	0.048	0.005	0.001	5	0
		Boscalid	0.002	0.002	13	12	1	0	0.240	0.019	0.001	1	0
		Chlorothalonil	0.008	0.008	13	11	2	0	0.104	0.014	0.004	3	0
		Fluazifop (free acid)	0.002	0.002	13	12	1	0	0.800	0.062	0.001	.	0
		Fluazifop-P-butyl (sum)	0.002	0.002	13	12	0	1	0.800	0.062	0.001	0.2	1
		Imidacloprid	0.002	0.002	13	12	1	0	0.005	0.001	0.001	0.5	0
		Lambda-Cyhalothrin	0.008	0.008	13	12	1	0	0.011	0.005	0.004	0.1	0
		Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.002	0.002	13	12	1	0	0.035	0.004	0.001	0.2	0
		Pyraclostrobin	0.002	0.002	13	12	1	0	0.082	0.007	0.001	0.1	0
		Quizalofop (including Quizalofop-P)	0.002	0.002	13	12	1	0	0.002	0.001	0.001	0.4	0
		Thiacloprid	0.002	0.002	13	12	1	0	0.007	0.001	0.001	0.1	0
		Thiametoxam	0.008	0.008	13	12	1	0	0.010	0.004	0.004	0.2	0
		Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.010	13	12	1	0	0.010	0.005	0.005	0.2	0
	Brussels sprouts	Boscalid	0.002	0.002	8	3	5	0	0.041	0.020	0.017	2	0
		Chlorothalonil	0.008	0.008	8	3	5	0	0.220	0.082	0.070	3	0
		Imazalil	0.002	0.002	8	7	1	0	0.005	0.002	0.001	0.05	0
		Imidacloprid	0.002	0.002	8	7	1	0	0.003	0.001	0.001	0.5	0
		Indoxacarb as sum of the isomers S and R	0.008	0.008	1	1	0	0	0.004	0.004	0.004	3	0
			0.008	0.008	7	6	1	0	0.011	0.005	0.004	0.1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Between		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant		
						Below LOQ	LOQ and MRL							
Cauliflower	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))		0.002	0.002	1	1	0	0	0.001	0.001	0.001	1	0	
			0.002	0.002	7	6	1	0	0.004	0.001	0.001	0.05	0	
		Propamocarb (sum of propamocarb and its salt expressed as propamocarb)		0.002	0.002	8	7	1	0	0.018	0.003	0.001	10	0
				0.002	0.002	8	7	1	0	0.018	0.003	0.001	10	0
		Tebuconazole		0.008	0.008	1	0	1	0	0.031	0.031	0.031	1	0
				0.008	0.008	7	4	3	0	0.034	0.011	0.004	0.5	0
		Thiabendazole		0.002	0.002	8	7	1	0	0.010	0.002	0.001	0.05	0
				0.002	0.002	8	7	1	0	0.010	0.002	0.001	0.05	0
		Chlorpyrifos		0.002	0.002	17	13	4	0	0.021	0.003	0.001	0.05	0
				0.002	0.002	17	16	1	0	0.006	0.001	0.001	.	0
	Chinese cabbage	Dimethoate		0.002	0.002	17	16	1	0	0.006	0.001	0.001	.	0
		Dimethoate (sum)		0.004	0.004	17	16	1	0	0.006	0.002	0.002	0.02	0
		Fluazifop (free acid)		0.002	0.002	17	14	3	0	0.018	0.003	0.001	.	0
		Fluazifop-P-butyl (sum)		0.002	0.002	17	14	3	0	0.022	0.003	0.001	0.2	0
		Imidacloprid		0.002	0.002	17	15	2	0	0.008	0.002	0.001	0.5	0
		Azoxystrobin		0.002	0.002	17	15	2	0	0.021	0.003	0.001	5	0
		Boscalid		0.002	0.002	17	14	3	0	0.006	0.002	0.001	10	0
		Chlorpyrifos		0.002	0.002	17	16	1	0	0.160	0.010	0.001	0.5	0
		Dimethoate		0.002	0.002	17	16	1	0	0.047	0.004	0.001	.	0
		Dimethoate (sum)		0.004	0.004	17	16	0	1	0.047	0.005	0.002	0.02	1
		Fluazifop (free acid)		0.002	0.002	17	15	2	0	0.250	0.016	0.001	.	0
		Fluazifop-P-butyl (sum)		0.002	0.002	17	15	2	0	0.250	0.016	0.001	0.5	0
		Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))		0.002	0.002	17	16	1	0	0.004	0.001	0.001	0.05	0
		Pyrimethanil		0.002	0.002	17	16	1	0	0.003	0.001	0.001	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Head cabbage		Quizalofop (including Quizalofop-P)	0.002	0.002	17	16	1	0	0.004	0.001	0.001	0.4	0
		Trifloxystrobin	0.002	0.002	17	16	1	0	0.004	0.001	0.001	0.02	0
		Azoxystrobin	0.002	0.002	33	32	1	0	0.006	0.001	0.001	5	0
		Carbendazim	0.008	0.008	33	32	1	0	0.040	0.005	0.004	.	0
		Carbendazim and benomyl	0.008	0.008	33	32	1	0	0.040	0.005	0.004	0.1	0
		Chlorothalonil	0.008	0.008	33	32	1	0	0.190	0.010	0.004	3	0
		Chlorpyrifos	0.002	0.002	33	28	5	0	0.340	0.013	0.001	1	0
		Cypermethrin (sum)	0.040	0.040	33	31	2	0	0.230	0.028	0.020	1	0
		DDE, p,p-	0.002	0.002	33	32	1	0	0.004	0.001	0.001	.	0
		Dimethoate	0.002	0.002	33	32	1	0	0.011	0.001	0.001	.	0
		Dimethoate (sum)	0.004	0.004	17	17	0	0	0.002	0.002	0.002	1	0
			0.004	0.004	16	15	1	0	0.019	0.003	0.002	0.02	0
		Dimethomorph	0.002	0.002	33	31	1	1	0.140	0.005	0.001	0.05	1
		Fenvalerate and Esfenvalerate (Sum of RR and SS isomers)	0.008	0.008	33	32	1	0	0.025	0.005	0.004	0.1	0
		Fenvalerate and Esfenvalerate (Sum of RS and SR isomers)	0.008	0.008	33	32	1	0	0.016	0.004	0.004	0.02	0
		Imidacloprid	0.002	0.002	33	30	3	0	0.016	0.002	0.001	0.5	0
		Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.002	0.002	33	32	1	0	0.005	0.001	0.001	1	0
		Omethoate	0.002	0.002	33	31	2	0	0.008	0.001	0.001	.	0
		Trifloxystrobin	0.002	0.002	33	32	1	0	0.120	0.005	0.001	0.3	0
Bulb vegetables	Kohlrabi	Dithiocarbamates	0.030	0.030	2	0	2	0	0.100	0.075	0.075	1	0
	Garlic	Carbendazim	0.008	0.008	9	8	1	0	0.022	0.006	0.004	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Citrus fruit	Onions	Carbendazim and benomyl	0.008	0.008	9	8	1	0	0.022	0.006	0.004	0.1	0
		Thiabendazole	0.002	0.002	9	8	1	0	0.027	0.004	0.001	0.05	0
		Chlorothalonil	0.008	0.008	1	0	1	0	0.420	0.420	0.420	10	0
			0.008	0.008	11	11	0	0	0.004	0.004	0.004	0.5	0
		Chlorpropham	0.008	0.008	12	10	2	0	0.052	0.009	0.004	.	0
		Imazalil	0.002	0.002	12	10	2	0	0.004	0.001	0.001	0.05	0
		Imidacloprid	0.002	0.002	11	10	1	0	0.004	0.001	0.001	0.1	0
			0.002	0.002	1	1	0	0	0.001	0.001	0.001	0.2	0
	Grapefruit	Piperonyl Butoxide	0.002	0.002	12	11	1	0	0.006	0.001	0.001	.	0
		2,4-D	0.008	0.008	6	4	2	0	0.260	0.052	0.004	.	0
		Acetamiprid	0.002	0.002	7	5	2	0	0.320	0.049	0.001	1	0
		Azoxystrobin	0.002	0.002	7	6	1	0	0.053	0.008	0.001	15	0
		Buprofezin	0.002	0.002	7	6	1	0	0.005	0.002	0.001	1	0
		Chlorpyrifos	0.002	0.002	7	2	5	0	0.140	0.049	0.027	0.3	0
		Etofenprox	0.002	0.002	7	6	1	0	0.010	0.002	0.001	1	0
		Fenazaquin	0.002	0.002	7	6	1	0	0.017	0.003	0.001	0.5	0
		Imazalil	0.002	0.002	7	1	6	0	1.700	0.654	0.260	5	0
		Imidacloprid	0.002	0.002	7	6	1	0	0.005	0.002	0.001	1	0
		Prochloraz	0.002	0.002	6	5	1	0	1.100	0.184	0.001	.	0
		Pyraclostrobin	0.002	0.002	7	6	1	0	0.016	0.003	0.001	1	0
		Pyridaben	0.002	0.002	7	6	1	0	0.042	0.007	0.001	0.5	0
		Pyrimethanil	0.002	0.002	7	6	1	0	0.045	0.007	0.001	10	0
		Pyriproxyfen	0.002	0.002	7	4	3	0	0.020	0.006	0.001	0.6	0
		Thiabendazole	0.002	0.002	7	4	3	0	1.200	0.316	0.001	5	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Lemons		tau-Fluvalinate	0.008	0.008	7	6	0	1	0.110	0.019	0.004	0.1	0
		Boscalid	0.002	0.002	7	6	1	0	0.002	0.001	0.001	0.05	0
		Carbendazim	0.008	0.008	7	6	1	0	0.010	0.005	0.004	.	0
		Carbendazim and benomyl	0.008	0.008	7	6	1	0	0.010	0.005	0.004	0.7	0
		Chlorpyrifos	0.002	0.002	7	0	7	0	0.180	0.079	0.071	0.2	0
		Chlorpyrifos-methyl	0.002	0.002	7	5	2	0	0.140	0.023	0.001	0.3	0
		Fenazaquin	0.002	0.002	7	6	1	0	0.012	0.003	0.001	0.5	0
		Hexythiazox	0.002	0.002	7	4	3	0	0.022	0.007	0.001	1	0
		Imazalil	0.002	0.002	7	1	6	0	1.000	0.607	0.800	5	0
		Imidacloprid	0.002	0.002	7	6	1	0	0.011	0.002	0.001	1	0
		Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.002	0.002	7	6	1	0	0.006	0.002	0.001	0.5	0
		Orthophenylphenol	0.100	0.100	7	6	1	0	0.134	0.062	0.050	5	0
		Prochloraz	0.002	0.002	4	3	1	0	0.890	0.223	0.001	.	0
		Pyrimethanil	0.002	0.002	7	5	2	0	0.700	0.111	0.001	10	0
		Pyriproxyfen	0.002	0.002	7	0	7	0	0.094	0.038	0.034	0.6	0
Limes		Tebuufenpyrad	0.002	0.002	7	5	2	0	0.009	0.003	0.001	0.5	0
		Thiabendazole	0.002	0.002	7	6	1	0	0.480	0.069	0.001	5	0
		2,4-D (sum)	0.008	0.008	1	0	1	0	0.016	0.016	0.016	1	0
Mandarins		Imazalil	0.002	0.002	1	0	1	0	0.200	0.200	0.200	5	0
		2,4-D	0.008	0.008	10	8	2	0	0.180	0.022	0.004	.	0
		Boscalid	0.002	0.002	17	16	1	0	0.015	0.002	0.001	0.05	0
		Carbendazim	0.008	0.008	17	16	1	0	0.018	0.005	0.004	.	0
		Carbendazim and benomyl	0.008	0.008	17	16	1	0	0.018	0.005	0.004	0.7	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
		Chlorpyrifos	0.002	0.002	17	4	13	0	0.250	0.075	0.057	2	0
		Dithiocarbamates	0.030	0.030	11	9	2	0	0.380	0.070	0.015	5	0
		Fenvalerate and Esfenvalerate (Sum of RR and SS isomers)	0.008	0.008	17	16	1	0	0.013	0.005	0.004	0.02	0
		Fenvalerate and Esfenvalerate (Sum of RS and SR isomers)	0.008	0.008	17	16	1	0	0.019	0.005	0.004	0.02	0
		Fludioxonil	0.002	0.002	17	16	1	0	0.006	0.001	0.001	7	0
		Flutriafol	0.008	0.008	17	16	1	0	0.008	0.004	0.004	0.2	0
		Hexythiazox	0.002	0.002	17	13	4	0	0.015	0.003	0.001	1	0
		Imazalil	0.002	0.002	17	0	17	0	3.700	1.205	0.860	5	0
		Imidacloprid	0.002	0.002	17	15	2	0	0.041	0.005	0.001	1	0
		Lambda-Cyhalothrin	0.008	0.008	17	16	1	0	0.009	0.004	0.004	0.2	0
		Malathion	0.002	0.002	17	16	1	0	0.004	0.001	0.001	.	0
		Malathion (sum of malathion and malaoxon expressed as malathion)	0.004	0.004	17	16	1	0	0.004	0.002	0.002	7	0
		Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.002	0.002	17	16	1	0	0.005	0.001	0.001	0.5	0
		Phosmet	0.040	0.040	17	16	1	0	0.270	0.035	0.020	.	0
		Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.042	0.042	17	16	0	1	0.270	0.036	0.021	0.2	0
		Prochloraz	0.002	0.002	10	7	3	0	0.120	0.019	0.001	.	0
		Propargite	0.008	0.008	17	16	1	0	0.102	0.010	0.004	3	0
		Pyraclostrobin	0.002	0.002	17	16	1	0	0.066	0.005	0.001	1	0
		Pyridaben	0.002	0.002	17	15	2	0	0.011	0.002	0.001	0.5	0
		Pyrimethanil	0.002	0.002	17	14	3	0	0.370	0.023	0.001	10	0
		Pyriproxyfen	0.002	0.002	17	11	6	0	0.044	0.006	0.001	0.6	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Oranges		Tebufenpyrad	0.002	0.002	17	14	3	0	0.110	0.009	0.001	0.5	0
		Thiabendazole	0.002	0.002	17	9	8	0	5.000	0.588	0.001	5	0
		tau-Fluvalinate	0.008	0.008	17	16	1	0	0.014	0.005	0.004	0.1	0
		2,4-D	0.008	0.008	14	9	5	0	0.270	0.057	0.004	.	0
		2,4-D (sum)	0.008	0.008	5	4	1	0	0.014	0.006	0.004	1	0
		Buprofezin	0.002	0.002	19	18	1	0	0.002	0.001	0.001	1	0
		Carbendazim	0.008	0.008	19	18	1	0	0.041	0.006	0.004	.	0
		Carbendazim and benomyl	0.008	0.008	19	18	1	0	0.041	0.006	0.004	0.5	0
		Chlorpyrifos	0.002	0.002	19	6	13	0	0.300	0.053	0.031	0.3	0
		Chlorpyrifos-methyl	0.002	0.002	19	17	2	0	0.046	0.005	0.001	0.5	0
		Dichlorprop	0.008	0.008	19	18	1	0	0.008	0.004	0.004	0.05	0
		Dithiocarbamates	0.030	0.030	13	12	1	0	0.070	0.019	0.015	5	0
		Fludioxonil	0.002	0.002	19	18	1	0	0.012	0.002	0.001	7	0
		Hexythiazox	0.002	0.002	19	17	2	0	0.014	0.002	0.001	1	0
		Imazalil	0.002	0.002	19	1	18	0	2.300	0.605	0.420	5	0
		Imidacloprid	0.002	0.002	19	15	4	0	0.170	0.016	0.001	1	0
		Malathion	0.002	0.002	19	17	2	0	0.017	0.002	0.001	.	0
		Malathion (sum of malathion and malaoxon expressed as malathion)	0.003	0.004	19	17	2	0	0.017	0.003	0.002	7	0
		Orthophenylphenol	0.100	0.100	19	17	2	0	2.400	0.182	0.050	5	0
		Piperonyl Butoxide	0.002	0.002	19	18	1	0	0.008	0.001	0.001	.	0
		Pyraclostrobin	0.002	0.002	19	16	3	0	0.028	0.004	0.001	1	0
		Pyrimethanil	0.002	0.002	19	16	3	0	0.470	0.033	0.001	10	0
		Pyriproxyfen	0.002	0.002	19	12	7	0	0.021	0.005	0.001	0.6	0
		Thiabendazole	0.002	0.002	19	10	9	0	2.400	0.254	0.001	5	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL		Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
								Above MRL					
Cucurbits	Cucumbers	Trifloxystrobin	0.002	0.002	19	18	1	0	0.025	0.002	0.001	0.3	0
		Acetamiprid	0.002	0.002	42	38	4	0	0.022	0.002	0.001	0.3	0
		Acrinathrin	0.008	0.008	42	40	2	0	0.019	0.005	0.004	0.1	0
		Azoxystrobin	0.002	0.002	42	37	5	0	0.038	0.003	0.001	1	0
		Boscalid	0.002	0.002	42	39	3	0	0.019	0.002	0.001	2	0
		Chlorothalonil	0.008	0.008	42	33	9	0	0.330	0.030	0.004	1	0
		Chlorpyrifos	0.002	0.002	42	41	0	1	0.095	0.003	0.001	0.05	0
		Clothianidin	0.002	0.002	42	41	1	0	0.006	0.001	0.001	0.02	0
		Cyproconazole	0.002	0.002	42	41	1	0	0.004	0.001	0.001	0.05	0
		Cyprodinil	0.002	0.002	42	31	11	0	0.041	0.004	0.001	0.5	0
		DDT, o,p-	0.002	0.002	42	41	1	0	0.003	0.001	0.001	.	0
		Dimethomorph	0.002	0.002	42	33	9	0	0.026	0.003	0.001	1	0
		Dithiocarbamates	0.030	0.030	17	11	6	0	0.730	0.089	0.015	2	0
		Fenamidone	0.002	0.002	42	40	2	0	0.007	0.001	0.001	0.2	0
		Fenhexamid	0.002	0.002	42	38	4	0	0.016	0.002	0.001	1	0
		Fenpyroximate	0.002	0.002	42	41	1	0	0.002	0.001	0.001	0.1	0
		Fludioxonil	0.002	0.002	42	41	1	0	0.019	0.001	0.001	1	0
		Formetanate	0.002	0.002	42	38	2	2	0.230	0.011	0.001	0.05	2
		Hexythiazox	0.002	0.002	42	41	1	0	0.009	0.001	0.001	0.5	0
		Imidacloprid	0.002	0.002	42	38	4	0	0.022	0.002	0.001	1	0
		Iprodione	0.040	0.040	42	40	2	0	0.400	0.030	0.020	2	0
		Lufenuron	0.002	0.002	42	40	2	0	0.066	0.004	0.001	0.2	0
		Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))		0.002	0.002	42	29	13	0	0.170	0.008	0.001	0.5

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Fungi	Cultivated fungi	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.006	0.006	42	41	1	0	0.017	0.003	0.003	0.2	0
		Methiocarb-Sulfon	0.002	0.002	42	41	1	0	0.004	0.001	0.001	.	0
		Methiocarb-Sulfoxid	0.002	0.002	42	41	1	0	0.012	0.001	0.001	.	0
		Myclobutanil	0.008	0.008	42	41	1	0	0.010	0.004	0.004	0.1	0
		Oxamyl	0.002	0.002	42	41	1	0	0.011	0.001	0.001	0.02	0
		Oxamyl-Oxime	0.002	0.002	42	36	6	0	0.087	0.004	0.001	.	0
		Penconazole	0.002	0.002	42	40	2	0	0.004	0.001	0.001	0.1	0
		Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.002	0.002	42	12	30	0	0.840	0.086	0.022	10	0
		Pymetrozine	0.002	0.002	42	40	2	0	0.092	0.003	0.001	0.5	0
		Pyridaben	0.002	0.002	42	41	1	0	0.010	0.001	0.001	0.1	0
		Pyrimethanil	0.002	0.002	42	37	5	0	0.032	0.002	0.001	1	0
		Thiacloprid	0.002	0.002	42	41	1	0	0.028	0.002	0.001	0.3	0
		Thiametoxam	0.008	0.008	42	40	2	0	0.120	0.007	0.004	0.3	0
		Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.010	42	40	2	0	0.130	0.008	0.005	0.3	0
Leafy vegetables & fresh herbs	Leaf vegetables and fresh herbs	Carbendazim	0.008	0.008	11	10	1	0	0.052	0.008	0.004	.	0
		Carbendazim and benomyl	0.008	0.008	11	10	1	0	0.052	0.008	0.004	1	0
		Prochloraz	0.002	0.002	11	3	8	0	0.058	0.015	0.006	.	0
		Boscalid	0.002	0.002	2	1	1	0	0.013	0.007	0.007	10	0
		Cyprodinil	0.002	0.002	2	1	1	0	0.120	0.061	0.061	10	0
		Fludioxonil	0.002	0.002	2	1	1	0	0.920	0.461	0.461	1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted

All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
		Methomyl	0.008	0.008	2	1	1	0	3.100	1.552	1.552	.	0
		Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	2	1	0	1	3.100	1.553	1.553	0.3	1
		Oxamyl	0.002	0.002	2	1	0	1	0.036	0.019	0.019	0.01	1
Lettuce		Acetamiprid	0.002	0.002	39	36	3	0	0.160	0.006	0.001	5	0
		Azoxystrobin	0.002	0.002	39	37	2	0	0.003	0.001	0.001	3	0
		Boscalid	0.002	0.002	39	22	17	0	0.490	0.027	0.001	10	0
		Bromopropylate	0.002	0.002	39	38	1	0	0.003	0.001	0.001	0.05	0
		Chlorpyrifos	0.002	0.002	39	37	1	1	0.100	0.004	0.001	0.05	1
		Clothianidin	0.002	0.002	39	38	1	0	0.011	0.001	0.001	0.1	0
		Cypermethrin (sum)	0.040	0.040	39	38	1	0	0.120	0.023	0.020	2	0
		Cyprodinil	0.002	0.002	39	35	4	0	0.016	0.002	0.001	10	0
		Desmethyl Pirimicarb	0.002	0.002	39	38	1	0	0.005	0.001	0.001	.	0
		Dimethomorph	0.002	0.002	39	27	12	0	0.610	0.029	0.001	10	0
		Fenhexamid	0.002	0.002	39	38	1	0	0.016	0.001	0.001	40	0
		Fludioxonil	0.002	0.002	39	37	2	0	0.008	0.001	0.001	10	0
		Flutriafol	0.008	0.008	39	38	1	0	0.009	0.004	0.004	0.05	0
		Imazalil	0.002	0.002	39	38	1	0	0.002	0.001	0.001	0.05	0
		Imidacloprid	0.002	0.002	39	29	10	0	0.064	0.007	0.001	2	0
		Iprodione	0.040	0.040	39	34	5	0	1.360	0.108	0.020	10	0
		Lambda-Cyhalothrin	0.008	0.008	39	38	1	0	0.020	0.004	0.004	0.5	0
		Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.002	0.002	39	23	16	0	0.026	0.004	0.001	2	0
		Oxadixyl	0.008	0.008	39	38	1	0	0.013	0.004	0.004	0.1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
		Pentachloroaniline	0.002	0.002	39	38	1	0	0.011	0.001	0.001	.	0
		Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.004	0.004	39	38	1	0	0.005	0.002	0.002	5	0
		Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.002	0.002	39	34	5	0	1.500	0.073	0.001	50	0
		Propyzamide	0.008	0.008	39	38	1	0	0.013	0.004	0.004	1	0
		Pyraclostrobin	0.002	0.002	39	36	3	0	0.080	0.005	0.001	2	0
		Quinmerac	0.002	0.002	39	38	1	0	0.003	0.001	0.001	0.1	0
		Quintozene (sum of quintozene and pentachloro-aniline expressed as quintozene)	0.010	0.010	39	38	1	0	0.012	0.005	0.005	0.02	0
		Spiroxamine	0.002	0.002	39	38	0	1	0.520	0.014	0.001	0.05	1
		Tebuconazole	0.008	0.008	39	38	0	1	0.140	0.007	0.004	0.05	1
		Thiametoxam	0.008	0.008	39	37	2	0	0.066	0.006	0.004	5	0
		Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.010	39	37	2	0	0.078	0.008	0.005	5	0
		Tolclofos-methyl	0.008	0.008	39	36	3	0	0.120	0.009	0.004	2	0
		Triadimenol	0.008	0.008	39	38	1	0	0.013	0.004	0.004	.	0
	Spinach	Azoxystrobin	0.002	0.002	24	23	1	0	0.024	0.002	0.001	0.05	0
		Boscalid	0.002	0.002	24	19	5	0	0.016	0.002	0.001	10	0
		Bromide ion	5.000	5.000	12	9	3	0	23.000	5.592	2.500	50	0
		Chlorpyrifos	0.002	0.002	24	22	2	0	0.013	0.002	0.001	0.05	0
		Clothianidin	0.002	0.002	24	19	5	0	0.012	0.002	0.001	0.02	0
		DDE, p,p-	0.002	0.002	24	23	1	0	0.006	0.001	0.001	.	0
		DDT (sum)	0.007	0.008	24	23	1	0	0.007	0.004	0.004	0.05	0
		Desmethyl Pirimicarb	0.002	0.002	24	20	4	0	0.077	0.006	0.001	.	0
		Dimethomorph	0.002	0.002	24	22	1	1	0.130	0.010	0.001	0.1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Legume vegetables (fresh)	Beans (with pods)	Fluazifop (free acid)	0.002	0.002	24	23	1	0	0.016	0.002	0.001	.	0
		Fluazifop-P-butyl (sum)	0.002	0.002	24	23	1	0	0.019	0.002	0.001	1	0
		Flutriafol	0.008	0.008	24	23	1	0	0.010	0.004	0.004	0.05	0
		Imidacloprid	0.002	0.002	24	21	3	0	0.032	0.003	0.001	0.05	0
		Lambda-Cyhalothrin	0.008	0.008	24	18	6	0	0.290	0.018	0.004	0.5	0
		Pirimicarb	0.002	0.002	24	23	1	0	0.006	0.001	0.001	.	0
		Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.004	0.004	24	20	4	0	0.082	0.007	0.002	2	0
		Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.002	0.002	24	21	3	0	1.300	0.056	0.001	30	0
		Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.008	0.008	24	23	1	0	0.230	0.013	0.004	10	0
		Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.010	24	23	1	0	0.010	0.005	0.005	0.05	0
		Azoxystrobin	0.002	0.002	20	18	2	0	0.086	0.008	0.001	3	0
		Boscalid	0.002	0.002	20	19	1	0	0.037	0.003	0.001	2	0
		Bromide ion	5.000	5.000	11	9	2	0	7.100	3.327	2.500	30	0
		Carbendazim	0.008	0.008	20	19	1	0	0.018	0.005	0.004	.	0
		Carbendazim and benomyl	0.008	0.008	20	19	1	0	0.018	0.005	0.004	0.2	0
		Chlorpyrifos	0.002	0.002	20	19	1	0	0.010	0.001	0.001	0.05	0
		Cypermethrin (sum)	0.040	0.040	20	19	1	0	0.065	0.022	0.020	0.7	0
		Cyprodinil	0.002	0.002	20	19	1	0	0.008	0.001	0.001	2	0
		Dimethoate (sum)	0.003	0.004	20	18	2	0	0.004	0.002	0.002	0.02	0
		Dithiocarbamates	0.030	0.030	17	15	2	0	0.090	0.024	0.015	1	0
		Endosulfan (sum)	0.006	0.006	20	19	1	0	0.012	0.003	0.003	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Oilseeds and oilfruits	Beans (without pods)	Endosulfansulfate	0.002	0.002	20	18	2	0	0.012	0.002	0.001	.	0
		Lambda-Cyhalothrin	0.008	0.008	20	19	1	0	0.011	0.004	0.004	0.2	0
		Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.006	0.006	20	19	1	0	0.006	0.003	0.003	0.2	0
		Methiocarb-Sulfoxid	0.002	0.002	20	19	1	0	0.006	0.001	0.001	.	0
		Omethoate	0.002	0.002	20	18	2	0	0.004	0.001	0.001	.	0
		Phosmet	0.002	0.002	20	19	1	0	0.002	0.001	0.001	.	0
		Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.002	0.002	20	18	1	1	0.130	0.012	0.001	0.1	0
		Vinclozolin	0.002	0.002	20	19	1	0	0.007	0.001	0.001	.	0
		Difenoconazole	0.002	0.002	1	0	1	0	0.007	0.007	0.007	1	0
	Peas (with pods)	Acrinathrin	0.008	0.008	12	11	1	0	0.023	0.006	0.004	0.05	0
		Azoxystrobin	0.002	0.002	12	10	2	0	0.006	0.002	0.001	3	0
		Chlorpyrifos	0.002	0.002	12	11	1	0	0.004	0.001	0.001	0.05	0
		Difenoconazole	0.002	0.002	12	11	1	0	0.004	0.001	0.001	1	0
		Omethoate	0.002	0.002	12	11	1	0	0.003	0.001	0.001	.	0
		Tebuconazole	0.008	0.008	11	10	1	0	0.024	0.006	0.004	2	0
	Peas (without pods)		0.008	0.008	1	1	0	0	0.004	0.004	0.004	0.05	0
		Azoxystrobin	0.002	0.002	3	2	1	0	0.024	0.009	0.001	3	0
		Fluazifop (free acid)	0.002	0.002	3	2	1	0	0.028	0.010	0.001	.	0
		Fluazifop-P-butyl (sum)	0.002	0.002	3	2	1	0	0.033	0.012	0.001	1	0
	Soya bean	Fluazifop (free acid)	0.002	0.002	5	4	1	0	0.067	0.014	0.001	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Pome fruit	Apples	Fluazifop-P-butyl (sum)	0.002	0.002	5	4	1	0	0.057	0.012	0.001	5	0
		Piperonyl Butoxide	0.002	0.002	5	4	1	0	0.012	0.003	0.001	.	0
		Tebuconazole	0.008	0.008	5	4	1	0	0.026	0.008	0.004	0.1	0
		Thiametoxam	0.008	0.008	5	4	1	0	0.054	0.014	0.004	0.05	0
		Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.010	5	4	0	1	0.054	0.015	0.005	0.05	0
		Acetamiprid	0.002	0.002	38	34	4	0	0.024	0.002	0.001	0.1	0
		Bitertanol	0.008	0.008	38	36	2	0	0.161	0.010	0.004	2	0
		Boscalid	0.002	0.002	38	26	12	0	0.082	0.012	0.001	2	0
		Bupirimate	0.002	0.002	38	34	4	0	0.040	0.002	0.001	0.2	0
		Captan	0.040	0.040	38	28	10	0	0.610	0.066	0.020	3	0
		Carbendazim	0.008	0.008	38	36	2	0	0.048	0.006	0.004	.	0
		Carbendazim and benomyl	0.008	0.008	38	36	2	0	0.048	0.006	0.004	0.2	0
		Chlorpyrifos	0.002	0.002	38	28	10	0	0.130	0.010	0.001	0.5	0
		Chlorpyrifos-methyl	0.002	0.002	38	37	1	0	0.025	0.002	0.001	0.5	0
		Cyprodinil	0.002	0.002	38	35	3	0	0.140	0.005	0.001	1	0
		Desmethyl Pirimicarb	0.002	0.002	38	36	2	0	0.009	0.001	0.001	.	0
		Diazinon	0.008	0.008	38	37	1	0	0.008	0.004	0.004	0.01	0
		Difenoconazole	0.002	0.002	38	30	8	0	0.170	0.007	0.001	0.5	0
		Diphenylamine	0.008	0.008	38	37	1	0	1.800	0.051	0.004	5	0
		Dodine	0.002	0.002	38	21	17	0	0.270	0.031	0.001	5	0
		Etofenprox	0.002	0.002	38	33	5	0	0.032	0.003	0.001	1	0
		Fenazaquin	0.002	0.002	38	37	1	0	0.009	0.001	0.001	0.1	0
		Fenoxycarb	0.002	0.002	38	36	2	0	0.082	0.003	0.001	1	0
		Fenpyroximate	0.002	0.002	38	37	1	0	0.003	0.001	0.001	0.2	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
		Fludioxonil	0.002	0.002	38	37	1	0	0.067	0.003	0.001	5	0
		Flufenoxuron	0.002	0.002	38	36	2	0	0.087	0.003	0.001	0.5	0
		Fluquinconazole	0.002	0.002	38	37	1	0	0.011	0.001	0.001	0.1	0
		Folpet	0.008	0.008	38	35	3	0	0.290	0.016	0.004	3	0
		Hexythiazox	0.002	0.002	38	37	1	0	0.003	0.001	0.001	1	0
		Imidacloprid	0.002	0.002	38	37	1	0	0.006	0.001	0.001	0.5	0
		Indoxacarb as sum of the isomers S and R	0.008	0.008	38	35	3	0	0.023	0.005	0.004	0.5	0
		Iprodione	0.040	0.040	38	36	2	0	0.760	0.041	0.020	5	0
		Lufenuron	0.002	0.002	38	36	2	0	0.006	0.001	0.001	0.5	0
		Methoxyfenozide	0.002	0.002	38	32	6	0	0.048	0.003	0.001	2	0
		Phosalone	0.008	0.008	38	37	1	0	0.021	0.004	0.004	0.05	0
		Phosmet	0.002	0.002	38	37	1	0	0.003	0.001	0.001	.	0
		Pirimicarb	0.002	0.002	38	29	9	0	0.210	0.018	0.001	.	0
		Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.002	0.004	38	29	9	0	0.210	0.019	0.002	2	0
		Propargite	0.008	0.008	38	37	1	0	0.026	0.005	0.004	3	0
		Pyraclostrobin	0.002	0.002	38	32	6	0	0.058	0.006	0.001	0.3	0
		Pyridaben	0.002	0.002	38	37	1	0	0.007	0.001	0.001	0.5	0
		Pyrimethanil	0.002	0.002	38	35	3	0	0.310	0.010	0.001	5	0
		Tebufenozide	0.002	0.002	38	37	1	0	0.009	0.001	0.001	1	0
		Teflubenzuron	0.002	0.002	38	37	1	0	0.029	0.002	0.001	1	0
		Tetraconazole	0.002	0.002	38	32	6	0	0.014	0.002	0.001	0.3	0
		Thiabendazole	0.002	0.002	38	36	2	0	0.650	0.018	0.001	5	0
		Thiacloprid	0.002	0.002	38	34	4	0	0.012	0.002	0.001	0.3	0
		Triadimenol	0.008	0.008	38	37	1	0	0.013	0.004	0.004	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Pears		Trifloxystrobin	0.002	0.002	38	35	3	0	0.011	0.001	0.001	0.5	0
		Azinphos-methyl	0.002	0.002	19	18	1	0	0.012	0.002	0.001	0.05	0
		Boscalid	0.002	0.002	19	12	7	0	0.120	0.023	0.001	2	0
		Captan	0.040	0.040	19	11	8	0	0.290	0.065	0.020	3	0
		Chlorpyrifos	0.002	0.002	19	16	3	0	0.021	0.003	0.001	0.5	0
		Clothianidin	0.002	0.002	19	17	2	0	0.017	0.002	0.001	0.05	0
		Cyprodinil	0.002	0.002	19	12	7	0	0.180	0.039	0.001	1	0
		Diethofencarb	0.002	0.002	19	17	2	0	0.026	0.003	0.001	1	0
		Difenoconazole	0.002	0.002	19	14	5	0	0.013	0.002	0.001	0.5	0
		Dithiocarbamates	0.030	0.030	16	9	7	0	0.400	0.062	0.015	5	0
		Dodine	0.002	0.002	19	15	4	0	0.017	0.003	0.001	5	0
		Fenoxycarb	0.002	0.002	19	17	2	0	0.022	0.003	0.001	1	0
		Fludioxonil	0.002	0.002	19	13	6	0	0.130	0.023	0.001	5	0
		Flufenoxuron	0.002	0.002	19	17	2	0	0.013	0.002	0.001	0.5	0
		Imidacloprid	0.002	0.002	19	18	1	0	0.098	0.006	0.001	0.5	0
		Indoxacarb as sum of the isomers S and R	0.008	0.008	19	15	4	0	0.027	0.007	0.004	0.3	0
		Iprodione	0.040	0.040	19	18	1	0	0.117	0.025	0.020	5	0
		Lambda-Cyhalothrin	0.008	0.008	19	18	1	0	0.011	0.004	0.004	0.1	0
		Methoxyfenozide	0.002	0.002	19	17	2	0	0.051	0.004	0.001	2	0
		Pyraclostrobin	0.002	0.002	19	15	4	0	0.083	0.013	0.001	0.3	0
Potatoes	Potatoes	Thiabendazole	0.002	0.002	19	16	3	0	0.230	0.019	0.001	5	0
		Thiacloprid	0.002	0.002	19	15	4	0	0.027	0.004	0.001	0.3	0
		Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.010	19	18	1	0	0.020	0.006	0.005	0.2	0
		3-Chloroaniline	0.100	0.100	34	33	1	0	0.650	0.068	0.050	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Root and tuber vegetables (except tropical)	Carrots	Chlorpropham	0.008	0.008	34	24	10	0	4.200	0.419	0.004	10	0
		Chlorpropham (sum)	0.108	0.108	34	28	6	0	4.200	0.425	0.054	10	0
		Chlorpyrifos	0.002	0.002	34	33	1	0	0.028	0.002	0.001	0.05	0
		DDE, p,p-	0.002	0.002	34	33	1	0	0.016	0.001	0.001	.	0
		DDT (sum)	0.008	0.008	34	33	1	0	0.018	0.004	0.004	0.05	0
		DDT, p,p-	0.002	0.002	34	33	1	0	0.002	0.001	0.001	.	0
		Dimethomorph	0.002	0.002	34	33	1	0	0.005	0.001	0.001	0.5	0
		Fosthiazate	0.002	0.002	33	32	1	0	0.012	0.001	0.001	0.02	0
		Haloxyfop	0.002	0.002	34	33	1	0	0.028	0.002	0.001	.	0
		Imazalil	0.002	0.002	34	33	1	0	0.500	0.016	0.001	3	0
		Imidacloprid	0.002	0.002	34	31	3	0	0.010	0.002	0.001	0.5	0
		Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.002	0.002	34	31	3	0	0.015	0.002	0.001	0.05	0
		Myclobutanil	0.008	0.008	34	33	1	0	0.015	0.004	0.004	0.02	0
		Pencycuron	0.002	0.002	34	33	1	0	0.008	0.001	0.001	0.1	0
		Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.002	0.002	34	24	10	0	0.021	0.003	0.001	0.5	0
Root and tuber vegetables (except tropical)	Carrots	Azoxystrobin	0.002	0.002	24	13	11	0	0.017	0.004	0.001	1	0
		Boscalid	0.002	0.002	24	17	7	0	0.056	0.010	0.001	1	0
		Bromide ion	5.000	5.000	11	8	3	0	8.000	3.636	2.500	50	0
		Chlorpyrifos	0.002	0.002	24	22	2	0	0.090	0.006	0.001	0.1	0
		Chlorpyrifos-methyl	0.002	0.002	24	23	1	0	0.008	0.001	0.001	0.05	0
		DDE, p,p-	0.002	0.002	24	23	1	0	0.002	0.001	0.001	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
		Difenoconazole	0.002	0.002	24	16	8	0	0.014	0.003	0.001	0.3	0
		Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))	0.002	0.002	24	23	1	0	0.006	0.001	0.001	0.01	0
		Linuron	0.002	0.002	24	15	9	0	0.062	0.007	0.001	0.2	0
		Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.002	0.002	24	23	1	0	0.004	0.001	0.001	0.1	0
		Pendimethalin	0.008	0.008	24	21	3	0	0.046	0.007	0.004	0.2	0
		Quizalofop (including Quizalofop-P)	0.002	0.002	24	21	3	0	0.025	0.002	0.001	0.4	0
		Tebuconazole	0.008	0.008	24	21	3	0	0.016	0.005	0.004	0.5	0
		Tefluthrin	0.002	0.002	24	23	1	0	0.013	0.002	0.001	0.05	0
		Trifluralin	0.008	0.008	24	22	2	0	0.210	0.013	0.004	1	0
	Celeriac	Azoxystrobin	0.002	0.002	10	5	5	0	0.076	0.012	0.002	1	0
		Bitertanol	0.008	0.008	10	9	1	0	0.009	0.005	0.004	0.05	0
		Boscalid	0.002	0.002	10	9	1	0	0.011	0.002	0.001	1	0
		Chlorpyrifos	0.002	0.002	10	9	1	0	0.010	0.002	0.001	0.05	0
		Cyproconazole	0.002	0.002	10	9	0	1	0.073	0.008	0.001	0.05	0
		DDE, p,p-	0.002	0.002	10	8	2	0	0.004	0.001	0.001	.	0
		Difenoconazole	0.002	0.002	10	4	6	0	0.065	0.018	0.005	2	0
		Dimethomorph	0.002	0.002	10	9	1	0	0.011	0.002	0.001	0.05	0
		Iprodione	0.040	0.040	10	8	1	1	0.086	0.025	0.020	0.02	1
		Linuron	0.002	0.002	10	0	10	0	0.090	0.038	0.031	0.5	0
		Procymidone	0.002	0.002	10	9	1	0	0.009	0.002	0.001	0.02	0
		Quizalofop (including Quizalofop-P)	0.002	0.002	10	7	3	0	0.010	0.003	0.001	0.4	0
		Trifluralin	0.008	0.008	10	9	1	0	0.018	0.005	0.004	0.5	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Parsley root		Azoxystrobin	0.002	0.002	10	9	1	0	0.005	0.001	0.001	1	0
		Boscalid	0.002	0.002	10	9	1	0	0.010	0.002	0.001	3	0
		Chlorpyrifos	0.002	0.002	10	8	2	0	0.034	0.006	0.001	0.05	0
		Cyprodinil	0.002	0.002	10	8	2	0	0.018	0.003	0.001	2	0
		Diazinon	0.008	0.008	10	9	1	0	0.008	0.004	0.004	0.01	0
		Difenoconazole	0.002	0.002	10	7	3	0	0.014	0.004	0.001	0.2	0
		Fludioxonil	0.002	0.002	10	8	2	0	0.016	0.004	0.001	1	0
		Linuron	0.002	0.002	10	7	3	0	0.010	0.003	0.001	0.2	0
		Pendimethalin	0.008	0.008	10	8	2	0	0.063	0.012	0.004	0.2	0
		Propiconazole	0.002	0.002	10	9	1	0	0.036	0.005	0.001	0.05	0
		Tebuconazole	0.008	0.008	10	7	3	0	0.086	0.017	0.004	0.5	0
Parsnips		Linuron	0.002	0.002	1	0	1	0	0.004	0.004	0.004	0.2	0
Radishes		Boscalid	0.002	0.002	14	13	1	0	0.007	0.001	0.001	1	0
		Chlorpyrifos	0.002	0.002	14	13	1	0	0.006	0.001	0.001	0.2	0
		Dimethoate (sum)	0.004	0.004	14	13	1	0	0.005	0.002	0.002	0.02	0
		Dimethomorph	0.002	0.002	14	11	3	0	0.010	0.002	0.001	1	0
		Dithiocarbamates	0.030	0.030	1	0	0	1	0.099	0.099	0.099	0.05	0
		Lambda-Cyhalothrin	0.008	0.008	14	13	1	0	0.009	0.004	0.004	0.1	0
		Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.002	0.002	14	9	5	0	0.076	0.009	0.001	0.1	0
		Omethoate	0.002	0.002	14	12	2	0	0.005	0.001	0.001	.	0
		Pencycuron	0.002	0.002	14	13	1	0	0.017	0.002	0.001	0.05	0
		Phosmet	0.002	0.002	14	13	1	0	0.021	0.002	0.001	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Solanacea (e.g. tomatoes, peppers)	Aubergines (egg plants)	Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.004	0.004	14	13	1	0	0.021	0.003	0.002	0.05	0
		Thiabendazole	0.002	0.002	14	13	1	0	0.010	0.002	0.001	0.05	0
		2,4-D	0.008	0.008	18	17	1	0	0.027	0.005	0.004	.	0
		Acetamiprid	0.002	0.002	20	19	1	0	0.008	0.001	0.001	0.1	0
		Azoxystrobin	0.002	0.002	20	19	1	0	0.005	0.001	0.001	3	0
		Buprofezin	0.002	0.002	20	19	1	0	0.038	0.003	0.001	1	0
		Carbendazim	0.008	0.008	20	19	1	0	0.012	0.004	0.004	.	0
		Carbendazim and benomyl	0.008	0.008	20	19	1	0	0.012	0.004	0.004	0.5	0
		Chlorothalonil	0.008	0.008	20	18	2	0	0.154	0.015	0.004	2	0
		Cyprodinil	0.002	0.002	20	16	4	0	0.031	0.004	0.001	1	0
		Cyromazine	0.008	0.008	20	18	2	0	0.011	0.005	0.004	1	0
		Dicloran	0.002	0.002	20	19	1	0	0.200	0.011	0.001	0.3	0
		Fenazaquin	0.002	0.002	20	19	1	0	0.045	0.003	0.001	0.5	0
		Fenhexamid	0.002	0.002	20	19	1	0	0.004	0.001	0.001	1	0
		Fludioxonil	0.002	0.002	20	18	2	0	0.012	0.002	0.001	1	0
		Hexythiazox	0.002	0.002	20	19	1	0	0.013	0.002	0.001	0.5	0
		Imidacloprid	0.002	0.002	20	14	6	0	0.067	0.007	0.001	0.5	0
		Indoxacarb as sum of the isomers S and R	0.008	0.008	20	19	1	0	0.011	0.004	0.004	0.5	0
		Kresoxim-methyl	0.002	0.002	20	19	1	0	0.011	0.002	0.001	0.5	0
		Mepanipyrim	0.002	0.002	20	19	1	0	0.006	0.001	0.001	.	0
		Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.002	0.002	20	19	1	0	0.100	0.006	0.001	10	0
		Pyrimethanil	0.002	0.002	20	19	1	0	0.011	0.002	0.001	1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Between LOQ and MRL		Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
						Below LOQ							
Peppers	Tebuconazole		0.008	0.008	20	19	1	0	0.059	0.007	0.004	0.5	0
	Thiacloprid		0.002	0.002	20	18	2	0	0.051	0.004	0.001	0.5	0
	Acetamiprid		0.002	0.002	44	42	2	0	0.018	0.002	0.001	0.3	0
	Azoxystrobin		0.002	0.002	44	37	7	0	0.037	0.003	0.001	3	0
	Boscalid		0.002	0.002	44	39	5	0	0.063	0.004	0.001	2	0
	Bupirimate		0.002	0.002	44	43	1	0	0.004	0.001	0.001	2	0
	Buprofezin		0.002	0.002	44	43	1	0	0.038	0.002	0.001	1	0
	Chlorothalonil		0.008	0.008	44	43	1	0	0.146	0.007	0.004	2	0
	Chlorpyrifos		0.002	0.002	44	41	3	0	0.100	0.005	0.001	0.5	0
	Chlorpyrifos-methyl		0.002	0.002	44	43	0	1	0.540	0.013	0.001	0.5	0
	Clofentezine		0.002	0.002	44	43	0	1	0.023	0.002	0.001	0.02	0
	Clothianidin		0.002	0.002	44	42	2	0	0.005	0.001	0.001	0.05	0
	Cyproconazole		0.002	0.002	44	43	1	0	0.002	0.001	0.001	0.05	0
	Cyprodinil		0.002	0.002	44	41	3	0	0.010	0.001	0.001	1	0
	Difenoconazole		0.002	0.002	44	43	1	0	0.007	0.001	0.001	0.05	0
	Dimethomorph		0.002	0.002	44	43	1	0	0.008	0.001	0.001	0.5	0
	Fenhexamid		0.002	0.002	44	39	5	0	0.048	0.004	0.001	2	0
	Fenvalerate and Esfenvalerate (Sum of RR and SS isomers)		0.008	0.008	44	43	0	1	0.025	0.004	0.004	0.02	0
	Fenvalerate and Esfenvalerate (Sum of RS and SR isomers)		0.008	0.008	44	43	1	0	0.011	0.004	0.004	0.02	0
	Fludioxonil		0.002	0.002	44	40	4	0	0.064	0.004	0.001	2	0
	Flutriafol		0.008	0.008	44	39	5	0	0.033	0.006	0.004	1	0
	Fosthiazate		0.002	0.002	43	42	1	0	0.003	0.001	0.001	0.02	0
	Imidacloprid		0.002	0.002	44	37	7	0	0.015	0.002	0.001	1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
		Indoxacarb as sum of the isomers S and R	0.008	0.008	44	41	3	0	0.048	0.006	0.004	0.3	0
		Iprodione	0.040	0.040	44	43	1	0	0.240	0.025	0.020	5	0
		Lambda-Cyhalothrin	0.008	0.008	44	43	0	1	0.120	0.007	0.004	0.1	0
		Methomyl	0.008	0.008	44	43	1	0	0.023	0.004	0.004	.	0
		Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	44	43	0	1	0.023	0.005	0.005	0.02	0
		Methoxyfenozide	0.002	0.002	44	43	1	0	0.002	0.001	0.001	1	0
		Myclobutanil	0.008	0.008	44	43	1	0	0.058	0.005	0.004	0.5	0
		Oxamyl-Oxime	0.002	0.002	44	43	1	0	0.002	0.001	0.001	.	0
		Penconazole	0.002	0.002	44	43	1	0	0.005	0.001	0.001	0.2	0
		Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.002	0.002	44	37	7	0	0.060	0.004	0.001	10	0
		Propargite	0.008	0.008	44	43	1	0	0.083	0.006	0.004	2	0
		Propoxur	0.008	0.008	44	43	1	0	0.016	0.004	0.004	0.05	0
		Pyraclostrobin	0.002	0.002	44	42	2	0	0.036	0.002	0.001	0.5	0
		Pyridaben	0.002	0.002	44	43	1	0	0.057	0.002	0.001	0.5	0
		Pyrimethanil	0.002	0.002	44	43	1	0	0.004	0.001	0.001	2	0
		Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.008	0.008	44	43	1	0	0.013	0.004	0.004	2	0
		Tebufofenozide	0.002	0.002	44	43	1	0	0.008	0.001	0.001	1	0
		Tetradifon	0.002	0.002	44	43	1	0	0.020	0.001	0.001	0.02	0
		Thiametoxam	0.008	0.008	44	43	1	0	0.008	0.004	0.004	0.5	0
		Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.010	44	43	1	0	0.013	0.005	0.005	0.5	0
		Triadimefon (sum of Triadimefon and Triadimenol)	0.016	0.016	44	40	4	0	0.078	0.011	0.008	1	0
		Triadimenol	0.008	0.008	44	40	4	0	0.078	0.007	0.004	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Tomatoes	Acetamiprid		0.002	0.002	48	46	0	2	0.140	0.006	0.001	0.1	0
	Acrinathrin		0.008	0.008	48	47	1	0	0.026	0.004	0.004	0.1	0
	Azoxystrobin		0.002	0.002	48	32	16	0	0.110	0.009	0.001	3	0
	Bifenthrin		0.008	0.008	48	47	1	0	0.008	0.004	0.004	0.2	0
	Boscalid		0.002	0.002	48	32	16	0	0.160	0.011	0.001	1	0
	Buprofezin		0.002	0.002	48	47	1	0	0.004	0.001	0.001	1	0
	Carbendazim		0.008	0.008	48	46	2	0	0.049	0.005	0.004	.	0
	Carbendazim and benomyl		0.008	0.008	48	46	2	0	0.049	0.005	0.004	0.5	0
	Chlorfenapyr		0.010	0.010	48	47	1	0	0.012	0.005	0.005	0.05	0
	Chlorothalonil		0.008	0.008	48	40	8	0	0.460	0.032	0.004	2	0
	Chlorpyrifos		0.002	0.002	48	45	3	0	0.160	0.005	0.001	0.5	0
	Chlorpyrifos-methyl		0.002	0.002	48	45	3	0	0.185	0.009	0.001	0.5	0
	Clofentezine		0.002	0.002	48	47	1	0	0.280	0.007	0.001	0.3	0
	Clothianidin		0.002	0.002	48	47	1	0	0.002	0.001	0.001	0.05	0
	Cypermethrin (sum)		0.040	0.040	48	47	1	0	0.134	0.022	0.020	0.5	0
	Cyproconazole		0.002	0.002	48	47	1	0	0.004	0.001	0.001	0.05	0
	Cyprodinil		0.002	0.002	48	39	9	0	0.160	0.011	0.001	1	0
	Cyromazine		0.008	0.008	48	47	1	0	0.009	0.004	0.004	1	0
	Dicofol (sum)		0.040	0.040	48	47	1	0	0.330	0.026	0.020	1	0
	Diethofencarb		0.002	0.002	48	47	1	0	0.190	0.005	0.001	1	0
	Difenoconazole		0.002	0.002	48	44	4	0	0.005	0.001	0.001	2	0
	Dimethomorph		0.002	0.002	48	42	6	0	0.031	0.003	0.001	1	0
	Dithiocarbamates		0.030	0.030	2	1	1	0	0.190	0.103	0.103	3	0
	Endosulfan (sum)		0.006	0.006	48	47	1	0	0.016	0.003	0.003	0.5	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
		Endosulfansulfate	0.002	0.002	48	47	1	0	0.008	0.001	0.001	.	0
		Fenhexamid	0.002	0.002	48	45	3	0	0.020	0.002	0.001	1	0
		Fenpyroximate	0.002	0.002	48	47	1	0	0.015	0.001	0.001	0.2	0
		Fludioxonil	0.002	0.002	48	41	7	0	0.180	0.006	0.001	1	0
		Imazalil	0.002	0.002	48	47	1	0	0.006	0.001	0.001	0.5	0
		Indoxacarb as sum of the isomers S and R	0.008	0.008	48	45	3	0	0.130	0.008	0.004	0.5	0
		Iprodione	0.040	0.040	48	46	2	0	0.220	0.026	0.020	5	0
		Mepanipyrim	0.002	0.002	48	46	2	0	0.074	0.003	0.001	.	0
		Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine) expressed as mepanipyrim)	0.010	0.010	48	47	1	0	0.074	0.006	0.005	1	0
		Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.002	0.002	48	39	9	0	0.039	0.003	0.001	0.2	0
		Methoxyfenozide	0.002	0.002	48	46	2	0	0.011	0.001	0.001	2	0
		Oxamyl	0.002	0.002	48	47	1	0	0.018	0.001	0.001	0.02	0
		Oxamyl-Oxime	0.002	0.002	48	45	3	0	0.042	0.002	0.001	.	0
		Penconazole	0.002	0.002	48	47	1	0	0.003	0.001	0.001	0.1	0
		Piperonyl Butoxide	0.002	0.002	48	46	2	0	0.013	0.001	0.001	.	0
		Procymidone	0.002	0.002	48	44	2	2	0.095	0.004	0.001	0.02	1
		Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.002	0.002	48	36	12	0	0.170	0.012	0.001	10	0
		Propargite	0.008	0.008	48	47	1	0	0.096	0.006	0.004	2	0
		Pymetrozine	0.002	0.002	48	46	2	0	0.003	0.001	0.001	0.5	0
		Pyraclostrobin	0.002	0.002	48	43	5	0	0.045	0.003	0.001	0.2	0
		Pyridaben	0.002	0.002	48	44	4	0	0.061	0.003	0.001	0.3	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Stem vegetables	Leek	Pyrimethanil	0.002	0.002	48	43	5	0	0.012	0.002	0.001	1	0
		Pyriproxyfen	0.002	0.002	48	44	4	0	0.056	0.003	0.001	1	0
		Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.008	0.008	48	46	2	0	0.030	0.005	0.004	1	0
		Spiroxamine	0.002	0.002	48	47	1	0	0.025	0.002	0.001	0.05	0
		Tebuconazole	0.008	0.008	48	43	5	0	0.062	0.007	0.004	1	0
		Tebufenpyrad	0.002	0.002	48	47	1	0	0.003	0.001	0.001	0.5	0
		Teflubenzuron	0.002	0.002	48	46	2	0	0.030	0.002	0.001	1	0
		Tetradifon	0.002	0.002	48	47	1	0	0.008	0.001	0.001	0.02	0
		Thiacloprid	0.002	0.002	48	44	4	0	0.034	0.002	0.001	0.5	0
		Thiophanate-methyl	0.008	0.008	48	45	3	0	0.140	0.009	0.004	2	0
		Triadimefon (sum of Triadimefon and Triadimenol)	0.016	0.016	48	46	2	0	0.085	0.010	0.008	1	0
		Triadimenol	0.008	0.008	48	44	4	0	0.085	0.007	0.004	.	0
		Trifloxystrobin	0.002	0.002	48	47	1	0	0.013	0.001	0.001	0.5	0
		Zoxamide	0.002	0.002	48	47	1	0	0.005	0.001	0.001	0.5	0
		alpha-Endosulfan	0.002	0.002	48	47	1	0	0.003	0.001	0.001	.	0
		beta-Endosulfan	0.002	0.002	48	47	1	0	0.005	0.001	0.001	.	0
		Azoxystrobin	0.002	0.002	24	21	3	0	0.069	0.004	0.001	10	0
		Boscalid	0.002	0.002	24	14	10	0	0.100	0.014	0.001	5	0
		Chlorothalonil	0.008	0.008	24	23	1	0	0.270	0.015	0.004	10	0
		Cyproconazole	0.002	0.002	24	23	1	0	0.003	0.001	0.001	0.05	0
		Difenoconazole	0.002	0.002	24	21	3	0	0.016	0.002	0.001	0.5	0
		Fenpropimorph	0.002	0.002	24	22	2	0	0.014	0.002	0.001	1	0
		Ioxynil, including its esters expressed as ioxynil	0.002	0.002	21	20	1	0	0.011	0.001	0.001	3	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Stone fruit	Apricots	Kresoxim-methyl	0.002	0.002	24	22	2	0	0.020	0.002	0.001	5	0
		Lambda-Cyhalothrin	0.008	0.008	24	23	1	0	0.013	0.004	0.004	0.3	0
		Methiocarb	0.002	0.002	24	23	1	0	0.003	0.001	0.001	.	0
		Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.006	0.006	24	23	1	0	0.016	0.004	0.003	0.2	0
		Methiocarb-Sulfoxid	0.002	0.002	24	23	1	0	0.015	0.002	0.001	.	0
		Pyraclostrobin	0.002	0.002	24	20	4	0	0.035	0.004	0.001	0.5	0
		Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.008	0.008	24	23	1	0	0.009	0.004	0.004	0.5	0
		Tebuconazole	0.008	0.008	24	16	8	0	0.078	0.012	0.004	1	0
		Carbendazim	0.008	0.008	5	4	1	0	0.009	0.005	0.004	.	0
		Carbendazim and benomyl	0.008	0.008	5	4	1	0	0.009	0.005	0.004	0.2	0
	Peaches	Fenbuconazole	0.002	0.002	5	4	1	0	0.031	0.007	0.001	1	0
		Fenhexamid	0.002	0.002	5	4	1	0	0.006	0.002	0.001	5	0
		Fludioxonil	0.002	0.002	5	4	1	0	0.004	0.002	0.001	5	0
		Myclobutanil	0.008	0.008	5	4	1	0	0.009	0.005	0.004	0.3	0
		Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.008	0.008	5	4	1	0	0.053	0.014	0.004	1	0
		Tebuconazole	0.008	0.008	5	1	4	0	0.520	0.140	0.019	1	0
		Thiacloprid	0.002	0.002	5	3	2	0	0.043	0.011	0.001	0.3	0
		Acetamiprid	0.002	0.002	30	29	1	0	0.004	0.001	0.001	0.1	0
		Boscalid	0.002	0.002	30	20	10	0	0.150	0.016	0.001	3	0
		Bupirimate	0.002	0.002	30	26	4	0	0.023	0.002	0.001	0.2	0
		Carbendazim	0.008	0.008	30	27	3	0	0.033	0.006	0.004	.	0
		Carbendazim and benomyl	0.008	0.008	30	27	3	0	0.033	0.006	0.004	0.2	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
		Chlorothalonil	0.008	0.008	30	28	2	0	0.077	0.008	0.004	1	0
		Chlorpyrifos	0.002	0.002	30	12	17	1	0.300	0.024	0.003	0.2	0
		Chlorpyrifos-methyl	0.002	0.002	30	29	1	0	0.008	0.001	0.001	0.5	0
		Cypermethrin (sum)	0.040	0.040	30	28	2	0	0.065	0.023	0.020	2	0
		Cyproconazole	0.002	0.002	30	28	2	0	0.013	0.002	0.001	0.1	0
		Cyprodinil	0.002	0.002	30	28	2	0	0.079	0.006	0.001	2	0
		Difenoconazole	0.002	0.002	30	29	1	0	0.019	0.002	0.001	0.5	0
		Dodine	0.002	0.002	30	22	8	0	0.032	0.003	0.001	5	0
		Etofenprox	0.002	0.002	30	24	6	0	0.400	0.019	0.001	0.5	0
		Fenbuconazole	0.002	0.002	30	23	7	0	0.037	0.004	0.001	0.5	0
		Fenhexamid	0.002	0.002	30	28	2	0	0.028	0.002	0.001	5	0
		Fludioxonil	0.002	0.002	30	28	2	0	0.022	0.002	0.001	7	0
		Hexythiazox	0.002	0.002	30	29	1	0	0.008	0.001	0.001	1	0
		Imazalil	0.002	0.002	30	29	1	0	0.002	0.001	0.001	0.05	0
		Imidacloprid	0.002	0.002	30	26	4	0	0.009	0.002	0.001	0.5	0
		Iprodione	0.040	0.040	30	27	3	0	0.590	0.065	0.020	3	0
		Lambda-Cyhalothrin	0.008	0.008	30	27	3	0	0.026	0.005	0.004	0.2	0
		Methoxyfenozide	0.002	0.002	30	29	1	0	0.011	0.001	0.001	0.3	0
		Penconazole	0.002	0.002	30	27	3	0	0.008	0.001	0.001	0.1	0
		Pendimethalin	0.008	0.008	30	29	1	0	0.010	0.004	0.004	0.05	0
		Phosmet	0.002	0.002	30	29	1	0	0.220	0.008	0.001	.	0
		Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.004	0.004	30	29	0	1	0.220	0.009	0.002	0.05	1
		Propargite	0.008	0.008	30	29	1	0	0.014	0.004	0.004	4	0
		Pyraclostrobin	0.002	0.002	30	26	4	0	0.032	0.004	0.001	0.2	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Plums	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)		0.008	0.008	30	27	3	0	0.019	0.005	0.004	1	0
	Tebuconazole		0.008	0.008	30	22	8	0	0.048	0.009	0.004	1	0
	Teflubenzuron		0.002	0.002	30	29	1	0	0.034	0.002	0.001	1	0
	Tetraconazole		0.002	0.002	30	28	2	0	0.022	0.002	0.001	0.1	0
	Thiabendazole		0.002	0.002	30	29	1	0	0.023	0.002	0.001	0.05	0
	Thiacloprid		0.002	0.002	30	25	5	0	0.012	0.002	0.001	0.3	0
	Thiophanate-methyl		0.008	0.008	30	28	2	0	0.110	0.009	0.004	2	0
	Trifloxystrobin		0.002	0.002	30	29	1	0	0.004	0.001	0.001	1	0
	Boscalid		0.002	0.002	6	5	1	0	0.006	0.002	0.001	3	0
	Captan		0.040	0.040	6	5	1	0	0.160	0.043	0.020	1	0
	Carbendazim		0.008	0.008	6	4	2	0	0.026	0.011	0.004	.	0
	Carbendazim and benomyl		0.008	0.008	6	4	2	0	0.026	0.011	0.004	0.5	0
	Clothianidin		0.002	0.002	6	5	1	0	0.004	0.002	0.001	0.02	0
	Cyprodinil		0.002	0.002	6	5	1	0	0.120	0.021	0.001	2	0
	Dimethoate (sum)		0.004	0.004	6	5	1	0	0.017	0.005	0.002	0.02	0
	Fenpyroximate		0.002	0.002	6	5	1	0	0.004	0.002	0.001	0.3	0
	Fludioxonil		0.002	0.002	6	5	1	0	0.026	0.005	0.001	0.5	0
	Lambda-Cyhalothrin		0.008	0.008	6	5	1	0	0.069	0.015	0.004	0.2	0
	Omethoate		0.002	0.002	6	5	1	0	0.016	0.004	0.001	.	0
	Oxydemeton-methyl		0.002	0.002	6	5	1	0	0.003	0.001	0.001	.	0
	Pirimicarb		0.002	0.002	6	4	2	0	0.053	0.011	0.001	.	0
	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)		0.004	0.004	6	4	2	0	0.053	0.012	0.002	1	0
	Propargite		0.008	0.008	6	5	1	0	0.128	0.025	0.004	4	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Strawberries	Strawberries	Thiophanate-methyl	0.008	0.008	6	5	1	0	0.140	0.027	0.004	0.3	0
		2-anilino-4-(2-hydroxypropyl)- 6-methylpyrimidin	0.008	0.008	18	16	2	0	0.038	0.006	0.004	.	0
		Azoxystrobin	0.002	0.002	19	13	6	0	0.110	0.012	0.001	10	0
		Boscalid	0.002	0.002	19	9	10	0	0.950	0.095	0.003	10	0
		Bupirimate	0.002	0.002	19	16	3	0	0.027	0.003	0.001	1	0
		Captan	0.040	0.040	19	18	1	0	0.530	0.047	0.020	3	0
		Chlorothalonil	0.008	0.008	19	18	1	0	0.076	0.008	0.004	3	0
		Chlorpyrifos	0.002	0.002	19	17	2	0	0.011	0.002	0.001	0.2	0
		Clofentezine	0.002	0.002	19	17	2	0	0.036	0.004	0.001	2	0
		Cyproconazole	0.002	0.002	19	18	1	0	0.010	0.001	0.001	0.05	0
		Cyprodinil	0.002	0.002	19	8	11	0	0.500	0.054	0.004	5	0
		DMST	0.008	0.008	19	18	1	0	0.210	0.015	0.004	.	0
		Difenoconazole	0.002	0.002	19	17	2	0	0.045	0.004	0.001	0.1	0
		Dimethomorph	0.002	0.002	19	17	2	0	0.005	0.001	0.001	0.05	0
		Dithiocarbamates	0.030	0.030	1	0	1	0	0.060	0.060	0.060	10	0
		Dodine	0.002	0.002	19	18	1	0	0.003	0.001	0.001	5	0
		Fenamidone	0.002	0.002	19	18	1	0	0.005	0.001	0.001	0.04	0
		Fenazaquin	0.002	0.002	19	18	1	0	0.003	0.001	0.001	1	0
		Fenhexamid	0.002	0.002	19	9	10	0	0.430	0.090	0.013	5	0
		Fenpyroximate	0.002	0.002	19	17	2	0	0.011	0.002	0.001	1	0
		Fluazifop (free acid)	0.002	0.002	19	17	2	0	0.012	0.002	0.001	.	0
		Fluazifop-P-butyl (sum)	0.002	0.002	19	17	2	0	0.014	0.002	0.001	0.2	0
		Fludioxonil	0.002	0.002	19	9	10	0	0.380	0.052	0.005	3	0
		Folpet	0.008	0.008	19	18	1	0	0.014	0.005	0.004	3	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
		Iprodione	0.040	0.040	19	18	1	0	0.085	0.023	0.020	15	0
		Kresoxim-methyl	0.002	0.002	19	16	3	0	0.390	0.044	0.001	1	0
		Mepanipyrim	0.002	0.002	19	15	4	0	0.200	0.022	0.001	.	0
		Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine) expressed as mepanipyrim)	0.010	0.010	19	15	4	0	0.200	0.027	0.005	2	0
		Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.002	0.002	19	17	2	0	0.006	0.001	0.001	0.5	0
		Myclobutanil	0.008	0.008	19	15	4	0	0.098	0.013	0.004	1	0
		Penconazole	0.002	0.002	19	14	5	0	0.140	0.016	0.001	0.5	0
		Phosalone	0.008	0.008	19	18	0	1	0.079	0.008	0.004	0.05	0
		Pirimicarb	0.002	0.002	19	18	1	0	0.008	0.001	0.001	.	0
		Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.004	0.004	19	18	1	0	0.008	0.002	0.002	3	0
		Pyraclostrobin	0.002	0.002	19	13	6	0	0.310	0.025	0.001	1	0
		Pyrimethanil	0.002	0.002	19	18	1	0	0.140	0.008	0.001	5	0
		Quinoxifen	0.002	0.002	19	17	2	0	0.032	0.003	0.001	0.3	0
		Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.008	0.008	19	16	3	0	0.090	0.013	0.004	0.3	0
		Tebuconazole	0.008	0.008	19	18	1	0	0.011	0.004	0.004	0.05	0
		Tebufenpyrad	0.002	0.002	19	17	2	0	0.027	0.002	0.001	0.5	0
		Thiacloprid	0.002	0.002	19	17	2	0	0.023	0.002	0.001	1	0
		Tolyfluanid	0.008	0.008	19	18	1	0	0.800	0.046	0.004	.	0
		Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	0.016	0.016	19	18	1	0	1.140	0.068	0.008	5	0
		Triadimefon (sum of Triadimefon and Triadimenol)	0.016	0.016	19	18	1	0	0.019	0.009	0.008	2	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted

All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Table and wine grapes	Table grapes	Triadimenol	0.008	0.008	19	18	1	0	0.019	0.005	0.004	.	0
		Trifloxystrobin	0.002	0.002	19	18	1	0	0.070	0.005	0.001	0.5	0
		Azoxystrobin	0.002	0.002	20	16	4	0	0.330	0.020	0.001	2	0
		Boscalid	0.002	0.002	20	15	5	0	1.300	0.105	0.001	5	0
		Bromopropylate	0.002	0.002	20	19	1	0	0.003	0.001	0.001	2	0
		Carbendazim	0.008	0.008	20	19	1	0	0.013	0.004	0.004	.	0
		Carbendazim and benomyl	0.008	0.008	20	19	1	0	0.013	0.004	0.004	0.3	0
		Chlormequat	0.020	0.020	12	11	1	0	0.025	0.011	0.010	0.05	0
		Chlorpyrifos	0.002	0.002	20	16	4	0	0.064	0.007	0.001	0.5	0
		Chlorpyrifos-methyl	0.002	0.002	20	18	2	0	0.040	0.003	0.001	0.2	0
		Cyprodinil	0.002	0.002	20	17	3	0	0.570	0.044	0.001	5	0
		Difenoconazole	0.002	0.002	20	18	2	0	0.019	0.002	0.001	0.05	0
		Dimethomorph	0.002	0.002	20	15	5	0	0.190	0.021	0.001	3	0
		Dodine	0.002	0.002	20	19	1	0	0.003	0.001	0.001	0.2	0
		Fenamidone	0.002	0.002	20	19	1	0	0.027	0.002	0.001	0.5	0
		Fenhexamid	0.002	0.002	20	13	7	0	1.200	0.129	0.001	5	0
		Fludioxonil	0.002	0.002	20	19	1	0	0.580	0.030	0.001	2	0
		Imidacloprid	0.002	0.002	20	16	4	0	0.075	0.007	0.001	1	0
		Iprodione	0.040	0.040	20	19	1	0	0.980	0.068	0.020	10	0
		Iprovalicarb	0.002	0.002	20	19	1	0	0.005	0.001	0.001	2	0
		Kresoxim-methyl	0.002	0.002	20	17	3	0	0.077	0.006	0.001	1	0
		Lambda-Cyhalothrin	0.008	0.008	20	18	2	0	0.013	0.005	0.004	0.2	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Tropical and subtropical fruit	Bananas	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.002	0.002	20	18	2	0	0.092	0.006	0.001	2	0
		Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.006	0.006	20	19	1	0	0.009	0.003	0.003	0.3	0
		Methiocarb-Sulfoxid	0.002	0.002	20	19	1	0	0.010	0.001	0.001	.	0
		Methoxyfenozide	0.002	0.002	20	16	4	0	0.050	0.007	0.001	1	0
		Myclobutanil	0.008	0.008	20	16	4	0	0.082	0.010	0.004	1	0
		Penconazole	0.002	0.002	20	10	10	0	0.059	0.006	0.002	0.2	0
		Pyraclostrobin	0.002	0.002	20	16	4	0	0.056	0.009	0.001	1	0
		Pyrimethanil	0.002	0.002	20	19	1	0	0.006	0.001	0.001	5	0
		Quinoxifen	0.002	0.002	20	15	5	0	0.051	0.005	0.001	1	0
		Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.008	0.008	20	17	3	0	0.021	0.006	0.004	0.5	0
		Spiroxamine	0.002	0.002	20	18	2	0	0.160	0.014	0.001	1	0
		Tebuconazole	0.008	0.008	20	18	2	0	0.390	0.024	0.004	2	0
		Thiophanate-methyl	0.008	0.008	20	19	1	0	0.036	0.006	0.004	0.1	0
		Triadimenol	0.008	0.008	20	19	1	0	0.012	0.004	0.004	.	0
		Trifloxystrobin	0.002	0.002	20	17	3	0	0.120	0.010	0.001	5	0
		Azoxystrobin	0.002	0.002	14	7	7	0	0.200	0.047	0.005	2	0
		Bifenthrin	0.008	0.008	14	13	1	0	0.010	0.004	0.004	0.1	0
		Bitertanol	0.008	0.008	14	9	5	0	0.230	0.033	0.004	3	0
		Chlorpyrifos	0.002	0.002	14	10	4	0	0.023	0.003	0.001	3	0
		Epoxiconazole	0.002	0.002	14	13	1	0	0.002	0.001	0.001	0.5	0
		Fenpropimorph	0.002	0.002	14	12	2	0	0.005	0.001	0.001	2	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted

All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Kiwi		Imazalil	0.002	0.002	14	9	5	0	0.190	0.056	0.001	2	0
		Oxamyl-Oxime	0.002	0.002	14	13	1	0	0.003	0.001	0.001	.	0
		Pyrimethanil	0.002	0.002	14	13	1	0	0.003	0.001	0.001	0.1	0
		Thiabendazole	0.002	0.002	14	11	3	0	0.220	0.037	0.001	5	0
		Fenhexamid	0.002	0.002	7	5	2	0	1.600	0.230	0.001	10	0
		Fludioxonil	0.002	0.002	7	5	2	0	1.600	0.232	0.001	20	0
		Piperonyl Butoxide	0.002	0.002	7	6	1	0	0.011	0.002	0.001	.	0
		Azoxystrobin	0.002	0.002	5	4	1	0	0.004	0.002	0.001	0.7	0
		Prochloraz	0.002	0.002	4	1	3	0	0.380	0.180	0.170	.	0
		Thiabendazole	0.002	0.002	5	2	3	0	0.780	0.308	0.160	5	0
Mangoes		Thiophanate-methyl	0.008	0.008	5	4	1	0	0.019	0.007	0.004	1	0
		Carbendazim	0.008	0.008	5	4	1	0	0.009	0.005	0.004	.	0
		Carbendazim and benomyl	0.008	0.008	5	4	1	0	0.009	0.005	0.004	0.2	0
		Chlorothalonil	0.008	0.008	5	4	1	0	0.150	0.033	0.004	20	0
		Difenoconazole	0.002	0.002	5	4	1	0	0.011	0.003	0.001	0.1	0
		Methomyl	0.008	0.008	5	4	1	0	0.110	0.025	0.004	.	0
		Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	5	4	0	1	0.110	0.026	0.005	0.02	1
		Prochloraz	0.002	0.002	4	1	3	0	0.380	0.114	0.038	.	0
		Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0.002	0.002	1	0	1	0	0.350	0.350	0.350	5	0
		Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.002	0.002	5	4	1	0	0.009	0.003	0.001	0.1	0
Papaya		Pyriproxyfen	0.002	0.002	5	4	1	0	0.008	0.002	0.001	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
		Tebuconazole	0.008	0.008	5	4	1	0	0.016	0.006	0.004	2	0
		Thiabendazole	0.002	0.002	5	1	4	0	0.180	0.074	0.076	10	0
Persimmon		Chlorpyrifos	0.002	0.002	1	0	1	0	0.003	0.003	0.003	0.05	0
Pineapples		Chlorpropham	0.008	0.008	7	6	1	0	0.028	0.007	0.004	.	0
		Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.002	0.002	7	6	1	0	0.003	0.001	0.001	0.05	0
		Prochloraz	0.002	0.002	5	1	4	0	0.700	0.312	0.220	.	0
		Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0.002	0.002	2	1	1	0	0.840	0.421	0.421	5	0
		Triadimefon	0.008	0.008	7	2	5	0	0.078	0.045	0.053	.	0
		Triadimefon (sum of Triadimefon and Triadimenol)	0.016	0.016	7	1	6	0	0.270	0.161	0.186	3	0
		Triadimenol	0.008	0.008	7	1	6	0	0.220	0.116	0.109	.	0
Pomegranate		Acetamiprid	0.002	0.002	1	0	1	0	0.006	0.006	0.006	0.01	0
		Carbendazim	0.008	0.008	1	0	1	0	0.058	0.058	0.058	.	0
		Carbendazim and benomyl	0.008	0.008	1	0	1	0	0.058	0.058	0.058	0.1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

ProductClass=Baby food

ProductGroup	Product	Treatment	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Foodgroup not relevant	Baby food for infants and young children	Preserving	Dithiocarbamates	0.010	0.010	1	0	1	0	0.014	0.014	0.014	.	0
				0.010	0.010	2	2	0	0	0.005	0.005	0.005	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

ProductClass=Cereals

<i>ProductGroup</i>	<i>Product</i>	<i>Treatment</i>	<i>Compound</i>	<i>Min LOQ</i>	<i>Max LOQ</i>	<i>Total</i>	<i>Below LOQ</i>	<i>Between LOQ and MRL</i>	<i>Above MRL</i>	<i>Max Residue Level</i>	<i>Mean Residue Level</i>	<i>Median Residue Level</i>	<i>MRL</i>	<i>Non Compliant</i>
Cereals	Other cereals	Milling	Piperonyl Butoxide	0.002	0.002	1	0	1	0	0.220	0.220	0.220	.	0
	Rice	Unprocessed	Azoxystrobin	0.002	0.002	7	6	1	0	0.005	0.002	0.001	5	0
			Chlorpyrifos	0.002	0.002	7	6	1	0	0.020	0.004	0.001	0.05	0
			Difenoconazole	0.002	0.002	7	6	1	0	0.003	0.001	0.001	0.05	0
			Imidacloprid	0.002	0.002	7	6	1	0	0.008	0.002	0.001	1.5	0
			Malathion	0.002	0.002	7	6	1	0	0.008	0.002	0.001	.	0
			Malathion (sum of malathion and malaoxon expressed as malathion)	0.004	0.004	7	6	1	0	0.008	0.003	0.002	8	0
			Piperonyl Butoxide	0.002	0.002	7	5	2	0	0.057	0.013	0.001	.	0
			Pirimiphos-methyl	0.008	0.008	7	6	1	0	0.008	0.005	0.004	5	0
	Rye	Unprocessed	Lambda-Cyhalothrin	0.008	0.008	3	2	1	0	0.020	0.009	0.004	0.05	0
	Wheat	Milling - refined flour	Bromide ion	5.000	5.000	1	0	1	0	6.000	6.000	6.000	50	0
		Milling - unprocessed flour	Bromide ion	5.000	5.000	3	2	1	0	10.000	5.000	2.500	50	0
			Chlorpyrifos-methyl	0.008	0.008	3	2	1	0	0.044	0.017	0.004	3	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

ProductClass=Sum of fruits and nuts, vegetables, other plant products

<i>ProductGroup</i>	<i>Product</i>	<i>Treatment</i>	<i>Compound</i>	<i>Min LOQ</i>	<i>Max LOQ</i>	<i>Total</i>	<i>Below LOQ</i>	<i>Between LOQ and MRL</i>	<i>Above MRL</i>	<i>Max Residue Level</i>	<i>Mean Residue Level</i>	<i>Median Residue Level</i>	<i>MRL</i>	<i>Non Compliant</i>
Citrus fruit	Oranges	Juicing	Carbendazim	0.008	0.008	2	1	1	0	0.021	0.013	0.013	.	0
			Carbendazim and benomyl	0.008	0.008	2	1	1	0	0.021	0.013	0.013	0.5	0
Cucurbits	Gherkins	Pickling	Azoxystrobin	0.002	0.002	2	1	1	0	0.004	0.003	0.003	1	0
			Thiametoxam	0.008	0.008	2	1	1	0	0.032	0.018	0.018	0.2	0
			Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.010	2	1	1	0	0.032	0.019	0.019	0.2	0
Oilseeds and oilfruits	Other oilseeds	Unprocessed	Diazinon	0.008	0.008	1	0	1	0	0.016	0.016	0.016	0.02	0
			Haloxypop	0.002	0.002	1	0	1	0	0.120	0.120	0.120	.	0
			Haloxypop including haloxypop-R	0.004	0.004	1	0	1	0	0.120	0.120	0.120	0.05	0
	Pumpkin seeds	Decortication	Endosulfan (sum)	0.006	0.006	1	0	1	0	0.017	0.017	0.017	0.1	0
			Endosulfansulfate	0.002	0.002	1	0	1	0	0.007	0.007	0.007	.	0
			Hexachlorobenzene	0.002	0.002	1	0	1	0	0.002	0.002	0.002	0.05	0
			Trifluralin	0.008	0.008	1	0	1	0	0.010	0.010	0.010	0.1	0
			alpha-Endosulfan	0.002	0.002	1	0	1	0	0.010	0.010	0.010	.	0
			Hexachlorobenzene	0.002	0.002	1	0	1	0	0.003	0.003	0.003	0.05	0
Pome fruit	Apples	Unprocessed	Chlorpyrifos	0.002	0.002	19	18	1	0	0.002	0.001	0.001	0.5	0
			Chlorpyrifos-methyl	0.002	0.002	19	18	1	0	0.004	0.001	0.001	0.5	0
			Dodine	0.002	0.002	19	18	1	0	0.005	0.001	0.001	5	0
Potatoes	Potatoes	Unprocessed	DDE, p,p-	0.002	0.002	20	19	1	0	0.005	0.001	0.001	.	0
			DDT (sum)	0.008	0.008	20	19	1	0	0.013	0.004	0.004	0.05	0
			DDT, p,p-	0.002	0.002	20	19	1	0	0.008	0.001	0.001	.	0
			Dithiocarbamates	0.030	0.030	6	5	1	0	0.040	0.019	0.015	0.3	0
			Imazalil	0.002	0.002	20	19	1	0	0.006	0.001	0.001	3	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

ProductClass=Sum of fruits and nuts, vegetables, other plant products

ProductGroup	Product	Treatment	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Root and tuber vegetables (except tropical)	Carrots	Unprocessed	Thiabendazole	0.002	0.002	20	19	1	0	0.018	0.002	0.001	15	0
			Boscalid	0.002	0.002	14	13	1	0	0.005	0.001	0.001	1	0
			Lambda-Cyhalothrin	0.008	0.008	14	13	1	0	0.008	0.004	0.004	0.02	0
Solanacea (e.g. tomatoes, peppers)	Tomatoes	Unprocessed	Pymetrozine	0.002	0.002	8	7	1	0	0.004	0.001	0.001	0.5	0
			Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)	0.008	0.008	8	6	2	0	0.027	0.008	0.004	1	0
Tea, coffee, herbal infusions and cocoa	Tea	Dehydration	DDD, p,p-	0.002	0.002	2	1	1	0	0.006	0.004	0.004	.	0
			DDE, p,p-	0.002	0.002	2	1	1	0	0.006	0.004	0.004	.	0
			DDT (sum)	0.008	0.008	2	1	1	0	0.044	0.024	0.024	0.2	0
Tropical and subtropical fruit	Bananas	Unprocessed	DDT, p,p-	0.002	0.002	2	1	1	0	0.031	0.016	0.016	.	0
			Fipronil	0.002	0.002	2	1	1	0	0.008	0.005	0.005	.	0
			Fipronil (sum)	0.008	0.010	2	1	0	1	0.008	0.007	0.007	0.005	0
			Fipronil-Desulfinyl	0.002	0.002	2	1	1	0	0.034	0.018	0.018	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

ProductClass=Animal products

ProductGroup	Product	Treatment	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	Non Compliant	
								LOQ and MRL						
Milk and milk products	Dairy products	Cattle	Churning	DDT (sum)	0.001	0.002	15	5	10	0	0.029	0.014	0.017	0
				Hexachlorobenzene	0.001	0.001	15	5	10	0	0.018	0.008	0.010	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

ProductClass=Baby food

<i>ProductGroup</i>	<i>Product</i>	<i>Treatment</i>	<i>Compound</i>	<i>Min LOQ</i>	<i>Max LOQ</i>	<i>Total</i>	<i>Below LOQ</i>	<i>Between LOQ and MRL</i>	<i>Above MRL</i>	<i>Max Residue Level</i>	<i>Mean Residue Level</i>	<i>Median Residue Level</i>	<i>Non Compliant</i>
Foodgroup not relevant	Baby food for infants and young children	Preserving	Pyrimethanil	0.002	0.002	2	1	1	0	0.003	0.002	0.002	0
		Processed	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.002	0.002	5	4	1	0	0.005	0.002	0.001	0
	Infant formulae	Preserving	Dithiocarbamates	0.010	0.010	1	0	1	0	0.030	0.030	0.030	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

ProductClass=Cereals

<i>ProductGroup</i>	<i>Product</i>	<i>Treatment</i>	<i>Compound</i>	<i>Min LOQ</i>	<i>Max LOQ</i>	<i>Total</i>	<i>Below LOQ</i>	<i>Between LOQ and MRL</i>	<i>Above MRL</i>	<i>Max Residue Level</i>	<i>Mean Residue Level</i>	<i>Median Residue Level</i>	<i>Non Compliant</i>
Cereals	Maize	Processed	Chlorpyrifos-methyl	0.008	0.008	3	2	1	0	0.017	0.008	0.004	0
	Other cereals	Cooking in air (Baking)	Chlorpyrifos-methyl	0.008	0.008	6	4	2	0	0.160	0.032	0.004	0
			Fipronil	0.002	0.002	6	5	1	0	0.013	0.003	0.001	0
			Fipronil (sum)	0.010	0.010	6	5	0	1	0.013	0.006	0.005	1
			Flusilazole	0.002	0.002	6	5	1	0	0.008	0.002	0.001	0
			Pirimiphos-methyl	0.008	0.008	6	5	1	0	0.102	0.020	0.004	0
	Rice	Polishing	Piperonyl Butoxide	0.002	0.002	2	1	1	0	0.006	0.004	0.004	0
			Pirimiphos-methyl	0.008	0.008	2	1	1	0	0.053	0.029	0.029	0
	Rye	Milling	Chlorpyrifos	0.002	0.002	2	1	1	0	0.020	0.011	0.011	0
			Chlorpyrifos-methyl	0.008	0.008	2	1	1	0	0.028	0.016	0.016	0
	Wheat	Cooking in air (Baking)	Chlorpyrifos-methyl	0.008	0.008	8	6	2	0	0.047	0.014	0.004	0
		Milling - refined flour	Chlorpyrifos	0.002	0.002	13	12	1	0	0.007	0.001	0.001	0
			Chlorpyrifos-methyl	0.008	0.008	13	5	8	0	0.115	0.025	0.022	0
			Cypermethrin (sum)	0.040	0.040	13	12	1	0	0.960	0.092	0.020	0
			Piperonyl Butoxide	0.002	0.002	13	12	1	0	0.024	0.003	0.001	0
			Pirimiphos-methyl	0.008	0.008	13	11	2	0	3.000	0.235	0.004	0
			Propoxur	0.008	0.008	13	12	1	0	0.031	0.006	0.004	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C3: Results of national programme processed conventional products where residues were detected

ProductClass=Sum of fruits and nuts, vegetables, other plant products

ProductGroup	Product	Treatment	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	Non Compliant
Citrus fruit	Oranges	Juicing	Carbendazim	0.008	0.008	6	4	2	0	0.013	0.007	0.004	0
			Carbendazim and benomyl	0.008	0.008	6	4	2	0	0.013	0.007	0.004	0
			Imazalil	0.002	0.002	6	4	2	0	0.032	0.009	0.001	0
			Thiabendazole	0.002	0.002	6	5	1	0	0.012	0.003	0.001	0
Cucurbits	Gherkins	Pickling	Boscalid	0.002	0.002	10	9	1	0	0.006	0.002	0.001	0
			Dimethomorph	0.002	0.002	10	6	4	0	0.023	0.005	0.001	0
			Fluazifop (free acid)	0.002	0.002	10	9	1	0	0.072	0.008	0.001	0
			Fluazifop-P-butyl (sum)	0.002	0.002	10	9	1	0	0.060	0.007	0.001	0
			Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.002	0.002	10	7	1	2	0.078	0.016	0.001	0
			Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.002	0.002	10	5	5	0	0.610	0.205	0.156	0
			Tebuconazole	0.008	0.008	10	9	1	0	0.023	0.006	0.004	0
			Thiacloprid	0.002	0.002	10	9	1	0	0.008	0.002	0.001	0
Foodgroup not relevant	OTHER	Oil production - Warm press	Chlordane	0.001	0.001	1	0	1	0	0.001	0.001	0.001	0
			DDT (sum)	0.001	0.001	1	0	1	0	0.001	0.001	0.001	0
			Endosulfan (sum)	0.001	0.001	1	0	1	0	0.088	0.088	0.088	0
			Endosulfansulfate	0.001	0.001	1	0	1	0	0.042	0.042	0.042	0
			alpha-Endosulfan	0.001	0.001	1	0	1	0	0.018	0.018	0.018	0
			beta-Endosulfan	0.001	0.001	1	0	1	0	0.029	0.029	0.029	0
		Pressing	Methoxyfenozide	0.002	0.002	2	1	1	0	0.008	0.005	0.005	0
			Pirimicarb	0.002	0.002	2	1	1	0	0.009	0.005	0.005	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

ProductClass=Sum of fruits and nuts, vegetables, other plant products

<i>ProductGroup</i>	<i>Product</i>	<i>Treatment</i>	<i>Compound</i>	<i>Min LOQ</i>	<i>Max LOQ</i>	<i>Total</i>	<i>Below LOQ</i>	<i>Between LOQ and MRL</i>	<i>Above MRL</i>	<i>Max Residue Level</i>	<i>Mean Residue Level</i>	<i>Median Residue Level</i>	<i>Non Compliant</i>
Oilseeds and oilfruits	Sesame seed	Decortication	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)	0.004	0.004	2	1	1	0	0.009	0.006	0.006	0
			Thiacloprid	0.002	0.002	2	1	1	0	0.007	0.004	0.004	0
			Phoxim	0.008	0.008	1	0	0	1	0.024	0.024	0.024	0
Pulses	Sunflower seed	Oil production - refined oils	DDT (sum)	0.001	0.001	1	0	1	0	0.025	0.025	0.025	0
			2,4-D	0.008	0.008	1	0	1	0	0.028	0.028	0.028	0
	Other pulses, dry	Decortication	Boscalid	0.002	0.002	1	0	1	0	0.004	0.004	0.004	0
Solanacea (e.g. tomatoes, peppers)	Peppers	Dehydration	Imazethapyr	0.002	0.002	1	0	1	0	0.005	0.005	0.005	0
			Lambda-Cyhalothrin	0.008	0.008	1	0	1	0	0.034	0.034	0.034	0
			Azoxystrobin	0.002	0.002	1	0	1	0	0.031	0.031	0.031	0
			Carbendazim	0.008	0.008	1	0	1	0	0.250	0.250	0.250	0
			Carbendazim and benomyl	0.008	0.008	1	0	1	0	0.250	0.250	0.250	0
			Chlorpyrifos	0.002	0.002	1	0	1	0	0.015	0.015	0.015	0
			Cypermethrin (sum)	0.040	0.040	1	0	1	0	0.132	0.132	0.132	0
			Lufenuron	0.002	0.002	1	0	1	0	0.013	0.013	0.013	0
			Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.002	0.002	1	0	1	0	0.011	0.011	0.011	0
			Methoxyfenozide	0.002	0.002	1	0	1	0	0.049	0.049	0.049	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

ProductClass=Sum of fruits and nuts, vegetables, other plant products

<i>ProductGroup</i>	<i>Product</i>	<i>Treatment</i>	<i>Compound</i>	<i>Min LOQ</i>	<i>Max LOQ</i>	<i>Total</i>	<i>Below LOQ</i>	<i>Between LOQ and MRL</i>	<i>Above MRL</i>	<i>Max Residue Level</i>	<i>Mean Residue Level</i>	<i>Median Residue Level</i>	<i>Non Compliant</i>
Spices	Tomatoes	Cooking with a grill or barbecue	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.002	0.002	1	0	1	0	0.050	0.050	0.050	0
			Spiroxamine	0.002	0.002	1	0	1	0	0.018	0.018	0.018	0
			Tebuconazole	0.008	0.008	1	0	1	0	0.077	0.077	0.077	0
			Tebufenozide	0.002	0.002	1	0	1	0	0.083	0.083	0.083	0
			Triadimefon (sum of Triadimefon and Triadimenol)	0.016	0.016	1	0	1	0	0.230	0.230	0.230	0
			Triadimenol	0.008	0.008	1	0	1	0	0.230	0.230	0.230	0
	Anise	Dehydration	Boscalid	0.002	0.002	2	1	1	0	0.005	0.003	0.003	0
			Chlorpyrifos	0.002	0.002	2	1	1	0	0.004	0.003	0.003	0
			Linuron	0.002	0.002	1	0	1	0	0.011	0.011	0.011	0
	Spices	Dehydration Milling	Piperonyl Butoxide	0.002	0.002	1	0	1	0	0.050	0.050	0.050	0
			Chlorpyrifos	0.002	0.002	2	0	2	0	0.320	0.176	0.176	0
			2,4-D	0.008	0.008	1	0	1	0	0.014	0.014	0.014	0
			Boscalid	0.002	0.002	1	0	1	0	0.048	0.048	0.048	0
			Chlorpyrifos	0.002	0.002	1	0	1	0	0.006	0.006	0.006	0
			Fluazifop (free acid)	0.002	0.002	1	0	1	0	0.020	0.020	0.020	0
Tea, coffee, herbal infusions and cocoa	Tea	Dehydration	Fluazifop-P-butyl (sum)	0.002	0.002	1	0	1	0	0.023	0.023	0.023	0
			Imidacloprid	0.002	0.002	1	0	1	0	0.019	0.019	0.019	0
			Pyraclostrobin	0.002	0.002	1	0	1	0	0.011	0.011	0.011	0
			Acephate	0.100	0.100	3	2	0	1	0.110	0.070	0.050	1
			Acetamiprid	0.002	0.002	3	2	0	1	0.390	0.131	0.001	1

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

ProductClass=Sum of fruits and nuts, vegetables, other plant products

<i>ProductGroup</i>	<i>Product</i>	<i>Treatment</i>	<i>Compound</i>	<i>Min LOQ</i>	<i>Max LOQ</i>	<i>Total</i>	<i>Below LOQ</i>	<i>Between LOQ and MRL</i>	<i>Above MRL</i>	<i>Max Residue Level</i>	<i>Mean Residue Level</i>	<i>Median Residue Level</i>	<i>Non Compliant</i>
			Acrinathrin	0.008	0.008	3	2	1	0	0.018	0.009	0.004	0
			Bifenthrin	0.008	0.008	3	0	3	0	0.690	0.283	0.130	0
			Biphenyl	0.008	0.008	3	2	1	0	0.011	0.006	0.004	0
			Buprofezin	0.002	0.002	3	2	0	1	0.090	0.031	0.001	0
			Chlorpyrifos	0.002	0.002	3	1	2	0	0.055	0.024	0.015	0
			Diniconazole	0.008	0.008	3	2	1	0	0.042	0.017	0.004	0
			Fenpropathrin	0.008	0.008	3	2	1	0	0.024	0.011	0.004	0
			Fenvalerate and Esfenvalerate (Sum of RR and SS isomers)	0.008	0.008	3	2	1	0	0.015	0.008	0.004	0
			Fenvalerate and Esfenvalerate (Sum of RS and SR isomers)	0.008	0.008	3	2	1	0	0.044	0.017	0.004	0
			Fipronil	0.002	0.002	3	2	1	0	0.009	0.004	0.001	0
			Fipronil (sum)	0.009	0.010	3	2	0	1	0.009	0.006	0.005	0
			Imidacloprid	0.002	0.002	3	2	0	1	0.160	0.054	0.001	1
			Lambda-Cyhalothrin	0.008	0.008	3	2	1	0	0.049	0.019	0.004	0
			MCPA	0.002	0.002	3	2	1	0	0.020	0.007	0.001	0
			MCPA and MCPB (MCPA, MCPB including their salts, esters and conjugates expressed as MCPA)	0.010	0.010	3	2	1	0	0.020	0.010	0.005	0
			Methomyl	0.008	0.008	3	1	2	0	0.040	0.027	0.036	0
			Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.010	3	1	2	0	0.040	0.027	0.036	0
	Fermentation		Bifenthrin	0.008	0.008	1	0	1	0	0.110	0.110	0.110	0
			Carbendazim	0.008	0.008	1	0	1	0	0.040	0.040	0.040	0
			Carbendazim and benomyl	0.008	0.008	1	0	1	0	0.040	0.040	0.040	0
			Imidacloprid	0.002	0.002	1	0	1	0	0.022	0.022	0.022	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

ProductClass=Sum of fruits and nuts, vegetables, other plant products

ProductGroup	Product	Treatment	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	Non Compliant
			Triadimefon (sum of Triadimefon and Triadimenol)	0.016	0.016	1	0	1	0	0.120	0.120	0.120	0
			Triadimenol	0.008	0.008	1	0	1	0	0.120	0.120	0.120	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
 All results expressed in mg/kg

Strategy=Surveillance

<i>Sample Code</i>	<i>ORIGCOUNTRY</i>	<i>Product</i>	<i>Sampling point</i>	<i>Treatment</i>	<i>Organic</i>	<i>Residue</i>	<i>LOQ</i>	<i>Level</i>	<i>Unit</i>	<i>MRL</i>	<i>Result Evaluation</i>
D003-51024/11/A01	CZ	Other cereals	Manufacturing	Cooking in air (Baking)		Fipronil (sum)	0.010	0.013	mg/kg	0.01	Non compliant
D010-40529/11/A01	CZ	Rye	Manufacturing	Unprocessed		Chlormequat	0.020	2.700	mg/kg	2.00	Numerical exceedence
D010-40529/11/A02	CZ	Rye	Manufacturing	Unprocessed		Chlormequat	0.020	2.400	mg/kg	2.00	Numerical exceedence
D017-60155/11/A02	CZ	Rye	Manufacturing	Unprocessed		Pencycuron	0.002	0.061	mg/kg	0.05	Numerical exceedence
D009-60059/11/A01	PE	Bananas	Retail sale	Unprocessed	Y	Fipronil (sum)	0.008	0.008	mg/kg	0.01	Numerical exceedence
D010-30391/11/A05	MA	Beans (with pods)	Retail sale	Unprocessed		Propamocarb (sum of propamocarb and its salt expressed as propamocarb)	0.002	0.130	mg/kg	0.10	Numerical exceedence
D003-30087/11/A02	IT	Broccoli	Distribution: wholesale and retail sale	Unprocessed		Fluazifop-P-butyl (sum)	0.002	0.800	mg/kg	0.20	Non compliant
D002-70154/11/A01	AT	Celeriac	Retail sale	Unprocessed		Cyproconazole	0.002	0.073	mg/kg	0.05	Numerical exceedence
D002-70154/11/A01	AT	Celeriac	Retail sale	Unprocessed		Iprodione	0.040	0.086	mg/kg	0.02	Non compliant
D021-80738/11/A08	PL	Chinese cabbage	Distribution: wholesale and retail sale	Unprocessed		Dimethoate (sum)	0.004	0.047	mg/kg	0.02	Non compliant
D002-80131/11/A04	ES	Cucumbers	Manufacturing	Unprocessed		Formetanate	0.002	0.230	mg/kg	0.05	Non compliant
D003-30391/11/A05	ES	Cucumbers	Distribution: wholesale and retail sale	Unprocessed		Formetanate	0.002	0.130	mg/kg	0.05	Non compliant
D015-30514/11/A04	ES	Cucumbers	Retail sale	Unprocessed		Chlorpyrifos	0.002	0.095	mg/kg	0.05	Numerical exceedence
D060-80323/11/A01	VN	Gherkins	Retail sale	Pickling		Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.002	0.078	mg/kg	0.05	Numerical exceedence

Non compliant samples represent samples above MRL when measurement uncertainty has been taken into consideration. Numerical exceedences represent samples above MRL that are deemed to be compliant when measurement uncertainty has been taken into consideration

Strategy=Surveillance

<i>Sample Code</i>	<i>ORIGCOUNTRY</i>	<i>Product</i>	<i>Sampling point</i>	<i>Treatment</i>	<i>Organic</i>	<i>Residue</i>	<i>LOQ</i>	<i>Level</i>	<i>Unit</i>	<i>MRL</i>	<i>Result Evaluation</i>
D060-80323/11/A02	VN	Gherkins	Retail sale	Pickling		Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))	0.002	0.064	mg/kg	0.05	Numerical exceedence
D036-10098/11/A01	TR	Grapefruit	Retail sale	Unprocessed		tau-Fluvalinate	0.008	0.110	mg/kg	0.10	Numerical exceedence
D085-40294/11/A02	CZ	Head cabbage	Distribution: wholesale and retail sale	Unprocessed		Dimethomorph	0.002	0.140	mg/kg	0.05	Non compliant
D028-80336/11/A03	IL	Leaf vegetables and fresh herbs	Retail sale	Unprocessed		Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	3.100	mg/kg	0.30	Non compliant
D028-80336/11/A03	IL	Leaf vegetables and fresh herbs	Retail sale	Unprocessed		Oxamyl	0.002	0.036	mg/kg	0.01	Non compliant
D013-70154/11/A01	CZ	Lettuce	Distribution: wholesale and retail sale	Unprocessed		Spiroxamine	0.002	0.520	mg/kg	0.05	Non compliant
D013-70154/11/A01	CZ	Lettuce	Distribution: wholesale and retail sale	Unprocessed		Tebuconazole	0.008	0.140	mg/kg	0.05	Non compliant
P123-60059/11/A03	CZ	Lettuce	Distribution: wholesale and retail sale	Unprocessed		Chlorpyrifos	0.002	0.100	mg/kg	0.05	Non compliant
D017-50970/11/A01	GR	Mandarins	Retail sale	Unprocessed		Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.042	0.270	mg/kg	0.20	Numerical exceedence
D005-80295/11/A07	EC	Papaya	Retail sale	Unprocessed		Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.110	mg/kg	0.02	Non compliant
D010-80738/11/A02	IT	Peaches	Distribution: wholesale and retail sale	Unprocessed		Chlorpyrifos	0.002	0.300	mg/kg	0.20	Numerical exceedence

Non compliant samples represent samples above MRL when measurement uncertainty has been taken into consideration. Numerical exceedences represent samples above MRL that are deemed to be compliant when measurement uncertainty has been taken into consideration

Strategy=Surveillance

<i>Sample Code</i>	<i>ORIGCOUNTRY</i>	<i>Product</i>	<i>Sampling point</i>	<i>Treatment</i>	<i>Organic</i>	<i>Residue</i>	<i>LOQ</i>	<i>Level</i>	<i>Unit</i>	<i>MRL</i>	<i>Result Evaluation</i>
D015-30514/11/A03	ES	Peaches	Retail sale	Unprocessed		Phosmet (phosmet and phosmet oxon expressed as phosmet)	0.004	0.220	mg/kg	0.05	Non compliant
D003-60202/11/A04	TR	Peppers	Distribution: wholesale and retail sale	Unprocessed		Clofentezine	0.002	0.023	mg/kg	0.02	Numerical exceedence
D003-60202/11/A04	TR	Peppers	Distribution: wholesale and retail sale	Unprocessed		Lambda-Cyhalothrin	0.008	0.120	mg/kg	0.10	Numerical exceedence
D020-80336/11/A05	GR	Peppers	Retail sale	Unprocessed		Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)	0.010	0.023	mg/kg	0.02	Numerical exceedence
P128-40464/11/A02	HU	Peppers	Retail sale	Unprocessed		Chlorpyrifos-methyl	0.002	0.540	mg/kg	0.50	Numerical exceedence
P128-40464/11/A02	HU	Peppers	Retail sale	Unprocessed		Fenvalerate and Esfenvalerate (Sum of RR and SS isomers)	0.008	0.025	mg/kg	0.02	Numerical exceedence
D071-40464/11/A01	DE	Radishes	Retail sale	Unprocessed		Dithiocarbamates	0.030	0.099	mg/kg	0.05	Numerical exceedence
D008-60155/11/A02	IN	Sesame seed	Retail sale	Decortication		Phoxim	0.008	0.024	mg/kg	0.02	Numerical exceedence
D028-80302/11/A01	CZ	Soya bean	Retail sale	Unprocessed		Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)	0.010	0.054	mg/kg	0.05	Numerical exceedence
D017-80738/11/A03	DE	Spinach	Retail sale	Unprocessed		Dimethomorph	0.002	0.130	mg/kg	0.10	Numerical exceedence
D018-10098/11/A01	CZ	Strawberries	Distribution: wholesale and retail sale	Unprocessed		Phosalone	0.008	0.079	mg/kg	0.05	Numerical exceedence
D039-40157/11/A01	PL	Tea	Retail sale	Dehydration		Acephate	0.100	0.110	mg/kg	0.05	Non compliant
D039-40157/11/A01	PL	Tea	Retail sale	Dehydration		Acetamiprid	0.002	0.390	mg/kg	0.10	Non compliant
D039-40157/11/A01	PL	Tea	Retail sale	Dehydration		Buprofezin	0.002	0.090	mg/kg	0.05	Numerical exceedence

Non compliant samples represent samples above MRL when measurement uncertainty has been taken into consideration. Numerical exceedences represent samples above MRL that are deemed to be compliant when measurement uncertainty has been taken into consideration

Strategy=Surveillance

Sample Code	ORIGCOUNTRY	Product	Sampling point	Treatment	Organic	Residue	LOQ	Level	Unit	MRL	Result Evaluation
D039-40157/11/A01	PL	Tea	Retail sale	Dehydration		Fipronil (sum)	0.009	0.009	mg/kg	0.01	Numerical exceedence
D039-40157/11/A01	PL	Tea	Retail sale	Dehydration		Imidacloprid	0.002	0.160	mg/kg	0.05	Non compliant
D003-80131/11/A05	ES	Tomatoes	Distribution: wholesale and retail sale	Unprocessed		Procymidone	0.002	0.036	mg/kg	0.02	Numerical exceedence
D004-30087/11/A01	TR	Tomatoes	Retail sale	Unprocessed		Acetamiprid	0.002	0.120	mg/kg	0.10	Numerical exceedence
D004-40464/11/A02	MA	Tomatoes	Retail sale	Unprocessed		Procymidone	0.002	0.095	mg/kg	0.02	Non compliant
D011-50856/11/A01	ES	Tomatoes	Distribution: wholesale and retail sale	Unprocessed		Acetamiprid	0.002	0.140	mg/kg	0.10	Numerical exceedence

Non compliant samples represent samples above MRL when measurement uncertainty has been taken into consideration. Numerical exceedences represent samples above MRL that are deemed to be compliant when measurement uncertainty has been taken into consideration

Product Class	Product	Processed	n0	n1	n10	n11	n12	n15	n2	n3	n4	n5	n6	n7	n8	n9
Animal products	Bovine Liver		4	1	.	.	.	.	1	.	.	.	.	.	.	.
Animal products	Bovine Meat		2	1	.	.	.	.	2	.	.	.	.	.	.	.
Animal products	Dairy products Cattle	Y	5	.	.	.	.	.	10	.	.	.	.	.	.	.
Animal products	Eggs Chicken		4	1	.	.	.	.	.	.	.	.	.	.	.	.
Animal products	Honey		5	.	.	.	.	.	.	.	.	.	.	.	.	.
Animal products	Poultry liver		1	.	.	.	.	.	.	.	.	.	.	.	.	.
Animal products	Poultry meat		8	.	.	.	.	.	.	.	.	.	.	.	.	.
Animal products	Poultry products		7	.	.	.	.	.	.	.	.	.	.	.	.	.
Animal products	Swine Liver		8	.	.	.	.	.	.	.	.	.	.	.	.	.
Animal products	Swine Meat		4	1	.	.	.	.	.	.	.	.	.	.	.	.
Baby food	Baby food for infants and young children	Y	7	3	.	.	.	.	.	.	.	.	.	.	.	.
Baby food	Follow-on formulae	Y	3	.	.	.	.	.	.	.	.	.	.	.	.	.
Baby food	Infant formulae		1	.	.	.	.	.	.	.	.	.	.	.	.	.
Baby food	Infant formulae	Y	10	1	.	.	.	.	.	.	.	.	.	.	.	.
Baby food	Processed cereal-based baby foods	Y	14	.	.	.	.	.	.	.	.	.	.	.	.	.
Cereals	Barley		9	6	.	.	.	.	2	2	.	1	.	.	.	.
Cereals	Buckwheat		1	.	.	.	.	.	.	.	.	.	.	.	.	.
Cereals	Maize		12	.	.	.	.	.	.	.	.	.	.	.	.	.
Cereals	Maize	Y	2	1	.	.	.	.	.	.	.	.	.	.	.	.
Cereals	Oats		16	3	.	.	.	.	.	.	.	.	.	.	.	.
Cereals	Other cereals		6	.	.	.	.	.	.	.	.	.	.	.	.	.
Cereals	Other cereals	Y	4	4	.	.	.	.	1	.	.	.	.	.	.	.
Cereals	Rice		23	6	.	.	.	.	3	2	2	.	.	.	.	.
Cereals	Rice	Y	1	.	.	.	.	.	1	.	.	.	.	.	.	.
Cereals	Rye		16	14	.	.	.	.	2	1	.	.	.	.	.	.
Cereals	Rye	Y	1	2	.	.	.	.	.	.	.	.	.	.	.	.
Cereals	Wheat		19	15	.	.	.	.	1	4	.	.	.	.	.	.

Column nX indicates number of residues detected in product.
To avoid duplicates residues marked as part of sum are excluded

<i>Product Class</i>	<i>Product</i>	<i>Processed</i>	<i>n0</i>	<i>n1</i>	<i>n10</i>	<i>n11</i>	<i>n12</i>	<i>n15</i>	<i>n2</i>	<i>n3</i>	<i>n4</i>	<i>n5</i>	<i>n6</i>	<i>n7</i>	<i>n8</i>	<i>n9</i>
Cereals	Wheat	Y	20	8	.	.	.	.	4	1	.	.	.	.	.	.
Fish products	Fish, fish products, shell fish, molluscs and other marine and freshwater food products		2	3	.	.	.	.	.	.	.	.	.	.	.	.
Fruits and nuts	Apples		20	4	.	.	.	.	5	8	7	8	4	.	1	1
Fruits and nuts	Apples	Y	3	.	.	.	.	.	.	.	.	.	.	.	.	.
Fruits and nuts	Apricots		1	1	.	.	.	.	.	1	2	.	.	.	.	.
Fruits and nuts	Bananas		8	5	.	.	.	.	2	3	2	1	.	.	.	.
Fruits and nuts	Grapefruit		2	.	.	.	.	.	2	1	2	.	1	1	.	.
Fruits and nuts	Kiwi		6	3	.	.	.	.	1	.	.	.	.	.	.	.
Fruits and nuts	Lemons		3	.	.	.	.	.	1	.	1	2	2	.	1	.
Fruits and nuts	Limes		.	.	.	.	.	.	1	.	.	.	.	.	.	.
Fruits and nuts	Lychee (Litchi)		4	.	.	.	.	.	.	.	.	.	.	.	.	.
Fruits and nuts	Mandarins		1	1	.	.	1	.	2	4	3	4	2	.	.	.
Fruits and nuts	Mangoes		1	3	.	.	.	.	1	.	.	.	.	.	.	.
Fruits and nuts	Oranges		4	1	.	.	.	.	3	5	4	3	1	2	.	.
Fruits and nuts	Oranges	Y	4	4	.	.	.	.	1	.	.	.	.	.	.	.
Fruits and nuts	Papaya		.	2	.	.	.	.	2	1	.	1	.	.	.	.
Fruits and nuts	Peaches		.	5	1	.	.	.	6	4	3	4	4	2	1	.
Fruits and nuts	Pears		14	3	.	.	.	.	1	2	7	4	3	.	.	.
Fruits and nuts	Persimmon		.	1	.	.	.	.	.	.	.	.	.	.	.	.
Fruits and nuts	Pineapples		1	4	.	.	.	.	2	.	.	.	.	.	.	.
Fruits and nuts	Plums		3	1	.	.	.	.	1	2	.	1	.	.	.	.
Fruits and nuts	Pomegranate		.	.	.	.	.	.	1	.	.	.	.	.	.	.
Fruits and nuts	Strawberries		.	.	.	.	.	1	1	3	4	3	1	1	4	1
Fruits and nuts	Table grapes		14	4	.	.	.	.	1	2	2	6	2	3	1	.
Fruits and nuts	Wine grapes	Y	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Other plant products	Anise	Y	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Other plant products	Coffee		1	.	.	.	.	.	.	.	.	.	.	.	.	.

Column nX indicates number of residues detected in product.
To avoid duplicates residues marked as part of sum are excluded

Product Class	Product	Processed	n0	n1	n10	n11	n12	n15	n2	n3	n4	n5	n6	n7	n8	n9
Other plant products	Lentils (dry)		2	.	.	.	.	.	.	.	.	.	.	.	.	.
Other plant products	Lentils (dry)	Y	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Other plant products	Linseed	Y	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Other plant products	Other herbal infusions	Y	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Other plant products	Other oilseeds		.	.	.	.	.	.	1	.	.	.	.	.	.	.
Other plant products	Other pulses, dry	Y	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Other plant products	Pumpkin seeds	Y	.	1	.	.	.	.	.	1	.	.	.	.	.	.
Other plant products	Rape seed	Y	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Other plant products	Sesame seed	Y	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Other plant products	Soya bean		6	.	.	.	.	.	2	.	.	.	.	.	.	.
Other plant products	Soya bean	Y	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Other plant products	Spices	Y	.	2	.	.	.	.	.	.	.	1	.	.	.	.
Other plant products	Sunflower seed		1	.	.	.	.	.	.	.	.	.	.	.	.	.
Other plant products	Sunflower seed	Y	4	1	.	.	.	.	.	.	.	.	.	.	.	.
Other plant products	Tea	Y	2	1	.	1	.	.	.	.	2	1	.	.	.	.
Other products (incl. not classified and animal feed)	INFANT WATER	Y	2	.	.	.	.	.	.	.	.	.	.	.	.	.
Other products (incl. not classified and animal feed)	OTHER		2	.	.	.	.	.	.	.	.	.	.	.	.	.
Other products (incl. not classified and animal feed)	OTHER	Y	7	.	.	.	.	.	1	1	.	.	.	.	.	.
Vegetables	Aubergines (egg plants)		7	7	.	.	.	.	2	1	.	1	1	1	.	.
Vegetables	Beans (with pods)		11	5	.	.	.	.	5	1	.	.	.	.	.	.
Vegetables	Beans (without pods)		.	1	.	.	.	.	.	.	.	.	.	.	.	.
Vegetables	Broccoli		9	2	.	.	.	.	.	2	.	1	.	.	.	.
Vegetables	Brussels sprouts		1	.	.	.	.	.	2	4	1	.	.	.	.	.
Vegetables	Carrots		18	8	.	.	.	.	4	8	3	1	.	.	.	.
Vegetables	Cauliflower		10	4	.	.	.	.	3	.	.	.	.	.	.	.
Vegetables	Celeriac		.	1	.	.	.	.	2	3	1	3	.	.	.	.
Vegetables	Chinese cabbage		10	4	.	.	.	.	1	1	.	1	.	.	.	.

Column nX indicates number of residues detected in product.
To avoid duplicates residues marked as part of sum are excluded

Product Class	Product	Processed	n0	n1	n10	n11	n12	n15	n2	n3	n4	n5	n6	n7	n8	n9
Vegetables	Courgettes		1	.	.	.	.	.	.	.	.	.	.	.	.	.
Vegetables	Cucumbers		13	7	.	1	.	.	9	7	4	.	1	4	1	3
Vegetables	Cultivated fungi		10	1	.	.	.	.	.	.	.	.	.	.	.	.
Vegetables	Garlic		12	.	.	.	.	.	1	.	.	.	.	.	.	.
Vegetables	Gherkins	Y	2	6	.	.	.	.	1	1	2	.	.	.	.	.
Vegetables	Head cabbage		23	6	.	.	.	.	3	1	.	1	.	.	.	.
Vegetables	Kohlrabi		1	2	.	.	.	.	.	.	.	.	.	.	.	.
Vegetables	Leaf vegetables and fresh herbs		2	.	.	.	.	.	.	.	.	1	.	.	.	.
Vegetables	Leek		10	3	.	.	.	.	8	3	1	.	1	.	.	.
Vegetables	Lettuce		7	10	.	.	.	.	4	7	2	7	3	.	.	.
Vegetables	Onions		17	3	.	.	.	.	1	.	.	.	.	.	.	.
Vegetables	Parsley root		5	2	.	.	.	.	1	1	2	.	1	.	.	.
Vegetables	Parsnips		.	1	.	.	.	.	.	.	.	.	.	.	.	.
Vegetables	Peas (with pods)		8	4	.	.	.	.	1	.	.	.	.	.	.	.
Vegetables	Peas (without pods)		1	2	.	.	.	.	.	.	.	.	.	.	.	.
Vegetables	Peppers		12	14	.	.	.	.	6	4	4	2	2	.	.	1
Vegetables	Peppers	Y	1	.	.	.	1	.	.	.	.	.	.	.	.	.
Vegetables	Potatoes		31	16	.	.	.	.	7	1	.	.	.	.	.	.
Vegetables	Radishes		6	4	.	.	.	.	3	2	.	.	.	.	.	.
Vegetables	Rosemary		1	.	.	.	.	.	.	.	.	.	.	.	.	.
Vegetables	Spinach		7	4	.	.	.	.	9	3	2	.	.	.	.	.
Vegetables	Spring onions		1	.	.	.	.	.	.	.	.	.	.	.	.	.
Vegetables	Sweet corn		3	.	.	.	.	.	.	.	.	.	.	.	.	.
Vegetables	Sweet corn	Y	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Vegetables	Tomatoes		9	15	2	.	.	1	10	6	3	5	1	4	2	1
Vegetables	Tomatoes	Y	2	.	.	.	.	.	1	.	.	.	.	.	.	.
			590	251	3	2	2	2	151	104	66	63	30	18	11	7

Column nX indicates number of residues detected in product.
To avoid duplicates residues marked as part of sum are excluded

Product=Anise

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>
D027-30391/11/A02	DE	2	Piperonyl Butoxide(0.05)	Linuron(0.011)					
<i>Code</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>	<i>Compound11</i>	<i>Compound12</i>	<i>Compound13</i>	<i>Compound14</i>	<i>Compound15</i>	
D027-30391/11/A02									

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Apples

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4				
D001-10098/11/A01	CZ	2	Methoxyfenozide(0.002)	Etofenprox(0.003)						
D001-10098/11/A02	CZ	3	Methoxyfenozide(0.005)	Flufenoxuron(0.003)	Difenoconazole(0.007)					
D002-80131/11/A03	FR	6	Boscalid(0.082)	Dodine(0.03)	Chlorpyrifos(0.003)	Thiabendazole(0.65)				
D003-30391/11/A07	CZ	3	Acetamiprid(0.009)	Phosalone(0.021)	Etofenprox(0.029)					
D003-60202/11/A08	CZ	5	Dodine(0.035)	Bitertanol(0.161)	Difenoconazole(0.004)	Methoxyfenozide(0.048)				
D003-80336/11/A01	CZ	5	Etofenprox(0.032)	Difenoconazole(0.002)	Cyprodinil(0.003)	Tetraconazole(0.014)				
D004-30409/11/A04	IT	9	Chlorpyrifos(0.014)	Hexythiazox(0.003)	Fenazaquin(0.009)	Lufenuron(0.006)				
Code	Compound5		Compound6	Compound7	Compound8	Compound9	Compound10	Compound11		
D001-10098/11/A01										
D001-10098/11/A02										
D002-80131/11/A03	Pyraclostrobin(0.058)		Diphenylamine(1.8)							
D003-30391/11/A07										
D003-60202/11/A08	Propargite(0.026)									
D003-80336/11/A01	Flufenoxuron(0.087)									
D004-30409/11/A04	Difenoconazole(0.007)		Boscalid(0.035)	Dodine(0.13)	Pyraclostrobin(0.038)	Captan(0.141)				
Code	Compound12	Compound13	Compound14	Compound15						
D001-10098/11/A01										
D001-10098/11/A02										
D002-80131/11/A03										
D003-30391/11/A07										
D003-60202/11/A08										
D003-80336/11/A01										
D004-30409/11/A04										

To avoid duplicates residues marked as part of sum are excluded

Product=Apples

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4				
D005-10098/11/A02	CZ	2	Dodine(0.092)	Thiabendazole(0.013)						
D005-40347/11/A03	IT	5	Chlorpyrifos(0.016)	Pyraclostrobin(0.029)	Dodine(0.004)	Captan(0.09)				
D005-80295/11/A02	NZ	4	Tebufenozide(0.009)	Dodine(0.004)	Fenpyroximate(0.003)	Captan(0.072)				
D006-50374/11/A01	SK	3	Indoxacarb as sum of the isomers S and R(0.009)	Dodine(0.09)	Folpet(0.29)					
D007-60593/11/A02	IT	2	Chlorpyrifos(0.059)	Thiacloprid(0.012)						
D008-60599/11/A01	DE	4	Cyprodinil(0.01)	Methoxyfenozide(0.004)	Etofenprox(0.012)	Boscalid(0.007)				
Code	Compound5	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11			
D005-10098/11/A02										
D005-40347/11/A03	Boscalid(0.061)									
D005-80295/11/A02										
D006-50374/11/A01										
D007-60593/11/A02										
D008-60599/11/A01										
Code	Compound12	Compound13	Compound14	Compound15						
D005-10098/11/A02										
D005-40347/11/A03										
D005-80295/11/A02										
D006-50374/11/A01										
D007-60593/11/A02										
D008-60599/11/A01										

Product=Apples

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>				
<i>D009-10098/11/A01</i>	IT	5	Bupirimate(0.005)	Chlorpyrifos(0.018)	Pyrimethanil(0.005)	Trifloxystrobin(0.005)				
<i>D010-60559/11/A01</i>	IT	3	Boscalid(0.011)	Thiacloprid(0.005)	Chlorpyrifos(0.034)					
<i>D010-80336/11/A03</i>	SK	4	Carbendazim and benomyl(0.044)	Chlorpyrifos(0.056)	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)(0.015)	Captan(0.28)				
<i>D010-80738/11/A01</i>	CZ	5	Folpet(0.13)	Captan(0.61)	Dodine(0.005)	Acetamiprid(0.024)				
<i>D012-80336/11/A08</i>	ES	4	Bupirimate(0.04)	Pyraclostrobin(0.024)	Captan(0.19)	Boscalid(0.063)				
<i>Code</i>	<i>Compound5</i>		<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>	<i>Compound11</i>		
<i>D009-10098/11/A01</i>	Boscalid(0.004)									
<i>D010-60559/11/A01</i>										
<i>D010-80336/11/A03</i>										
<i>D010-80738/11/A01</i>	Difenoconazole(0.009)									
<i>D012-80336/11/A08</i>										
<i>Code</i>	<i>Compound12</i>	<i>Compound13</i>	<i>Compound14</i>	<i>Compound15</i>						
<i>D009-10098/11/A01</i>										
<i>D010-60559/11/A01</i>										
<i>D010-80336/11/A03</i>										
<i>D010-80738/11/A01</i>										
<i>D012-80336/11/A08</i>										

To avoid duplicates residues marked as part of sum are excluded

Product=Apples

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4
D013-70049/11/A02	SK	4	Boscalid(0.047)	Chlorpyrifos(0.005)	Pyraclostrobin(0.024)	Methoxyfenozide(0.007)
D014-10098/11/A01	IT	3	Boscalid(0.018)	Iprodione(0.76)	Dodine(0.21)	
D014-30514/11/A02	PL	4	Tetraconazole(0.005)	Folpet(0.057)	Imidacloprid(0.006)	Carbendazim and benomyl(0.048)
D014-30514/11/A03	CZ	4	Pyridaben(0.007)	Acetamiprid(0.005)	Tetraconazole(0.009)	Dodine(0.039)

Code	Compound5	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11
D013-70049/11/A02							
D014-10098/11/A01							
D014-30514/11/A02							
D014-30514/11/A03							

Code	Compound12	Compound13	Compound14	Compound15
D013-70049/11/A02				
D014-10098/11/A01				
D014-30514/11/A02				
D014-30514/11/A03				

Product=Apples

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4						
D014-70154/11/A01	CZ	3	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)(0.08)	Captan(0.048)	Thiacloprid(0.008)							
D014-70154/11/A02	CZ	3	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)(0.16)	Thiacloprid(0.006)	Tetraconazole(0.006)							
D019-60599/11/A01	IT	2	Chlorpyrifos-methyl(0.004)	Chlorpyrifos(0.002)								
Code	Compound5	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11					
D014-70154/11/A01												
D014-70154/11/A02												
D019-60599/11/A01												
Code	Compound12	Compound13	Compound14	Compound15								
D014-70154/11/A01												
D014-70154/11/A02												
D019-60599/11/A01												

To avoid duplicates residues marked as part of sum are excluded

Product=Apples

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4
D020-80336/11/A01	CL	3	Pyrimethanil(0.31)	Diazinon(0.008)	Acetamiprid(0.011)	
D027-50856/11/A01	IT	6	Captan(0.068)	Trifloxystrobin(0.005)	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)(0.05)	Bupirimate(0.003)
D028-10708/11/A04	CZ	5	Indoxacarb as sum of the isomers S and R(0.01)	Dodine(0.085)	Tetraconazole(0.003)	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)(0.047)

Code	Compound5	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11
D020-80336/11/A01							
D027-50856/11/A01	Cyprodinil(0.14)	Fludioxonil(0.067)					
D028-10708/11/A04	Difenoconazole(0.17)						

Code	Compound12	Compound13	Compound14	Compound15
D020-80336/11/A01				
D027-50856/11/A01				
D028-10708/11/A04				

Product=Apples

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4				
D034-50374/11/A02	CZ	2	Dodine(0.017)	Etofenprox(0.007)						
D048-50562/11/A03	IT	5	Methoxyfenozide(0.027)	Bitertanol(0.056)	Tetraconazole(0.003)	Boscalid(0.003)				
P005-40157/11/A01	IT	6	Difenoconazole(0.002)	Teflubenzuron(0.029)	Iprodione(0.095)	Chlorpyrifos-methyl(0.025)				
P005-40157/11/A03	AT	8	Captan(0.35)	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)(0.002)	Boscalid(0.076)	Pyrimethanil(0.03)				
Code	Compound5	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11			
D034-50374/11/A02										
D048-50562/11/A03	Dodine(0.017)									
P005-40157/11/A01	Captan(0.088)	Chlorpyrifos(0.13)								
P005-40157/11/A03	Fluquinconazole(0.011)	Chlorpyrifos(0.003)	Pyraclostrobin(0.041)	Fenoxycarb(0.082)						
Code	Compound12	Compound13	Compound14	Compound15						
D034-50374/11/A02										
D048-50562/11/A03										
P005-40157/11/A01										
P005-40157/11/A03										

To avoid duplicates residues marked as part of sum are excluded

Product=Apples

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	
P018-60059/11/A07	IT	5	Dodine(0.27)	Boscalid(0.009)	Bupirimate(0.005)	Lufenuron(0.004)	
P123-60059/11/A01	BE	6	Trifloxystrobin(0.011)	Difenoconazole(0.033)	Indoxacarb as sum of the isomers S and R(0.023)	Fenoxycarb(0.008)	
Code	Compound5	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11
P018-60059/11/A07	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)(0.08)						
P123-60059/11/A01	Dodine(0.009)	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)(0.21)					
Code	Compound12	Compound13	Compound14	Compound15			
P018-60059/11/A07							
P123-60059/11/A01							

Product=Apricots

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6	Compound7
D014-30087/11/A01	IT	4	Thiacloprid(0.043)	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)(0.053)	Fenhexamid(0.006)	Tebuconazole(0.52)			
D027-50562/11/A01	FR	4	Tebuconazole(0.016)	Fenbuconazole(0.031)	Carbendazim and benomyl(0.009)	Myclobutanil(0.009)			
D069-40294/11/A03	FR	3	Fludioxonil(0.004)	Thiacloprid(0.007)	Tebuconazole(0.019)				
Code	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15	
D014-30087/11/A01									
D027-50562/11/A01									
D069-40294/11/A03									

Product=Aubergines (egg plants)

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4
D001-50970/11/A02	ES	6	Cyprodinil(0.031)	Fludioxonil(0.012)	Mepanipyrim(0.006)	Kresoxim-methyl(0.011)
D009-80022/11/A06	ES	2	Fenhexamid(0.004)	Acetamiprid(0.008)		
D010-50856/11/A03	ES	5	Pyrimethanil(0.011)	Imidacloprid(0.043)	Chlorothalonil(0.154)	Carbendazim and benomyl(0.012)
D016-80131/11/A05	NL	2	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.1)	Imidacloprid(0.003)		

Code	Compound5	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11
D001-50970/11/A02	Cyromazine(0.011)	Azoxystrobin(0.005)					
D009-80022/11/A06							
D010-50856/11/A03	Cyprodinil(0.003)						
D016-80131/11/A05							

Code	Compound12	Compound13	Compound14	Compound15
D001-50970/11/A02				
D009-80022/11/A06				
D010-50856/11/A03				
D016-80131/11/A05				

Product=Aubergines (egg plants)

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>
<i>D098-40294/11/A03</i>	ES	3	Chlorothalonil(0.074)	Indoxacarb as sum of the isomers S and R(0.011)	Cyromazine(0.011)	
<i>P018-60059/11/A05</i>	IT	7	Imidacloprid(0.067)	Fenazaquin(0.045)	Fludioxonil(0.008)	Hexythiazox(0.013)

<i>Code</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>	<i>Compound11</i>
<i>D098-40294/11/A03</i>							
<i>P018-60059/11/A05</i>	Dicloran(0.2)	Buprofezin(0.038)	Cyprodinil(0.03)				

<i>Code</i>	<i>Compound12</i>	<i>Compound13</i>	<i>Compound14</i>	<i>Compound15</i>
<i>D098-40294/11/A03</i>				
<i>P018-60059/11/A05</i>				

Product=Bananas

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15
D002-80038/11/A09	CO	2	Azoxystrobin(0.073)	Chlorpyrifos(0.004)													
D004-30409/11/A03	CO	4	Fenpropimorph(0.003)	Azoxystrobin(0.008)	Imazalil(0.19)	Thiabendazole(0.2)											
D007-50374/11/A01	CR	5	Thiabendazole(0.082)	Chlorpyrifos(0.003)	Imazalil(0.16)	Epoxiconazole(0.002)	Azoxystrobin(0.019)										
D021-80738/11/A03	CO	3	Azoxystrobin(0.083)	Chlorpyrifos(0.003)	Imazalil(0.17)												
D026-70511/11/A01	CR	4	Chlorpyrifos(0.023)	Azoxystrobin(0.076)	Imazalil(0.14)	Oxamyl-Oxime(0.003)											
D031-30409/11/A04	MQ	3	Pyrimethanil(0.003)	Azoxystrobin(0.2)	Fenpropimorph(0.005)												
D033-50562/11/A01	MQ	2	Imazalil(0.11)	Bitertanol(0.038)													
D069-40294/11/A04	CO	3	Thiabendazole(0.22)	Azoxystrobin(0.19)	Bifenthrin(0.01)												
D002-80038/11/A09																	
D004-30409/11/A03																	
D007-50374/11/A01																	
D021-80738/11/A03																	
D026-70511/11/A01																	
D031-30409/11/A04																	
D033-50562/11/A01																	
D069-40294/11/A04																	

To avoid duplicates residues marked as part of sum are excluded

Product=Barley

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5
D014-30518/11/A01	CZ	3	Propiconazole(0.007)	Chlorpyrifos(0.007)	Iprodione(0.2)		
D014-30518/11/A02	CZ	2	Epoxiconazole(0.004)	Carbendazim and benomyl(0.008)			
D018-50544/11/A01	CZ	3	Chlorpyrifos(0.016)	Tebuconazole(0.011)	Chlorpyrifos-methyl(0.012)		
D025-40529/11/A02	CZ	2	Quinoxifen(0.008)	Pirimiphos-methyl(0.009)			
D036-80302/11/A01	CZ	5	Tebuconazole(0.023)	Cyproconazole(0.021)	Chlorpyrifos(0.004)	Chlorpyrifos-methyl(0.024)	Propiconazole(0.01)

Code	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15
D014-30518/11/A01										
D014-30518/11/A02										
D018-50544/11/A01										
D025-40529/11/A02										
D036-80302/11/A01										

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Beans (with pods)

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6	Compound7
D003-60599/11/A02	XX	3	Carbendazim and benomyl(0.018)	Boscalid(0.037)	Cyprodinil(0.008)				
D004-60559/11/A02	HU	2	Lambda-Cyhalothrin(0.011)	Dimethoate (sum)(0.003)					
D004-70154/11/A01	MA	2	Endosulfan (sum)(0.012)	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)(0.006)					
D010-30391/11/A05	MA	2	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.13)	Dithiocarbamates(0.09)					
D017-80738/11/A02	KE	2	Bromide ion(7.1)	Chlorpyrifos(0.01)					
D031-30391/11/A02	KE	2	Cypermethrin (sum)(0.065)	Azoxystrobin(0.052)					
Code	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15	
D003-60599/11/A02									
D004-60559/11/A02									
D004-70154/11/A01									
D010-30391/11/A05									
D017-80738/11/A02									
D031-30391/11/A02									

To avoid duplicates residues marked as part of sum are excluded

Product=Bovine Liver

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6	Compound7
110926120000S61073	CZ	2	DDT (sum)(0.062)	Hexachlorobenzene(0.039)					
Code	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15	
110926120000S61073									

Product=Bovine Meat

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6	
110920120000S41049	CZ	2	DDT (sum)(0.024)	Hexachlorobenzene(0.027)					
111008123000S32040	CZ	2	Hexachlorobenzene(0.001)	DDT (sum)(0.003)					
Code	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15
110920120000S41049									
111008123000S32040									

Product=Broccoli

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>
D003-30087/11/A02	IT	3	Fluazifop-P-butyl (sum)(0.8)	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)(0.01)	Fluazifop (free acid)(0.8)		
D014-50562/11/A01	ES	3	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.035)	Imidacloprid(0.005)	Chlorothalonil(0.104)		
D094-40294/11/A03	PL	5	Pyraclostrobin(0.082)	Azoxystrobin(0.048)	Boscalid(0.24)	Lambda-Cyhalothrin(0.011)	Thiacloprid(0.007)

<i>Code</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>	<i>Compound11</i>	<i>Compound12</i>	<i>Compound13</i>	<i>Compound14</i>	<i>Compound15</i>
-------------	------------------	------------------	------------------	------------------	-------------------	-------------------	-------------------	-------------------	-------------------	-------------------

D003-30087/11/A02

D014-50562/11/A01

D094-40294/11/A03

Product=Brussels sprouts

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6
D001-50970/11/A01	NL	3	Tebuconazole(0.012)	Imazalil(0.005)	Thiabendazole(0.01)			
D013-60599/11/A05	NL	3	Indoxacarb as sum of the isomers S and R(0.011)	Imidacloprid(0.003)	Chlorothalonil(0.18)			
D017-80738/11/A01	NL	3	Tebuconazole(0.031)	Boscalid(0.031)	Chlorothalonil(0.22)			
D019-70154/11/A01	NL	4	Tebuconazole(0.012)	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.018)	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.004)	Boscalid(0.003)		
D028-80336/11/A01	NL	2	Boscalid(0.041)	Chlorothalonil(0.104)				
D031-30391/11/A01	NL	3	Tebuconazole(0.034)	Boscalid(0.04)	Chlorothalonil(0.062)			
P128-40464/11/A01	NL	2	Boscalid(0.039)	Chlorothalonil(0.078)				

Code	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15
D001-50970/11/A01									
D013-60599/11/A05									
D017-80738/11/A01									
D019-70154/11/A01									
D028-80336/11/A01									
D031-30391/11/A01									
P128-40464/11/A01									

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Carrots

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5
D002-60599/11/A01	BE	4	Azoxystrobin(0.004)	Difenoconazole(0.006)	Linuron(0.005)	Boscalid(0.044)	
D002-80038/11/A07	PL	2	Boscalid(0.056)	Azoxystrobin(0.004)			
D006-60059/11/A01	CZ	3	Azoxystrobin(0.01)	Difenoconazole(0.011)	Linuron(0.007)		
D006-60202/11/A01	NL	4	Tebuconazole(0.016)	Linuron(0.004)	Azoxystrobin(0.008)	Difenoconazole(0.007)	
D007-60593/11/A01	CZ	5	Difenoconazole(0.011)	Trifluralin(0.015)	Tebuconazole(0.008)	Linuron(0.01)	Azoxystrobin(0.014)
D010-40464/11/A02	BE	2	Boscalid(0.034)	Difenoconazole(0.005)			
D010-50252/11/A01	IT	2	Quizalofop (including Quizalofop-P)(0.025)	Pendimethalin(0.013)			
D012-60599/11/A05	CZ	2	Azoxystrobin(0.007)	Quizalofop (including Quizalofop-P)(0.003)			
D013-80738/11/A04	PL	3	Chlorpyrifos(0.09)	Linuron(0.012)	Trifluralin(0.21)		
D020-80336/11/A09	IT	3	Linuron(0.01)	Azoxystrobin(0.005)	Quizalofop (including Quizalofop-P)(0.005)		

Code	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15
D002-60599/11/A01										
D002-80038/11/A07										
D006-60059/11/A01										
D006-60202/11/A01										
D007-60593/11/A01										
D010-40464/11/A02										
D010-50252/11/A01										
D012-60599/11/A05										
D013-80738/11/A04										
D020-80336/11/A09										

To avoid duplicates residues marked as part of sum are excluded

Product=Carrots

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5
D021-40157/11/A02	IT	3	Pendimethalin(0.046)	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.004)	Azoxystrobin(0.003)		
D022-30391/11/A02	CZ	3	Linuron(0.015)	Azoxystrobin(0.017)	Difenoconazole(0.014)		
D024-70511/11/A02	SK	3	Linuron(0.062)	Chlorpyrifos(0.025)	Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))(0.006)		
P018-60059/11/A01	BE	3	Tebuconazole(0.009)	Bromide ion(5)	Boscalid(0.039)		
P021-60952/11/A02	CZ	4	Tefluthrin(0.013)	Difenoconazole(0.004)	Boscalid(0.014)	Bromide ion(7)	
P077-60059/11/A01	IT	3	Pendimethalin(0.034)	Difenoconazole(0.005)	Chlorpyrifos-methyl(0.008)		

Code	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15
D021-40157/11/A02										
D022-30391/11/A02										
D024-70511/11/A02										
P018-60059/11/A01										
P021-60952/11/A02										
P077-60059/11/A01										

Product=Cauliflower

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6	Compound7
D023-60202/11/A03	CZ	2	Chlorpyrifos(0.005)	Fluazifop-P-butyl (sum)(0.006)					
D028-80336/11/A05	CZ	2	Chlorpyrifos(0.021)	Dimethoate (sum)(0.006)					
P123-60059/11/A04	CZ	2	Chlorpyrifos(0.009)	Fluazifop-P-butyl (sum)(0.022)					

Code	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15
D023-60202/11/A03								
D028-80336/11/A05								
P123-60059/11/A04								

Product=Celeriac

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>
D002-70154/11/A01	AT	5	Linuron(0.028)	Cyproconazole(0.073)	Dimethomorph(0.011)	Azoxystrobin(0.076)	Iprodione(0.086)	
D003-30391/11/A02	NL	3	Quizalofop (including Quizalfop-P)(0.004)	Azoxystrobin(0.004)	Linuron(0.022)			
D013-60559/11/A01	NL	5	Difenoconazole(0.05)	Linuron(0.032)	Chlorpyrifos(0.01)	Boscalid(0.011)	Azoxystrobin(0.002)	
D016-30409/11/A04	AT	4	Azoxystrobin(0.022)	Iprodione(0.008)	Linuron(0.035)	Difenoconazole(0.065)		
D016-80738/11/A03	CZ	3	Linuron(0.029)	Trifluralin(0.018)	Difenoconazole(0.005)			
D021-60559/11/A04	CZ	3	Quizalofop (including Quizalfop-P)(0.01)	Linuron(0.09)	Difenoconazole(0.005)			
D032-50562/11/A03	CZ	2	Azoxystrobin(0.015)	Linuron(0.062)				
D078-40464/11/A03	CZ	5	Procymidone(0.009)	Bitertanol(0.009)	Difenoconazole(0.033)	Linuron(0.021)	Quizalofop (including Quizalfop-P)(0.007)	
D098-40294/11/A02	CZ	2	Linuron(0.048)	Difenoconazole(0.014)				

<i>Code</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>	<i>Compound11</i>	<i>Compound12</i>	<i>Compound13</i>	<i>Compound14</i>	<i>Compound15</i>
D002-70154/11/A01									
D003-30391/11/A02									
D013-60559/11/A01									
D016-30409/11/A04									
D016-80738/11/A03									
D021-60559/11/A04									
D032-50562/11/A03									
D078-40464/11/A03									
D098-40294/11/A02									

To avoid duplicates residues marked as part of sum are excluded

Product=Chinese cabbage

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6	Compound7
D003-30391/11/A03	PL	5	Fluazifop (free acid)(0.25)	Boscalid(0.006)	Azoxystrobin(0.021)	Fluazifop-P-butyl (sum)(0.25)	Trifloxystrobin(0.004)		
D005-70049/11/A01	PL	2	Azoxystrobin(0.008)	Boscalid(0.003)					
D021-80738/11/A08	PL	3	Boscalid(0.004)	Quizalofop (including Quizalfop-P)(0.004)	Dimethoate (sum)(0.047)				
Code	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15	
D003-30391/11/A03									
D005-70049/11/A01									
D021-80738/11/A08									

To avoid duplicates residues marked as part of sum are excluded

Product=Cucumbers

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>
D002-80038/11/A03	ES	2	Chlorothalonil(0.05)	Cyprodinil(0.023)	
D002-80131/11/A04	ES	9	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.077)	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)(0.024)	Dimethomorph(0.006)
D002-80336/11/A04	ES	4	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.016)	Lufenuron(0.017)	Formetanate(0.004)

<i>Code</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>
D002-80038/11/A03					
D002-80131/11/A04	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.006)	Formetanate(0.23)	Oxamyl-Oxime(0.012)	Cyproconazole(0.004)	Cyprodinil(0.005)
D002-80336/11/A04	Dimethomorph(0.005)				

<i>Code</i>	<i>Compound9</i>	<i>Compound10</i>	<i>Compound11</i>	<i>Compound12</i>	<i>Compound13</i>	<i>Compound14</i>	<i>Compound15</i>
D002-80038/11/A03							
D002-80131/11/A04	Dithiocarbamates(0.09)						
D002-80336/11/A04							

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Cucumbers

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>
<i>D003-30391/11/A05</i>	ES	9	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.11)	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)(0.017)	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.009)
<i>D003-50374/11/A01</i>	ES	7	Cyprodinil(0.011)	Imidacloprid(0.022)	Iprodione(0.4)

<i>Code</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>
<i>D003-30391/11/A05</i>	Formetanate(0.13)	Cyprodinil(0.011)	Dithiocarbamates(0.08)	Chlorothalonil(0.24)	Boscalid(0.006)
<i>D003-50374/11/A01</i>	Penconazole(0.004)	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.002)	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.84)	Acrinathrin(0.019)	

<i>Code</i>	<i>Compound9</i>	<i>Compound10</i>	<i>Compound11</i>	<i>Compound12</i>	<i>Compound13</i>	<i>Compound14</i>	<i>Compound15</i>
<i>D003-30391/11/A05</i>	Acetamiprid(0.007)						
<i>D003-50374/11/A01</i>							

To avoid duplicates residues marked as part of sum are excluded

Product=Cucumbers

Code	Country	No Residues	Compound1	Compound2	Compound3
D003-60202/11/A05	ES	7	Dithiocarbamates(0.73)	Pymetrozine(0.004)	Pyrimethanil(0.032)
D003-80336/11/A03	ES	4	Pyrimethanil(0.002)	Chlorothalonil(0.156)	Dimethomorph(0.022)

Code	Compound4	Compound5	Compound6	Compound7	Compound8
D003-60202/11/A05	Fenhexamid(0.011)	Dimethomorph(0.013)	Cyprodinil(0.009)	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.18)	
D003-80336/11/A03	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.057)				

Code	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15
D003-60202/11/A05							
D003-80336/11/A03							

Product=Cucumbers

Code	Country	No Residues	Compound1	Compound2	Compound3
D004-70773/11/A03	ES	2	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.005)	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.022)	
D005-70239/11/A02	ES	9	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.15)	Formetanate(0.012)	Dimethomorph(0.026)

Code	Compound4	Compound5	Compound6	Compound7	Compound8
D004-70773/11/A03					
D005-70239/11/A02	Lufenuron(0.066)	Imidacloprid(0.018)	Dithiocarbamates(0.26)	Cyprodinil(0.016)	Acrinathrin(0.014)

Code	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15
D004-70773/11/A03							
D005-70239/11/A02	Pyrimethanil(0.004)						

Product=Cucumbers

Code	Country	No Residues	Compound1	Compound2	Compound3
D007-60202/11/A01	ES	7	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.17)	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.004)	Fenhexamid(0.016)
D007-60593/11/A04	CZ	4	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.18)	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.021)	Fenamidone(0.004)

Code	Compound4	Compound5	Compound6	Compound7	Compound8
D007-60202/11/A01	Azoxystrobin(0.019)	Dimethomorph(0.012)	Cyprodinil(0.005)	Chlorothalonil(0.1)	
D007-60593/11/A04	Chlorothalonil(0.019)				

Code	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15
D007-60202/11/A01							
D007-60593/11/A04							

Product=Cucumbers

Code	Country	No Residues	Compound1	Compound2	Compound3
D008-60599/11/A05	RO	4	Oxamyl-Oxime(0.002)	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.006)	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.016)
D010-60599/11/A04	CZ	2	Iprodione(0.056)	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.32)	

Code	Compound4	Compound5	Compound6	Compound7	Compound8
D008-60599/11/A05	Thiacloprid(0.028)				
D010-60599/11/A04					

Code	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15
D008-60599/11/A05							
D010-60599/11/A04							

Product=Cucumbers

Code	Country	No Residues	Compound1	Compound2	Compound3
D012-50562/11/A02	ES	6	Lufenuron(0.065)	Chlorothalonil(0.33)	Dimethomorph(0.002)
D012-80131/11/A03	CZ	2	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.018)	Pyridaben(0.01)	

Code	Compound4	Compound5	Compound6	Compound7	Compound8
D012-50562/11/A02	Cyprodinil(0.014)	Imidacloprid(0.011)	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.004)		
D012-80131/11/A03					

Code	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15
D012-50562/11/A02							
D012-80131/11/A03							

Product=Cucumbers

Code	Country	No Residues	Compound1	Compound2	Compound3
D013-70511/11/A04	RO	7	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)(0.13)	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.012)	Dimethomorph(0.007)
D014-30087/11/A09	AT	3	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.1)	Chlorothalonil(0.009)	Azoxystrobin(0.038)

Code	Compound4	Compound5	Compound6	Compound7	Compound8
D013-70511/11/A04	Clothianidin(0.006)	Azoxystrobin(0.005)	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.013)	Fenhexamid(0.015)	
D014-30087/11/A09					

Code	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15
D013-70511/11/A04							
D014-30087/11/A09							

Product=Cucumbers

Code	Country	No Residues	Compound1	Compound2	Compound3
D015-30514/11/A04	ES	8	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.041)	Oxamyl-Oxime(0.087)	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.009)
D015-50970/11/A02	ES	2	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.014)	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.058)	

Code	Compound4	Compound5	Compound6	Compound7	Compound8
D015-30514/11/A04	Fenamidone(0.007)	Dithiocarbamates(0.07)	Boscalid(0.019)	Chlorpyrifos(0.095)	Oxamyl(0.011)
D015-50970/11/A02					

Code	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15
D015-30514/11/A04							
D015-50970/11/A02							

To avoid duplicates residues marked as part of sum are excluded

Product=Cucumbers

Code	Country	No Residues	Compound1	Compound2	Compound3
D020-80336/11/A08	PL	2	Chlorothalonil(0.099)	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.018)	
D022-30391/11/A01	ES	3	Hexythiazox(0.009)	Boscalid(0.017)	Cyprodinil(0.005)
D031-30409/11/A05	ES	2	Pyrimethanil(0.003)	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.26)	
D078-40464/11/A02	ES	2	Oxamyl-Oxime(0.002)	Myclobutanil(0.01)	

Code	Compound4	Compound5	Compound6	Compound7	Compound8
D020-80336/11/A08					
D022-30391/11/A01					
D031-30409/11/A05					
D078-40464/11/A02					

Code	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15
D020-80336/11/A08							
D022-30391/11/A01							
D031-30409/11/A05							
D078-40464/11/A02							

To avoid duplicates residues marked as part of sum are excluded

Product=Cucumbers

Code	Country	No Residues	Compound1	Compound2	Compound3
D098-40294/11/A01	ES	3	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.099)	Oxamyl-Oxime(0.003)	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.028)
P005-40294/11/A01	ES	11	Pyrimethanil(0.005)	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.068)	Penconazole(0.004)

Code	Compound4	Compound5	Compound6	Compound7	Compound8
D098-40294/11/A01					
P005-40294/11/A01	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.009)	Formetanate(0.045)	Fludioxonil(0.019)	Dimethomorph(0.019)	Cyprodinil(0.041)

Code	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15
D098-40294/11/A01							
P005-40294/11/A01	Acetamiprid(0.011)	Fenhexamid(0.004)	Oxamyl-Oxime(0.005)				

Product=Cucumbers

Code	Country	No Residues	Compound1	Compound2	Compound3
P018-60059/11/A06	ES	3	Imidacloprid(0.006)	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.096)	Cyprodinil(0.006)
P043-40347/11/A02	PL	2	Azoxystrobin(0.006)	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.028)	
P047-40347/11/A02	RO	3	Fenpyroximate(0.002)	Acetamiprid(0.022)	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.006)

Code	Compound4	Compound5	Compound6	Compound7	Compound8
P018-60059/11/A06					
P043-40347/11/A02					
P047-40347/11/A02					

Code	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15
P018-60059/11/A06							
P043-40347/11/A02							
P047-40347/11/A02							

To avoid duplicates residues marked as part of sum are excluded

Product=Cucumbers

Code	Country	No Residues	Compound1	Compound2	Compound3
P100-40347/11/A02	BG	3	Azoxystrobin(0.004)	Acetamiprid(0.016)	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.35)
P123-60059/11/A08	ES	3	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.051)	Dimethomorph(0.003)	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.17)

Code	Compound4	Compound5	Compound6	Compound7	Compound8
P100-40347/11/A02					
P123-60059/11/A08					

Code	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15
P100-40347/11/A02							
P123-60059/11/A08							

Product=Dairy products Cattle

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6
110915091500S41030	CZ	2	Hexachlorobenzene(0.012)	DDT (sum)(0.023)				
110916110000S53017	CZ	2	Hexachlorobenzene(0.009)	DDT (sum)(0.017)				
110919091200S21040	CZ	2	DDT (sum)(0.019)	Hexachlorobenzene(0.01)				
110920142800S71101	CZ	2	DDT (sum)(0.018)	Hexachlorobenzene(0.011)				
110923080000S51005	CZ	2	Hexachlorobenzene(0.011)	DDT (sum)(0.019)				
110927133000S52053	CZ	2	Hexachlorobenzene(0.011)	DDT (sum)(0.017)				
110930073000S72047	CZ	2	Hexachlorobenzene(0.015)	DDT (sum)(0.019)				
110930093000S81066	CZ	2	Hexachlorobenzene(0.01)	DDT (sum)(0.016)				
111011070000S42068	CZ	2	Hexachlorobenzene(0.015)	DDT (sum)(0.029)				
111013140100S42023	CZ	2	Hexachlorobenzene(0.018)	DDT (sum)(0.026)				

Code	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15
110915091500S41030									
110916110000S53017									
110919091200S21040									
110920142800S71101									
110923080000S51005									
110927133000S52053									
110930073000S72047									
110930093000S81066									
111011070000S42068									
111013140100S42023									

To avoid duplicates residues marked as part of sum are excluded

Product=Garlic

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6	Compound7
D008-60559/11/A08	CN	2	Carbendazim and benomyl(0.022) Thiabendazole(0.027)						
Code	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15	
D008-60559/11/A08									

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Gherkins

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6
D014-30421/11/A01	CZ	4	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.34)	Fluazifop-P-butyl (sum)(0.06)	Fluazifop (free acid)(0.072)	Dimethomorph(0.006)		
D017-80323/11/A02	CZ	3	Tebuconazole(0.023)	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.33)	Dimethomorph(0.023)			
D055-41014/11/A01	DE	2	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.31)	Dimethomorph(0.007)				
D073-30421/11/A01	CZ	4	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.61)	Thiacloprid(0.008)	Dimethomorph(0.012)	Boscalid(0.006)		

Code	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15
D014-30421/11/A01									
D017-80323/11/A02									
D055-41014/11/A01									
D073-30421/11/A01									

To avoid duplicates residues marked as part of sum are excluded

Product=Grapefruit

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6
D002-60599/11/A02	TR	2	Thiabendazole(0.34)	Imazalil(0.21)				
D012-10098/11/A01	TR	3	Pyriproxyfen(0.02)	Etofenprox(0.01)	Chlorpyrifos(0.14)			
D014-30087/11/A03	ES	4	Pyriproxyfen(0.005)	Imazalil(0.22)	Fenazaquin(0.017)	Chlorpyrifos(0.027)		
D016-70517/11/A02	TR	6	Thiabendazole(1.2)	Imazalil(0.99)	Chlorpyrifos(0.12)	Buprofezin(0.005)	Pyridaben(0.042)	Acetamiprid(0.02)
D020-80336/11/A03	ZA	4	Chlorpyrifos(0.013)	Azoxystrobin(0.053)	Imazalil(0.26)	Imidacloprid(0.005)		
D036-10098/11/A01	TR	7	tau-Fluvalinate(0.11)	Thiabendazole(0.67)	Chlorpyrifos(0.042)	Imazalil(1.7)	Pyrimethanil(0.045)	Acetamiprid(0.32)
P112-40464/11/A04	ZA	2	Imazalil(1.2)	Pyraclostrobin(0.016)				

Code	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15
D002-60599/11/A02									
D012-10098/11/A01									
D014-30087/11/A03									
D016-70517/11/A02									
D020-80336/11/A03									
D036-10098/11/A01	Pyriproxyfen(0.014)								
P112-40464/11/A04									

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Head cabbage

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6
D013-60559/11/A03	CZ	2	Imidacloprid(0.005)	Cypermethrin (sum)(0.23)				
D021-40464/11/A06	IT	2	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.005)	Imidacloprid(0.016)				
D026-30087/11/A06	PL	5	Fenvalerate and Esfenvalerate (Sum of RS and SR isomers)(0.016)	Trifloxystrobin(0.12)	Fenvalerate and Esfenvalerate (Sum of RR and SS isomers)(0.025)	Chlorpyrifos(0.002)	Carbendazim and benomyl(0.04)	
D085-40294/11/A02	CZ	3	Dimethomorph(0.14)	Cypermethrin (sum)(0.069)	Chlorpyrifos(0.34)			
P133-40464/11/A01	CZ	2	Dimethomorph(0.002)	Chlorpyrifos(0.003)				

Code	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15
D013-60559/11/A03									
D021-40464/11/A06									
D026-30087/11/A06									
D085-40294/11/A02									
P133-40464/11/A01									

To avoid duplicates residues marked as part of sum are excluded

Product=Kiwi

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6	Compound7
D007-70239/11/A02	IT	2	Fludioxonil(1.6)	Fenhexamid(0.004)					
Code	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15	
D007-70239/11/A02									

Product=Leaf vegetables and fresh herbs

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6	Compound7
D028-80336/11/A03	IL	5	Oxamyl(0.036)	Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)(3.1)	Fludioxonil(0.92)	Cyprodinil(0.12)	Boscalid(0.013)		
Code	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15	
D028-80336/11/A03									

Product=Leek

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5
D002-80038/11/A02	BE	2	Pyraclostrobin(0.016)	Boscalid(0.062)			
D003-30391/11/A04	BE	2	Pyraclostrobin(0.035)	Boscalid(0.1)			
D003-50562/11/A03	FR	2	Chlorothalonil(0.27)	Tebuconazole(0.078)			
D009-30514/11/A08	NL	3	Kresoxim-methyl(0.007)	Fenpropimorph(0.006)	Tebuconazole(0.024)		
D012-50562/11/A01	BE	4	Difenoconazole(0.016)	Tebuconazole(0.018)	Boscalid(0.01)	Azoxystrobin(0.003)	
D016-30409/11/A07	BE	2	Boscalid(0.029)	Cyproconazole(0.003)			
D016-70517/11/A04	BE	3	Azoxystrobin(0.069)	Difenoconazole(0.004)	Tebuconazole(0.029)		
D021-80738/11/A06	BE	2	Boscalid(0.007)	Azoxystrobin(0.003)			
D025-70511/11/A02	BE	2	Tebuconazole(0.022)	Boscalid(0.005)			
D033-80336/11/A02	BE	3	Pyraclostrobin(0.014)	Boscalid(0.039)	Tebuconazole(0.011)		
D078-40464/11/A04	BE	2	Lambda-Cyhalothrin(0.013)	Tebuconazole(0.02)			

Code	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15
D002-80038/11/A02										
D003-30391/11/A04										
D003-50562/11/A03										
D009-30514/11/A08										
D012-50562/11/A01										
D016-30409/11/A07										
D016-70517/11/A04										
D021-80738/11/A06										
D025-70511/11/A02										
D033-80336/11/A02										
D078-40464/11/A04										

To avoid duplicates residues marked as part of sum are excluded

Product=Leek

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5			
P086-40464/11/A03	NL	2	Kresoxim-methyl(0.02)	loxynil, including its esters expressed as ioxynil(0.011)						
P123-60059/11/A02	BE	6	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)(0.009)	Pyraclostrobin(0.015)	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)(0.016)	Boscalid(0.069)	Fenpropimorph(0.014)			
Code	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15
P086-40464/11/A03										
P123-60059/11/A02	Tebuconazole(0.016)									

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Lemons

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>
D002-80038/11/A05	TR	5	Thiabendazole(0.48)	Pyriproxyfen(0.005)	Orthophenylphenol(0.134)
D003-60202/11/A06	ES	6	Pyriproxyfen(0.041)	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.006)	Imazalil(0.46)
D004-30409/11/A07	ES	6	Pyriproxyfen(0.034)	Pyrimethanil(0.7)	Imazalil(0.81)
D013-10098/11/A02	TR	2	Pyriproxyfen(0.01)	Chlorpyrifos(0.091)	
D018-80131/11/A03	ES	8	Tebufenpyrad(0.009)	Pyriproxyfen(0.068)	Imidacloprid(0.011)

<i>Code</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>
D002-80038/11/A05	Imazalil(0.18)	Chlorpyrifos(0.18)				
D003-60202/11/A06	Hexythiazox(0.01)	Fenazaquin(0.012)	Chlorpyrifos(0.11)			
D004-30409/11/A07	Chlorpyrifos-methyl(0.016)	Chlorpyrifos(0.068)	Carbendazim and benomyl(0.01)			
D013-10098/11/A02						
D018-80131/11/A03	Imazalil(0.8)	Hexythiazox(0.012)	Chlorpyrifos-methyl(0.14)	Chlorpyrifos(0.027)	Boscalid(0.002)	

<i>Code</i>	<i>Compound10</i>	<i>Compound11</i>	<i>Compound12</i>	<i>Compound13</i>	<i>Compound14</i>	<i>Compound15</i>
D002-80038/11/A05						
D003-60202/11/A06						
D004-30409/11/A07						
D013-10098/11/A02						
D018-80131/11/A03						

To avoid duplicates residues marked as part of sum are excluded

Product=Lemons

Code	Country	No Residues	Compound1	Compound2	Compound3
P018-40157/11/A02	ES	4	Pyriproxyfen(0.094)	Imazalil(1)	Hexythiazox(0.022)
P018-60059/11/A09	ES	5	Tebufenpyrad(0.005)	Pyriproxyfen(0.017)	Pyrimethanil(0.072)

Code	Compound4	Compound5	Compound6	Compound7	Compound8	Compound9
P018-40157/11/A02	Chlorpyrifos(0.003)					
P018-60059/11/A09	Imazalil(1)	Chlorpyrifos(0.071)				

Code	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15
P018-40157/11/A02						
P018-60059/11/A09						

Product=Lettuce

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>
<i>D003-70511/11/A03</i>	BE	5	Pyraclostrobin(0.053)	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.99)	Oxadixyl(0.013)	Iprodione(1.36)
<i>D003-80131/11/A04</i>	BE	6	Tolclofos-methyl(0.043)	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.087)	Boscalid(0.005)	Dimethomorph(0.018)

<i>Code</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>	<i>Compound11</i>	<i>Compound12</i>
<i>D003-70511/11/A03</i>	Boscalid(0.49)							
<i>D003-80131/11/A04</i>	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.003)	Quintozone (sum of quintozone and pentachloro-aniline expressed as quintozone)(0.012)						

<i>Code</i>	<i>Compound13</i>	<i>Compound14</i>	<i>Compound15</i>
<i>D003-70511/11/A03</i>			
<i>D003-80131/11/A04</i>			

Product=Lettuce

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4
D004-30391/11/A01	ES	3	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.011)	Imidacloprid(0.014)	Flutriafol(0.009)	
D004-50252/11/A03	ES	6	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)(0.03)	Pyraclostrobin(0.009)	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.026)	Imidacloprid(0.064)
D004-70511/11/A01	ES	5	Imidacloprid(0.016)	Fenhexamid(0.016)	Dimethomorph(0.005)	Boscalid(0.004)

Code	Compound5	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12
D004-30391/11/A01								
D004-50252/11/A03	Dimethomorph(0.02)	Boscalid(0.051)						
D004-70511/11/A01	Acetamiprid(0.024)							

Code	Compound13	Compound14	Compound15
D004-30391/11/A01			
D004-50252/11/A03			
D004-70511/11/A01			

To avoid duplicates residues marked as part of sum are excluded

Product=Lettuce

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4
D008-60559/11/A05	BE	3	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(1.5)	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.004)	Boscalid(0.004)	
D008-60599/11/A07	CZ	2	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.004)	Boscalid(0.007)		

Code	Compound5	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12
D008-60559/11/A05								
D008-60599/11/A07								

Code	Compound13	Compound14	Compound15
D008-60559/11/A05			
D008-60599/11/A07			

Product=Lettuce

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4
D010-40464/11/A01	ES	4	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.006)	Imidacloprid(0.032)	Dimethomorph(0.007)	Boscalid(0.009)
D013-70154/11/A01	CZ	4	Tebuconazole(0.14)	Spiroxamine(0.52)	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.065)	Bromopropylate(0.003)

Code	Compound5	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12
D010-40464/11/A01								
D013-70154/11/A01								

Code	Compound13	Compound14	Compound15
D010-40464/11/A01			
D013-70154/11/A01			

Product=Lettuce

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4		
D016-40157/11/A01	ES	6	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.002)	Dimethomorph(0.006)	Boscalid(0.003)	Cyprodinil(0.01)		
D018-71038/11/A03	CZ	5	Lambda-Cyhalothrin(0.02)	Propyzamide(0.013)	Iprodione(0.091)	Dimethomorph(0.054)		
D019-50252/11/A02	CZ	2	Azoxystrobin(0.002)	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.012)				
Code	Compound5	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12
D016-40157/11/A01	Fludioxonil(0.008)	Imidacloprid(0.009)						
D018-71038/11/A03	Boscalid(0.011)							
D019-50252/11/A02								
Code	Compound13	Compound14	Compound15					
D016-40157/11/A01								
D018-71038/11/A03								
D019-50252/11/A02								

To avoid duplicates residues marked as part of sum are excluded

Product=Lettuce

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4
D019-50252/11/A03	CZ	2	Quinmerac(0.003)	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.014)		
D019-70154/11/A02	ES	3	Boscalid(0.003)	Imidacloprid(0.009)	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.012)	

Code	Compound5	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12
D019-50252/11/A03								
D019-70154/11/A02								

Code	Compound13	Compound14	Compound15
D019-50252/11/A03			
D019-70154/11/A02			

Product=Lettuce

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4
D020-70239/11/A02	CZ	3	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)(0.078)	Chlorpyrifos(0.006)	Clothianidin(0.011)	
D021-40464/11/A03	ES	3	Dimethomorph(0.006)	Boscalid(0.006)	Imidacloprid(0.03)	
D021-60559/11/A03	IT	2	Imazalil(0.002)	Boscalid(0.061)		
D021-80738/11/A07	BE	5	Pyraclostrobin(0.08)	Dimethomorph(0.073)	Cyprodinil(0.016)	Boscalid(0.32)
D031-30391/11/A03	BE	3	Cyprodinil(0.004)	Boscalid(0.005)	Dimethomorph(0.26)	

Code	Compound5	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12
D020-70239/11/A02								
D021-40464/11/A03								
D021-60559/11/A03								
D021-80738/11/A07	Fludioxonil(0.005)							
D031-30391/11/A03								

Code	Compound13	Compound14	Compound15
D020-70239/11/A02			
D021-40464/11/A03			
D021-60559/11/A03			
D021-80738/11/A07			
D031-30391/11/A03			

To avoid duplicates residues marked as part of sum are excluded

Product=Lettuce

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>			
<i>D031-30391/11/A04</i>	CZ	3	Dimethomorph(0.028)	Imidacloprid(0.005)	Acetamiprid(0.014)				
<i>D075-40464/11/A04</i>	BE	5	Tolclofos-methyl(0.039)	Iprodione(0.78)	Imidacloprid(0.002)	Boscalid(0.046)			
<i>D078-40464/11/A05</i>	BE	5	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.19)	Iprodione(0.108)	Cyprodinil(0.003)	Boscalid(0.005)			
<i>P123-60059/11/A03</i>	CZ	5	Iprodione(1.2)	Dimethomorph(0.61)	Chlorpyrifos(0.1)	Acetamiprid(0.16)			

<i>Code</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>	<i>Compound11</i>	<i>Compound12</i>
<i>D031-30391/11/A04</i>								
<i>D075-40464/11/A04</i>	Azoxystrobin(0.003)							
<i>D078-40464/11/A05</i>	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.006)							
<i>P123-60059/11/A03</i>	Cypermethrin (sum)(0.12)							

<i>Code</i>	<i>Compound13</i>	<i>Compound14</i>	<i>Compound15</i>
<i>D031-30391/11/A04</i>			
<i>D075-40464/11/A04</i>			
<i>D078-40464/11/A05</i>			
<i>P123-60059/11/A03</i>			

Product=Limes

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6	Compound7
D009-40464/11/A02	BR	2	2,4-D (sum)(0.016)	Imazalil(0.2)					
Code	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15	
D009-40464/11/A02									

Product=Mandarins

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>
D003-60202/11/A07	ES	5	Pyriproxyfen(0.018)	Chlorpyrifos(0.073)	Carbendazim and benomyl(0.018)	Dithiocarbamates(0.26)
D004-30409/11/A05	ES	6	Imidacloprid(0.029)	Lambda-Cyhalothrin(0.009)	Imazalil(1.5)	Pyriproxyfen(0.008)
D004-70049/11/A02	ES	6	Thiabendazole(0.014)	Imazalil(0.13)	Chlorpyrifos(0.057)	Pyridaben(0.002)
D005-40347/11/A02	ES	5	Thiabendazole(1.4)	Pyriproxyfen(0.011)	Imazalil(1.1)	Hexythiazox(0.015)
D005-80295/11/A06	AR	3	Thiabendazole(2.4)	Pyraclostrobin(0.066)	Imazalil(0.86)	
D006-70239/11/A01	ES	4	Thiabendazole(0.4)	Chlorpyrifos(0.13)	Hexythiazox(0.002)	Imazalil(2.2)

<i>Code</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>	<i>Compound11</i>
D003-60202/11/A07	Imazalil(0.59)						
D004-30409/11/A05	Dithiocarbamates(0.38)	Chlorpyrifos(0.096)					
D004-70049/11/A02	Pyriproxyfen(0.044)	Tebufenpyrad(0.005)					
D005-40347/11/A02	Chlorpyrifos(0.19)						
D005-80295/11/A06							
D006-70239/11/A01							

<i>Code</i>	<i>Compound12</i>	<i>Compound13</i>	<i>Compound14</i>	<i>Compound15</i>
D003-60202/11/A07				
D004-30409/11/A05				
D004-70049/11/A02				
D005-40347/11/A02				
D005-80295/11/A06				
D006-70239/11/A01				

To avoid duplicates residues marked as part of sum are excluded

Product=Mandarins

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>
D009-10098/11/A02	ES	5	Tebufenpyrad(0.11)	Imidacloprid(0.041)	Imazalil(2.4)	Hexythiazox(0.004)
D010-80336/11/A06	ES	2	Imazalil(0.85)	Chlorpyrifos(0.25)		
D016-30409/11/A01	PE	3	Thiabendazole(0.31)	Pyrimethanil(0.005)	Imazalil(0.55)	
D016-50970/11/A01	ES	4	Chlorpyrifos(0.004)	Pyriproxyfen(0.005)	Propargite(0.102)	Imazalil(0.25)
D017-50970/11/A01	GR	5	Chlorpyrifos(0.14)	Tebufenpyrad(0.017)	Phosmet (phosmet and phosmet oxon expressed as phosmet)(0.27)	Imazalil(0.041)

<i>Code</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>	<i>Compound11</i>
D009-10098/11/A02	Chlorpyrifos(0.019)						
D010-80336/11/A06							
D016-30409/11/A01							
D016-50970/11/A01							
D017-50970/11/A01	Thiabendazole(0.011)						

<i>Code</i>	<i>Compound12</i>	<i>Compound13</i>	<i>Compound14</i>	<i>Compound15</i>
D009-10098/11/A02				
D010-80336/11/A06				
D016-30409/11/A01				
D016-50970/11/A01				
D017-50970/11/A01				

Product=Mandarins

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4
D019-60599/11/A03	ES	3	Pyriproxyfen(0.01)	Imazalil(0.48)	Chlorpyrifos(0.04)	
D020-80131/11/A01	TR	12	Fludioxonil(0.006)	tau-Fluvalinate(0.014)	Thiabendazole(0.45)	Pyrimethanil(0.003)
D021-60599/11/A01	ES	3	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.005)	Imazalil(0.63)	Chlorpyrifos(0.071)	

Code	Compound5	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11
D019-60599/11/A03							
D020-80131/11/A01	Malathion (sum of malathion and malaoxon expressed as malathion)(0.004)	Imazalil(0.91)	Flutriafol(0.008)	Fenvalerate and Esfenvalerate (Sum of RS and SR isomers)(0.019)	Fenvalerate and Esfenvalerate (Sum of RR and SS isomers)(0.013)	Chlorpyrifos(0.007)	Boscalid(0.015)
D021-60599/11/A01							

Code	Compound12	Compound13	Compound14	Compound15
D019-60599/11/A03				
D020-80131/11/A01	Pyridaben(0.011)			
D021-60599/11/A01				

Product=Mandarins

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4
P018-60059/11/A08	ES	4	Thiabendazole(5)	Imazalil(3.3)	Chlorpyrifos(0.19)	Hexythiazox(0.012)
P112-40464/11/A03	UY	2	Pyrimethanil(0.37)	Imazalil(3.7)		

Code	Compound5	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11
P018-60059/11/A08							
P112-40464/11/A03							

Code	Compound12	Compound13	Compound14	Compound15
P018-60059/11/A08				
P112-40464/11/A03				

Product=Mangoes

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6	Compound7
D002-50970/11/A02	BR	2	Thiabendazole(0.78)	Thiophanate-methyl(0.019)					

Code	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15
D002-50970/11/A02								

Product=OTHER

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6	Compound7
D013-50548/11/A01	DE	2	Endosulfan (sum)(0.088)	DDT (sum)(0.001)					
D019-40317/11/A02	CZ	3	Methoxyfenozide(0.008)	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)(0.009)	Thiacloprid(0.007)				

Code	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15
D013-50548/11/A01								
D019-40317/11/A02								

Product=Onions

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6	Compound7
D020-80336/11/A06	PL	2	Imazalil(0.004)	Chlorothalonil(0.42)					

Code	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15
D020-80336/11/A06								

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Oranges

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4
D002-70154/11/A03	GR	2	Imazalil(0.18)	Chlorpyrifos(0.047)		
D002-80038/11/A04	GR	4	Imazalil(0.93)	Chlorpyrifos(0.059)	Thiabendazole(0.046)	Orthophenylphenol(2.4)
D003-30087/11/A04	ES	4	Imazalil(0.18)	Chlorpyrifos(0.039)	Pyriproxyfen(0.005)	Thiabendazole(0.023)
D005-40347/11/A01	ES	5	Chlorpyrifos(0.3)	2,4-D (sum)(0.014)	Pyriproxyfen(0.003)	Imazalil(0.22)
D006-70517/11/A02	ES	2	Imazalil(0.4)	Chlorpyrifos(0.031)		
D007-60202/11/A05	ES	4	Imazalil(0.71)	Chlorpyrifos(0.12)	Thiabendazole(0.29)	Chlorpyrifos-methyl(0.024)
D010-30391/11/A06	ES	5	Imazalil(2.3)	Chlorpyrifos(0.26)	Dithiocarbamates(0.07)	Pyriproxyfen(0.017)

Code	Compound5	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11
D002-70154/11/A03							
D002-80038/11/A04							
D003-30087/11/A04							
D005-40347/11/A01	Hexythiazox(0.014)						
D006-70517/11/A02							
D007-60202/11/A05							
D010-30391/11/A06	Thiabendazole(1.6)						

Code	Compound12	Compound13	Compound14	Compound15
D002-70154/11/A03				
D002-80038/11/A04				
D003-30087/11/A04				
D005-40347/11/A01				
D006-70517/11/A02				
D007-60202/11/A05				
D010-30391/11/A06				

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Oranges

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4
D012-50544/11/A01	DE	2	Thiabendazole(0.012)	Imazalil(0.032)		
D013-80738/11/A03	ZA	3	Imazalil(1.1)	Imidacloprid(0.016)	Pyraclostrobin(0.028)	
D014-10098/11/A02	ES	3	Thiabendazole(2.4)	Imazalil(1.8)	Chlorpyrifos(0.011)	
D019-30087/11/A04	ZA	7	Thiabendazole(0.2)	Pyriproxyfen(0.014)	Pyraclostrobin(0.013)	Piperonyl Butoxide(0.008)
D020-50252/11/A03	ZA	6	Malathion (sum of malathion and malaoxon expressed as malathion)(0.003)	Fludioxonil(0.012)	Carbendazim and benomyl(0.041)	Imazalil(0.64)
D020-70511/11/A02	ZA	7	Trifloxystrobin(0.025)	Thiabendazole(0.17)	Pyriproxyfen(0.021)	Pyrimethanil(0.017)

Code	Compound5	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11
D012-50544/11/A01							
D013-80738/11/A03							
D014-10098/11/A02							
D019-30087/11/A04	Imidacloprid(0.17)	Imazalil(0.65)	Buprofezin(0.002)				
D020-50252/11/A03	Chlorpyrifos(0.049)	Pyrimethanil(0.47)					
D020-70511/11/A02	Malathion (sum of malathion and malaoxon expressed as malathion)(0.017)	Imidacloprid(0.091)	Imazalil(0.42)				

Code	Compound12	Compound13	Compound14	Compound15
D012-50544/11/A01				
D013-80738/11/A03				
D014-10098/11/A02				
D019-30087/11/A04				
D020-50252/11/A03				
D020-70511/11/A02				

To avoid duplicates residues marked as part of sum are excluded

Product=Oranges

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4
D020-80336/11/A04	EG	3	Thiabendazole(0.066)	Imazalil(0.32)	Chlorpyrifos(0.003)	
D021-50252/11/A01	ES	5	Thiabendazole(0.017)	Pyrimethanil(0.13)	Pyraclostrobin(0.017)	Imazalil(0.58)
D021-60559/11/A01	ES	2	Imazalil(0.35)	Hexythiazox(0.009)		
P005-40157/11/A04	ES	4	Pyriproxyfen(0.007)	Orthophenylphenol(0.2)	Imazalil(0.65)	Chlorpyrifos(0.038)
P018-60059/11/A02	ES	3	Chlorpyrifos-methyl(0.046)	Chlorpyrifos(0.006)	Imazalil(0.016)	
P047-40347/11/A01	ES	3	Pyriproxyfen(0.012)	Dichlorprop(0.008)	Chlorpyrifos(0.038)	

Code	Compound5	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11
D020-80336/11/A04							
D021-50252/11/A01	Imidacloprid(0.007)						
D021-60559/11/A01							
P005-40157/11/A04							
P018-60059/11/A02							
P047-40347/11/A01							

Code	Compound12	Compound13	Compound14	Compound15
D020-80336/11/A04				
D021-50252/11/A01				
D021-60559/11/A01				
P005-40157/11/A04				
P018-60059/11/A02				
P047-40347/11/A01				

Product=Other cereals

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6	Compound7
D003-51024/11/A01	CZ	2	Flusilazole(0.008)	Fipronil (sum)(0.013)					
Code	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15	
D003-51024/11/A01									

Product=Other oilseeds

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6	Compound7
D005-70044/11/A04	IT	2	Haloxypop including haloxypop-R(0.12)	Diazinon(0.016)					
Code	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15	
D005-70044/11/A04									

Product=Other pulses, dry

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6	Compound7
D033-40959/11/A04	TR	2	Lambda-Cyhalothrin(0.034)	Boscalid(0.004)					
Code	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15	
D033-40959/11/A04									

Product=Papaya

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5
D003-30087/11/A05	EC	5	Thiabendazole(0.081)	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)(0.35)	Difenoconazole(0.011)	Chlorothalonil(0.15)	Carbendazim and benomyl(0.009)
D005-80295/11/A07	EC	2	Thiabendazole(0.03)	Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)(0.11)			
D010-60059/11/A01	EC	3	Thiabendazole(0.18)	Pyriproxyfen(0.008)	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.009)		
D014-80131/11/A01	EC	2	Thiophanate-methyl(0.22)	Thiabendazole(0.098)			

Code	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15
D003-30087/11/A05										
D005-80295/11/A07										
D010-60059/11/A01										
D014-80131/11/A01										

Product=Parsley root

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6
D002-80038/11/A06	PL	4	Tebuconazole(0.086)	Propiconazole(0.036)	Linuron(0.003)	Chlorpyrifos(0.034)		
D004-30409/11/A09	CZ	3	Linuron(0.009)	Diazinon(0.008)	Chlorpyrifos(0.019)			
D005-50970/11/A02	PT	6	Tebuconazole(0.034)	Pendimethalin(0.063)	Linuron(0.01)	Fludioxonil(0.016)	Difenoconazole(0.014)	Cyprodinil(0.018)
D043-40464/11/A01	PT	4	Tebuconazole(0.017)	Fludioxonil(0.016)	Boscalid(0.01)	Cyprodinil(0.003)		
P086-40464/11/A01	CZ	2	Azoxystrobin(0.005)	Pendimethalin(0.022)				

Code	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15
D002-80038/11/A06									
D004-30409/11/A09									
D005-50970/11/A02									
D043-40464/11/A01									
P086-40464/11/A01									

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Peaches

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4
D007-50252/11/A02	CL	6	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)(0.019)	Lambda-Cyhalothrin(0.008)	Iprodione(0.43)	Fenhexamid(0.028)
D007-50562/11/A01	AR	2	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)(0.015)	Iprodione(0.4)		
D008-60599/11/A04	ES	6	Thiabendazole(0.023)	Imidacloprid(0.006)	Imazalil(0.002)	Dodine(0.032)
D008-80738/11/A02	IT	4	Pyraclostrobin(0.015)	Fenbuconazole(0.007)	Chlorpyrifos(0.003)	Boscalid(0.071)

Code	Compound5	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11
D007-50252/11/A02	Dodine(0.006)	Acetamiprid(0.004)					
D007-50562/11/A01							
D008-60599/11/A04	Chlorpyrifos(0.004)	Chlorothalonil(0.058)					
D008-80738/11/A02							

Code	Compound12	Compound13	Compound14	Compound15
D007-50252/11/A02				
D007-50562/11/A01				
D008-60599/11/A04				
D008-80738/11/A02				

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Peaches

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4
D009-30514/11/A10	IT	2	Etofenprox(0.003)	Chlorpyrifos(0.025)		
D010-60599/11/A01	ES	4	Penconazole(0.004)	Lambda-Cyhalothrin(0.016)	Difenoconazole(0.019)	Chlorpyrifos(0.009)
D010-60599/11/A02	IT	6	Tebuconazole(0.012)	Fenhexamid(0.003)	Fenbuconazole(0.011)	Chlorpyrifos-methyl(0.008)
D010-80738/11/A02	IT	7	Thiophanate-methyl(0.047)	Thiacloprid(0.005)	Tebuconazole(0.028)	Pyraclostrobin(0.031)
D010-80738/11/A03	IT	5	Tebuconazole(0.048)	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)(0.01)	Fludioxonil(0.022)	Cyprodinil(0.079)

Code	Compound5	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11
D009-30514/11/A10							
D010-60599/11/A01							
D010-60599/11/A02	Bupirimate(0.006)	Boscalid(0.004)					
D010-80738/11/A02	Chlorpyrifos(0.3)	Carbendazim and benomyl(0.009)	Boscalid(0.12)				
D010-80738/11/A03	Chlorpyrifos(0.003)						

Code	Compound12	Compound13	Compound14	Compound15
D009-30514/11/A10				
D010-60599/11/A01				
D010-60599/11/A02				
D010-80738/11/A02				
D010-80738/11/A03				

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Peaches

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	
<i>D011-50970/11/A03</i>	IT	7	Thiacloprid(0.005)	Propargite(0.014)	Imidacloprid(0.006)	Etofenprox(0.057)	
<i>D011-70511/11/A01</i>	ES	3	Tetraconazole(0.011)	Pendimethalin(0.01)	Dodine(0.006)		
<i>D012-80336/11/A05</i>	ES	2	Imidacloprid(0.009)	Bupirimate(0.002)			
<i>D014-30087/11/A05</i>	IT	2	Bupirimate(0.006)	Chlorpyrifos(0.002)			
<i>D014-30087/11/A07</i>	MA	2	Thiophanate-methyl(0.11)	Carbendazim and benomyl(0.033)			
<i>D015-30514/11/A03</i>	ES	5	Phosmet (phosmet and phosmet oxon expressed as phosmet)(0.22)	Fenbuconazole(0.007)	Cyproconazole(0.013)	Chlorpyrifos(0.007)	
<i>Code</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>	<i>Compound11</i>
<i>D011-50970/11/A03</i>	Boscalid(0.002)	Chlorpyrifos(0.003)	Tebuconazole(0.025)				
<i>D011-70511/11/A01</i>							
<i>D012-80336/11/A05</i>							
<i>D014-30087/11/A05</i>							
<i>D014-30087/11/A07</i>							
<i>D015-30514/11/A03</i>	Cypermethrin (sum)(0.064)						
<i>Code</i>	<i>Compound12</i>	<i>Compound13</i>	<i>Compound14</i>	<i>Compound15</i>			
<i>D011-50970/11/A03</i>							
<i>D011-70511/11/A01</i>							
<i>D012-80336/11/A05</i>							
<i>D014-30087/11/A05</i>							
<i>D014-30087/11/A07</i>							
<i>D015-30514/11/A03</i>							

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Peaches

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4					
D018-70239/11/A01	IT	5	Teflubenzuron(0.034)	Etofenprox(0.002)	Dodine(0.003)	Chlorpyrifos(0.096)					
D020-70511/11/A03	IT	5	Tebuconazole(0.033)	Cyproconazole(0.004)	Chlorpyrifos(0.004)	Chlorothalonil(0.077)					
D021-40157/11/A01	ES	3	Dodine(0.011)	Bupirimate(0.023)	Iprodione(0.59)						
D027-50562/11/A02	ES	3	Thiacloprid(0.009)	Penconazole(0.002)	Dodine(0.008)						
D028-80336/11/A02	IT	6	Boscalid(0.15)	Pyraclostrobin(0.032)	Fludioxonil(0.015)	Fenbuconazole(0.037)					
D032-50562/11/A02	IT	3	Pyraclostrobin(0.028)	Chlorpyrifos(0.007)	Boscalid(0.07)						
D034-40347/11/A02	IT	8	Thiacloprid(0.012)	Tebuconazole(0.008)	Methoxyfenozide(0.011)	Fenbuconazole(0.021)					
Code	Compound5	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11				
D018-70239/11/A01	Boscalid(0.008)										
D020-70511/11/A03	Lambda-Cyhalothrin(0.026)										
D021-40157/11/A01											
D027-50562/11/A02											
D028-80336/11/A02	Cyprodinil(0.061)	Chlorpyrifos(0.006)									
D032-50562/11/A02											
D034-40347/11/A02	Etofenprox(0.023)	Dodine(0.005)	Chlorpyrifos(0.038)	Boscalid(0.008)							
Code	Compound12	Compound13	Compound14	Compound15							
D018-70239/11/A01											
D020-70511/11/A03											
D021-40157/11/A01											
D027-50562/11/A02											
D028-80336/11/A02											
D032-50562/11/A02											
D034-40347/11/A02											

To avoid duplicates residues marked as part of sum are excluded

Product=Peaches

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4		
D066-40464/11/A03	ES	2	Tebuconazole(0.01)	Chlorpyrifos(0.033)				
P061-40294/11/A01	ES	10	Tetraconazole(0.022)	Penconazole(0.008)	Imidacloprid(0.003)	Fenbuconazole(0.009)		
P112-40464/11/A02	IT	4	Fenbuconazole(0.007)	Etofenprox(0.059)	Boscalid(0.02)	Thiacloprid(0.004)		
Code	Compound5	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11	
D066-40464/11/A03								
P061-40294/11/A01	Dodine(0.004)	Cypermethrin (sum)(0.065)	Chlorpyrifos(0.15)	Carbendazim and benomyl(0.021)	Hexythiazox(0.008)	Trifloxystrobin(0.004)		
P112-40464/11/A02								
Code	Compound12	Compound13	Compound14	Compound15				
D066-40464/11/A03								
P061-40294/11/A01								
P112-40464/11/A02								

To avoid duplicates residues marked as part of sum are excluded

Product=Pears

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>			
<i>D002-70154/11/A02</i>	AR	2	Thiabendazole(0.013)	Chlorpyrifos(0.014)						
<i>D003-70154/11/A02</i>	BE	6	Pyraclostrobin(0.083)	Indoxacarb as sum of the isomers S and R(0.009)	Fludioxonil(0.054)	Dithiocarbamates(0.05)	Cyprodinil(0.18)			
<i>D005-80295/11/A03</i>	AR	4	Thiacloprid(0.019)	Thiabendazole(0.097)	Clothianidin(0.006)	Captan(0.057)				
<i>D008-60599/11/A12</i>	AR	4	Thiacloprid(0.027)	Thiabendazole(0.23)	Chlorpyrifos(0.01)	Azinphos-methyl(0.012)				
<i>D009-30087/11/A02</i>	BE	3	Fludioxonil(0.073)	Dithiocarbamates(0.07)	Cyprodinil(0.14)					
<i>D012-60599/11/A01</i>	ES	4	Lambda-Cyhalothrin(0.011)	Imidacloprid(0.098)	Fenoxycarb(0.022)	Chlorpyrifos(0.021)				
<i>D013-80738/11/A02</i>	PL	5	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)(0.02)	Thiacloprid(0.006)	Indoxacarb as sum of the isomers S and R(0.027)	Clothianidin(0.017)	Captan(0.04)			
<i>D014-30514/11/A06</i>	BE	5	Fludioxonil(0.081)	Dithiocarbamates(0.1)	Cyprodinil(0.13)	Captan(0.13)	Boscalid(0.002)			
<i>D015-50970/11/A01</i>	BE	5	Pyraclostrobin(0.053)	Fludioxonil(0.13)	Cyprodinil(0.15)	Captan(0.11)	Boscalid(0.12)			
<i>Code</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>	<i>Compound11</i>	<i>Compound12</i>	<i>Compound13</i>	<i>Compound14</i>	<i>Compound15</i>
<i>D002-70154/11/A02</i>										
<i>D003-70154/11/A02</i>	Boscalid(0.079)									
<i>D005-80295/11/A03</i>										
<i>D008-60599/11/A12</i>										
<i>D009-30087/11/A02</i>										
<i>D012-60599/11/A01</i>										
<i>D013-80738/11/A02</i>										
<i>D014-30514/11/A06</i>										
<i>D015-50970/11/A01</i>										

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Pears

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5
D016-80131/11/A03	BE	6	Dodine(0.017)	Difenoconazole(0.002)	Cyprodinil(0.004)	Boscalid(0.002)	Captan(0.25)
D021-50252/11/A02	BE	5	Flufenoxuron(0.007)	Dithiocarbamates(0.03)	Difenoconazole(0.01)	Diethofencarb(0.018)	Dodine(0.004)
D021-70511/11/A02	CZ	4	Flufenoxuron(0.013)	Dodine(0.012)	Difenoconazole(0.013)	Diethofencarb(0.026)	
D024-30087/11/A03	CZ	6	Pyraclostrobin(0.039)	Fludioxonil(0.045)	Difenoconazole(0.003)	Captan(0.068)	Boscalid(0.11)
P005-40157/11/A02	CZ	3	Fludioxonil(0.046)	Cyprodinil(0.09)	Boscalid(0.005)		
P018-60059/11/A04	CZ	4	Methoxyfenozide(0.051)	Fenoxycarb(0.009)	Difenoconazole(0.004)	Dithiocarbamates(0.4)	
P047-40347/11/A03	ZA	4	Thiacloprid(0.011)	Iprodione(0.117)	Indoxacarb as sum of the isomers S and R(0.019)	Dithiocarbamates(0.15)	
P123-60059/11/A07	NL	4	Pyraclostrobin(0.06)	Dodine(0.008)	Boscalid(0.11)	Captan(0.069)	

Code	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15
D016-80131/11/A03	Indoxacarb as sum of the isomers S and R(0.011)									
D021-50252/11/A02										
D021-70511/11/A02										
D024-30087/11/A03	Cyprodinil(0.035)									
P005-40157/11/A02										
P018-60059/11/A04										
P047-40347/11/A03										
P123-60059/11/A07										

To avoid duplicates residues marked as part of sum are excluded

Product=Peas (with pods)

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6	Compound7
D003-60599/11/A01	GT	2	Difenoconazole(0.004)	Azoxystrobin(0.004)					

Code	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15
D003-60599/11/A01								

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Peppers

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>
D003-60202/11/A04	TR	9	Pyraclostrobin(0.036)	Propargite(0.083)	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.049)	Penconazole(0.005)	Lambda-Cyhalothrin(0.12)
D003-70511/11/A02	ES	4	Pyrimethanil(0.004)	Fludioxonil(0.055)	Fenhexamid(0.045)	Cyprodinil(0.01)	
D003-70571/11/A01	CZ	12	Triadimefon (sum of Triadimefon and Triadimenol)(0.23)	Tebufozide(0.083)	Tebuconazole(0.077)	Spiroxamine(0.018)	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.05)
<i>Code</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>	<i>Compound11</i>	<i>Compound12</i>
D003-60202/11/A04	Clofentezine(0.023)	Chlorpyrifos(0.066)	Buprofezin(0.038)	Boscalid(0.06)			
D003-70511/11/A02							
D003-70571/11/A01	Methoxyfenozide(0.049)	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.011)	Lufenuron(0.013)	Cypermethrin (sum)(0.132)	Chlorpyrifos(0.015)	Carbendazim and benomyl(0.25)	Azoxystrobin(0.031)
<i>Code</i>	<i>Compound13</i>	<i>Compound14</i>	<i>Compound15</i>				
D003-60202/11/A04							
D003-70511/11/A02							
D003-70571/11/A01							

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Peppers

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>
D003-80336/11/A02	ES	5	Triadimefon (sum of Triadimefon and Triadimenol)(0.078)	Fludioxonil(0.064)	Fenhexamid(0.029)	Cyprodinil(0.003)	Chlorothalonil(0.146)
D004-40464/11/A01	ES	3	Triadimefon (sum of Triadimefon and Triadimenol)(0.023)	Cyproconazole(0.002)	Azoxystrobin(0.004)		
D004-50374/11/A02	ES	6	Triadimefon (sum of Triadimefon and Triadimenol)(0.025)	Tebufozide(0.008)	Iprodione(0.24)	Flutriafol(0.033)	Fludioxonil(0.009)

<i>Code</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>	<i>Compound11</i>	<i>Compound12</i>
D003-80336/11/A02							
D004-40464/11/A01							
D004-50374/11/A02	Fenhexamid(0.015)						

<i>Code</i>	<i>Compound13</i>	<i>Compound14</i>	<i>Compound15</i>
D003-80336/11/A02			
D004-40464/11/A01			
D004-50374/11/A02			

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Peppers

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5
D005-60559/11/A01	MA	2	Imidacloprid(0.004)	Flutriafol(0.026)			
D005-71038/11/A06	GR	4	Pyraclostrobin(0.019)	Boscalid(0.063)	Bupirimate(0.004)	Azoxystrobin(0.037)	
D007-60202/11/A02	ES	2	Flutriafol(0.011)	Fenhexamid(0.013)			
D007-70239/11/A01	ES	4	Flutriafol(0.016)	Fludioxonil(0.011)	Fenhexamid(0.048)	Cyprodinil(0.003)	
D012-80131/11/A07	CZ	3	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.002)	Dimethomorph(0.008)	Azoxystrobin(0.004)		

Code	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12
D005-60559/11/A01							
D005-71038/11/A06							
D007-60202/11/A02							
D007-70239/11/A01							
D012-80131/11/A07							

Code	Compound13	Compound14	Compound15
D005-60559/11/A01			
D005-71038/11/A06			
D007-60202/11/A02			
D007-70239/11/A01			
D012-80131/11/A07			

To avoid duplicates residues marked as part of sum are excluded

Product=Peppers

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5
D014-30087/11/A06	GR	4	Triadimefon (sum of Triadimefon and Triadimenol)(0.017)	Chlorpyrifos(0.1)	Boscalid(0.008)	Azoxystrobin(0.008)	
D016-70517/11/A03	TR	3	Tetradifon(0.02)	Acetamiprid(0.013)	Pyridaben(0.057)		
D021-60559/11/A05	TR	6	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)(0.013)	Imidacloprid(0.003)	Fosthiazate(0.003)	Boscalid(0.013)	Acetamiprid(0.018)

Code	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12
D014-30087/11/A06							
D016-70517/11/A03							
D021-60559/11/A05	Clothianidin(0.005)						

Code	Compound13	Compound14	Compound15
D014-30087/11/A06			
D016-70517/11/A03			
D021-60559/11/A05			

Product=Peppers

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5
D026-30087/11/A07	NL	2	Indoxacarb as sum of the isomers S and R(0.012)	Imidacloprid(0.013)			
D040-50562/11/A04	HU	2	Difenoconazole(0.007)	Azoxystrobin(0.009)			
D072-40464/11/A02	NL	3	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)(0.013)	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.003)	Imidacloprid(0.01)		
D094-40294/11/A01	NL	2	Imidacloprid(0.015)	Methoxyfenozide(0.002)			

Code	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12
D026-30087/11/A07							
D040-50562/11/A04							
D072-40464/11/A02							
D094-40294/11/A01							

Code	Compound13	Compound14	Compound15
D026-30087/11/A07			
D040-50562/11/A04			
D072-40464/11/A02			
D094-40294/11/A01			

To avoid duplicates residues marked as part of sum are excluded

Product=Peppers

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5
D098-40294/11/A04	NL	2	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.06)	Boscalid(0.005)			
P128-40464/11/A02	HU	5	Oxamyl-Oxime(0.002)	Myclobutanil(0.058)	Fenvalerate and Esfenvalerate (Sum of RS and SR isomers)(0.011)	Chlorpyrifos-methyl(0.54)	Fenvalerate and Esfenvalerate (Sum of RR and SS isomers)(0.025)

Code	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12
D098-40294/11/A04							
P128-40464/11/A02							

Code	Compound13	Compound14	Compound15
D098-40294/11/A04			
P128-40464/11/A02			

To avoid duplicates residues marked as part of sum are excluded

Product=Pineapples

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6	Compound7
D003-50562/11/A01	GH	2	Triadimefon (sum of Triadimefon and Triadimenol)(0.19)	Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)(0.84)					
P021-60952/11/A01	CR	2	Triadimefon (sum of Triadimefon and Triadimenol)(0.186)	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.003)					

Code	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15
------	-----------	-----------	------------	------------	------------	------------	------------	------------

D003-50562/11/A01

P021-60952/11/A01

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Plums

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6
D009-30514/11/A05	HU	5	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)(0.053)	Lambda-Cyhalothrin(0.069)	Clothianidin(0.004)	Carbendazim and benomyl(0.026)	Captan(0.16)	
D009-80738/11/A01	PL	3	Thiophanate-methyl(0.14)	Fenpyroximate(0.004)	Carbendazim and benomyl(0.022)			
D013-60599/11/A02	CZ	2	Fludioxonil(0.026)	Cyprodinil(0.12)				
D019-70239/11/A02	HU	3	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)(0.01)	Dimethoate (sum)(0.017)	Propargite(0.128)			

Code	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15
D009-30514/11/A05									

D009-80738/11/A01

D013-60599/11/A02

D019-70239/11/A02

Product=Pomegranate

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6	Compound7
D009-40464/11/A01	IN	2	Carbendazim and benomyl(0.058)	Acetamiprid(0.006)					

Code	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15
D009-40464/11/A01								

To avoid duplicates residues marked as part of sum are excluded

Product=Potatoes

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>
D003-80038/11/A01	FR	2	Pencycuron(0.008)	Chlorpropham (sum)(2.09)			
D004-80038/11/A02	GR	3	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.004)	Fosthiazate(0.012)	Dimethomorph(0.005)		
D005-70049/11/A02	CZ	2	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.012)	Chlorpropham (sum)(0.98)			
D011-31043/11/A01	CZ	2	Myclobutanil(0.015)	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.004)			
D011-80131/11/A03	FR	2	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.003)	Imazalil(0.5)			

<i>Code</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>	<i>Compound11</i>	<i>Compound12</i>	<i>Compound13</i>	<i>Compound14</i>	<i>Compound15</i>
D003-80038/11/A01										
D004-80038/11/A02										
D005-70049/11/A02										
D011-31043/11/A01										
D011-80131/11/A03										

To avoid duplicates residues marked as part of sum are excluded

Product=Potatoes

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5
D020-50562/11/A03	ES	2	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.015)	Imidacloprid(0.006)			
D021-70511/11/A03	NL	2	Thiabendazole(0.018)	Imazalil(0.006)			
D023-30391/11/A03	CZ	2	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.002)	Chlorpyrifos(0.028)			

Code	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15
D020-50562/11/A03										
D021-70511/11/A03										
D023-30391/11/A03										

Product=Pumpkin seeds

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6	
D009-80022/11/A03	CN	3	Trifluralin(0.01)	Hexachlorobenzene(0.002)	Endosulfan (sum)(0.017)				
Code	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15
D009-80022/11/A03									

Product=Radishes

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6
D003-50374/11/A02	IT	3	Thiabendazole(0.01)	Dimethomorph(0.01)	Chlorpyrifos(0.006)			
D008-60202/11/A01	DE	2	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.004)	Dimethomorph(0.006)				
D008-60599/11/A13	IT	2	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.019)	Dimethoate (sum)(0.005)				

Code	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15
D003-50374/11/A02									
D008-60202/11/A01									
D008-60599/11/A13									

Product=Radishes

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6
D016-30409/11/A08	CZ	2	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.076)	Lambda-Cyhalothrin(0.009)				
D085-40294/11/A01	DE	3	Phosmet (phosmet and phosmet oxon expressed as phosmet)(0.021)	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.011)	Boscalid(0.007)			

Code	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15
D016-30409/11/A08									
D085-40294/11/A01									

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Rice

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6	Compound7
D009-80022/11/A02	IT	2	Pirimiphos-methyl(0.34)	Piperonyl Butoxide(0.003)					
D017-50374/11/A02	IN	4	Propiconazole(0.016)	Imidacloprid(0.006)	Hexythiazox(0.019)	Buprofezin(0.025)			
D020-70321/11/A01	IT	3	Pirimiphos-methyl(0.027)	Cyproconazole(0.004)	Azoxystrobin(0.005)				
D027-80302/11/A01	ES	3	Tebuconazole(0.009)	Piperonyl Butoxide(1.3)	Deltamethrin(0.27)				
D029-40529/11/A01	IT	2	Pirimiphos-methyl(0.17)	Piperonyl Butoxide(0.004)					
D030-30810/11/A01	XX	4	Malathion (sum of malathion and malaoxon expressed as malathion)(0.008)	Imidacloprid(0.008)	Difenoconazole(0.003)	Chlorpyrifos(0.02)			

Code	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15
D009-80022/11/A02								
D017-50374/11/A02								
D020-70321/11/A01								
D027-80302/11/A01								
D029-40529/11/A01								
D030-30810/11/A01								

To avoid duplicates residues marked as part of sum are excluded

Product=Rice

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6	Compound7
D033-50374/11/A01	XX	2	Malathion (sum of malathion and malaoxon expressed as malathion)(0.006)	Chlorpyrifos(0.012)					
P022-60155/11/A03	XX	2	Pirimiphos-methyl(0.053)	Piperonyl Butoxide(0.006)					

Code	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15
D033-50374/11/A01								
P022-60155/11/A03								

Product=Rye

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6
D003-80302/11/A03	CZ	3	Pirimiphos-methyl(0.032)	Epoxiconazole(0.007)	Chlorpyrifos-methyl(0.014)			
D010-30518/11/A01	CZ	2	Tebuconazole(0.015)	Spiroxamine(0.007)				
D010-30518/11/A02	CZ	2	Tebuconazole(0.014)	Spiroxamine(0.006)				

Code	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15
D003-80302/11/A03									
D010-30518/11/A01									
D010-30518/11/A02									

Product=Soya bean

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>
D017-40959/11/A01	CZ	2	Tebuconazole(0.026)	Fluazifop-P-butyl (sum)(0.057)						
D028-80302/11/A01	CZ	2	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)(0.054)	Piperonyl Butoxide(0.012)						

<i>Code</i>	<i>Compound9</i>	<i>Compound10</i>	<i>Compound11</i>	<i>Compound12</i>	<i>Compound13</i>	<i>Compound14</i>	<i>Compound15</i>
D017-40959/11/A01							
D028-80302/11/A01							

Product=Spices

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>
D017-50374/11/A03	XX	5	Pyraclostrobin(0.011)	Imidacloprid(0.019)	Fluazifop-P-butyl (sum)(0.023)	Chlorpyrifos(0.006)	Boscalid(0.048)	

<i>Code</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>	<i>Compound11</i>	<i>Compound12</i>	<i>Compound13</i>	<i>Compound14</i>	<i>Compound15</i>
D017-50374/11/A03									

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Spinach

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6
D003-40464/11/A02	ES	3	Imidacloprid(0.032)	Flutriafol(0.01)	Chlorpyrifos(0.013)			
D003-60599/11/A03	BE	2	Lambda-Cyhalothrin(0.29)	Boscalid(0.011)				
D003-70154/11/A01	ES	2	Imidacloprid(0.016)	Bromide ion(23)				
D004-40294/11/A01	IT	4	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(1.3)	Imidacloprid(0.003)	Clothianidin(0.012)	Boscalid(0.016)		
D004-50252/11/A05	ES	3	DDT (sum)(0.007)	Clothianidin(0.003)	Boscalid(0.003)			
D005-70517/11/A02	ES	2	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)(0.082)	Clothianidin(0.005)				
D013-70511/11/A06	DE	3	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)(0.02)	Lambda-Cyhalothrin(0.015)	Boscalid(0.005)			

Code	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15
D003-40464/11/A02									
D003-60599/11/A03									
D003-70154/11/A01									
D004-40294/11/A01									
D004-50252/11/A05									
D005-70517/11/A02									
D013-70511/11/A06									

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Spinach

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6
D015-70154/11/A01	AT	4	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)(0.23)	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.021)	Bromide ion(14)	Boscalid(0.003)		
D016-80131/11/A01	NL	2	Thiametoxam (sum of thiametoxam and clothianidin expressed as thiametoxam)(0.01)	Clothianidin(0.009)				
D017-80738/11/A03	DE	2	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)(0.004)	Dimethomorph(0.13)				
D019-80131/11/A03	ES	2	Lambda-Cyhalothrin(0.018)	Chlorpyrifos(0.004)				
D021-50252/11/A03	CZ	2	Lambda-Cyhalothrin(0.011)	Fluazifop-P-butyl (sum)(0.019)				

Code	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15
D015-70154/11/A01									
D016-80131/11/A01									
D017-80738/11/A03									
D019-80131/11/A03									
D021-50252/11/A03									

To avoid duplicates residues marked as part of sum are excluded

Product=Spinach

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6
D026-30087/11/A01	DE	2	Lambda-Cyhalothrin(0.008)	Dimethomorph(0.083)				
P043-40464/11/A01	ES	2	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)(0.018)	Lambda-Cyhalothrin(0.029)				

Code	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15
D026-30087/11/A01									
P043-40464/11/A01									

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Strawberries

Code	Country	No Residues	Compound1	Compound2	Compound3
D002-50970/11/A01	ES	8	Myclobutanil(0.02)	Kresoxim-methyl(0.38)	Fludioxonil(0.34)
D004-70773/11/A04	ES	3	Tebufenpyrad(0.027)	Fenazaquin(0.003)	Bupirimate(0.027)
D005-70511/11/A01	ES	4	Fludioxonil(0.014)	Fenpyroximate(0.011)	Cyprodinil(0.024)
D006-60559/11/A01	ES	8	Penconazole(0.008)	Myclobutanil(0.098)	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.006)

Code	Compound4	Compound5	Compound6	Compound7
D002-50970/11/A01	Fenhexamid(0.43)	Cyprodinil(0.3)	Chlorpyrifos(0.008)	Chlorothalonil(0.076)
D004-70773/11/A04				
D005-70511/11/A01	Boscalid(0.023)			
D006-60559/11/A01	Kresoxim-methyl(0.052)	Fludioxonil(0.059)	Dimethomorph(0.003)	Cyprodinil(0.026)

Code	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15
D002-50970/11/A01	Azoxystrobin(0.002)							
D004-70773/11/A04								
D005-70511/11/A01								
D006-60559/11/A01	Chlorpyrifos(0.011)							

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Strawberries

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>
<i>D007-60059/11/A05</i>	BE	7	Trifloxystrobin(0.07)	Thiacloprid(0.006)	Penconazole(0.012)
<i>D008-60599/11/A02</i>	ES	3	Tebufenpyrad(0.003)	Myclobutanil(0.014)	Cyprodinil(0.003)
<i>D010-80336/11/A05</i>	ES	4	Myclobutanil(0.055)	Fenhexamid(0.099)	Clofentezine(0.032)

<i>Code</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>
<i>D007-60059/11/A05</i>	Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine) expressed as mepanipyrim)(0.15)	Fludioxonil(0.005)	Fenhexamid(0.4)	Cyprodinil(0.004)
<i>D008-60599/11/A02</i>				
<i>D010-80336/11/A05</i>	Boscalid(0.03)			

<i>Code</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>	<i>Compound11</i>	<i>Compound12</i>	<i>Compound13</i>	<i>Compound14</i>	<i>Compound15</i>
<i>D007-60059/11/A05</i>								
<i>D008-60599/11/A02</i>								
<i>D010-80336/11/A05</i>								

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Strawberries

Code	Country	No Residues	Compound1	Compound2	Compound3
D013-80738/11/A06	BE	6	Tolyfluanid (Sum of tolylfluanid and dimethylaminosulfotoluidide expressed as tolylfluanid)(1.14)	Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine) expressed as mepanipyrim)(0.029)	Fludioxonil(0.38)
D014-60202/11/A01	DE	5	Fludioxonil(0.027)	Fluazifop-P-butyl (sum)(0.013)	Cyprodinil(0.025)
D015-30391/11/A04	CZ	3	Fenhexamid(0.014)	Difenoconazole(0.008)	Azoxystrobin(0.009)
D015-50252/11/A01	CZ	2	Pyrimethanil(0.14)	Fenhexamid(0.013)	

Code	Compound4	Compound5	Compound6	Compound7
D013-80738/11/A06	Fluazifop-P-butyl (sum)(0.014)	Cyprodinil(0.5)	Boscalid(0.003)	
D014-60202/11/A01	Boscalid(0.044)	Azoxystrobin(0.023)		
D015-30391/11/A04				
D015-50252/11/A01				

Code	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15
D013-80738/11/A06								
D014-60202/11/A01								
D015-30391/11/A04								
D015-50252/11/A01								

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Strawberries

Code	Country	No Residues	Compound1	Compound2	Compound3
D015-70511/11/A01	CZ	8	Pyraclostrobin(0.047)	Folpet(0.014)	Fludioxonil(0.014)
D016-30514/11/A01	BE	15	Thiacloprid(0.023)	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)(0.075)	Quinoxifen(0.032)
D018-10098/11/A01	CZ	5	Iprodione(0.085)	Fenhexamid(0.07)	Difenoconazole(0.045)
D019-70239/11/A01	DE	5	Quinoxifen(0.012)	Fenhexamid(0.37)	Boscalid(0.07)

Code	Compound4	Compound5	Compound6	Compound7
D015-70511/11/A01	Fenpyroximate(0.002)	Fenhexamid(0.18)	Cyprodinil(0.017)	Boscalid(0.24)
D016-30514/11/A01	Pyraclostrobin(0.31)	Penconazole(0.12)	Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine) expressed as mepanipyrim)(0.2)	Kresoxim-methyl(0.39)
D018-10098/11/A01	Azoxystrobin(0.052)	Phosalone(0.079)		
D019-70239/11/A01	Azoxystrobin(0.11)	Pyraclostrobin(0.009)		

Code	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15
D015-70511/11/A01	Tebuconazole(0.011)							
D016-30514/11/A01	Fenhexamid(0.021)	Fenamidone(0.005)	Dodine(0.003)	Clofentezine(0.036)	Captan(0.53)	Boscalid(0.95)	Cyprodinil(0.006)	Fludioxonil(0.01)
D018-10098/11/A01								
D019-70239/11/A01								

To avoid duplicates residues marked as part of sum are excluded

Product=Strawberries

Code	Country	No Residues	Compound1	Compound2	Compound3
D028-40294/11/A01	ES	4	Triadimefon (sum of Triadimefon and Triadimenol)(0.019)	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)(0.026)	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.003)
D040-40464/11/A01	BE	8	Pyraclostrobin(0.018)	Penconazole(0.002)	Fludioxonil(0.11)

Code	Compound4	Compound5	Compound6	Compound7
D028-40294/11/A01	Bupirimate(0.003)			
D040-40464/11/A01	Dithiocarbamates(0.06)	Cyprodinil(0.073)	Boscalid(0.074)	Dimethomorph(0.005)

Code	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15
D028-40294/11/A01								
D040-40464/11/A01	Pirimicarb (sum of Pirimicarb and desmethyl pirimicarb expressed as Pirimicarb)(0.008)							

Product=Strawberries

Code	Country	No Residues	Compound1	Compound2	Compound3
D066-40464/11/A01	CZ	4	Pyraclostrobin(0.042)	Boscalid(0.2)	Azoxystrobin(0.024)
P112-40464/11/A01	BE	9	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)(0.09)	Pyraclostrobin(0.033)	Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine) expressed as mepanipyrim)(0.063)

Code	Compound4	Compound5	Compound6	Compound7
D066-40464/11/A01	Cyproconazole(0.01)			
P112-40464/11/A01	Fludioxonil(0.017)	Fenhexamid(0.1)	Cyprodinil(0.039)	Bupirimate(0.004)

Code	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15
D066-40464/11/A01								
P112-40464/11/A01	Boscalid(0.16)	Penconazole(0.14)						

Product=Table grapes

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4
D004-50252/11/A02	PE	4	Trifloxystrobin(0.026)	Tebuconazole(0.018)	Kresoxim-methyl(0.008)	Fenhexamid(0.46)
D005-80295/11/A04	EG	5	Pyraclostrobin(0.048)	Difenoconazole(0.003)	Chlorpyrifos(0.006)	Boscalid(0.071)
D007-60202/11/A03	ZA	5	Quinoxifen(0.015)	Pyrimethanil(0.006)	Penconazole(0.002)	Fenhexamid(0.41)
D008-60599/11/A03	CL	5	Pyraclostrobin(0.056)	Methoxyfenozide(0.05)	Lambda-Cyhalothrin(0.01)	Fenhexamid(0.27)
D010-50252/11/A03	IN	6	Thiophanate-methyl(0.036)	Pyraclostrobin(0.018)	Lambda-Cyhalothrin(0.013)	Imidacloprid(0.012)
D010-60559/11/A02	ZA	4	Methoxyfenozide(0.028)	Imidacloprid(0.075)	Fenhexamid(0.11)	Boscalid(0.002)

Code	Compound5	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11
D004-50252/11/A02							
D005-80295/11/A04	Azoxystrobin(0.01)						
D007-60202/11/A03	Bromopropylate(0.003)						
D008-60599/11/A03	Boscalid(0.55)						
D010-50252/11/A03	Chlorpyrifos(0.04)	Azoxystrobin(0.045)					
D010-60559/11/A02							

Code	Compound12	Compound13	Compound14	Compound15
D004-50252/11/A02				
D005-80295/11/A04				
D007-60202/11/A03				
D008-60599/11/A03				
D010-50252/11/A03				
D010-60559/11/A02				

Product=Table grapes

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>
<i>D012-60599/11/A02</i>	ES	7	Myclobutanil(0.031)	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.005)	Imidacloprid(0.025)	Fenhexamid(0.07)
<i>D013-60599/11/A01</i>	IT	8	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)(0.01)	Quinoxifen(0.011)	Penconazole(0.059)	Methoxyfenozide(0.007)
<i>D013-70049/11/A01</i>	IN	6	Kresoxim-methyl(0.077)	Fenamidone(0.027)	Chlorpyrifos(0.064)	Azoxystrobin(0.33)
<i>D013-80131/11/A01</i>	IT	3	Spiroxamine(0.11)	Penconazole(0.009)	Dimethomorph(0.15)	

<i>Code</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>	<i>Compound11</i>
<i>D012-60599/11/A02</i>	Dimethomorph(0.19)	Cyprodinil(0.29)	Boscalid(0.16)				
<i>D013-60599/11/A01</i>	Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)(0.009)	Dimethomorph(0.012)	Chlorpyrifos-methyl(0.04)	Azoxystrobin(0.005)			
<i>D013-70049/11/A01</i>	Carbendazim and benomyl(0.013)	Pyraclostrobin(0.036)					
<i>D013-80131/11/A01</i>							

<i>Code</i>	<i>Compound12</i>	<i>Compound13</i>	<i>Compound14</i>	<i>Compound15</i>
<i>D012-60599/11/A02</i>				
<i>D013-60599/11/A01</i>				
<i>D013-70049/11/A01</i>				
<i>D013-80131/11/A01</i>				

To avoid duplicates residues marked as part of sum are excluded

Product=Table grapes

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>
<i>D014-30087/11/A02</i>	ZA	3	Penconazole(0.004)	Iprodione(0.98)	Cyprodinil(0.009)	
<i>D015-70154/11/A03</i>	IT	5	Trifloxystrobin(0.039)	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)(0.021)	Quinoxifen(0.004)	Penconazole(0.01)
<i>D018-80131/11/A01</i>	IT	7	Trifloxystrobin(0.12)	Quinoxifen(0.002)	Fenhexamid(0.04)	Dimethomorph(0.032)
<i>D026-30087/11/A03</i>	IT	5	Tebuconazole(0.39)	Penconazole(0.003)	Iprovalicarb(0.005)	Dodine(0.003)
<i>D028-50562/11/A03</i>	IN	5	Kresoxim-methyl(0.009)	Imidacloprid(0.01)	Dimethomorph(0.021)	Difenoconazole(0.019)

<i>Code</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>	<i>Compound11</i>
<i>D014-30087/11/A02</i>							
<i>D015-70154/11/A03</i>	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.092)						
<i>D018-80131/11/A01</i>	Cyprodinil(0.57)	Boscalid(1.3)	Fludioxonil(0.58)				
<i>D026-30087/11/A03</i>	Fenhexamid(1.2)						
<i>D028-50562/11/A03</i>	Myclobutanil(0.013)						

<i>Code</i>	<i>Compound12</i>	<i>Compound13</i>	<i>Compound14</i>	<i>Compound15</i>
<i>D014-30087/11/A02</i>				
<i>D015-70154/11/A03</i>				
<i>D018-80131/11/A01</i>				
<i>D026-30087/11/A03</i>				
<i>D028-50562/11/A03</i>				

To avoid duplicates residues marked as part of sum are excluded

Product=Table grapes

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>					
<i>D034-40347/11/A01</i>	IT	7	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)(0.017)	Quinoxifen(0.051)	Penconazole(0.002)	Methoxyfenozide(0.044)					
<i>D069-40294/11/A02</i>	IT	2	Spiroxamine(0.16)	Penconazole(0.004)							
<i>Code</i>			<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>	<i>Compound11</i>		
<i>D034-40347/11/A01</i>			Chlorpyrifos-methyl(0.002)	Chlorpyrifos(0.004)	Myclobutanil(0.082)						
<i>D069-40294/11/A02</i>											
<i>Code</i>			<i>Compound12</i>	<i>Compound13</i>	<i>Compound14</i>	<i>Compound15</i>					
<i>D034-40347/11/A01</i>											
<i>D069-40294/11/A02</i>											

Product=Tea

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>	<i>Compound4</i>	<i>Compound5</i>
C029-10880/11/A01	CN	4	MCPA and MCPB (MCPA, MCPB including their salts, esters and conjugates expressed as MCPA)(0.02)	Chlorpyrifos(0.015)	Biphenyl(0.011)	Bifenthrin(0.13)	
C029-10880/11/A02	CN	5	Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)(0.04)	Lambda-Cyhalothrin(0.049)	Diniconazole(0.042)	Bifenthrin(0.028)	Acrinathrin(0.018)

<i>Code</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>	<i>Compound9</i>	<i>Compound10</i>	<i>Compound11</i>	<i>Compound12</i>	<i>Compound13</i>
C029-10880/11/A01								

C029-10880/11/A02

<i>Code</i>	<i>Compound14</i>	<i>Compound15</i>
C029-10880/11/A01		

C029-10880/11/A02

Product=Tea

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5
D017-50374/11/A01	XX	4	Triadimefon (sum of Triadimefon and Triadimenol)(0.12)	Imidacloprid(0.022)	Carbendazim and benomyl(0.04)	Bifenthrin(0.11)	
D039-40157/11/A01	PL	11	Methomyl and thiodicarb (sum of methomyl and thiodicarb expressed as methomyl)(0.036)	Fipronil (sum)(0.009)	Fenvalerate and Esfenvalerate (Sum of RS and SR isomers)(0.044)	Fenvalerate and Esfenvalerate (Sum of RR and SS isomers)(0.015)	Fenpropathrin(0.024)

Code	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13
D017-50374/11/A01								
D039-40157/11/A01	Chlorpyrifos(0.055)	Buprofezin(0.09)	Bifenthrin(0.69)	Acetamiprid(0.39)	Acephate(0.11)	Imidacloprid(0.16)		

Code	Compound14	Compound15
D017-50374/11/A01		
D039-40157/11/A01		

Product=Tomatoes

Code	Country	No Residues	Compound1	Compound2	Compound3
D002-80131/11/A05	MA	15	Zoxamide(0.005)	Pyriproxyfen(0.003)	Pyrimethanil(0.005)
D003-30087/11/A03	ES	7	Thiophanate-methyl(0.042)	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.1)	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.039)
D003-60202/11/A03	ES	8	Tebuconazole(0.014)	Pyrimethanil(0.012)	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.006)

Code	Compound4	Compound5	Compound6	Compound7	Compound8
D002-80131/11/A05	Pyraclostrobin(0.012)	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.17)	Piperonyl Butoxide(0.009)	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.003)	Iprodione(0.11)
D003-30087/11/A03	Fenhexamid(0.009)	Dimethomorph(0.013)	Chlorothalonil(0.067)	Carbendazim and benomyl(0.025)	
D003-60202/11/A03	Fludioxonil(0.022)	Fenhexamid(0.018)	Dimethomorph(0.015)	Cyprodinil(0.088)	Chlorothalonil(0.028)

Code	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15
D002-80131/11/A05	Indoxacarb as sum of the isomers S and R(0.009)	Fludioxonil(0.014)	Cyprodinil(0.051)	Chlorothalonil(0.084)	Buprofezin(0.004)	Boscalid(0.055)	Azoxystrobin(0.004)
D003-30087/11/A03							
D003-60202/11/A03							

To avoid duplicates residues marked as part of sum are excluded

Product=Tomatoes

Code	Country	No Residues	Compound1	Compound2	Compound3
D003-70511/11/A04	MA	5	Trifloxystrobin(0.013)	Pyraclostrobin(0.012)	Fludioxonil(0.017)
D003-70511/11/A05	ES	5	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.002)	Difenoconazole(0.004)	Chlorpyrifos-methyl(0.154)
D003-80131/11/A05	ES	7	Pyriproxyfen(0.032)	Procymidone(0.036)	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.014)

Code	Compound4	Compound5	Compound6	Compound7	Compound8
D003-70511/11/A04	Cyprodinil(0.087)	Boscalid(0.062)			
D003-70511/11/A05	Chlorpyrifos(0.16)	Chlorothalonil(0.06)			
D003-80131/11/A05	Iprodione(0.22)	Fludioxonil(0.014)	Cyprodinil(0.078)	Boscalid(0.014)	

Code	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15
D003-70511/11/A04							
D003-70511/11/A05							
D003-80131/11/A05							

Product=Tomatoes

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>		
<i>D004-30087/11/A01</i>	TR	10	Tetradifon(0.008)	Pyraclostrobin(0.045)	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.013)		
<i>D004-40464/11/A02</i>	MA	9	Pyriproxyfen(0.003)	Procymidone(0.095)	Oxamyl-Oxime(0.009)		
<i>D005-71038/11/A02</i>	ES	2	Pyrimethanil(0.004)	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.004)			
<i>Code</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>		
<i>D004-30087/11/A01</i>	Indoxacarb as sum of the isomers S and R(0.072)	Imazalil(0.006)	Chlorpyrifos(0.003)	Chlorothalonil(0.053)	Boscalid(0.16)		
<i>D004-40464/11/A02</i>	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.006)	Endosulfan (sum)(0.016)	Difenoconazole(0.005)	Chlorfenapyr(0.012)	Boscalid(0.013)		
<i>D005-71038/11/A02</i>							
<i>Code</i>	<i>Compound9</i>	<i>Compound10</i>	<i>Compound11</i>	<i>Compound12</i>	<i>Compound13</i>	<i>Compound14</i>	<i>Compound15</i>
<i>D004-30087/11/A01</i>	Azoxystrobin(0.019)	Acetamiprid(0.12)					
<i>D004-40464/11/A02</i>	Azoxystrobin(0.008)						
<i>D005-71038/11/A02</i>							

To avoid duplicates residues marked as part of sum are excluded

Product=Tomatoes

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>
D006-70239/11/A02	MA	4	Pyridaben(0.005)	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.056)	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.002)
D007-50562/11/A02	MA	5	Procymidone(0.011)	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.031)	Cyprodinil(0.003)
D007-70049/11/A01	SN	4	Thiacloprid(0.02)	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)(0.009)	Pymetrozine(0.003)

<i>Code</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>
D006-70239/11/A02	Azoxystrobin(0.005)				
D007-50562/11/A02	Boscalid(0.009)	Azoxystrobin(0.049)			
D007-70049/11/A01	Chlorothalonil(0.21)				

<i>Code</i>	<i>Compound9</i>	<i>Compound10</i>	<i>Compound11</i>	<i>Compound12</i>	<i>Compound13</i>	<i>Compound14</i>	<i>Compound15</i>
D006-70239/11/A02							
D007-50562/11/A02							
D007-70049/11/A01							

Product=Tomatoes

Code	Country	No Residues	Compound1	Compound2	Compound3
D008-60559/11/A07	ES	7	Thiophanate-methyl(0.081)	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.021)	Metalaxyl (Metalaxyl including other mixtures of constituent isomers including Metalaxyl-M (sum of isomers))(0.003)
D008-60599/11/A08	ES	2	Cyromazine(0.009)	Azoxystrobin(0.023)	
D009-10740/11/A01	EU	2	Chlorpyrifos(0.004)	Boscalid(0.005)	
D009-30514/11/A12	NL	2	Methoxyfenozide(0.011)	Azoxystrobin(0.024)	

Code	Compound4	Compound5	Compound6	Compound7	Compound8
D008-60559/11/A07	Fludioxonil(0.011)	Dimethomorph(0.031)	Cyprodinil(0.007)	Pyrimethanil(0.007)	
D008-60599/11/A08					
D009-10740/11/A01					
D009-30514/11/A12					

Code	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15
D008-60559/11/A07							
D008-60599/11/A08							
D009-10740/11/A01							
D009-30514/11/A12							

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Tomatoes

<i>Code</i>	<i>Country</i>	<i>No Residues</i>	<i>Compound1</i>	<i>Compound2</i>	<i>Compound3</i>
<i>D010-60559/11/A08</i>	MA	5	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)(0.03)	Pyriproxyfen(0.056)	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.019)
<i>D010-60599/11/A06</i>	PL	2	Fenpyroximate(0.015)	Azoxystrobin(0.024)	
<i>D010-80336/11/A01</i>	ES	2	Chlorpyrifos-methyl(0.027)	Tebuconazole(0.024)	
<i>D011-50856/11/A01</i>	ES	10	Thiophanate-methyl(0.14)	Tebuconazole(0.062)	Mepanipyrim (Mepanipyrim and its metabolite (2-anilino-4-(2-hydroxypropyl)-6-methylpyrimidine) expressed as mepanipyrim)(0.074)

<i>Code</i>	<i>Compound4</i>	<i>Compound5</i>	<i>Compound6</i>	<i>Compound7</i>	<i>Compound8</i>
<i>D010-60559/11/A08</i>	Boscalid(0.01)	Thiacloprid(0.034)			
<i>D010-60599/11/A06</i>					
<i>D010-80336/11/A01</i>					
<i>D011-50856/11/A01</i>	Fludioxonil(0.005)	Diethofencarb(0.19)	Cyprodinil(0.009)	Chlorothalonil(0.46)	Carbendazim and benomyl(0.049)

<i>Code</i>	<i>Compound9</i>	<i>Compound10</i>	<i>Compound11</i>	<i>Compound12</i>	<i>Compound13</i>	<i>Compound14</i>	<i>Compound15</i>
<i>D010-60559/11/A08</i>							
<i>D010-60599/11/A06</i>							
<i>D010-80336/11/A01</i>							
<i>D011-50856/11/A01</i>	Acetamiprid(0.14)	Pyridaben(0.009)					

To avoid duplicates residues marked as part of sum are excluded

Product=Tomatoes

Code	Country	No Residues	Compound1	Compound2	Compound3
D012-80131/11/A04	CZ	3	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.046)	Azoxystrobin(0.11)	Dimethomorph(0.007)
D012-80336/11/A06	ES	3	Penconazole(0.003)	Indoxacarb as sum of the isomers S and R(0.13)	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.048)
D015-10098/11/A01	ES	6	Cyproconazole(0.004)	Cypermethrin (sum)(0.134)	Clofentezine(0.28)
D015-30391/11/A02	IT	2	Pymetrozine(0.004)	Spinosad (sum of Spinosyn A and Spinosyn D, expressed as Spinosad)(0.01)	

Code	Compound4	Compound5	Compound6	Compound7	Compound8
D012-80131/11/A04					
D012-80336/11/A06					
D015-10098/11/A01	Chlorpyrifos-methyl(0.185)	Bifenthrin(0.008)	Acrinathrin(0.026)		
D015-30391/11/A02					

Code	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15
D012-80131/11/A04							
D012-80336/11/A06							
D015-10098/11/A01							
D015-30391/11/A02							

Product=Tomatoes

Code	Country	No Residues	Compound1	Compound2	Compound3
D016-40157/11/A03	MA	3	Zoxamide(0.005)	Procymidone(0.002)	Boscalid(0.017)
D018-70154/11/A01	ES	3	Dimethomorph(0.011)	Boscalid(0.005)	Azoxystrobin(0.014)
D018-80131/11/A04	NL	3	Tebuconazole(0.042)	Chlorpyrifos(0.012)	Spiroxamine(0.025)
D023-30391/11/A02	CZ	2	Piperonyl Butoxide(0.013)	Azoxystrobin(0.045)	
D026-30087/11/A08	NL	4	Fludioxonil(0.18)	Fenhexamid(0.02)	Cyprodinil(0.16)
D031-30409/11/A02	BE	2	Pyrimethanil(0.003)	Boscalid(0.004)	

Code	Compound4	Compound5	Compound6	Compound7	Compound8
D016-40157/11/A03					
D018-70154/11/A01					
D018-80131/11/A04					
D023-30391/11/A02					
D026-30087/11/A08	Boscalid(0.002)				
D031-30409/11/A02					

Code	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15
D016-40157/11/A03							
D018-70154/11/A01							
D018-80131/11/A04							
D023-30391/11/A02							
D026-30087/11/A08							
D031-30409/11/A02							

Product=Tomatoes

Code	Country	No Residues	Compound1	Compound2	Compound3
D048-50562/11/A01	MA	7	Thiacloprid(0.005)	Tebufenpyrad(0.003)	Tebuconazole(0.029)
D048-50562/11/A02	MA	2	Oxamyl-Oxime(0.005)	Boscalid(0.002)	
D098-40294/11/A05	NL	5	Teflubenzuron(0.03)	Pyraclostrobin(0.014)	Propamocarb (sum of propamocarb and its salt expressed as propamocarb)(0.004)
P005-40294/11/A03	MA	8	Pyraclostrobin(0.011)	Procymidone(0.008)	Oxamyl-Oxime(0.042)

Code	Compound4	Compound5	Compound6	Compound7	Compound8
D048-50562/11/A01	Difenoconazole(0.005)	Azoxystrobin(0.009)	Pyridaben(0.006)	Triadimefon (sum of Triadimefon and Triadimenol)(0.085)	
D048-50562/11/A02					
D098-40294/11/A05	Cyprodinil(0.004)	Boscalid(0.095)			
P005-40294/11/A03	Difenoconazole(0.004)	Dicofol (sum)(0.33)	Boscalid(0.014)	Azoxystrobin(0.006)	Oxamyl(0.018)

Code	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15
D048-50562/11/A01							
D048-50562/11/A02							
D098-40294/11/A05							
P005-40294/11/A03							

To avoid duplicates residues marked as part of sum are excluded

Product=Tomatoes

Code	Country	No Residues	Compound1	Compound2	Compound3
P043-40347/11/A01	ES	3	Triadimefon (sum of Triadimefon and Triadimenol)(0.03)	Teflubenzuron(0.009)	Pymetrozine(0.002)
P086-40464/11/A04	PL	2	Boscalid(0.013)	Azoxystrobin(0.004)	

Code	Compound4	Compound5	Compound6	Compound7	Compound8
P043-40347/11/A01					
P086-40464/11/A04					

Code	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15
P043-40347/11/A01							
P086-40464/11/A04							

Product=Wheat

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6
D002-50972/11/A01	CZ	3	Tebuconazole(0.009)	Piperonyl Butoxide(0.004)	Chlorpyrifos-methyl(0.122)			
D002-50972/11/A02	CZ	2	Piperonyl Butoxide(0.024)	Chlorpyrifos-methyl(0.022)				
D006-50972/11/A01	CZ	3	Quinmerac(0.015)	Pirimiphos-methyl(0.03)	Chlorpyrifos(0.012)			
D016-70571/11/A01	CZ	3	Tebuconazole(0.009)	Pirimiphos-methyl(0.021)	Chlorpyrifos-methyl(0.013)			
D019-30518/11/A02	CZ	2	Chlorpyrifos-methyl(0.008)	Chlorpyrifos(0.007)				
D024-60155/11/A01	CZ	3	Fonofos(0.003)	Chlorpyrifos-methyl(0.01)	Chlorpyrifos(0.005)			
D024-80022/11/A01	CZ	3	Pirimiphos-methyl(3)	Cypermethrin (sum)(0.96)	Chlorpyrifos-methyl(0.06)			
D024-80022/11/A02	CZ	2	Pirimiphos-methyl(0.013)	Chlorpyrifos-methyl(0.031)				
D034-80302/11/A02	CZ	2	Tebuconazole(0.009)	Chlorpyrifos-methyl(0.009)				
P021-60204/11/A02	XX	2	Propoxur(0.031)	Chlorpyrifos-methyl(0.115)				

Code	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13	Compound14	Compound15
D002-50972/11/A01									
D002-50972/11/A02									
D006-50972/11/A01									
D016-70571/11/A01									
D019-30518/11/A02									
D024-60155/11/A01									
D024-80022/11/A01									
D024-80022/11/A02									
D034-80302/11/A02									
P021-60204/11/A02									

To avoid duplicates residues marked as part of sum are excluded

<i>Reporting Country</i>	<i>Laboratory</i>	<i>Transmission</i>	<i>File</i>	<i>Laboratory Accreditation</i>	<i>Method Status</i>	<i>Determinations</i>	<i>Received</i>
CZ	NEPOUŽÍVAT ZÚ Ostrava, Hyg.laborator Frýdek-Místek	12890	CZ-2011-05-1.zip	Accredited	ISO/IEC17025	1	31AUG12:09:29:37
CZ	NEPOUŽÍVAT ZÚ Ostrava, Hyg.laborator Frýdek-Místek	12128	CZ-2011-08-1.zip	Accredited	ISO/IEC17025	1	15AUG12:10:07:17
CZ	NEPOUŽÍVAT ZÚ Ostrava, Hyg.laborator Frýdek-Místek	12441	CZ-2011-05-2.zip	Accredited	ISO/IEC17025	2	22AUG12:16:01:31
CZ	Praha 5	12588	CZ-2011-01-1.zip	Accredited	ISO/IEC17025	12419	24AUG12:13:56:41
CZ	Praha 5	12442	CZ-2011-06-1.zip	Accredited	ISO/IEC17025	19149	22AUG12:16:05:59
CZ	Praha 5	12895	CZ-2012-09-2.zip	Accredited	ISO/IEC17025	19132	31AUG12:09:33:26
CZ	Praha 5	12893	CZ-2012-06-2.zip	Accredited	ISO/IEC17025	19104	31AUG12:09:31:26
CZ	Praha 5	12127	CZ-2011-03-1.zip	Accredited	ISO/IEC17025	18791	15AUG12:10:06:21
CZ	Praha 5	13049	CZ-2011-02-1.zip	Accredited	ISO/IEC17025	19492	03SEP12:13:39:54
CZ	Praha 5	12128	CZ-2011-08-1.zip	Accredited	Internally validated	855	15AUG12:10:07:17
CZ	Praha 5	12591	CZ-2012-08-2.zip	Accredited	ISO/IEC17025	6367	24AUG12:13:59:29
CZ	Praha 5	12363	CZ-2011-02-2.zip	Accredited	ISO/IEC17025	19452	21AUG12:13:34:56
CZ	Praha 5	12889	CZ-2011-03-2.zip	Accredited	ISO/IEC17025	13099	31AUG12:09:28:42
CZ	Praha 5	12653	CZ-2012-12-1.zip	Accredited	ISO/IEC17025	1340	27AUG12:11:20:22
CZ	Praha 5	11903	CZ-2011-04-1.zip	Accredited	ISO/IEC17025	19426	08AUG12:16:21:48
CZ	Praha 5	12890	CZ-2011-05-1.zip	Accredited	ISO/IEC17025	19458	31AUG12:09:29:37
CZ	Praha 5	12441	CZ-2011-05-2.zip	Accredited	ISO/IEC17025	19127	22AUG12:16:01:31
CZ	Praha 5	12894	CZ-2012-09-1.zip	Accredited	ISO/IEC17025	19437	31AUG12:09:32:21
CZ	Praha 5	11882	CZ-2011-04-3.zip	Accredited	ISO/IEC17025	1336	08AUG12:12:54:41
CZ	Praha 5	12896	CZ-2012-11-1.zip	Accredited	ISO/IEC17025	19115	31AUG12:09:34:28
CZ	Praha 5	12445	CZ-2011-09-3.zip	Accredited	ISO/IEC17025	1340	22AUG12:16:09:59
CZ	Praha 5	13139	CZ-2011-02-3.zip	Accredited	ISO/IEC17025	4022	09SEP12:21:25:07
CZ	Praha 5	12128	CZ-2011-08-1.zip	Accredited	ISO/IEC17025	19141	15AUG12:10:07:17
CZ	Praha 5	12588	CZ-2011-01-1.zip	Accredited	Internally validated	518	24AUG12:13:56:41
CZ	Praha 5	11882	CZ-2011-04-3.zip	Accredited	Internally validated	60	08AUG12:12:54:41
CZ	Praha 5	12591	CZ-2012-08-2.zip	Accredited	Internally validated	285	24AUG12:13:59:29
CZ	Praha 5	12141	CZ-2011-07-1.zip	Accredited	ISO/IEC17025	17134	15AUG12:15:27:15
CZ	Praha 5	12652	CZ-2012-11-3.zip	Accredited	ISO/IEC17025	10387	27AUG12:11:19:42

<i>Reporting Country</i>	<i>Laboratory</i>	<i>Transmission</i>	<i>File</i>	<i>Laboratory Accreditation</i>	<i>Method Status</i>	<i>Determinations</i>	<i>Received</i>
CZ	Praha 5	12651	CZ-2012-11-2.zip	Accredited	Internally validated	855	27AUG12:11:18:44
CZ	Praha 5	11902	CZ-2011-05-3.zip	Accredited	Internally validated	75	08AUG12:16:17:46
CZ	Praha 5	12652	CZ-2012-11-3.zip	Accredited	Internally validated	465	27AUG12:11:19:42
CZ	Praha 5	12141	CZ-2011-07-1.zip	Accredited	Internally validated	765	15AUG12:15:27:15
CZ	Praha 5	12653	CZ-2012-12-1.zip	Accredited	Internally validated	60	27AUG12:11:20:22
CZ	Praha 5	11881	CZ-2011-04-2.zip	Accredited	Internally validated	870	08AUG12:12:54:10
CZ	Praha 5	12889	CZ-2011-03-2.zip	Accredited	Internally validated	585	31AUG12:09:28:42
CZ	Praha 5	12363	CZ-2011-02-2.zip	Accredited	Internally validated	810	21AUG12:13:34:56
CZ	Praha 5	12890	CZ-2011-05-1.zip	Accredited	Internally validated	863	31AUG12:09:29:37
CZ	Praha 5	11903	CZ-2011-04-1.zip	Accredited	Internally validated	866	08AUG12:16:21:48
CZ	Praha 5	12893	CZ-2012-06-2.zip	Accredited	Internally validated	855	31AUG12:09:31:26
CZ	Praha 5	12441	CZ-2011-05-2.zip	Accredited	Internally validated	854	22AUG12:16:01:31
CZ	Praha 5	12894	CZ-2012-09-1.zip	Accredited	Internally validated	870	31AUG12:09:32:21
CZ	Praha 5	12129	CZ-2011-10-2.zip	Accredited	Internally validated	630	15AUG12:10:10:26
CZ	Praha 5	12651	CZ-2012-11-2.zip	Accredited	ISO/IEC17025	19118	27AUG12:11:18:44
CZ	Praha 5	12895	CZ-2012-09-2.zip	Accredited	Internally validated	855	31AUG12:09:33:26
CZ	Praha 5	12442	CZ-2011-06-1.zip	Accredited	Internally validated	842	22AUG12:16:05:59
CZ	Praha 5	12896	CZ-2012-11-1.zip	Accredited	Internally validated	855	31AUG12:09:34:28
CZ	Praha 5	12127	CZ-2011-03-1.zip	Accredited	Internally validated	840	15AUG12:10:06:21
CZ	Praha 5	13049	CZ-2011-02-1.zip	Accredited	Internally validated	804	03SEP12:13:39:54
CZ	Praha 5	12445	CZ-2011-09-3.zip	Accredited	Internally validated	60	22AUG12:16:09:59
CZ	Praha 5	13139	CZ-2011-02-3.zip	Accredited	Internally validated	168	09SEP12:21:25:07
CZ	Praha 5	12650	CZ-2012-10-1.zip	Accredited	Internally validated	855	27AUG12:11:17:48
CZ	Praha 5	11881	CZ-2011-04-2.zip	Accredited	ISO/IEC17025	19425	08AUG12:12:54:10
CZ	Praha 5	11902	CZ-2011-05-3.zip	Accredited	ISO/IEC17025	1677	08AUG12:16:17:46
CZ	Praha 5	12129	CZ-2011-10-2.zip	Accredited	ISO/IEC17025	14107	15AUG12:10:10:26
CZ	Praha 5	12650	CZ-2012-10-1.zip	Accredited	ISO/IEC17025	19140	27AUG12:11:17:48
CZ	Státní veterinární ústav Praha	12895	CZ-2012-09-2.zip	Accredited	ISO/IEC17025	32	31AUG12:09:33:26

<i>Reporting Country</i>	<i>Laboratory</i>	<i>Transmission</i>	<i>File</i>	<i>Laboratory Accreditation</i>	<i>Method Status</i>	<i>Determinations</i>	<i>Received</i>
CZ	Státní veterinární ústav Praha	12893	CZ-2012-06-2.zip	Accredited	ISO/IEC17025	32	31AUG12:09:31:26
CZ	Státní veterinární ústav Praha	12445	CZ-2011-09-3.zip	Accredited	ISO/IEC17025	67	22AUG12:16:09:59
CZ	Státní veterinární ústav Praha	12442	CZ-2011-06-1.zip	Accredited	ISO/IEC17025	33	22AUG12:16:05:59
CZ	Státní veterinární ústav Praha	12141	CZ-2011-07-1.zip	Accredited	ISO/IEC17025	29	15AUG12:15:27:15
CZ	V01	13074	pest2011e1.xml	Accredited	ISO/IEC17025	2450	04SEP12:10:27:35
CZ	ZÚ Hradec Králové	12896	CZ-2012-11-1.zip	Accredited	ISO/IEC17025	4	31AUG12:09:34:28
CZ	ZÚ Hradec Králové	12893	CZ-2012-06-2.zip	Accredited	ISO/IEC17025	4	31AUG12:09:31:26
CZ	ZÚ Ostrava, Centrum hygienických laboratorí	12653	CZ-2012-12-1.zip	Accredited	ISO/IEC17025	1	27AUG12:11:20:22