Table A0: Summary of samples taken in 2010 by product class

Samples	*Total*	*Without Residues*	*%*	*With residues below MRL*	*%*	*Exceeding MRL*	*%*	*Non Compliant*	*%*
Babyfood	58	52	90%	6	10%	0	0.0%	0	0.0%
Cereals	125	78	62%	47	38%	0	0.0%	0	0.0%
Processed products	149	90	60%	58	39%	1	0.7%	0	0.0%
Sum (fruit, vegetables, other plant origin)	816	232	28%	556	68%	28	3.4%	16	2.0%
	1148	***452***	***39%***	***667***	***58%***	***29***	***2.5%***	***16***	***1.4%***

Totals for Cereals, Sum (fruit, vegetables, other plant origin) and Animal products are for unprocessed commodities

Table A0: Summary of samples taken in 2010 by region of origin

Strategy=Enforcement

Origin	*Samples*	*Samples %*	*Exceeding MRL*	*Exceeding MRL %*	*Non Compliant*	*Non Compliant %*
Domestic	1	.09%	0	.00%	0	.00%
EEA	2	.17%	1	50%	1	50%

Strategy=Surveillance

Origin	*Samples*	*Samples %*	*Exceeding MRL*	*Exceeding MRL %*	*Non Compliant*	*Non Compliant %*
Domestic	441	38%	6	1.4%	3	.68%
EEA	538	47%	9	1.7%	3	.56%
TC	140	12%	13	9.3%	9	6.4%
UNK	26	2.3%	0	.00%	0	.00%

Table A1: Exceedence of MRL, number of samples exceeding MRL and percentage of samples below the MRL

Strategy=Enforcement

Product Class	*Product*	*Total*	*Ex*	*%*	*Domestic*	*Ex*	*%*	*EEA*	*Ex*	*%*	*Third Country*	*Ex*	*%*
Vegetables	Peppers	3	1	66.7	1	0	100	2	1	50	0	0	.
Vegetables		***3***	***1***	***66.7***	***1***	***0***	***100***	***2***	***1***	***50***	***0***	***0***	***.***
		3	***1***	***66.7***	***1***	***0***	***100***	***2***	***1***	***50***	***0***	***0***	***.***

Ex = number of samples above MRL; % = percentage of samples below MRL
Figures in bold are subtotals and totals for product groups

Table A1: Exceedence of MRL, number of samples exceeding MRL and percentage of samples below the MRL

Strategy=Enforcement

Product Class	*Product*	*Organic*	*Ex*	*%*	*Non Organic*	*Ex*	*%*	*Raw*	*Ex*	*%*	*Process*	*Ex*	*%*
Vegetables	Peppers	0	0	.	3	1	66.7	3	1	66.7	0	0	.
Vegetables		***0***	***0***	***.***	***3***	***1***	***66.7***	***3***	***1***	***66.7***	***0***	***0***	***.***
		0	***0***	***.***	***3***	***1***	***66.7***	***3***	***1***	***66.7***	***0***	***0***	***.***

Ex = number of samples above MRL; % = percentage of samples below MRL
Figures in bold are subtotals and totals for product groups

Table A1: Exceedence of MRL, number of samples exceeding MRL and percentage of samples below the MRL

Strategy=Surveillance

Product Class	*Product*	*Total*	*Ex*	*%*	*Domestic*	*Ex*	*%*	*EEA*	*Ex*	*%*	*Third Country*	*Ex*	*%*
Animal products	Bovine Liver	2	0	100	2	0	100	0	0	.	0	0	.
	Bovine Meat	4	0	100	4	0	100	0	0	.	0	0	.
	Eggs Chicken	7	0	100	7	0	100	0	0	.	0	0	.
	Honey	5	0	100	5	0	100	0	0	.	0	0	.
	Milk products	25	0	100	25	0	100	0	0	.	0	0	.
	Poultry Meat	6	0	100	6	0	100	0	0	.	0	0	.
	Sheep Liver	1	0	100	1	0	100	0	0	.	0	0	.
	Swine Liver	2	0	100	2	0	100	0	0	.	0	0	.
	Swine Meat	15	0	100	15	0	100	0	0	.	0	0	.
Animal products		***67***	***0***	***100***	***67***	***0***	***100***	***0***	***0***	***.***	***0***	***0***	***.***
Baby and infant food	Babyfood	34	0	100	17	0	100	14	0	100	0	0	.
	Infant formulae	16	0	100	0	0	.	12	0	100	1	0	100
	Processed cereal-based foods	8	0	100	0	0	.	4	0	100	3	0	100
Baby and infant food		***58***	***0***	***100***	***17***	***0***	***100***	***30***	***0***	***100***	***4***	***0***	***100***
Cereals	Barley	16	0	100	12	0	100	4	0	100	0	0	.
	Buckwheat	1	0	100	0	0	.	1	0	100	0	0	.
	Maize	13	0	100	9	0	100	1	0	100	1	0	100
	Oats	15	0	100	15	0	100	0	0	.	0	0	.
	Other cereals	35	1	97.1	22	0	100	9	0	100	2	1	50
	Rice	10	0	100	0	0	.	7	0	100	3	0	100
	Rye	39	0	100	38	0	100	1	0	100	0	0	.
	Wheat	30	0	100	30	0	100	0	0	.	0	0	.
Cereals		***159***	***1***	***99.4***	***126***	***0***	***100***	***23***	***0***	***100***	***6***	***1***	***83.3***
Fish products	Fish and fish products	5	0	100	5	0	100	0	0	.	0	0	.
Fish products		***5***	***0***	***100***	***5***	***0***	***100***	***0***	***0***	***.***	***0***	***0***	***.***

Ex = number of samples above MRL; % = percentage of samples below MRL
Figures in bold are subtotals and totals for product groups

Table A1: Exceedence of MRL, number of samples exceeding MRL and percentage of samples below the MRL

Strategy=Surveillance

Product Class	*Product*	*Total*	*Ex*	*%*	*Domestic*	*Ex*	*%*	*EEA*	*Ex*	*%*	*Third Country*	*Ex*	*%*
Fruit and Nuts	Apples	56	2	96.4	27	2	92.6	27	0	100	0	0	.
	Apricots	4	0	100	0	0	.	4	0	100	0	0	.
	Bananas	10	0	100	0	0	.	2	0	100	8	0	100
	Grapefruit	4	0	100	0	0	.	2	0	100	2	0	100
	Kiwi	9	0	100	0	0	.	9	0	100	0	0	.
	Lemons	7	0	100	0	0	.	6	0	100	1	0	100
	Lychee (Litchi)	3	0	100	0	0	.	0	0	.	3	0	100
	Mandarins	14	0	100	0	0	.	8	0	100	6	0	100
	Mangoes	5	0	100	0	0	.	0	0	.	5	0	100
	Miscellaneous fruit	2	0	100	0	0	.	0	0	.	2	0	100
	Oranges	24	0	100	2	0	100	18	0	100	4	0	100
	Papaya	2	0	100	0	0	.	0	0	.	2	0	100
	Peaches	28	2	92.9	1	0	100	20	0	100	7	2	71.4
	Pears	21	0	100	4	0	100	11	0	100	6	0	100
	Pineapples	5	0	100	0	0	.	0	0	.	5	0	100
	Plums	5	0	100	3	0	100	1	0	100	1	0	100
	Pomegranate	1	1	0	0	0	.	0	0	.	1	1	0
	Strawberries	18	0	100	3	0	100	11	0	100	4	0	100
	Table grapes	17	5	70.6	0	0	.	5	1	80	12	4	66.7
Fruit and Nuts		***235***	***10***	***95.7***	***40***	***2***	***95***	***124***	***1***	***99.2***	***69***	***7***	***89.9***
Infusions	Other herbal infusions	1	0	100	0	0	.	0	0	.	1	0	100
	Tea	4	0	100	0	0	.	1	0	100	2	0	100
Infusions		***5***	***0***	***100***	***0***	***0***	***.***	***1***	***0***	***100***	***3***	***0***	***100***
Oil plants	Pumpkin seeds	2	0	100	0	0	.	0	0	.	1	0	100
	Soya bean	9	0	100	0	0	.	0	0	.	9	0	100

Ex = number of samples above MRL; % = percentage of samples below MRL
Figures in bold are subtotals and totals for product groups

Table A1: Exceedence of MRL, number of samples exceeding MRL and percentage of samples below the MRL

Strategy=Surveillance

Product Class	*Product*	*Total*	*Ex*	*%*	*Domestic*	*Ex*	*%*	*EEA*	*Ex*	*%*	*Third Country*	*Ex*	*%*
	Sunflower seed	7	0	100	1	0	100	1	0	100	4	0	100
Oil plants		***18***	***0***	***100***	***1***	***0***	***100***	***1***	***0***	***100***	***14***	***0***	***100***
Pulses	Beans (dry)	1	0	100	0	0	.	0	0	.	0	0	.
	Peas (dry)	1	0	100	0	0	.	1	0	100	0	0	.
Pulses		***2***	***0***	***100***	***0***	***0***	***.***	***1***	***0***	***100***	***0***	***0***	***.***
Spices	Spices	3	0	100	0	0	.	1	0	100	1	0	100
Spices		***3***	***0***	***100***	***0***	***0***	***.***	***1***	***0***	***100***	***1***	***0***	***100***
Vegetables	Aubergines (egg plants)	18	0	100	0	0	.	18	0	100	0	0	.
	Beans (with pods)	16	0	100	5	0	100	4	0	100	5	0	100
	Beans (without pods)	2	0	100	2	0	100	0	0	.	0	0	.
	Broccoli	10	0	100	2	0	100	8	0	100	0	0	.
	Brussels sprouts	8	1	87.5	0	0	.	8	1	87.5	0	0	.
	Carrots	50	1	98	13	1	92.3	36	0	100	1	0	100
	Cauliflower	18	0	100	6	0	100	12	0	100	0	0	.
	Celeriac	10	0	100	8	0	100	2	0	100	0	0	.
	Chinese cabbage	19	0	100	9	0	100	10	0	100	0	0	.
	Cucumbers	40	2	95	6	0	100	33	2	93.9	1	0	100
	Cultivated fungi	20	0	100	10	0	100	10	0	100	0	0	.
	Garlic	19	0	100	0	0	.	6	0	100	13	0	100
	Gherkins	18	0	100	9	0	100	7	0	100	1	0	100
	Head cabbage	39	1	97.4	27	1	96.3	12	0	100	0	0	.
	Kale	1	0	100	0	0	.	1	0	100	0	0	.
	Leek	26	1	96.2	1	0	100	25	1	96	0	0	.
	Lettuce	40	0	100	19	0	100	21	0	100	0	0	.
	Onions	30	0	100	12	0	100	18	0	100	0	0	.

Ex = number of samples above MRL; % = percentage of samples below MRL
Figures in bold are subtotals and totals for product groups

Table A1: Exceedence of MRL, number of samples exceeding MRL and percentage of samples below the MRL

Strategy=Surveillance

Product Class	*Product*	*Total*	*Ex*	*%*	*Domestic*	*Ex*	*%*	*EEA*	*Ex*	*%*	*Third Country*	*Ex*	*%*
	Parsley	1	1	0	0	0	.	1	1	0	0	0	.
	Parsley root	9	0	100	7	0	100	2	0	100	0	0	.
	Parsnips	2	0	100	0	0	.	2	0	100	0	0	.
	Peas (with pods)	10	1	90	6	1	83.3	4	0	100	0	0	.
	Peas (without pods)	3	0	100	1	0	100	2	0	100	0	0	.
	Peppers	37	4	89.2	3	0	100	23	0	100	11	4	63.6
	Potatoes	49	1	98	30	0	100	18	1	94.4	1	0	100
	Radishes	10	0	100	2	0	100	8	0	100	0	0	.
	Spinach	26	0	100	3	0	100	19	0	100	0	0	.
	Sweet corn	1	0	100	0	0	.	0	0	.	0	0	.
	Tomatoes	61	4	93.4	4	1	75	47	2	95.7	10	1	90
Vegetables		***593***	***17***	***97.1***	***185***	***4***	***97.8***	***357***	***8***	***97.8***	***43***	***5***	***88.4***
		1145	***28***	***97.6***	***441***	***6***	***98.6***	***538***	***9***	***98.3***	***140***	***13***	***90.7***

Ex = number of samples above MRL; % = percentage of samples below MRL
Figures in bold are subtotals and totals for product groups

Table A1: Exceedence of MRL, number of samples exceeding MRL and percentage of samples below the MRL

Strategy=Surveillance

Product Class	*Product*	*Organic*	*Ex*	*%*	*Non Organic*	*Ex*	*%*	*Raw*	*Ex*	*%*	*Process*	*Ex*	*%*
Animal products	Bovine Liver	0	0	.	2	0	100	0	0	.	2	0	100
	Bovine Meat	0	0	.	4	0	100	0	0	.	4	0	100
	Eggs Chicken	0	0	.	7	0	100	0	0	.	7	0	100
	Honey	0	0	.	5	0	100	0	0	.	5	0	100
	Milk products	0	0	.	25	0	100	0	0	.	25	0	100
	Poultry Meat	0	0	.	6	0	100	0	0	.	6	0	100
	Sheep Liver	0	0	.	1	0	100	0	0	.	1	0	100
	Swine Liver	0	0	.	2	0	100	0	0	.	2	0	100
	Swine Meat	0	0	.	15	0	100	0	0	.	15	0	100
Animal products		***0***	***0***	***.***	***67***	***0***	***100***	***0***	***0***	***.***	***67***	***0***	***100***
Baby and infant food	Babyfood	12	0	100	22	0	100	0	0	.	34	0	100
	Infant formulae	7	0	100	9	0	100	0	0	.	16	0	100
	Processed cereal-based foods	2	0	100	6	0	100	0	0	.	8	0	100
Baby and infant food		***21***	***0***	***100***	***37***	***0***	***100***	***0***	***0***	***.***	***58***	***0***	***100***
Cereals	Barley	4	0	100	12	0	100	16	0	100	0	0	.
	Buckwheat	1	0	100	0	0	.	1	0	100	0	0	.
	Maize	1	0	100	12	0	100	8	0	100	5	0	100
	Oats	7	0	100	8	0	100	15	0	100	0	0	.
	Other cereals	21	0	100	14	1	92.9	23	0	100	12	1	91.7
	Rice	5	0	100	5	0	100	10	0	100	0	0	.
	Rye	4	0	100	35	0	100	36	0	100	3	0	100
	Wheat	1	0	100	29	0	100	16	0	100	14	0	100
Cereals		***44***	***0***	***100***	***115***	***1***	***99.1***	***125***	***0***	***100***	***34***	***1***	***97.1***
Fish products	Fish and fish products	0	0	.	5	0	100	0	0	.	5	0	100
Fish products		***0***	***0***	***.***	***5***	***0***	***100***	***0***	***0***	***.***	***5***	***0***	***100***

Ex = number of samples above MRL; % = percentage of samples below MRL
Figures in bold are subtotals and totals for product groups

Table A1: Exceedence of MRL, number of samples exceeding MRL and percentage of samples below the MRL

Strategy=Surveillance

Product Class	*Product*	*Organic*	*Ex*	*%*	*Non Organic*	*Ex*	*%*	*Raw*	*Ex*	*%*	*Process*	*Ex*	*%*
Fruit and Nuts	Apples	6	0	100	50	2	96	53	2	96.2	3	0	100
	Apricots	0	0	.	4	0	100	4	0	100	0	0	.
	Bananas	1	0	100	9	0	100	10	0	100	0	0	.
	Grapefruit	0	0	.	4	0	100	4	0	100	0	0	.
	Kiwi	1	0	100	8	0	100	9	0	100	0	0	.
	Lemons	2	0	100	5	0	100	7	0	100	0	0	.
	Lychee (Litchi)	0	0	.	3	0	100	3	0	100	0	0	.
	Mandarins	0	0	.	14	0	100	14	0	100	0	0	.
	Mangoes	0	0	.	5	0	100	5	0	100	0	0	.
	Miscellaneous fruit	0	0	.	2	0	100	2	0	100	0	0	.
	Oranges	2	0	100	22	0	100	18	0	100	6	0	100
	Papaya	0	0	.	2	0	100	2	0	100	0	0	.
	Peaches	0	0	.	28	2	92.9	28	2	92.9	0	0	.
	Pears	3	0	100	18	0	100	21	0	100	0	0	.
	Pineapples	0	0	.	5	0	100	5	0	100	0	0	.
	Plums	1	0	100	4	0	100	5	0	100	0	0	.
	Pomegranate	0	0	.	1	1	0	1	1	0	0	0	.
	Strawberries	0	0	.	18	0	100	18	0	100	0	0	.
	Table grapes	0	0	.	17	5	70.6	17	5	70.6	0	0	.
Fruit and Nuts		***16***	***0***	***100***	***219***	***10***	***95.4***	***226***	***10***	***95.6***	***9***	***0***	***100***
Infusions	Other herbal infusions	0	0	.	1	0	100	0	0	.	1	0	100
	Tea	0	0	.	4	0	100	0	0	.	4	0	100
Infusions		***0***	***0***	***.***	***5***	***0***	***100***	***0***	***0***	***.***	***5***	***0***	***100***
Oil plants	Pumpkin seeds	2	0	100	0	0	.	1	0	100	1	0	100
	Soya bean	3	0	100	6	0	100	9	0	100	0	0	.

Ex = number of samples above MRL; % = percentage of samples below MRL
Figures in bold are subtotals and totals for product groups

Table A1: Exceedence of MRL, number of samples exceeding MRL and percentage of samples below the MRL

Strategy=Surveillance

Product Class	*Product*	*Organic*	*Ex*	*%*	*Non Organic*	*Ex*	*%*	*Raw*	*Ex*	*%*	*Process*	*Ex*	*%*
	Sunflower seed	3	0	100	4	0	100	2	0	100	5	0	100
Oil plants		***8***	***0***	***100***	***10***	***0***	***100***	***12***	***0***	***100***	***6***	***0***	***100***
Pulses	Beans (dry)	0	0	.	1	0	100	1	0	100	0	0	.
	Peas (dry)	0	0	.	1	0	100	1	0	100	0	0	.
Pulses		***0***	***0***	***.***	***2***	***0***	***100***	***2***	***0***	***100***	***0***	***0***	***.***
Spices	Spices	1	0	100	2	0	100	0	0	.	3	0	100
Spices		***1***	***0***	***100***	***2***	***0***	***100***	***0***	***0***	***.***	***3***	***0***	***100***
Vegetables	Aubergines (egg plants)	0	0	.	18	0	100	18	0	100	0	0	.
	Beans (with pods)	0	0	.	16	0	100	16	0	100	0	0	.
	Beans (without pods)	0	0	.	2	0	100	2	0	100	0	0	.
	Broccoli	0	0	.	10	0	100	10	0	100	0	0	.
	Brussels sprouts	0	0	.	8	1	87.5	8	1	87.5	0	0	.
	Carrots	10	1	90	40	0	100	50	1	98	0	0	.
	Cauliflower	0	0	.	18	0	100	18	0	100	0	0	.
	Celeriac	0	0	.	10	0	100	10	0	100	0	0	.
	Chinese cabbage	0	0	.	19	0	100	19	0	100	0	0	.
	Cucumbers	2	0	100	38	2	94.7	40	2	95	0	0	.
	Cultivated fungi	0	0	.	20	0	100	20	0	100	0	0	.
	Garlic	1	0	100	18	0	100	19	0	100	0	0	.
	Gherkins	1	0	100	17	0	100	0	0	.	18	0	100
	Head cabbage	0	0	.	39	1	97.4	39	1	97.4	0	0	.
	Kale	0	0	.	1	0	100	1	0	100	0	0	.
	Leek	0	0	.	26	1	96.2	26	1	96.2	0	0	.
	Lettuce	0	0	.	40	0	100	40	0	100	0	0	.
	Onions	3	0	100	27	0	100	30	0	100	0	0	.

Ex = number of samples above MRL; % = percentage of samples below MRL
Figures in bold are subtotals and totals for product groups

Table A1: Exceedence of MRL, number of samples exceeding MRL and percentage of samples below the MRL

Strategy=Surveillance

Product Class	*Product*	*Organic*	*Ex*	*%*	*Non Organic*	*Ex*	*%*	*Raw*	*Ex*	*%*	*Process*	*Ex*	*%*
	Parsley	0	0	.	1	1	0	1	1	0	0	0	.
	Parsley root	1	0	100	8	0	100	9	0	100	0	0	.
	Parsnips	0	0	.	2	0	100	2	0	100	0	0	.
	Peas (with pods)	0	0	.	10	1	90	10	1	90	0	0	.
	Peas (without pods)	0	0	.	3	0	100	3	0	100	0	0	.
	Peppers	1	0	100	36	4	88.9	37	4	89.2	0	0	.
	Potatoes	7	0	100	42	1	97.6	49	1	98	0	0	.
	Radishes	0	0	.	10	0	100	10	0	100	0	0	.
	Spinach	0	0	.	26	0	100	26	0	100	0	0	.
	Sweet corn	0	0	.	1	0	100	0	0	.	1	0	100
	Tomatoes	8	0	100	53	4	92.5	60	4	93.3	1	0	100
Vegetables		***34***	***1***	***97.1***	***559***	***16***	***97.1***	***573***	***17***	***97***	***20***	***0***	***100***
		124	***1***	***99.2***	***1021***	***27***	***97.4***	***938***	***27***	***97.1***	***207***	***1***	***99.5***

Ex = number of samples above MRL; % = percentage of samples below MRL
Figures in bold are subtotals and totals for product groups

Table A2: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level

Strategy=Enforcement

Product Class	*Product*	*Total*	*ND*	*%*	*Domestic*	*ND*	*%*	*EEA*	*ND*	*%*	*Third Country*	*ND*	*%*
Vegetables	Peppers	3	1	66.7	1	0	100	2	1	50	0	0	.
Vegetables		***3***	***1***	***66.7***	***1***	***0***	***100***	***2***	***1***	***50***	***0***	***0***	***.***
		3	***1***	***66.7***	***1***	***0***	***100***	***2***	***1***	***50***	***0***	***0***	***.***

ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)
Figures in bold are subtotals and totals for product groups

Table A2: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level

Strategy=Enforcement

Product Class	*Product*	*Organic*	*ND*	*%*	*Non Organic*	*ND*	*%*	*Raw*	*ND*	*%*	*Process*	*ND*	*%*
Vegetables	Peppers	0	0	.	3	1	66.7	3	1	66.7	0	0	.
Vegetables		***0***	***0***	***.***	***3***	***1***	***66.7***	***3***	***1***	***66.7***	***0***	***0***	***.***
		0	***0***	***.***	***3***	***1***	***66.7***	***3***	***1***	***66.7***	***0***	***0***	***.***

ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)
Figures in bold are subtotals and totals for product groups

Table A2: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level

Strategy=Surveillance

Product Class	*Product*	*Total*	*ND*	*%*	*Domestic*	*ND*	*%*	*EEA*	*ND*	*%*	*Third Country*	*ND*	*%*
Animal products	Bovine Liver	2	1	50	2	1	50	0	0	.	0	0	.
	Bovine Meat	4	0	100	4	0	100	0	0	.	0	0	.
	Eggs Chicken	7	0	100	7	0	100	0	0	.	0	0	.
	Honey	5	0	100	5	0	100	0	0	.	0	0	.
	Milk products	25	10	60	25	10	60	0	0	.	0	0	.
	Poultry Meat	6	0	100	6	0	100	0	0	.	0	0	.
	Sheep Liver	1	0	100	1	0	100	0	0	.	0	0	.
	Swine Liver	2	1	50	2	1	50	0	0	.	0	0	.
	Swine Meat	15	9	40	15	9	40	0	0	.	0	0	.
Animal products		***67***	***21***	***68.7***	***67***	***21***	***68.7***	***0***	***0***	***.***	***0***	***0***	***.***
Baby and infant food	Babyfood	34	5	85.3	17	4	76.5	14	1	92.9	0	0	.
	Infant formulae	16	1	93.8	0	0	.	12	0	100	1	0	100
	Processed cereal-based foods	8	0	100	0	0	.	4	0	100	3	0	100
Baby and infant food		***58***	***6***	***89.7***	***17***	***4***	***76.5***	***30***	***1***	***96.7***	***4***	***0***	***100***
Cereals	Barley	16	12	25	12	8	33.3	4	4	0	0	0	.
	Buckwheat	1	0	100	0	0	.	1	0	100	0	0	.
	Maize	13	2	84.6	9	2	77.8	1	0	100	1	0	100
	Oats	15	4	73.3	15	4	73.3	0	0	.	0	0	.
	Other cereals	35	8	77.1	22	3	86.4	9	4	55.6	2	1	50
	Rice	10	4	60	0	0	.	7	2	71.4	3	2	33.3
	Rye	39	13	66.7	38	13	65.8	1	0	100	0	0	.
	Wheat	30	14	53.3	30	14	53.3	0	0	.	0	0	.
Cereals		***159***	***57***	***64.2***	***126***	***44***	***65.1***	***23***	***10***	***56.5***	***6***	***3***	***50***
Fish products	Fish and fish products	5	2	60	5	2	60	0	0	.	0	0	.
Fish products		***5***	***2***	***60***	***5***	***2***	***60***	***0***	***0***	***.***	***0***	***0***	***.***

ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)
Figures in bold are subtotals and totals for product groups

Table A2: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level

Strategy=Surveillance

Product Class	*Product*	*Total*	*ND*	*%*	*Domestic*	*ND*	*%*	*EEA*	*ND*	*%*	*Third Country*	*ND*	*%*
Fruit and Nuts	Apples	56	49	12.5	27	24	11.1	27	23	14.8	0	0	.
	Apricots	4	4	0	0	0	.	4	4	0	0	0	.
	Bananas	10	9	10	0	0	.	2	2	0	8	7	12.5
	Grapefruit	4	4	0	0	0	.	2	2	0	2	2	0
	Kiwi	9	6	33.3	0	0	.	9	6	33.3	0	0	.
	Lemons	7	5	28.6	0	0	.	6	4	33.3	1	1	0
	Lychee (Litchi)	3	0	100	0	0	.	0	0	.	3	0	100
	Mandarins	14	14	0	0	0	.	8	8	0	6	6	0
	Mangoes	5	5	0	0	0	.	0	0	.	5	5	0
	Miscellaneous fruit	2	2	0	0	0	.	0	0	.	2	2	0
	Oranges	24	19	20.8	2	1	50	18	14	22.2	4	4	0
	Papaya	2	2	0	0	0	.	0	0	.	2	2	0
	Peaches	28	28	0	1	1	0	20	20	0	7	7	0
	Pears	21	8	61.9	4	1	75	11	6	45.5	6	1	83.3
	Pineapples	5	5	0	0	0	.	0	0	.	5	5	0
	Plums	5	1	80	3	0	100	1	1	0	1	0	100
	Pomegranate	1	1	0	0	0	.	0	0	.	1	1	0
	Strawberries	18	15	16.7	3	3	0	11	8	27.3	4	4	0
	Table grapes	17	15	11.8	0	0	.	5	5	0	12	10	16.7
Fruit and Nuts		***235***	***192***	***18.3***	***40***	***30***	***25***	***124***	***103***	***16.9***	***69***	***57***	***17.4***
Infusions	Other herbal infusions	1	0	100	0	0	.	0	0	.	1	0	100
	Tea	4	3	25	0	0	.	1	1	0	2	1	50
Infusions		***5***	***3***	***40***	***0***	***0***	***.***	***1***	***1***	***0***	***3***	***1***	***66.7***
Oil plants	Pumpkin seeds	2	1	50	0	0	.	0	0	.	1	0	100
	Soya bean	9	3	66.7	0	0	.	0	0	.	9	3	66.7

ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)
Figures in bold are subtotals and totals for product groups

Table A2: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level

Strategy=Surveillance

Product Class	*Product*	*Total*	*ND*	*%*	*Domestic*	*ND*	*%*	*EEA*	*ND*	*%*	*Third Country*	*ND*	*%*
	Sunflower seed	7	0	100	1	0	100	1	0	100	4	0	100
Oil plants		***18***	***4***	***77.8***	***1***	***0***	***100***	***1***	***0***	***100***	***14***	***3***	***78.6***
Pulses	Beans (dry)	1	1	0	0	0	.	0	0	.	0	0	.
	Peas (dry)	1	0	100	0	0	.	1	0	100	0	0	.
Pulses		***2***	***1***	***50***	***0***	***0***	***.***	***1***	***0***	***100***	***0***	***0***	***.***
Spices	Spices	3	1	66.7	0	0	.	1	0	100	1	1	0
Spices		***3***	***1***	***66.7***	***0***	***0***	***.***	***1***	***0***	***100***	***1***	***1***	***0***
Vegetables	Aubergines (egg plants)	18	13	27.8	0	0	.	18	13	27.8	0	0	.
	Beans (with pods)	16	8	50	5	3	40	4	3	25	5	1	80
	Beans (without pods)	2	1	50	2	1	50	0	0	.	0	0	.
	Broccoli	10	5	50	2	1	50	8	4	50	0	0	.
	Brussels sprouts	8	8	0	0	0	.	8	8	0	0	0	.
	Carrots	50	31	38	13	6	53.8	36	24	33.3	1	1	0
	Cauliflower	18	5	72.2	6	2	66.7	12	3	75	0	0	.
	Celeriac	10	10	0	8	8	0	2	2	0	0	0	.
	Chinese cabbage	19	12	36.8	9	4	55.6	10	8	20	0	0	.
	Cucumbers	40	36	10	6	6	0	33	29	12.1	1	1	0
	Cultivated fungi	20	15	25	10	10	0	10	5	50	0	0	.
	Garlic	19	4	78.9	0	0	.	6	3	50	13	1	92.3
	Gherkins	18	16	11.1	9	9	0	7	5	28.6	1	1	0
	Head cabbage	39	30	23.1	27	21	22.2	12	9	25	0	0	.
	Kale	1	1	0	0	0	.	1	1	0	0	0	.
	Leek	26	22	15.4	1	1	0	25	21	16	0	0	.
	Lettuce	40	34	15	19	14	26.3	21	20	4.8	0	0	.
	Onions	30	12	60	12	7	41.7	18	5	72.2	0	0	.

ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)
Figures in bold are subtotals and totals for product groups

Table A2: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level

Strategy=Surveillance

Product Class	*Product*	*Total*	*ND*	*%*	*Domestic*	*ND*	*%*	*EEA*	*ND*	*%*	*Third Country*	*ND*	*%*
	Parsley	1	1	0	0	0	.	1	1	0	0	0	.
	Parsley root	9	8	11.1	7	6	14.3	2	2	0	0	0	.
	Parsnips	2	2	0	0	0	.	2	2	0	0	0	.
	Peas (with pods)	10	6	40	6	3	50	4	3	25	0	0	.
	Peas (without pods)	3	0	100	1	0	100	2	0	100	0	0	.
	Peppers	37	29	21.6	3	2	33.3	23	16	30.4	11	11	0
	Potatoes	49	37	24.5	30	25	16.7	18	11	38.9	1	1	0
	Radishes	10	6	40	2	2	0	8	4	50	0	0	.
	Spinach	26	15	42.3	3	1	66.7	19	12	36.8	0	0	.
	Sweet corn	1	0	100	0	0	.	0	0	.	0	0	.
	Tomatoes	61	41	32.8	4	3	25	47	28	40.4	10	10	0
Vegetables		***593***	***408***	***31.2***	***185***	***135***	***27***	***357***	***242***	***32.2***	***43***	***27***	***37.2***
		1145	***695***	***39.3***	***441***	***236***	***46.5***	***538***	***357***	***33.6***	***140***	***92***	***34.3***

ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)
Figures in bold are subtotals and totals for product groups

Table A2: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level

Strategy=Surveillance

Product Class	*Product*	*Organic*	*ND*	*%*	*Non Organic*	*ND*	*%*	*Raw*	*ND*	*%*	*Process*	*ND*	*%*
Animal products	Bovine Liver	0	0	.	2	1	50	0	0	.	2	1	50
	Bovine Meat	0	0	.	4	0	100	0	0	.	4	0	100
	Eggs Chicken	0	0	.	7	0	100	0	0	.	7	0	100
	Honey	0	0	.	5	0	100	0	0	.	5	0	100
	Milk products	0	0	.	25	10	60	0	0	.	25	10	60
	Poultry Meat	0	0	.	6	0	100	0	0	.	6	0	100
	Sheep Liver	0	0	.	1	0	100	0	0	.	1	0	100
	Swine Liver	0	0	.	2	1	50	0	0	.	2	1	50
	Swine Meat	0	0	.	15	9	40	0	0	.	15	9	40
Animal products		***0***	***0***	***.***	***67***	***21***	***68.7***	***0***	***0***	***.***	***67***	***21***	***68.7***
Baby and infant food	Babyfood	12	1	91.7	22	4	81.8	0	0	.	34	5	85.3
	Infant formulae	7	0	100	9	1	88.9	0	0	.	16	1	93.8
	Processed cereal-based foods	2	0	100	6	0	100	0	0	.	8	0	100
Baby and infant food		***21***	***1***	***95.2***	***37***	***5***	***86.5***	***0***	***0***	***.***	***58***	***6***	***89.7***
Cereals	Barley	4	4	0	12	8	33.3	16	12	25	0	0	.
	Buckwheat	1	0	100	0	0	.	1	0	100	0	0	.
	Maize	1	0	100	12	2	83.3	8	2	75	5	0	100
	Oats	7	0	100	8	4	50	15	4	73.3	0	0	.
	Other cereals	21	2	90.5	14	6	57.1	23	3	87	12	5	58.3
	Rice	5	1	80	5	3	40	10	4	60	0	0	.
	Rye	4	0	100	35	13	62.9	36	13	63.9	3	0	100
	Wheat	1	0	100	29	14	51.7	16	9	43.8	14	5	64.3
Cereals		***44***	***7***	***84.1***	***115***	***50***	***56.5***	***125***	***47***	***62.4***	***34***	***10***	***70.6***
Fish products	Fish and fish products	0	0	.	5	2	60	0	0	.	5	2	60
Fish products		***0***	***0***	***.***	***5***	***2***	***60***	***0***	***0***	***.***	***5***	***2***	***60***

ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)
Figures in bold are subtotals and totals for product groups

Table A2: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level

Strategy=Surveillance

Product Class	*Product*	*Organic*	*ND*	*%*	*Non Organic*	*ND*	*%*	*Raw*	*ND*	*%*	*Process*	*ND*	*%*
Fruit and Nuts	Apples	6	1	83.3	50	48	4	53	47	11.3	3	2	33.3
	Apricots	0	0	.	4	4	0	4	4	0	0	0	.
	Bananas	1	0	100	9	9	0	10	9	10	0	0	.
	Grapefruit	0	0	.	4	4	0	4	4	0	0	0	.
	Kiwi	1	0	100	8	6	25	9	6	33.3	0	0	.
	Lemons	2	0	100	5	5	0	7	5	28.6	0	0	.
	Lychee (Litchi)	0	0	.	3	0	100	3	0	100	0	0	.
	Mandarins	0	0	.	14	14	0	14	14	0	0	0	.
	Mangoes	0	0	.	5	5	0	5	5	0	0	0	.
	Miscellaneous fruit	0	0	.	2	2	0	2	2	0	0	0	.
	Oranges	2	0	100	22	19	13.6	18	17	5.6	6	2	66.7
	Papaya	0	0	.	2	2	0	2	2	0	0	0	.
	Peaches	0	0	.	28	28	0	28	28	0	0	0	.
	Pears	3	1	66.7	18	7	61.1	21	8	61.9	0	0	.
	Pineapples	0	0	.	5	5	0	5	5	0	0	0	.
	Plums	1	0	100	4	1	75	5	1	80	0	0	.
	Pomegranate	0	0	.	1	1	0	1	1	0	0	0	.
	Strawberries	0	0	.	18	15	16.7	18	15	16.7	0	0	.
	Table grapes	0	0	.	17	15	11.8	17	15	11.8	0	0	.
Fruit and Nuts		***16***	***2***	***87.5***	***219***	***190***	***13.2***	***226***	***188***	***16.8***	***9***	***4***	***55.6***
Infusions	Other herbal infusions	0	0	.	1	0	100	0	0	.	1	0	100
	Tea	0	0	.	4	3	25	0	0	.	4	3	25
Infusions		***0***	***0***	***.***	***5***	***3***	***40***	***0***	***0***	***.***	***5***	***3***	***40***
Oil plants	Pumpkin seeds	2	1	50	0	0	.	1	0	100	1	1	0
	Soya bean	3	0	100	6	3	50	9	3	66.7	0	0	.

ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)
Figures in bold are subtotals and totals for product groups

Table A2: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level

Strategy=Surveillance

Product Class	*Product*	*Organic*	*ND*	*%*	*Non Organic*	*ND*	*%*	*Raw*	*ND*	*%*	*Process*	*ND*	*%*
	Sunflower seed	3	0	100	4	0	100	2	0	100	5	0	100
Oil plants		***8***	***1***	***87.5***	***10***	***3***	***70***	***12***	***3***	***75***	***6***	***1***	***83.3***
Pulses	Beans (dry)	0	0	.	1	1	0	1	1	0	0	0	.
	Peas (dry)	0	0	.	1	0	100	1	0	100	0	0	.
Pulses		***0***	***0***	***.***	***2***	***1***	***50***	***2***	***1***	***50***	***0***	***0***	***.***
Spices	Spices	1	0	100	2	1	50	0	0	.	3	1	66.7
Spices		***1***	***0***	***100***	***2***	***1***	***50***	***0***	***0***	***.***	***3***	***1***	***66.7***
Vegetables	Aubergines (egg plants)	0	0	.	18	13	27.8	18	13	27.8	0	0	.
	Beans (with pods)	0	0	.	16	8	50	16	8	50	0	0	.
	Beans (without pods)	0	0	.	2	1	50	2	1	50	0	0	.
	Broccoli	0	0	.	10	5	50	10	5	50	0	0	.
	Brussels sprouts	0	0	.	8	8	0	8	8	0	0	0	.
	Carrots	10	4	60	40	27	32.5	50	31	38	0	0	.
	Cauliflower	0	0	.	18	5	72.2	18	5	72.2	0	0	.
	Celeriac	0	0	.	10	10	0	10	10	0	0	0	.
	Chinese cabbage	0	0	.	19	12	36.8	19	12	36.8	0	0	.
	Cucumbers	2	0	100	38	36	5.3	40	36	10	0	0	.
	Cultivated fungi	0	0	.	20	15	25	20	15	25	0	0	.
	Garlic	1	0	100	18	4	77.8	19	4	78.9	0	0	.
	Gherkins	1	0	100	17	16	5.9	0	0	.	18	16	11.1
	Head cabbage	0	0	.	39	30	23.1	39	30	23.1	0	0	.
	Kale	0	0	.	1	1	0	1	1	0	0	0	.
	Leek	0	0	.	26	22	15.4	26	22	15.4	0	0	.
	Lettuce	0	0	.	40	34	15	40	34	15	0	0	.
	Onions	3	0	100	27	12	55.6	30	12	60	0	0	.

ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)
Figures in bold are subtotals and totals for product groups

Table A2: Samples above reporting level, number of samples above reporting level and percentage of samples below the reporting level

Strategy=Surveillance

Product Class	*Product*	*Organic*	*ND*	*%*	*Non Organic*	*ND*	*%*	*Raw*	*ND*	*%*	*Process*	*ND*	*%*
	Parsley	0	0	.	1	1	0	1	1	0	0	0	.
	Parsley root	1	0	100	8	8	0	9	8	11.1	0	0	.
	Parsnips	0	0	.	2	2	0	2	2	0	0	0	.
	Peas (with pods)	0	0	.	10	6	40	10	6	40	0	0	.
	Peas (without pods)	0	0	.	3	0	100	3	0	100	0	0	.
	Peppers	1	0	100	36	29	19.4	37	29	21.6	0	0	.
	Potatoes	7	1	85.7	42	36	14.3	49	37	24.5	0	0	.
	Radishes	0	0	.	10	6	40	10	6	40	0	0	.
	Spinach	0	0	.	26	15	42.3	26	15	42.3	0	0	.
	Sweet corn	0	0	.	1	0	100	0	0	.	1	0	100
	Tomatoes	8	1	87.5	53	40	24.5	60	40	33.3	1	1	0
Vegetables		***34***	***6***	***82.4***	***559***	***402***	***28.1***	***573***	***391***	***31.8***	***20***	***17***	***15***
		124	***17***	***86.3***	***1021***	***678***	***33.6***	***938***	***630***	***32.8***	***207***	***65***	***68.6***

ND = number of samples with residues above the reporting level (LOQ) % = percentage samples below reporting level (LOQ)
Figures in bold are subtotals and totals for product groups

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Animal Feed*	*Nr Found*	*MRL Ex*
1	2,4 DB	0	0	0
2	2,4,5-T	0	0	0
3	2,4-D (sum)	0	0	0
4	2-Naphthoxyacetic acid	0	0	0
5	3,5-Dichloroaniline	0	0	0
6	3-Chloroaniline	0	0	0
7	3-hydroxy -carbofuran	0	0	0
8	4-Chlorophenoxy acetic acid	0	0	0
9	Abamectin (sum)	0	0	0
10	Acephate	0	0	0
11	Acetamiprid	0	0	0
12	Acrinathrin	0	0	0
13	Aldicarb	0	0	0
14	Aldicarb (sum)	0	0	0
15	Aldicarb-Sulfone	0	0	0
16	Aldicarb-Sulfoxide	0	0	0
17	Aldrin	0	0	0
18	Aldrin and Dieldrin	0	0	0
19	Amitraz (sum)	0	0	0
20	Azinphos-ethyl	0	0	0
21	Azinphos-methyl	0	0	0
22	Azoxystrobin	0	0	0
23	Bentazone	0	0	0
24	Bentazone (sum animal products)	0	0	0
25	Bentazone-8-hydroxy	0	0	0
26	Bifenthrin	0	0	0
27	Biphenyl	0	0	0
28	Bitertanol	0	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Animal Feed*	*Nr Found*	*MRL Ex*
29	Boscalid	0	0	0
30	Bromide ion	0	0	0
31	Bromophos-ethyl	0	0	0
32	Bromopropylate	0	0	0
33	Bromoxynil (sum)	0	0	0
34	Bromuconazole (sum)	0	0	0
35	Bupirimate	0	0	0
36	Buprofezin	0	0	0
37	Cadusafos	0	0	0
38	Camphechlor	0	0	0
39	Captafol	0	0	0
40	Captan	0	0	0
41	Carbaryl	0	0	0
42	Carbendazim	0	0	0
43	Carbendazim and benomyl	0	0	0
44	Carbofuran	0	0	0
45	Carbofuran (sum)	0	0	0
46	Chinomethionat	0	0	0
47	Chlordane	0	0	0
48	Chlorfenapyr	0	0	0
49	Chlorfenvinphos	0	0	0
50	Chlormequat	0	0	0
51	Chlorobenzilate	0	0	0
52	Chlorothalonil	0	0	0
53	Chloroxuron	0	0	0
54	Chlorpropham	0	0	0
55	Chlorpropham (sum)	0	0	0
56	Chlorpyrifos	0	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Animal Feed*	*Nr Found*	*MRL Ex*
57	Chlorpyrifos-methyl	0	0	0
58	Clofentezine	0	0	0
59	Clopyralid	0	0	0
60	Clothianidin	0	0	0
61	Cycloxydim (sum)	0	0	0
62	Cyfluthrin	0	0	0
63	Cyfluthrin (sum)	0	0	0
64	Cypermethrin (sum)	0	0	0
65	Cyproconazole	0	0	0
66	Cyprodinil	0	0	0
67	Cyromazine	0	0	0
68	DDD, o,p-	0	0	0
69	DDD, p,p-	0	0	0
70	DDE, o,p-	0	0	0
71	DDE, p,p-	0	0	0
72	DDT (sum)	0	0	0
73	DDT, o,p-	0	0	0
74	DDT, p,p-	0	0	0
75	DMSA	0	0	0
76	Deltamethrin	0	0	0
77	Demeton-S-Methyl	0	0	0
78	Demeton-S-Methyl (sum baby and infant food)	0	0	0
79	Demeton-S-Methylsulfone	0	0	0
80	Desmethyl pirimicarb	0	0	0
81	Diazinon	0	0	0
82	Dicamba	0	0	0
83	Dichlofluanid	0	0	0
84	Dichlorprop incl. Dichlorprop-P	0	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Animal Feed*	*Nr Found*	*MRL Ex*
85	Dichlorvos	0	0	0
86	Dicloran	0	0	0
87	Dicofol (sum)	0	0	0
88	Dicrotophos	0	0	0
89	Dieldrin	0	0	0
90	Diethofencarb	0	0	0
91	Difenoconazole	0	0	0
92	Diflubenzuron	0	0	0
93	Dimethoate	0	0	0
94	Dimethoate (sum)	0	0	0
95	Dimethomorph	0	0	0
96	Dimethylaminosulfotoluidide	0	0	0
97	Dimoxystrobin	0	0	0
98	Diniconazole	0	0	0
99	Diphenylamine	0	0	0
100	Disulfoton	0	0	0
101	Disulfoton (sum)	0	0	0
102	Disulfoton-Sulfon	0	0	0
103	Disulfoton-Sulfoxid	0	0	0
104	Dithiocarbamates	0	0	0
105	Dodine	0	0	0
106	EPN	0	0	0
107	Endosulfan (sum)	0	0	0
108	Endosulfansulfate	0	0	0
109	Endrin	0	0	0
110	Epoxiconazole	0	0	0
111	Ethiofencarb	0	0	0
112	Ethion	0	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Animal Feed*	*Nr Found*	*MRL Ex*
113	Ethoprophos	0	0	0
114	Ethoxyquin	0	0	0
115	Etofenprox	0	0	0
116	Etrimfos	0	0	0
117	Fenamiphos	0	0	0
118	Fenamiphos (sum)	0	0	0
119	Fenamiphos-Sulfon	0	0	0
120	Fenamiphos-Sulfoxid	0	0	0
121	Fenarimol	0	0	0
122	Fenazaquin	0	0	0
123	Fenbuconazole	0	0	0
124	Fenhexamid	0	0	0
125	Fenitrothion	0	0	0
126	Fenoprop	0	0	0
127	Fenoxaprop-P	0	0	0
128	Fenoxycarb	0	0	0
129	Fenpropathrin	0	0	0
130	Fenpropimorph	0	0	0
131	Fenpyroximate	0	0	0
132	Fensulfothion	0	0	0
133	Fensulfothion (sum)	0	0	0
134	Fensulfothion oxon	0	0	0
135	Fensulfothion-sulfon	0	0	0
136	Fenthion	0	0	0
137	Fenthion (sum)	0	0	0
138	Fenthion-Oxon	0	0	0
139	Fenthion-Oxonsulfoxide	0	0	0
140	Fenthion-Sulfon	0	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Animal Feed*	*Nr Found*	*MRL Ex*
141	Fenthion-Sulfoxide	0	0	0
142	Fenthion-oxonsulfone	0	0	0
143	Fentin (animal products)	0	0	0
144	Fenvalerate	0	0	0
145	Fenvalerate and Esfenvalerate (sum of RR and SS isom	0	0	0
146	Fenvalerate and Esfenvalerate (sum of RS and SR isom	0	0	0
147	Fipronil	0	0	0
148	Fipronil (sum baby and infant food)	0	0	0
149	Fipronil (sum)	0	0	0
150	Fipronil-Desulfinyl	0	0	0
151	Florasulam	0	0	0
152	Fluazifop	0	0	0
153	Fluazifop-Butyl	0	0	0
154	Fluazifop-P-butyl (sum)	0	0	0
155	Flucythrinate	0	0	0
156	Fludioxonil	0	0	0
157	Flufenoxuron	0	0	0
158	Fluoxastrobin	0	0	0
159	Fluquinconazole	0	0	0
160	Fluroxypyr (sum)	0	0	0
161	Flusilazole	0	0	0
162	Flutriafol	0	0	0
163	Folpet	0	0	0
164	Fomesafen	0	0	0
165	Fonofos	0	0	0
166	Formetanate	0	0	0
167	Formetanate (sum)	0	0	0
168	Formothion	0	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Animal Feed*	*Nr Found*	*MRL Ex*
169	Fosthiazate	0	0	0
170	Glyphosate	0	0	0
171	HCH (sum)	0	0	0
172	HCH alpha	0	0	0
173	HCH beta	0	0	0
174	HCH delta	0	0	0
175	Haloxyfop	0	0	0
176	Haloxyfop (sum baby and infant food)	0	0	0
177	Haloxyfop including haloxyfop-R	0	0	0
178	Haloxyfop-Methyl	0	0	0
179	Heptachlor	0	0	0
180	Heptachlor (sum)	0	0	0
181	Heptachlor epoxide	0	0	0
182	Heptenophos	0	0	0
183	Hexachlorobenzene	0	0	0
184	Hexaconazole	0	0	0
185	Hexythiazox	0	0	0
186	Imazalil	0	0	0
187	Imazapyr	0	0	0
188	Imazaquin	0	0	0
189	Imazethapyr	0	0	0
190	Imazosulfuron	0	0	0
191	Imidacloprid	0	0	0
192	Indoxacarb	0	0	0
193	Ioxynil	0	0	0
194	Iprodione	0	0	0
195	Iprovalicarb	0	0	0
196	Isofenphos-Methyl	0	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Animal Feed*	*Nr Found*	*MRL Ex*
197	Isoproturon	0	0	0
198	Kresoxim-methyl	0	0	0
199	Lambda-Cyhalothrin	0	0	0
200	Lindane	0	0	0
201	Linuron	0	0	0
202	Lufenuron	0	0	0
203	MCPA	0	0	0
204	MCPA and MCPB	0	0	0
205	MCPB	0	0	0
206	Malaoxon	0	0	0
207	Malathion	0	0	0
208	Malathion (sum)	0	0	0
209	Mecarbam	0	0	0
210	Mecoprop (sum)	0	0	0
211	Mepanipyrim (sum)	0	0	0
212	Mepiquat	0	0	0
213	Mepronil	0	0	0
214	Metalaxyl (sum)	0	0	0
215	Metamitron	0	0	0
216	Metamitron-desamino	0	0	0
217	Metconazole	0	0	0
218	Methacrifos	0	0	0
219	Methamidophos	0	0	0
220	Methidathion	0	0	0
221	Methiocarb	0	0	0
222	Methiocarb (sum)	0	0	0
223	Methiocarb-Sulfon	0	0	0
224	Methiocarb-Sulfoxid	0	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Animal Feed*	*Nr Found*	*MRL Ex*
225	Methomyl	0	0	0
226	Methomyl and Thiodicarb	0	0	0
227	Methoxychlor	0	0	0
228	Methoxyfenozide	0	0	0
229	Metobromuron	0	0	0
230	Metolcarb	0	0	0
231	Metominostrobin	0	0	0
232	Metosulam	0	0	0
233	Metoxuron	0	0	0
234	Metsulfuron-methyl	0	0	0
235	Mevinphos	0	0	0
236	Mirex	0	0	0
237	Monocrotophos	0	0	0
238	Monuron	0	0	0
239	Myclobutanil	0	0	0
240	Nitrofen	0	0	0
241	Omethoate	0	0	0
242	Orthophenylphenol	0	0	0
243	Oxadixyl	0	0	0
244	Oxamyl	0	0	0
245	Oxamyl-Oxime	0	0	0
246	Oxydemeton-methyl	0	0	0
247	Oxydemeton-methyl (sum)	0	0	0
248	Paclobutrazol	0	0	0
249	Paraoxon-Methyl	0	0	0
250	Parathion	0	0	0
251	Parathion-methyl	0	0	0
252	Parathion-methyl (sum)	0	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Animal Feed*	*Nr Found*	*MRL Ex*
253	Penconazole	0	0	0
254	Pencycuron	0	0	0
255	Pendimethalin	0	0	0
256	Pentachloroaniline	0	0	0
257	Pentachlorophenol	0	0	0
258	Permethrin (sum)	0	0	0
259	Phorate	0	0	0
260	Phorate (sum)	0	0	0
261	Phorate-Sulfon	0	0	0
262	Phorate-Sulfoxid	0	0	0
263	Phosalone	0	0	0
264	Phosmet	0	0	0
265	Phosmet (sum)	0	0	0
266	Phosmet oxon	0	0	0
267	Phosphamidon	0	0	0
268	Phoxim	0	0	0
269	Picloram	0	0	0
270	Picoxystrobin	0	0	0
271	Piperonyl Butoxide	0	0	0
272	Pirimicarb	0	0	0
273	Pirimicarb (sum)	0	0	0
274	Pirimiphos-Ethyl	0	0	0
275	Pirimiphos-methyl	0	0	0
276	Prochloraz (sum)	0	0	0
277	Procymidone	0	0	0
278	Profenofos	0	0	0
279	Propachlor (sum)	0	0	0
280	Propamocarb (sum)	0	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Animal Feed*	*Nr Found*	*MRL Ex*
281	Propargite	0	0	0
282	Propham	0	0	0
283	Propiconazole	0	0	0
284	Propineb	0	0	0
285	Propoxur	0	0	0
286	Propyzamide	0	0	0
287	Prothioconazole	0	0	0
288	Prothioconazole (Prothioconazole-Desthio)	0	0	0
289	Prothioconazole-Desthio	0	0	0
290	Prothiofos	0	0	0
291	Pymetrozine	0	0	0
292	Pyraclostrobin	0	0	0
293	Pyrazophos	0	0	0
294	Pyrethrins	0	0	0
295	Pyridaben	0	0	0
296	Pyrifenox	0	0	0
297	Pyrimethanil	0	0	0
298	Pyriproxyfen	0	0	0
299	Quinalphos	0	0	0
300	Quinmerac	0	0	0
301	Quinoxyfen	0	0	0
302	Quintozene	0	0	0
303	Quintozene (sum)	0	0	0
304	Quizalofop (including Quizalfop-P)	0	0	0
305	Quizalofop-P-ethyl	0	0	0
306	RF-00000001-PPP	0	0	0
307	RF-00000147-VET	0	0	0
308	Resmethrin (sum)	0	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Animal Feed*	*Nr Found*	*MRL Ex*
309	Rimsulfuron	0	0	0
310	Spinosad (sum)	0	0	0
311	Spiroxamine	0	0	0
312	Sulfotep	0	0	0
313	Tebuconazole	0	0	0
314	Tebufenozide	0	0	0
315	Tebufenpyrad	0	0	0
316	Tecnazene	0	0	0
317	Teflubenzuron	0	0	0
318	Tefluthrin	0	0	0
319	Terbufos	0	0	0
320	Terbufos (sum)	0	0	0
321	Terbufos Sulfone	0	0	0
322	Terbufos Sulfoxide	0	0	0
323	Tetraconazole	0	0	0
324	Tetradifon	0	0	0
325	Thiabendazole	0	0	0
326	Thiacloprid	0	0	0
327	Thiametoxam	0	0	0
328	Thiametoxam (sum)	0	0	0
329	Thifensulfuron-methyl	0	0	0
330	Thiodicarb	0	0	0
331	Thiometon	0	0	0
332	Thiophanate-methyl	0	0	0
333	Tolclofos-methyl	0	0	0
334	Tolylfluanid	0	0	0
335	Tolylfluanid (sum)	0	0	0
336	Triadimefon	0	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Animal Feed*	*Nr Found*	*MRL Ex*
337	Triadimefon (sum)	0	0	0
338	Triadimenol	0	0	0
339	Triazamate	0	0	0
340	Triazophos	0	0	0
341	Trichlorfon	0	0	0
342	Trifloxystrobin	0	0	0
343	Triflumuron	0	0	0
344	Trifluralin	0	0	0
345	Triforine	0	0	0
346	Triticonazole	0	0	0
347	Vamidothion	0	0	0
348	Vamidothion (sum of Vamidothion, Vamidothion-sulfon	0	0	0
349	Vamidothion sulfone	0	0	0
350	Vamidothion sulfoxide	0	0	0
351	Vinclozolin	0	0	0
352	Vinclozolin (sum)	0	0	0
353	alpha-Endosulfan	0	0	0
354	beta-Endosulfan	0	0	0
355	tau-Fluvalinate	0	0	0
		0	*0*	*0*

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Animal Products*	*Nr Found*	*MRL Ex*
1	2,4 DB	0	0	0
2	2,4,5-T	0	0	0
3	2,4-D (sum)	0	0	0
4	2-Naphthoxyacetic acid	0	0	0
5	3,5-Dichloroaniline	0	0	0
6	3-Chloroaniline	0	0	0
7	3-hydroxy -carbofuran	0	0	0
8	4-Chlorophenoxy acetic acid	0	0	0
9	Abamectin (sum)	67	0	0
10	Acephate	0	0	0
11	Acetamiprid	0	0	0
12	Acrinathrin	0	0	0
13	Aldicarb	0	0	0
14	Aldicarb (sum)	0	0	0
15	Aldicarb-Sulfone	0	0	0
16	Aldicarb-Sulfoxide	0	0	0
17	Aldrin	0	0	0
18	Aldrin and Dieldrin	0	0	0
19	Amitraz (sum)	0	0	0
20	Azinphos-ethyl	67	0	0
21	Azinphos-methyl	0	0	0
22	Azoxystrobin	0	0	0
23	Bentazone	0	0	0
24	Bentazone (sum animal products)	0	0	0
25	Bentazone-8-hydroxy	0	0	0
26	Bifenthrin	67	0	0
27	Biphenyl	0	0	0
28	Bitertanol	0	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Animal Products*	*Nr Found*	*MRL Ex*
29	Boscalid	0	0	0
30	Bromide ion	0	0	0
31	Bromophos-ethyl	0	0	0
32	Bromopropylate	0	0	0
33	Bromoxynil (sum)	0	0	0
34	Bromuconazole (sum)	0	0	0
35	Bupirimate	0	0	0
36	Buprofezin	0	0	0
37	Cadusafos	0	0	0
38	Camphechlor	67	0	0
39	Captafol	0	0	0
40	Captan	0	0	0
41	Carbaryl	0	0	0
42	Carbendazim	0	0	0
43	Carbendazim and benomyl	0	0	0
44	Carbofuran	0	0	0
45	Carbofuran (sum)	0	0	0
46	Chinomethionat	0	0	0
47	Chlordane	67	0	0
48	Chlorfenapyr	0	0	0
49	Chlorfenvinphos	0	0	0
50	Chlormequat	0	0	0
51	Chlorobenzilate	67	0	0
52	Chlorothalonil	0	0	0
53	Chloroxuron	0	0	0
54	Chlorpropham	0	0	0
55	Chlorpropham (sum)	0	0	0
56	Chlorpyrifos	67	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Animal Products*	*Nr Found*	*MRL Ex*
57	Chlorpyrifos-methyl	67	0	0
58	Clofentezine	0	0	0
59	Clopyralid	0	0	0
60	Clothianidin	0	0	0
61	Cycloxydim (sum)	0	0	0
62	Cyfluthrin	67	0	0
63	Cyfluthrin (sum)	0	0	0
64	Cypermethrin (sum)	67	0	0
65	Cyproconazole	0	0	0
66	Cyprodinil	0	0	0
67	Cyromazine	0	0	0
68	DDD, o,p-	0	0	0
69	DDD, p,p-	0	0	0
70	DDE, o,p-	0	0	0
71	DDE, p,p-	0	0	0
72	DDT (sum)	67	21	0
73	DDT, o,p-	0	0	0
74	DDT, p,p-	0	0	0
75	DMSA	0	0	0
76	Deltamethrin	0	0	0
77	Demeton-S-Methyl	0	0	0
78	Demeton-S-Methyl (sum baby and infant food)	0	0	0
79	Demeton-S-Methylsulfone	0	0	0
80	Desmethyl pirimicarb	0	0	0
81	Diazinon	67	0	0
82	Dicamba	0	0	0
83	Dichlofluanid	0	0	0
84	Dichlorprop incl. Dichlorprop-P	0	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Animal Products*	*Nr Found*	*MRL Ex*
85	Dichlorvos	0	0	0
86	Dicloran	0	0	0
87	Dicofol (sum)	0	0	0
88	Dicrotophos	0	0	0
89	Dieldrin	67	0	0
90	Diethofencarb	0	0	0
91	Difenoconazole	0	0	0
92	Diflubenzuron	0	0	0
93	Dimethoate	0	0	0
94	Dimethoate (sum)	0	0	0
95	Dimethomorph	0	0	0
96	Dimethylaminosulfotoluidide	0	0	0
97	Dimoxystrobin	0	0	0
98	Diniconazole	0	0	0
99	Diphenylamine	0	0	0
100	Disulfoton	0	0	0
101	Disulfoton (sum)	0	0	0
102	Disulfoton-Sulfon	0	0	0
103	Disulfoton-Sulfoxid	0	0	0
104	Dithiocarbamates	0	0	0
105	Dodine	0	0	0
106	EPN	0	0	0
107	Endosulfan (sum)	67	0	0
108	Endosulfansulfate	0	0	0
109	Endrin	67	0	0
110	Epoxiconazole	0	0	0
111	Ethiofencarb	0	0	0
112	Ethion	0	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Animal Products*	*Nr Found*	*MRL Ex*
113	Ethoprophos	0	0	0
114	Ethoxyquin	0	0	0
115	Etofenprox	0	0	0
116	Etrimfos	0	0	0
117	Fenamiphos	0	0	0
118	Fenamiphos (sum)	0	0	0
119	Fenamiphos-Sulfon	0	0	0
120	Fenamiphos-Sulfoxid	0	0	0
121	Fenarimol	0	0	0
122	Fenazaquin	0	0	0
123	Fenbuconazole	0	0	0
124	Fenhexamid	0	0	0
125	Fenitrothion	0	0	0
126	Fenoprop	0	0	0
127	Fenoxaprop-P	0	0	0
128	Fenoxycarb	0	0	0
129	Fenpropathrin	0	0	0
130	Fenpropimorph	0	0	0
131	Fenpyroximate	0	0	0
132	Fensulfothion	0	0	0
133	Fensulfothion (sum)	0	0	0
134	Fensulfothion oxon	0	0	0
135	Fensulfothion-sulfon	0	0	0
136	Fenthion	67	0	0
137	Fenthion (sum)	0	0	0
138	Fenthion-Oxon	0	0	0
139	Fenthion-Oxonsulfoxide	0	0	0
140	Fenthion-Sulfon	0	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Animal Products*	*Nr Found*	*MRL Ex*
141	Fenthion-Sulfoxide	0	0	0
142	Fenthion-oxonsulfone	0	0	0
143	Fentin (animal products)	0	0	0
144	Fenvalerate	67	0	0
145	Fenvalerate and Esfenvalerate (sum of RR and SS isom	0	0	0
146	Fenvalerate and Esfenvalerate (sum of RS and SR isom	0	0	0
147	Fipronil	0	0	0
148	Fipronil (sum baby and infant food)	0	0	0
149	Fipronil (sum)	0	0	0
150	Fipronil-Desulfinyl	0	0	0
151	Florasulam	0	0	0
152	Fluazifop	0	0	0
153	Fluazifop-Butyl	0	0	0
154	Fluazifop-P-butyl (sum)	0	0	0
155	Flucythrinate	0	0	0
156	Fludioxonil	0	0	0
157	Flufenoxuron	0	0	0
158	Fluoxastrobin	0	0	0
159	Fluquinconazole	0	0	0
160	Fluroxypyr (sum)	0	0	0
161	Flusilazole	0	0	0
162	Flutriafol	0	0	0
163	Folpet	0	0	0
164	Fomesafen	0	0	0
165	Fonofos	0	0	0
166	Formetanate	0	0	0
167	Formetanate (sum)	0	0	0
168	Formothion	0	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Animal Products*	*Nr Found*	*MRL Ex*
169	Fosthiazate	0	0	0
170	Glyphosate	0	0	0
171	HCH (sum)	0	0	0
172	HCH alpha	67	0	0
173	HCH beta	67	0	0
174	HCH delta	0	0	0
175	Haloxyfop	0	0	0
176	Haloxyfop (sum baby and infant food)	0	0	0
177	Haloxyfop including haloxyfop-R	0	0	0
178	Haloxyfop-Methyl	0	0	0
179	Heptachlor	67	0	0
180	Heptachlor (sum)	0	0	0
181	Heptachlor epoxide	0	0	0
182	Heptenophos	0	0	0
183	Hexachlorobenzene	67	15	0
184	Hexaconazole	0	0	0
185	Hexythiazox	0	0	0
186	Imazalil	0	0	0
187	Imazapyr	0	0	0
188	Imazaquin	0	0	0
189	Imazethapyr	0	0	0
190	Imazosulfuron	0	0	0
191	Imidacloprid	0	0	0
192	Indoxacarb	0	0	0
193	Ioxynil	0	0	0
194	Iprodione	0	0	0
195	Iprovalicarb	0	0	0
196	Isofenphos-Methyl	0	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Animal Products*	*Nr Found*	*MRL Ex*
197	Isoproturon	0	0	0
198	Kresoxim-methyl	0	0	0
199	Lambda-Cyhalothrin	0	0	0
200	Lindane	67	0	0
201	Linuron	0	0	0
202	Lufenuron	0	0	0
203	MCPA	0	0	0
204	MCPA and MCPB	0	0	0
205	MCPB	0	0	0
206	Malaoxon	0	0	0
207	Malathion	0	0	0
208	Malathion (sum)	0	0	0
209	Mecarbam	0	0	0
210	Mecoprop (sum)	0	0	0
211	Mepanipyrim (sum)	0	0	0
212	Mepiquat	0	0	0
213	Mepronil	0	0	0
214	Metalaxyl (sum)	0	0	0
215	Metamitron	0	0	0
216	Metamitron-desamino	0	0	0
217	Metconazole	0	0	0
218	Methacrifos	0	0	0
219	Methamidophos	0	0	0
220	Methidathion	67	0	0
221	Methiocarb	0	0	0
222	Methiocarb (sum)	0	0	0
223	Methiocarb-Sulfon	0	0	0
224	Methiocarb-Sulfoxid	0	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Animal Products*	*Nr Found*	*MRL Ex*
225	Methomyl	0	0	0
226	Methomyl and Thiodicarb	0	0	0
227	Methoxychlor	67	0	0
228	Methoxyfenozide	0	0	0
229	Metobromuron	0	0	0
230	Metolcarb	0	0	0
231	Metominostrobin	0	0	0
232	Metosulam	0	0	0
233	Metoxuron	0	0	0
234	Metsulfuron-methyl	0	0	0
235	Mevinphos	0	0	0
236	Mirex	0	0	0
237	Monocrotophos	0	0	0
238	Monuron	0	0	0
239	Myclobutanil	0	0	0
240	Nitrofen	0	0	0
241	Omethoate	0	0	0
242	Orthophenylphenol	0	0	0
243	Oxadixyl	0	0	0
244	Oxamyl	0	0	0
245	Oxamyl-Oxime	0	0	0
246	Oxydemeton-methyl	0	0	0
247	Oxydemeton-methyl (sum)	0	0	0
248	Paclobutrazol	0	0	0
249	Paraoxon-Methyl	0	0	0
250	Parathion	67	0	0
251	Parathion-methyl	67	0	0
252	Parathion-methyl (sum)	0	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Animal Products*	*Nr Found*	*MRL Ex*
253	Penconazole	0	0	0
254	Pencycuron	0	0	0
255	Pendimethalin	0	0	0
256	Pentachloroaniline	0	0	0
257	Pentachlorophenol	0	0	0
258	Permethrin (sum)	67	0	0
259	Phorate	0	0	0
260	Phorate (sum)	0	0	0
261	Phorate-Sulfon	0	0	0
262	Phorate-Sulfoxid	0	0	0
263	Phosalone	0	0	0
264	Phosmet	0	0	0
265	Phosmet (sum)	0	0	0
266	Phosmet oxon	0	0	0
267	Phosphamidon	0	0	0
268	Phoxim	0	0	0
269	Picloram	0	0	0
270	Picoxystrobin	0	0	0
271	Piperonyl Butoxide	0	0	0
272	Pirimicarb	0	0	0
273	Pirimicarb (sum)	0	0	0
274	Pirimiphos-Ethyl	0	0	0
275	Pirimiphos-methyl	67	0	0
276	Prochloraz (sum)	0	0	0
277	Procymidone	0	0	0
278	Profenofos	67	0	0
279	Propachlor (sum)	0	0	0
280	Propamocarb (sum)	0	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Animal Products*	*Nr Found*	*MRL Ex*
281	Propargite	0	0	0
282	Propham	0	0	0
283	Propiconazole	0	0	0
284	Propineb	0	0	0
285	Propoxur	0	0	0
286	Propyzamide	0	0	0
287	Prothioconazole	0	0	0
288	Prothioconazole (Prothioconazole-Desthio)	0	0	0
289	Prothioconazole-Desthio	0	0	0
290	Prothiofos	0	0	0
291	Pymetrozine	0	0	0
292	Pyraclostrobin	0	0	0
293	Pyrazophos	67	0	0
294	Pyrethrins	0	0	0
295	Pyridaben	0	0	0
296	Pyrifenox	0	0	0
297	Pyrimethanil	0	0	0
298	Pyriproxyfen	0	0	0
299	Quinalphos	0	0	0
300	Quinmerac	0	0	0
301	Quinoxyfen	0	0	0
302	Quintozene	67	0	0
303	Quintozene (sum)	0	0	0
304	Quizalofop (including Quizalfop-P)	0	0	0
305	Quizalofop-P-ethyl	0	0	0
306	RF-00000001-PPP	0	0	0
307	RF-00000147-VET	67	0	0
308	Resmethrin (sum)	67	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Animal Products*	*Nr Found*	*MRL Ex*
309	Rimsulfuron	0	0	0
310	Spinosad (sum)	0	0	0
311	Spiroxamine	0	0	0
312	Sulfotep	0	0	0
313	Tebuconazole	0	0	0
314	Tebufenozide	0	0	0
315	Tebufenpyrad	0	0	0
316	Tecnazene	67	0	0
317	Teflubenzuron	0	0	0
318	Tefluthrin	0	0	0
319	Terbufos	0	0	0
320	Terbufos (sum)	0	0	0
321	Terbufos Sulfone	0	0	0
322	Terbufos Sulfoxide	0	0	0
323	Tetraconazole	0	0	0
324	Tetradifon	0	0	0
325	Thiabendazole	0	0	0
326	Thiacloprid	0	0	0
327	Thiametoxam	0	0	0
328	Thiametoxam (sum)	0	0	0
329	Thifensulfuron-methyl	0	0	0
330	Thiodicarb	0	0	0
331	Thiometon	0	0	0
332	Thiophanate-methyl	0	0	0
333	Tolclofos-methyl	0	0	0
334	Tolylfluanid	0	0	0
335	Tolylfluanid (sum)	0	0	0
336	Triadimefon	0	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Animal Products*	*Nr Found*	*MRL Ex*
337	Triadimefon (sum)	0	0	0
338	Triadimenol	0	0	0
339	Triazamate	0	0	0
340	Triazophos	67	0	0
341	Trichlorfon	0	0	0
342	Trifloxystrobin	0	0	0
343	Triflumuron	0	0	0
344	Trifluralin	0	0	0
345	Triforine	0	0	0
346	Triticonazole	0	0	0
347	Vamidothion	0	0	0
348	Vamidothion (sum of Vamidothion, Vamidothion-sulfon	0	0	0
349	Vamidothion sulfone	0	0	0
350	Vamidothion sulfoxide	0	0	0
351	Vinclozolin	0	0	0
352	Vinclozolin (sum)	0	0	0
353	alpha-Endosulfan	0	0	0
354	beta-Endosulfan	0	0	0
355	tau-Fluvalinate	0	0	0
		2345	*36*	*0*

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Baby/Infant Food*	*Nr Found*	*MRL Ex*
1	2,4 DB	58	0	0
2	2,4,5-T	58	0	0
3	2,4-D (sum)	58	0	0
4	2-Naphthoxyacetic acid	58	0	0
5	3,5-Dichloroaniline	58	0	0
6	3-Chloroaniline	58	0	0
7	3-hydroxy -carbofuran	58	0	0
8	4-Chlorophenoxy acetic acid	58	0	0
9	Abamectin (sum)	58	0	0
10	Acephate	58	0	0
11	Acetamiprid	58	0	0
12	Acrinathrin	58	0	0
13	Aldicarb	58	0	0
14	Aldicarb (sum)	58	0	0
15	Aldicarb-Sulfone	58	0	0
16	Aldicarb-Sulfoxide	58	0	0
17	Aldrin	58	0	0
18	Aldrin and Dieldrin	58	0	0
19	Amitraz (sum)	0	0	0
20	Azinphos-ethyl	58	0	0
21	Azinphos-methyl	58	0	0
22	Azoxystrobin	58	0	0
23	Bentazone	58	0	0
24	Bentazone (sum animal products)	58	0	0
25	Bentazone-8-hydroxy	58	0	0
26	Bifenthrin	58	0	0
27	Biphenyl	58	0	0
28	Bitertanol	58	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Baby/Infant Food*	*Nr Found*	*MRL Ex*
29	Boscalid	58	1	0
30	Bromide ion	0	0	0
31	Bromophos-ethyl	58	0	0
32	Bromopropylate	58	0	0
33	Bromoxynil (sum)	58	0	0
34	Bromuconazole (sum)	58	0	0
35	Bupirimate	58	0	0
36	Buprofezin	58	0	0
37	Cadusafos	58	0	0
38	Camphechlor	0	0	0
39	Captafol	58	0	0
40	Captan	58	0	0
41	Carbaryl	58	0	0
42	Carbendazim	58	0	0
43	Carbendazim and benomyl	58	0	0
44	Carbofuran	58	0	0
45	Carbofuran (sum)	58	0	0
46	Chinomethionat	58	0	0
47	Chlordane	0	0	0
48	Chlorfenapyr	58	0	0
49	Chlorfenvinphos	58	0	0
50	Chlormequat	0	0	0
51	Chlorobenzilate	0	0	0
52	Chlorothalonil	58	0	0
53	Chloroxuron	58	0	0
54	Chlorpropham	58	0	0
55	Chlorpropham (sum)	58	0	0
56	Chlorpyrifos	58	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Baby/Infant Food*	*Nr Found*	*MRL Ex*
57	Chlorpyrifos-methyl	58	0	0
58	Clofentezine	58	0	0
59	Clopyralid	58	0	0
60	Clothianidin	58	0	0
61	Cycloxydim (sum)	58	0	0
62	Cyfluthrin	0	0	0
63	Cyfluthrin (sum)	58	0	0
64	Cypermethrin (sum)	58	0	0
65	Cyproconazole	58	0	0
66	Cyprodinil	58	0	0
67	Cyromazine	58	0	0
68	DDD, o,p-	58	0	0
69	DDD, p,p-	58	0	0
70	DDE, o,p-	58	0	0
71	DDE, p,p-	58	0	0
72	DDT (sum)	58	0	0
73	DDT, o,p-	58	0	0
74	DDT, p,p-	58	0	0
75	DMSA	58	0	0
76	Deltamethrin	58	0	0
77	Demeton-S-Methyl	58	0	0
78	Demeton-S-Methyl (sum baby and infant food)	58	0	0
79	Demeton-S-Methylsulfone	58	0	0
80	Desmethyl pirimicarb	58	0	0
81	Diazinon	58	0	0
82	Dicamba	58	0	0
83	Dichlofluanid	58	0	0
84	Dichlorprop incl. Dichlorprop-P	58	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Baby/Infant Food*	*Nr Found*	*MRL Ex*
85	Dichlorvos	58	0	0
86	Dicloran	58	0	0
87	Dicofol (sum)	58	0	0
88	Dicrotophos	58	0	0
89	Dieldrin	58	0	0
90	Diethofencarb	58	0	0
91	Difenoconazole	58	0	0
92	Diflubenzuron	58	0	0
93	Dimethoate	58	0	0
94	Dimethoate (sum)	0	0	0
95	Dimethomorph	58	0	0
96	Dimethylaminosulfotoluidide	58	0	0
97	Dimoxystrobin	58	0	0
98	Diniconazole	58	0	0
99	Diphenylamine	58	0	0
100	Disulfoton	58	0	0
101	Disulfoton (sum)	58	0	0
102	Disulfoton-Sulfon	58	0	0
103	Disulfoton-Sulfoxid	58	0	0
104	Dithiocarbamates	58	1	0
105	Dodine	58	0	0
106	EPN	58	0	0
107	Endosulfan (sum)	58	0	0
108	Endosulfansulfate	58	0	0
109	Endrin	58	0	0
110	Epoxiconazole	58	0	0
111	Ethiofencarb	58	0	0
112	Ethion	58	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Baby/Infant Food*	*Nr Found*	*MRL Ex*
113	Ethoprophos	58	0	0
114	Ethoxyquin	58	0	0
115	Etofenprox	58	0	0
116	Etrimfos	58	0	0
117	Fenamiphos	58	0	0
118	Fenamiphos (sum)	58	0	0
119	Fenamiphos-Sulfon	58	0	0
120	Fenamiphos-Sulfoxid	58	0	0
121	Fenarimol	58	0	0
122	Fenazaquin	58	0	0
123	Fenbuconazole	58	0	0
124	Fenhexamid	58	0	0
125	Fenitrothion	58	0	0
126	Fenoprop	58	0	0
127	Fenoxaprop-P	58	0	0
128	Fenoxycarb	58	0	0
129	Fenpropathrin	58	0	0
130	Fenpropimorph	58	0	0
131	Fenpyroximate	58	0	0
132	Fensulfothion	58	0	0
133	Fensulfothion (sum)	58	0	0
134	Fensulfothion oxon	58	0	0
135	Fensulfothion-sulfon	58	0	0
136	Fenthion	58	0	0
137	Fenthion (sum)	58	0	0
138	Fenthion-Oxon	58	0	0
139	Fenthion-Oxonsulfoxide	58	0	0
140	Fenthion-Sulfon	58	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Baby/Infant Food*	*Nr Found*	*MRL Ex*
141	Fenthion-Sulfoxide	58	0	0
142	Fenthion-oxonsulfone	58	0	0
143	Fentin (animal products)	30	0	0
144	Fenvalerate	0	0	0
145	Fenvalerate and Esfenvalerate (sum of RR and SS isom	58	0	0
146	Fenvalerate and Esfenvalerate (sum of RS and SR isom	58	0	0
147	Fipronil	58	0	0
148	Fipronil (sum baby and infant food)	58	0	0
149	Fipronil (sum)	0	0	0
150	Fipronil-Desulfinyl	58	0	0
151	Florasulam	58	0	0
152	Fluazifop	58	0	0
153	Fluazifop-Butyl	58	0	0
154	Fluazifop-P-butyl (sum)	58	0	0
155	Flucythrinate	58	0	0
156	Fludioxonil	58	0	0
157	Flufenoxuron	58	1	0
158	Fluoxastrobin	58	0	0
159	Fluquinconazole	58	0	0
160	Fluroxypyr (sum)	58	0	0
161	Flusilazole	58	0	0
162	Flutriafol	58	0	0
163	Folpet	58	0	0
164	Fomesafen	58	0	0
165	Fonofos	58	0	0
166	Formetanate	58	0	0
167	Formetanate (sum)	58	0	0
168	Formothion	58	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Baby/Infant Food*	*Nr Found*	*MRL Ex*
169	Fosthiazate	58	0	0
170	Glyphosate	0	0	0
171	HCH (sum)	58	0	0
172	HCH alpha	58	0	0
173	HCH beta	58	0	0
174	HCH delta	58	0	0
175	Haloxyfop	58	0	0
176	Haloxyfop (sum baby and infant food)	58	0	0
177	Haloxyfop including haloxyfop-R	0	0	0
178	Haloxyfop-Methyl	58	0	0
179	Heptachlor	58	0	0
180	Heptachlor (sum)	58	0	0
181	Heptachlor epoxide	58	0	0
182	Heptenophos	58	0	0
183	Hexachlorobenzene	58	0	0
184	Hexaconazole	58	0	0
185	Hexythiazox	58	0	0
186	Imazalil	58	0	0
187	Imazapyr	58	0	0
188	Imazaquin	58	0	0
189	Imazethapyr	58	0	0
190	Imazosulfuron	58	0	0
191	Imidacloprid	58	0	0
192	Indoxacarb	58	0	0
193	Ioxynil	58	0	0
194	Iprodione	58	0	0
195	Iprovalicarb	58	0	0
196	Isofenphos-Methyl	58	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Baby/Infant Food*	*Nr Found*	*MRL Ex*
197	Isoproturon	58	0	0
198	Kresoxim-methyl	58	0	0
199	Lambda-Cyhalothrin	58	1	0
200	Lindane	58	0	0
201	Linuron	58	0	0
202	Lufenuron	58	0	0
203	MCPA	58	0	0
204	MCPA and MCPB	58	0	0
205	MCPB	58	0	0
206	Malaoxon	58	0	0
207	Malathion	58	0	0
208	Malathion (sum)	58	0	0
209	Mecarbam	58	0	0
210	Mecoprop (sum)	58	0	0
211	Mepanipyrim (sum)	58	0	0
212	Mepiquat	0	0	0
213	Mepronil	58	0	0
214	Metalaxyl (sum)	58	0	0
215	Metamitron	58	0	0
216	Metamitron-desamino	58	0	0
217	Metconazole	58	0	0
218	Methacrifos	58	0	0
219	Methamidophos	58	0	0
220	Methidathion	58	0	0
221	Methiocarb	58	0	0
222	Methiocarb (sum)	58	0	0
223	Methiocarb-Sulfon	58	0	0
224	Methiocarb-Sulfoxid	58	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Baby/Infant Food*	*Nr Found*	*MRL Ex*
225	Methomyl	58	0	0
226	Methomyl and Thiodicarb	58	0	0
227	Methoxychlor	0	0	0
228	Methoxyfenozide	58	0	0
229	Metobromuron	58	0	0
230	Metolcarb	58	0	0
231	Metominostrobin	58	0	0
232	Metosulam	58	0	0
233	Metoxuron	58	0	0
234	Metsulfuron-methyl	58	0	0
235	Mevinphos	58	0	0
236	Mirex	58	0	0
237	Monocrotophos	58	0	0
238	Monuron	58	0	0
239	Myclobutanil	58	0	0
240	Nitrofen	58	0	0
241	Omethoate	58	0	0
242	Orthophenylphenol	18	0	0
243	Oxadixyl	58	0	0
244	Oxamyl	58	0	0
245	Oxamyl-Oxime	58	0	0
246	Oxydemeton-methyl	58	0	0
247	Oxydemeton-methyl (sum)	0	0	0
248	Paclobutrazol	58	0	0
249	Paraoxon-Methyl	58	0	0
250	Parathion	58	0	0
251	Parathion-methyl	58	0	0
252	Parathion-methyl (sum)	58	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Baby/Infant Food*	*Nr Found*	*MRL Ex*
253	Penconazole	58	0	0
254	Pencycuron	58	0	0
255	Pendimethalin	58	0	0
256	Pentachloroaniline	58	0	0
257	Pentachlorophenol	57	0	0
258	Permethrin (sum)	58	0	0
259	Phorate	58	0	0
260	Phorate (sum)	58	0	0
261	Phorate-Sulfon	58	0	0
262	Phorate-Sulfoxid	58	0	0
263	Phosalone	58	0	0
264	Phosmet	58	0	0
265	Phosmet (sum)	58	0	0
266	Phosmet oxon	58	0	0
267	Phosphamidon	58	0	0
268	Phoxim	58	0	0
269	Picloram	58	0	0
270	Picoxystrobin	58	0	0
271	Piperonyl Butoxide	58	0	0
272	Pirimicarb	58	0	0
273	Pirimicarb (sum)	58	0	0
274	Pirimiphos-Ethyl	58	0	0
275	Pirimiphos-methyl	58	0	0
276	Prochloraz (sum)	58	0	0
277	Procymidone	58	1	0
278	Profenofos	58	0	0
279	Propachlor (sum)	58	0	0
280	Propamocarb (sum)	58	1	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Baby/Infant Food*	*Nr Found*	*MRL Ex*
281	Propargite	58	0	0
282	Propham	58	0	0
283	Propiconazole	58	0	0
284	Propineb	52	0	0
285	Propoxur	58	0	0
286	Propyzamide	58	0	0
287	Prothioconazole	58	0	0
288	Prothioconazole (Prothioconazole-Desthio)	58	0	0
289	Prothioconazole-Desthio	58	0	0
290	Prothiofos	58	0	0
291	Pymetrozine	58	0	0
292	Pyraclostrobin	58	0	0
293	Pyrazophos	58	0	0
294	Pyrethrins	58	0	0
295	Pyridaben	58	0	0
296	Pyrifenox	58	0	0
297	Pyrimethanil	58	0	0
298	Pyriproxyfen	58	0	0
299	Quinalphos	58	0	0
300	Quinmerac	58	0	0
301	Quinoxyfen	58	0	0
302	Quintozene	58	0	0
303	Quintozene (sum)	58	0	0
304	Quizalofop (including Quizalfop-P)	58	0	0
305	Quizalofop-P-ethyl	58	0	0
306	RF-00000001-PPP	58	0	0
307	RF-00000147-VET	0	0	0
308	Resmethrin (sum)	0	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Baby/Infant Food*	*Nr Found*	*MRL Ex*
309	Rimsulfuron	58	0	0
310	Spinosad (sum)	58	0	0
311	Spiroxamine	58	0	0
312	Sulfotep	58	0	0
313	Tebuconazole	58	0	0
314	Tebufenozide	58	0	0
315	Tebufenpyrad	58	0	0
316	Tecnazene	58	0	0
317	Teflubenzuron	58	0	0
318	Tefluthrin	58	0	0
319	Terbufos	58	0	0
320	Terbufos (sum)	58	0	0
321	Terbufos Sulfone	58	0	0
322	Terbufos Sulfoxide	58	0	0
323	Tetraconazole	58	0	0
324	Tetradifon	58	0	0
325	Thiabendazole	58	0	0
326	Thiacloprid	58	0	0
327	Thiametoxam	58	0	0
328	Thiametoxam (sum)	58	0	0
329	Thifensulfuron-methyl	58	0	0
330	Thiodicarb	58	0	0
331	Thiometon	58	0	0
332	Thiophanate-methyl	58	0	0
333	Tolclofos-methyl	58	0	0
334	Tolylfluanid	58	0	0
335	Tolylfluanid (sum)	58	0	0
336	Triadimefon	58	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Baby/Infant Food*	*Nr Found*	*MRL Ex*
337	Triadimefon (sum)	58	0	0
338	Triadimenol	58	0	0
339	Triazamate	8	0	0
340	Triazophos	58	0	0
341	Trichlorfon	58	0	0
342	Trifloxystrobin	58	0	0
343	Triflumuron	58	0	0
344	Trifluralin	58	0	0
345	Triforine	58	0	0
346	Triticonazole	58	0	0
347	Vamidothion	58	0	0
348	Vamidothion (sum of Vamidothion, Vamidothion-sulfon	58	0	0
349	Vamidothion sulfone	58	0	0
350	Vamidothion sulfoxide	58	0	0
351	Vinclozolin	58	0	0
352	Vinclozolin (sum)	58	0	0
353	alpha-Endosulfan	58	0	0
354	beta-Endosulfan	58	0	0
355	tau-Fluvalinate	58	0	0
		19479	*6*	*0*

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Cereals*	*Nr Found*	*MRL Ex*
1	2,4 DB	133	0	0
2	2,4,5-T	133	0	0
3	2,4-D (sum)	133	0	0
4	2-Naphthoxyacetic acid	133	0	0
5	3,5-Dichloroaniline	133	0	0
6	3-Chloroaniline	133	0	0
7	3-hydroxy -carbofuran	133	0	0
8	4-Chlorophenoxy acetic acid	133	0	0
9	Abamectin (sum)	133	0	0
10	Acephate	133	0	0
11	Acetamiprid	133	0	0
12	Acrinathrin	133	0	0
13	Aldicarb	133	0	0
14	Aldicarb (sum)	133	0	0
15	Aldicarb-Sulfone	133	0	0
16	Aldicarb-Sulfoxide	133	0	0
17	Aldrin	133	0	0
18	Aldrin and Dieldrin	133	0	0
19	Amitraz (sum)	0	0	0
20	Azinphos-ethyl	133	0	0
21	Azinphos-methyl	133	0	0
22	Azoxystrobin	133	0	0
23	Bentazone	133	0	0
24	Bentazone (sum animal products)	133	0	0
25	Bentazone-8-hydroxy	133	0	0
26	Bifenthrin	133	0	0
27	Biphenyl	129	0	0
28	Bitertanol	133	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Cereals*	*Nr Found*	*MRL Ex*
29	Boscalid	133	0	0
30	Bromide ion	13	1	0
31	Bromophos-ethyl	133	0	0
32	Bromopropylate	133	0	0
33	Bromoxynil (sum)	133	0	0
34	Bromuconazole (sum)	133	0	0
35	Bupirimate	133	0	0
36	Buprofezin	133	0	0
37	Cadusafos	133	0	0
38	Camphechlor	0	0	0
39	Captafol	123	0	0
40	Captan	133	0	0
41	Carbaryl	133	0	0
42	Carbendazim	133	1	0
43	Carbendazim and benomyl	133	1	1
44	Carbofuran	133	0	0
45	Carbofuran (sum)	133	0	0
46	Chinomethionat	133	0	0
47	Chlordane	0	0	0
48	Chlorfenapyr	133	0	0
49	Chlorfenvinphos	133	0	0
50	Chlormequat	12	5	0
51	Chlorobenzilate	0	0	0
52	Chlorothalonil	133	0	0
53	Chloroxuron	133	0	0
54	Chlorpropham	133	0	0
55	Chlorpropham (sum)	133	0	0
56	Chlorpyrifos	133	14	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Cereals*	*Nr Found*	*MRL Ex*
57	Chlorpyrifos-methyl	133	16	0
58	Clofentezine	133	0	0
59	Clopyralid	133	0	0
60	Clothianidin	133	0	0
61	Cycloxydim (sum)	133	0	0
62	Cyfluthrin	0	0	0
63	Cyfluthrin (sum)	133	0	0
64	Cypermethrin (sum)	133	0	0
65	Cyproconazole	133	0	0
66	Cyprodinil	133	0	0
67	Cyromazine	133	0	0
68	DDD, o,p-	133	0	0
69	DDD, p,p-	133	0	0
70	DDE, o,p-	133	0	0
71	DDE, p,p-	133	0	0
72	DDT (sum)	133	0	0
73	DDT, o,p-	133	0	0
74	DDT, p,p-	133	0	0
75	DMSA	133	0	0
76	Deltamethrin	133	0	0
77	Demeton-S-Methyl	133	0	0
78	Demeton-S-Methyl (sum baby and infant food)	0	0	0
79	Demeton-S-Methylsulfone	133	0	0
80	Desmethyl pirimicarb	133	0	0
81	Diazinon	133	0	0
82	Dicamba	133	0	0
83	Dichlofluanid	133	0	0
84	Dichlorprop incl. Dichlorprop-P	133	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Cereals*	*Nr Found*	*MRL Ex*
85	Dichlorvos	133	0	0
86	Dicloran	133	0	0
87	Dicofol (sum)	127	0	0
88	Dicrotophos	133	0	0
89	Dieldrin	133	0	0
90	Diethofencarb	133	0	0
91	Difenoconazole	133	0	0
92	Diflubenzuron	133	0	0
93	Dimethoate	133	0	0
94	Dimethoate (sum)	133	0	0
95	Dimethomorph	133	0	0
96	Dimethylaminosulfotoluidide	133	0	0
97	Dimoxystrobin	133	0	0
98	Diniconazole	133	0	0
99	Diphenylamine	133	0	0
100	Disulfoton	133	0	0
101	Disulfoton (sum)	133	0	0
102	Disulfoton-Sulfon	133	0	0
103	Disulfoton-Sulfoxid	133	0	0
104	Dithiocarbamates	20	0	0
105	Dodine	133	0	0
106	EPN	133	0	0
107	Endosulfan (sum)	133	0	0
108	Endosulfansulfate	133	0	0
109	Endrin	133	0	0
110	Epoxiconazole	133	7	0
111	Ethiofencarb	133	0	0
112	Ethion	133	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Cereals*	*Nr Found*	*MRL Ex*
113	Ethoprophos	133	0	0
114	Ethoxyquin	133	0	0
115	Etofenprox	133	0	0
116	Etrimfos	133	0	0
117	Fenamiphos	133	0	0
118	Fenamiphos (sum)	133	0	0
119	Fenamiphos-Sulfon	133	0	0
120	Fenamiphos-Sulfoxid	133	0	0
121	Fenarimol	133	0	0
122	Fenazaquin	133	0	0
123	Fenbuconazole	133	0	0
124	Fenhexamid	133	1	0
125	Fenitrothion	133	0	0
126	Fenoprop	133	0	0
127	Fenoxaprop-P	133	0	0
128	Fenoxycarb	133	0	0
129	Fenpropathrin	133	0	0
130	Fenpropimorph	133	6	0
131	Fenpyroximate	133	0	0
132	Fensulfothion	133	0	0
133	Fensulfothion (sum)	133	0	0
134	Fensulfothion oxon	133	0	0
135	Fensulfothion-sulfon	133	0	0
136	Fenthion	133	0	0
137	Fenthion (sum)	133	0	0
138	Fenthion-Oxon	133	0	0
139	Fenthion-Oxonsulfoxide	133	0	0
140	Fenthion-Sulfon	133	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Cereals*	*Nr Found*	*MRL Ex*
141	Fenthion-Sulfoxide	133	0	0
142	Fenthion-oxonsulfone	133	0	0
143	Fentin (animal products)	0	0	0
144	Fenvalerate	0	0	0
145	Fenvalerate and Esfenvalerate (sum of RR and SS isom	133	0	0
146	Fenvalerate and Esfenvalerate (sum of RS and SR isom	133	0	0
147	Fipronil	133	0	0
148	Fipronil (sum baby and infant food)	0	0	0
149	Fipronil (sum)	133	0	0
150	Fipronil-Desulfinyl	133	0	0
151	Florasulam	133	0	0
152	Fluazifop	133	0	0
153	Fluazifop-Butyl	133	0	0
154	Fluazifop-P-butyl (sum)	133	0	0
155	Flucythrinate	133	0	0
156	Fludioxonil	133	0	0
157	Flufenoxuron	133	0	0
158	Fluoxastrobin	133	0	0
159	Fluquinconazole	133	0	0
160	Fluroxypyr (sum)	133	0	0
161	Flusilazole	133	0	0
162	Flutriafol	133	0	0
163	Folpet	133	0	0
164	Fomesafen	133	0	0
165	Fonofos	133	0	0
166	Formetanate	133	0	0
167	Formetanate (sum)	133	0	0
168	Formothion	133	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Cereals*	*Nr Found*	*MRL Ex*
169	Fosthiazate	133	0	0
170	Glyphosate	14	0	0
171	HCH (sum)	133	0	0
172	HCH alpha	133	0	0
173	HCH beta	133	0	0
174	HCH delta	133	0	0
175	Haloxyfop	133	0	0
176	Haloxyfop (sum baby and infant food)	0	0	0
177	Haloxyfop including haloxyfop-R	133	0	0
178	Haloxyfop-Methyl	133	0	0
179	Heptachlor	133	0	0
180	Heptachlor (sum)	133	0	0
181	Heptachlor epoxide	133	0	0
182	Heptenophos	133	0	0
183	Hexachlorobenzene	133	0	0
184	Hexaconazole	133	0	0
185	Hexythiazox	133	0	0
186	Imazalil	133	0	0
187	Imazapyr	133	0	0
188	Imazaquin	133	0	0
189	Imazethapyr	133	0	0
190	Imazosulfuron	133	0	0
191	Imidacloprid	133	2	0
192	Indoxacarb	133	0	0
193	Ioxynil	133	0	0
194	Iprodione	133	0	0
195	Iprovalicarb	133	0	0
196	Isofenphos-Methyl	133	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Cereals*	*Nr Found*	*MRL Ex*
197	Isoproturon	133	0	0
198	Kresoxim-methyl	133	0	0
199	Lambda-Cyhalothrin	133	0	0
200	Lindane	133	0	0
201	Linuron	133	0	0
202	Lufenuron	133	0	0
203	MCPA	133	1	0
204	MCPA and MCPB	133	0	0
205	MCPB	133	0	0
206	Malaoxon	133	0	0
207	Malathion	133	0	0
208	Malathion (sum)	133	0	0
209	Mecarbam	133	0	0
210	Mecoprop (sum)	133	0	0
211	Mepanipyrim (sum)	133	0	0
212	Mepiquat	12	0	0
213	Mepronil	133	0	0
214	Metalaxyl (sum)	133	0	0
215	Metamitron	133	0	0
216	Metamitron-desamino	133	0	0
217	Metconazole	133	0	0
218	Methacrifos	133	0	0
219	Methamidophos	133	0	0
220	Methidathion	133	0	0
221	Methiocarb	133	0	0
222	Methiocarb (sum)	133	0	0
223	Methiocarb-Sulfon	133	0	0
224	Methiocarb-Sulfoxid	133	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Cereals*	*Nr Found*	*MRL Ex*
225	Methomyl	133	0	0
226	Methomyl and Thiodicarb	133	0	0
227	Methoxychlor	0	0	0
228	Methoxyfenozide	133	0	0
229	Metobromuron	133	0	0
230	Metolcarb	133	0	0
231	Metominostrobin	133	0	0
232	Metosulam	133	0	0
233	Metoxuron	133	0	0
234	Metsulfuron-methyl	133	0	0
235	Mevinphos	133	0	0
236	Mirex	133	0	0
237	Monocrotophos	133	0	0
238	Monuron	133	0	0
239	Myclobutanil	133	0	0
240	Nitrofen	133	0	0
241	Omethoate	133	0	0
242	Orthophenylphenol	54	0	0
243	Oxadixyl	133	0	0
244	Oxamyl	133	0	0
245	Oxamyl-Oxime	133	0	0
246	Oxydemeton-methyl	133	0	0
247	Oxydemeton-methyl (sum)	133	0	0
248	Paclobutrazol	133	0	0
249	Paraoxon-Methyl	133	0	0
250	Parathion	133	0	0
251	Parathion-methyl	133	0	0
252	Parathion-methyl (sum)	133	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Cereals*	*Nr Found*	*MRL Ex*
253	Penconazole	133	0	0
254	Pencycuron	133	0	0
255	Pendimethalin	133	0	0
256	Pentachloroaniline	133	0	0
257	Pentachlorophenol	117	0	0
258	Permethrin (sum)	133	0	0
259	Phorate	133	0	0
260	Phorate (sum)	133	0	0
261	Phorate-Sulfon	133	0	0
262	Phorate-Sulfoxid	133	0	0
263	Phosalone	133	0	0
264	Phosmet	133	0	0
265	Phosmet (sum)	133	0	0
266	Phosmet oxon	133	0	0
267	Phosphamidon	133	0	0
268	Phoxim	133	0	0
269	Picloram	133	0	0
270	Picoxystrobin	133	0	0
271	Piperonyl Butoxide	133	6	0
272	Pirimicarb	133	0	0
273	Pirimicarb (sum)	133	0	0
274	Pirimiphos-Ethyl	133	0	0
275	Pirimiphos-methyl	133	14	0
276	Prochloraz (sum)	133	0	0
277	Procymidone	133	0	0
278	Profenofos	133	0	0
279	Propachlor (sum)	133	0	0
280	Propamocarb (sum)	133	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Cereals*	*Nr Found*	*MRL Ex*
281	Propargite	133	0	0
282	Propham	133	0	0
283	Propiconazole	133	2	0
284	Propineb	0	0	0
285	Propoxur	133	0	0
286	Propyzamide	133	0	0
287	Prothioconazole	133	0	0
288	Prothioconazole (Prothioconazole-Desthio)	133	0	0
289	Prothioconazole-Desthio	133	0	0
290	Prothiofos	133	0	0
291	Pymetrozine	133	0	0
292	Pyraclostrobin	133	0	0
293	Pyrazophos	133	0	0
294	Pyrethrins	133	0	0
295	Pyridaben	133	0	0
296	Pyrifenox	133	0	0
297	Pyrimethanil	133	0	0
298	Pyriproxyfen	133	0	0
299	Quinalphos	133	0	0
300	Quinmerac	133	0	0
301	Quinoxyfen	133	0	0
302	Quintozene	133	0	0
303	Quintozene (sum)	133	0	0
304	Quizalofop (including Quizalfop-P)	133	0	0
305	Quizalofop-P-ethyl	133	0	0
306	RF-00000001-PPP	133	0	0
307	RF-00000147-VET	0	0	0
308	Resmethrin (sum)	0	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Cereals*	*Nr Found*	*MRL Ex*
309	Rimsulfuron	133	0	0
310	Spinosad (sum)	133	0	0
311	Spiroxamine	133	0	0
312	Sulfotep	133	0	0
313	Tebuconazole	133	3	0
314	Tebufenozide	133	0	0
315	Tebufenpyrad	133	0	0
316	Tecnazene	133	0	0
317	Teflubenzuron	133	0	0
318	Tefluthrin	133	0	0
319	Terbufos	133	0	0
320	Terbufos (sum)	133	0	0
321	Terbufos Sulfone	133	0	0
322	Terbufos Sulfoxide	133	0	0
323	Tetraconazole	133	0	0
324	Tetradifon	133	0	0
325	Thiabendazole	133	1	0
326	Thiacloprid	133	0	0
327	Thiametoxam	133	0	0
328	Thiametoxam (sum)	133	0	0
329	Thifensulfuron-methyl	133	0	0
330	Thiodicarb	133	0	0
331	Thiometon	133	0	0
332	Thiophanate-methyl	133	0	0
333	Tolclofos-methyl	133	0	0
334	Tolylfluanid	133	0	0
335	Tolylfluanid (sum)	133	0	0
336	Triadimefon	133	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Cereals*	*Nr Found*	*MRL Ex*
337	Triadimefon (sum)	133	0	0
338	Triadimenol	133	0	0
339	Triazamate	37	0	0
340	Triazophos	133	0	0
341	Trichlorfon	133	0	0
342	Trifloxystrobin	133	0	0
343	Triflumuron	133	0	0
344	Trifluralin	133	0	0
345	Triforine	133	0	0
346	Triticonazole	133	0	0
347	Vamidothion	133	0	0
348	Vamidothion (sum of Vamidothion, Vamidothion-sulfon	133	0	0
349	Vamidothion sulfone	133	0	0
350	Vamidothion sulfoxide	133	0	0
351	Vinclozolin	133	0	0
352	Vinclozolin (sum)	133	0	0
353	alpha-Endosulfan	133	0	0
354	beta-Endosulfan	133	0	0
355	tau-Fluvalinate	133	0	0
		44548	*81*	*1*

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Fruit and Nuts*	*Nr Found*	*MRL Ex*
1	2,4 DB	218	0	0
2	2,4,5-T	218	0	0
3	2,4-D (sum)	218	7	0
4	2-Naphthoxyacetic acid	218	0	0
5	3,5-Dichloroaniline	218	0	0
6	3-Chloroaniline	218	0	0
7	3-hydroxy -carbofuran	218	0	0
8	4-Chlorophenoxy acetic acid	218	0	0
9	Abamectin (sum)	218	0	0
10	Acephate	218	0	0
11	Acetamiprid	218	5	0
12	Acrinathrin	218	0	0
13	Aldicarb	218	0	0
14	Aldicarb (sum)	218	0	0
15	Aldicarb-Sulfone	218	0	0
16	Aldicarb-Sulfoxide	218	0	0
17	Aldrin	218	0	0
18	Aldrin and Dieldrin	218	0	0
19	Amitraz (sum)	10	0	0
20	Azinphos-ethyl	218	0	0
21	Azinphos-methyl	218	0	0
22	Azoxystrobin	218	8	0
23	Bentazone	218	0	0
24	Bentazone (sum animal products)	218	0	0
25	Bentazone-8-hydroxy	218	0	0
26	Bifenthrin	218	4	0
27	Biphenyl	216	0	0
28	Bitertanol	218	6	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Fruit and Nuts*	*Nr Found*	*MRL Ex*
29	Boscalid	218	27	0
30	Bromide ion	33	2	0
31	Bromophos-ethyl	218	0	0
32	Bromopropylate	218	1	1
33	Bromoxynil (sum)	218	0	0
34	Bromuconazole (sum)	218	0	0
35	Bupirimate	218	2	0
36	Buprofezin	218	3	0
37	Cadusafos	218	0	0
38	Camphechlor	0	0	0
39	Captafol	200	0	0
40	Captan	218	12	1
41	Carbaryl	218	0	0
42	Carbendazim	218	13	0
43	Carbendazim and benomyl	218	13	0
44	Carbofuran	218	0	0
45	Carbofuran (sum)	218	0	0
46	Chinomethionat	218	0	0
47	Chlordane	0	0	0
48	Chlorfenapyr	218	0	0
49	Chlorfenvinphos	218	0	0
50	Chlormequat	15	4	3
51	Chlorobenzilate	0	0	0
52	Chlorothalonil	218	3	0
53	Chloroxuron	218	0	0
54	Chlorpropham	218	0	0
55	Chlorpropham (sum)	218	0	0
56	Chlorpyrifos	218	54	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Fruit and Nuts*	*Nr Found*	*MRL Ex*
57	Chlorpyrifos-methyl	218	10	0
58	Clofentezine	218	0	0
59	Clopyralid	218	0	0
60	Clothianidin	218	1	0
61	Cycloxydim (sum)	218	0	0
62	Cyfluthrin	0	0	0
63	Cyfluthrin (sum)	218	0	0
64	Cypermethrin (sum)	218	4	0
65	Cyproconazole	218	0	0
66	Cyprodinil	218	24	0
67	Cyromazine	218	0	0
68	DDD, o,p-	218	0	0
69	DDD, p,p-	218	0	0
70	DDE, o,p-	218	0	0
71	DDE, p,p-	218	0	0
72	DDT (sum)	218	0	0
73	DDT, o,p-	218	0	0
74	DDT, p,p-	218	0	0
75	DMSA	218	0	0
76	Deltamethrin	218	0	0
77	Demeton-S-Methyl	218	0	0
78	Demeton-S-Methyl (sum baby and infant food)	0	0	0
79	Demeton-S-Methylsulfone	218	0	0
80	Desmethyl pirimicarb	218	10	0
81	Diazinon	218	2	0
82	Dicamba	218	0	0
83	Dichlofluanid	218	0	0
84	Dichlorprop incl. Dichlorprop-P	218	2	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Fruit and Nuts*	*Nr Found*	*MRL Ex*
85	Dichlorvos	218	0	0
86	Dicloran	218	0	0
87	Dicofol (sum)	202	2	0
88	Dicrotophos	218	0	0
89	Dieldrin	218	0	0
90	Diethofencarb	218	0	0
91	Difenoconazole	218	19	0
92	Diflubenzuron	218	1	0
93	Dimethoate	218	1	0
94	Dimethoate (sum)	218	3	0
95	Dimethomorph	218	4	0
96	Dimethylaminosulfotoluidide	218	0	0
97	Dimoxystrobin	218	0	0
98	Diniconazole	218	0	0
99	Diphenylamine	218	2	0
100	Disulfoton	218	0	0
101	Disulfoton (sum)	218	0	0
102	Disulfoton-Sulfon	218	0	0
103	Disulfoton-Sulfoxid	218	0	0
104	Dithiocarbamates	59	14	0
105	Dodine	218	26	0
106	EPN	218	0	0
107	Endosulfan (sum)	218	1	0
108	Endosulfansulfate	218	1	0
109	Endrin	218	0	0
110	Epoxiconazole	218	0	0
111	Ethiofencarb	218	0	0
112	Ethion	218	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Fruit and Nuts*	*Nr Found*	*MRL Ex*
113	Ethoprophos	218	0	0
114	Ethoxyquin	218	1	0
115	Etofenprox	218	10	0
116	Etrimfos	218	0	0
117	Fenamiphos	218	0	0
118	Fenamiphos (sum)	218	0	0
119	Fenamiphos-Sulfon	218	0	0
120	Fenamiphos-Sulfoxid	218	0	0
121	Fenarimol	218	0	0
122	Fenazaquin	218	0	0
123	Fenbuconazole	218	6	0
124	Fenhexamid	218	23	1
125	Fenitrothion	218	1	1
126	Fenoprop	218	0	0
127	Fenoxaprop-P	218	0	0
128	Fenoxycarb	218	5	0
129	Fenpropathrin	218	1	0
130	Fenpropimorph	218	1	0
131	Fenpyroximate	218	1	0
132	Fensulfothion	218	0	0
133	Fensulfothion (sum)	218	0	0
134	Fensulfothion oxon	218	0	0
135	Fensulfothion-sulfon	218	0	0
136	Fenthion	218	0	0
137	Fenthion (sum)	218	0	0
138	Fenthion-Oxon	218	0	0
139	Fenthion-Oxonsulfoxide	218	0	0
140	Fenthion-Sulfon	218	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Fruit and Nuts*	*Nr Found*	*MRL Ex*
141	Fenthion-Sulfoxide	218	0	0
142	Fenthion-oxonsulfone	218	0	0
143	Fentin (animal products)	0	0	0
144	Fenvalerate	0	0	0
145	Fenvalerate and Esfenvalerate (sum of RR and SS isom	213	1	0
146	Fenvalerate and Esfenvalerate (sum of RS and SR isom	218	0	0
147	Fipronil	217	0	0
148	Fipronil (sum baby and infant food)	5	0	0
149	Fipronil (sum)	212	0	0
150	Fipronil-Desulfinyl	218	0	0
151	Florasulam	218	0	0
152	Fluazifop	218	1	0
153	Fluazifop-Butyl	218	0	0
154	Fluazifop-P-butyl (sum)	218	1	0
155	Flucythrinate	218	0	0
156	Fludioxonil	218	26	0
157	Flufenoxuron	218	13	0
158	Fluoxastrobin	218	0	0
159	Fluquinconazole	218	3	0
160	Fluroxypyr (sum)	218	0	0
161	Flusilazole	218	6	0
162	Flutriafol	218	0	0
163	Folpet	218	1	0
164	Fomesafen	218	0	0
165	Fonofos	218	0	0
166	Formetanate	218	0	0
167	Formetanate (sum)	218	0	0
168	Formothion	218	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Fruit and Nuts*	*Nr Found*	*MRL Ex*
169	Fosthiazate	218	0	0
170	Glyphosate	0	0	0
171	HCH (sum)	218	0	0
172	HCH alpha	218	0	0
173	HCH beta	218	0	0
174	HCH delta	218	0	0
175	Haloxyfop	218	0	0
176	Haloxyfop (sum baby and infant food)	0	0	0
177	Haloxyfop including haloxyfop-R	218	0	0
178	Haloxyfop-Methyl	218	0	0
179	Heptachlor	218	0	0
180	Heptachlor (sum)	218	0	0
181	Heptachlor epoxide	218	0	0
182	Heptenophos	218	0	0
183	Hexachlorobenzene	218	0	0
184	Hexaconazole	218	1	1
185	Hexythiazox	218	8	0
186	Imazalil	218	47	0
187	Imazapyr	218	1	0
188	Imazaquin	218	0	0
189	Imazethapyr	218	0	0
190	Imazosulfuron	218	0	0
191	Imidacloprid	218	8	0
192	Indoxacarb	218	5	0
193	Ioxynil	218	0	0
194	Iprodione	218	9	0
195	Iprovalicarb	218	1	0
196	Isofenphos-Methyl	218	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Fruit and Nuts*	*Nr Found*	*MRL Ex*
197	Isoproturon	218	0	0
198	Kresoxim-methyl	218	2	0
199	Lambda-Cyhalothrin	218	4	1
200	Lindane	218	0	0
201	Linuron	218	0	0
202	Lufenuron	218	5	0
203	MCPA	218	1	0
204	MCPA and MCPB	218	0	0
205	MCPB	218	0	0
206	Malaoxon	218	0	0
207	Malathion	218	5	0
208	Malathion (sum)	218	5	0
209	Mecarbam	218	0	0
210	Mecoprop (sum)	218	0	0
211	Mepanipyrim (sum)	218	1	0
212	Mepiquat	15	0	0
213	Mepronil	218	0	0
214	Metalaxyl (sum)	218	2	0
215	Metamitron	218	0	0
216	Metamitron-desamino	218	0	0
217	Metconazole	218	0	0
218	Methacrifos	218	0	0
219	Methamidophos	218	0	0
220	Methidathion	218	2	0
221	Methiocarb	218	1	0
222	Methiocarb (sum)	218	1	1
223	Methiocarb-Sulfon	218	0	0
224	Methiocarb-Sulfoxid	218	1	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Fruit and Nuts*	*Nr Found*	*MRL Ex*
225	Methomyl	218	0	0
226	Methomyl and Thiodicarb	218	0	0
227	Methoxychlor	0	0	0
228	Methoxyfenozide	218	18	0
229	Metobromuron	218	0	0
230	Metolcarb	218	0	0
231	Metominostrobin	218	0	0
232	Metosulam	218	0	0
233	Metoxuron	218	0	0
234	Metsulfuron-methyl	218	0	0
235	Mevinphos	218	0	0
236	Mirex	218	0	0
237	Monocrotophos	218	0	0
238	Monuron	218	0	0
239	Myclobutanil	218	10	0
240	Nitrofen	218	0	0
241	Omethoate	218	2	0
242	Orthophenylphenol	95	0	0
243	Oxadixyl	218	0	0
244	Oxamyl	218	0	0
245	Oxamyl-Oxime	218	0	0
246	Oxydemeton-methyl	218	0	0
247	Oxydemeton-methyl (sum)	218	0	0
248	Paclobutrazol	218	0	0
249	Paraoxon-Methyl	218	0	0
250	Parathion	218	0	0
251	Parathion-methyl	218	0	0
252	Parathion-methyl (sum)	218	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Fruit and Nuts*	*Nr Found*	*MRL Ex*
253	Penconazole	218	11	0
254	Pencycuron	218	0	0
255	Pendimethalin	218	0	0
256	Pentachloroaniline	218	0	0
257	Pentachlorophenol	199	0	0
258	Permethrin (sum)	218	0	0
259	Phorate	218	0	0
260	Phorate (sum)	218	0	0
261	Phorate-Sulfon	218	0	0
262	Phorate-Sulfoxid	218	0	0
263	Phosalone	218	1	1
264	Phosmet	218	2	0
265	Phosmet (sum)	218	2	0
266	Phosmet oxon	218	0	0
267	Phosphamidon	218	0	0
268	Phoxim	218	0	0
269	Picloram	218	0	0
270	Picoxystrobin	218	0	0
271	Piperonyl Butoxide	218	1	0
272	Pirimicarb	218	18	0
273	Pirimicarb (sum)	218	18	0
274	Pirimiphos-Ethyl	218	0	0
275	Pirimiphos-methyl	218	0	0
276	Prochloraz (sum)	218	19	0
277	Procymidone	218	1	0
278	Profenofos	218	0	0
279	Propachlor (sum)	218	0	0
280	Propamocarb (sum)	218	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Fruit and Nuts*	*Nr Found*	*MRL Ex*
281	Propargite	218	4	0
282	Propham	218	0	0
283	Propiconazole	218	1	0
284	Propineb	0	0	0
285	Propoxur	218	0	0
286	Propyzamide	218	0	0
287	Prothioconazole	218	0	0
288	Prothioconazole (Prothioconazole-Desthio)	218	0	0
289	Prothioconazole-Desthio	218	0	0
290	Prothiofos	218	0	0
291	Pymetrozine	218	0	0
292	Pyraclostrobin	218	19	0
293	Pyrazophos	218	0	0
294	Pyrethrins	218	0	0
295	Pyridaben	218	6	0
296	Pyrifenox	218	0	0
297	Pyrimethanil	218	24	0
298	Pyriproxyfen	218	12	0
299	Quinalphos	218	0	0
300	Quinmerac	218	0	0
301	Quinoxyfen	218	5	0
302	Quintozene	218	0	0
303	Quintozene (sum)	218	0	0
304	Quizalofop (including Quizalfop-P)	218	0	0
305	Quizalofop-P-ethyl	218	0	0
306	RF-00000001-PPP	218	0	0
307	RF-00000147-VET	0	0	0
308	Resmethrin (sum)	0	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Fruit and Nuts*	*Nr Found*	*MRL Ex*
309	Rimsulfuron	218	0	0
310	Spinosad (sum)	218	6	0
311	Spiroxamine	218	2	0
312	Sulfotep	218	0	0
313	Tebuconazole	218	12	0
314	Tebufenozide	218	0	0
315	Tebufenpyrad	218	4	0
316	Tecnazene	218	0	0
317	Teflubenzuron	218	7	0
318	Tefluthrin	218	0	0
319	Terbufos	218	0	0
320	Terbufos (sum)	218	0	0
321	Terbufos Sulfone	218	0	0
322	Terbufos Sulfoxide	218	0	0
323	Tetraconazole	218	5	0
324	Tetradifon	218	0	0
325	Thiabendazole	218	23	0
326	Thiacloprid	218	5	0
327	Thiametoxam	218	1	0
328	Thiametoxam (sum)	218	1	0
329	Thifensulfuron-methyl	218	0	0
330	Thiodicarb	218	0	0
331	Thiometon	218	0	0
332	Thiophanate-methyl	218	4	0
333	Tolclofos-methyl	218	0	0
334	Tolylfluanid	218	0	0
335	Tolylfluanid (sum)	218	0	0
336	Triadimefon	218	2	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Fruit and Nuts*	*Nr Found*	*MRL Ex*
337	Triadimefon (sum)	217	9	0
338	Triadimenol	218	9	0
339	Triazamate	60	0	0
340	Triazophos	218	0	0
341	Trichlorfon	218	0	0
342	Trifloxystrobin	218	9	0
343	Triflumuron	218	8	0
344	Trifluralin	218	0	0
345	Triforine	218	0	0
346	Triticonazole	218	0	0
347	Vamidothion	218	0	0
348	Vamidothion (sum of Vamidothion, Vamidothion-sulfon	218	0	0
349	Vamidothion sulfone	218	0	0
350	Vamidothion sulfoxide	218	0	0
351	Vinclozolin	218	1	0
352	Vinclozolin (sum)	218	0	0
353	alpha-Endosulfan	218	0	0
354	beta-Endosulfan	218	0	0
355	tau-Fluvalinate	218	0	0
		73036	*784*	*11*

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Infusions*	*Nr Found*	*MRL Ex*
1	2,4 DB	5	0	0
2	2,4,5-T	5	0	0
3	2,4-D (sum)	5	1	0
4	2-Naphthoxyacetic acid	5	0	0
5	3,5-Dichloroaniline	5	0	0
6	3-Chloroaniline	5	0	0
7	3-hydroxy -carbofuran	5	0	0
8	4-Chlorophenoxy acetic acid	5	0	0
9	Abamectin (sum)	5	0	0
10	Acephate	5	0	0
11	Acetamiprid	5	1	0
12	Acrinathrin	5	0	0
13	Aldicarb	5	0	0
14	Aldicarb (sum)	5	0	0
15	Aldicarb-Sulfone	5	0	0
16	Aldicarb-Sulfoxide	5	0	0
17	Aldrin	5	0	0
18	Aldrin and Dieldrin	5	0	0
19	Amitraz (sum)	0	0	0
20	Azinphos-ethyl	5	0	0
21	Azinphos-methyl	5	0	0
22	Azoxystrobin	5	0	0
23	Bentazone	5	0	0
24	Bentazone (sum animal products)	5	0	0
25	Bentazone-8-hydroxy	5	0	0
26	Bifenthrin	5	1	0
27	Biphenyl	5	0	0
28	Bitertanol	5	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Infusions*	*Nr Found*	*MRL Ex*
29	Boscalid	5	0	0
30	Bromide ion	0	0	0
31	Bromophos-ethyl	5	0	0
32	Bromopropylate	5	1	0
33	Bromoxynil (sum)	5	0	0
34	Bromuconazole (sum)	5	0	0
35	Bupirimate	5	0	0
36	Buprofezin	5	0	0
37	Cadusafos	5	0	0
38	Camphechlor	0	0	0
39	Captafol	5	0	0
40	Captan	5	0	0
41	Carbaryl	5	0	0
42	Carbendazim	5	0	0
43	Carbendazim and benomyl	5	0	0
44	Carbofuran	5	0	0
45	Carbofuran (sum)	5	0	0
46	Chinomethionat	5	0	0
47	Chlordane	0	0	0
48	Chlorfenapyr	5	0	0
49	Chlorfenvinphos	5	0	0
50	Chlormequat	0	0	0
51	Chlorobenzilate	0	0	0
52	Chlorothalonil	5	0	0
53	Chloroxuron	5	0	0
54	Chlorpropham	5	0	0
55	Chlorpropham (sum)	5	0	0
56	Chlorpyrifos	5	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Infusions*	*Nr Found*	*MRL Ex*
57	Chlorpyrifos-methyl	5	0	0
58	Clofentezine	5	0	0
59	Clopyralid	5	0	0
60	Clothianidin	5	0	0
61	Cycloxydim (sum)	5	0	0
62	Cyfluthrin	0	0	0
63	Cyfluthrin (sum)	5	0	0
64	Cypermethrin (sum)	5	1	0
65	Cyproconazole	5	0	0
66	Cyprodinil	5	0	0
67	Cyromazine	5	0	0
68	DDD, o,p-	5	0	0
69	DDD, p,p-	5	0	0
70	DDE, o,p-	5	0	0
71	DDE, p,p-	5	0	0
72	DDT (sum)	5	0	0
73	DDT, o,p-	5	0	0
74	DDT, p,p-	5	0	0
75	DMSA	5	0	0
76	Deltamethrin	5	0	0
77	Demeton-S-Methyl	5	0	0
78	Demeton-S-Methyl (sum baby and infant food)	0	0	0
79	Demeton-S-Methylsulfone	5	0	0
80	Desmethyl pirimicarb	5	0	0
81	Diazinon	5	0	0
82	Dicamba	5	0	0
83	Dichlofluanid	5	0	0
84	Dichlorprop incl. Dichlorprop-P	5	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Infusions*	*Nr Found*	*MRL Ex*
85	Dichlorvos	5	0	0
86	Dicloran	5	0	0
87	Dicofol (sum)	5	1	0
88	Dicrotophos	5	0	0
89	Dieldrin	5	0	0
90	Diethofencarb	5	0	0
91	Difenoconazole	5	0	0
92	Diflubenzuron	5	0	0
93	Dimethoate	5	0	0
94	Dimethoate (sum)	5	0	0
95	Dimethomorph	5	0	0
96	Dimethylaminosulfotoluidide	5	0	0
97	Dimoxystrobin	5	0	0
98	Diniconazole	5	0	0
99	Diphenylamine	5	0	0
100	Disulfoton	5	0	0
101	Disulfoton (sum)	5	0	0
102	Disulfoton-Sulfon	5	0	0
103	Disulfoton-Sulfoxid	5	0	0
104	Dithiocarbamates	0	0	0
105	Dodine	5	0	0
106	EPN	5	0	0
107	Endosulfan (sum)	5	0	0
108	Endosulfansulfate	5	0	0
109	Endrin	5	0	0
110	Epoxiconazole	5	0	0
111	Ethiofencarb	5	0	0
112	Ethion	5	2	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	Compound	Infusions	Nr Found	MRL Ex
113	Ethoprophos	5	0	0
114	Ethoxyquin	5	0	0
115	Etofenprox	5	0	0
116	Etrimfos	5	0	0
117	Fenamiphos	5	0	0
118	Fenamiphos (sum)	5	0	0
119	Fenamiphos-Sulfon	5	0	0
120	Fenamiphos-Sulfoxid	5	0	0
121	Fenarimol	5	0	0
122	Fenazaquin	5	0	0
123	Fenbuconazole	5	0	0
124	Fenhexamid	5	0	0
125	Fenitrothion	5	0	0
126	Fenoprop	5	0	0
127	Fenoxaprop-P	5	0	0
128	Fenoxycarb	5	0	0
129	Fenpropathrin	5	0	0
130	Fenpropimorph	5	0	0
131	Fenpyroximate	5	0	0
132	Fensulfothion	5	0	0
133	Fensulfothion (sum)	5	0	0
134	Fensulfothion oxon	5	0	0
135	Fensulfothion-sulfon	5	0	0
136	Fenthion	5	0	0
137	Fenthion (sum)	5	0	0
138	Fenthion-Oxon	5	0	0
139	Fenthion-Oxonsulfoxide	5	0	0
140	Fenthion-Sulfon	5	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Infusions*	*Nr Found*	*MRL Ex*
141	Fenthion-Sulfoxide	5	0	0
142	Fenthion-oxonsulfone	5	0	0
143	Fentin (animal products)	0	0	0
144	Fenvalerate	0	0	0
145	Fenvalerate and Esfenvalerate (sum of RR and SS isom	5	0	0
146	Fenvalerate and Esfenvalerate (sum of RS and SR isom	5	0	0
147	Fipronil	5	0	0
148	Fipronil (sum baby and infant food)	0	0	0
149	Fipronil (sum)	5	0	0
150	Fipronil-Desulfinyl	5	0	0
151	Florasulam	5	0	0
152	Fluazifop	5	0	0
153	Fluazifop-Butyl	5	0	0
154	Fluazifop-P-butyl (sum)	5	0	0
155	Flucythrinate	5	0	0
156	Fludioxonil	5	0	0
157	Flufenoxuron	5	0	0
158	Fluoxastrobin	5	0	0
159	Fluquinconazole	5	0	0
160	Fluroxypyr (sum)	5	0	0
161	Flusilazole	5	0	0
162	Flutriafol	5	0	0
163	Folpet	5	0	0
164	Fomesafen	5	0	0
165	Fonofos	5	0	0
166	Formetanate	5	0	0
167	Formetanate (sum)	5	0	0
168	Formothion	5	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Infusions*	*Nr Found*	*MRL Ex*
169	Fosthiazate	5	0	0
170	Glyphosate	0	0	0
171	HCH (sum)	5	0	0
172	HCH alpha	5	0	0
173	HCH beta	5	0	0
174	HCH delta	5	0	0
175	Haloxyfop	5	0	0
176	Haloxyfop (sum baby and infant food)	0	0	0
177	Haloxyfop including haloxyfop-R	5	0	0
178	Haloxyfop-Methyl	5	0	0
179	Heptachlor	5	0	0
180	Heptachlor (sum)	5	0	0
181	Heptachlor epoxide	5	0	0
182	Heptenophos	5	0	0
183	Hexachlorobenzene	5	0	0
184	Hexaconazole	5	0	0
185	Hexythiazox	5	0	0
186	Imazalil	5	0	0
187	Imazapyr	5	0	0
188	Imazaquin	5	0	0
189	Imazethapyr	5	0	0
190	Imazosulfuron	5	0	0
191	Imidacloprid	5	1	0
192	Indoxacarb	5	0	0
193	Ioxynil	5	0	0
194	Iprodione	5	0	0
195	Iprovalicarb	5	0	0
196	Isofenphos-Methyl	5	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Infusions*	*Nr Found*	*MRL Ex*
197	Isoproturon	5	0	0
198	Kresoxim-methyl	5	0	0
199	Lambda-Cyhalothrin	5	1	0
200	Lindane	5	0	0
201	Linuron	5	0	0
202	Lufenuron	5	0	0
203	MCPA	5	0	0
204	MCPA and MCPB	5	0	0
205	MCPB	5	0	0
206	Malaoxon	5	0	0
207	Malathion	5	0	0
208	Malathion (sum)	5	0	0
209	Mecarbam	5	0	0
210	Mecoprop (sum)	5	0	0
211	Mepanipyrim (sum)	5	0	0
212	Mepiquat	0	0	0
213	Mepronil	5	0	0
214	Metalaxyl (sum)	5	0	0
215	Metamitron	5	0	0
216	Metamitron-desamino	5	0	0
217	Metconazole	5	0	0
218	Methacrifos	5	0	0
219	Methamidophos	5	0	0
220	Methidathion	5	0	0
221	Methiocarb	5	0	0
222	Methiocarb (sum)	5	0	0
223	Methiocarb-Sulfon	5	0	0
224	Methiocarb-Sulfoxid	5	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Infusions*	*Nr Found*	*MRL Ex*
225	Methomyl	5	0	0
226	Methomyl and Thiodicarb	5	0	0
227	Methoxychlor	0	0	0
228	Methoxyfenozide	5	0	0
229	Metobromuron	5	0	0
230	Metolcarb	5	0	0
231	Metominostrobin	5	0	0
232	Metosulam	5	0	0
233	Metoxuron	5	0	0
234	Metsulfuron-methyl	5	0	0
235	Mevinphos	5	0	0
236	Mirex	5	0	0
237	Monocrotophos	5	0	0
238	Monuron	5	0	0
239	Myclobutanil	5	0	0
240	Nitrofen	5	0	0
241	Omethoate	5	0	0
242	Orthophenylphenol	3	0	0
243	Oxadixyl	5	0	0
244	Oxamyl	5	0	0
245	Oxamyl-Oxime	5	0	0
246	Oxydemeton-methyl	5	0	0
247	Oxydemeton-methyl (sum)	5	0	0
248	Paclobutrazol	5	0	0
249	Paraoxon-Methyl	5	0	0
250	Parathion	5	0	0
251	Parathion-methyl	5	0	0
252	Parathion-methyl (sum)	5	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Infusions*	*Nr Found*	*MRL Ex*
253	Penconazole	5	0	0
254	Pencycuron	5	0	0
255	Pendimethalin	5	0	0
256	Pentachloroaniline	5	0	0
257	Pentachlorophenol	5	0	0
258	Permethrin (sum)	5	0	0
259	Phorate	5	0	0
260	Phorate (sum)	5	0	0
261	Phorate-Sulfon	5	0	0
262	Phorate-Sulfoxid	5	0	0
263	Phosalone	5	0	0
264	Phosmet	5	0	0
265	Phosmet (sum)	5	0	0
266	Phosmet oxon	5	0	0
267	Phosphamidon	5	0	0
268	Phoxim	5	0	0
269	Picloram	5	0	0
270	Picoxystrobin	5	0	0
271	Piperonyl Butoxide	5	0	0
272	Pirimicarb	5	0	0
273	Pirimicarb (sum)	5	0	0
274	Pirimiphos-Ethyl	5	0	0
275	Pirimiphos-methyl	5	0	0
276	Prochloraz (sum)	5	0	0
277	Procymidone	5	0	0
278	Profenofos	5	0	0
279	Propachlor (sum)	5	0	0
280	Propamocarb (sum)	5	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Infusions*	*Nr Found*	*MRL Ex*
281	Propargite	5	0	0
282	Propham	5	0	0
283	Propiconazole	5	0	0
284	Propineb	0	0	0
285	Propoxur	5	0	0
286	Propyzamide	5	0	0
287	Prothioconazole	5	0	0
288	Prothioconazole (Prothioconazole-Desthio)	5	0	0
289	Prothioconazole-Desthio	5	0	0
290	Prothiofos	5	0	0
291	Pymetrozine	5	0	0
292	Pyraclostrobin	5	0	0
293	Pyrazophos	5	0	0
294	Pyrethrins	5	0	0
295	Pyridaben	5	0	0
296	Pyrifenox	5	0	0
297	Pyrimethanil	5	0	0
298	Pyriproxyfen	5	0	0
299	Quinalphos	5	0	0
300	Quinmerac	5	0	0
301	Quinoxyfen	5	0	0
302	Quintozene	5	0	0
303	Quintozene (sum)	5	0	0
304	Quizalofop (including Quizalfop-P)	5	0	0
305	Quizalofop-P-ethyl	5	0	0
306	RF-00000001-PPP	5	0	0
307	RF-00000147-VET	0	0	0
308	Resmethrin (sum)	0	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	Compound	Infusions	Nr Found	MRL Ex
309	Rimsulfuron	5	0	0
310	Spinosad (sum)	5	0	0
311	Spiroxamine	5	0	0
312	Sulfotep	5	0	0
313	Tebuconazole	5	0	0
314	Tebufenozide	5	0	0
315	Tebufenpyrad	5	0	0
316	Tecnazene	5	0	0
317	Teflubenzuron	5	0	0
318	Tefluthrin	5	0	0
319	Terbufos	5	0	0
320	Terbufos (sum)	5	0	0
321	Terbufos Sulfone	5	0	0
322	Terbufos Sulfoxide	5	0	0
323	Tetraconazole	5	0	0
324	Tetradifon	5	0	0
325	Thiabendazole	5	0	0
326	Thiacloprid	5	0	0
327	Thiametoxam	5	0	0
328	Thiametoxam (sum)	5	0	0
329	Thifensulfuron-methyl	5	0	0
330	Thiodicarb	5	0	0
331	Thiometon	5	0	0
332	Thiophanate-methyl	5	0	0
333	Tolclofos-methyl	5	0	0
334	Tolylfluanid	5	0	0
335	Tolylfluanid (sum)	5	0	0
336	Triadimefon	5	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Infusions*	*Nr Found*	*MRL Ex*
337	Triadimefon (sum)	5	0	0
338	Triadimenol	5	0	0
339	Triazamate	0	0	0
340	Triazophos	5	0	0
341	Trichlorfon	5	0	0
342	Trifloxystrobin	5	0	0
343	Triflumuron	5	0	0
344	Trifluralin	5	0	0
345	Triforine	5	0	0
346	Triticonazole	5	0	0
347	Vamidothion	5	0	0
348	Vamidothion (sum of Vamidothion, Vamidothion-sulfon	5	0	0
349	Vamidothion sulfone	5	0	0
350	Vamidothion sulfoxide	5	0	0
351	Vinclozolin	5	0	0
352	Vinclozolin (sum)	5	0	0
353	alpha-Endosulfan	5	0	0
354	beta-Endosulfan	5	0	0
355	tau-Fluvalinate	5	0	0
		1673	*10*	*0*

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Oil plants*	*Nr Found*	*MRL Exc*
1	2,4 DB	18	0	0
2	2,4,5-T	18	0	0
3	2,4-D (sum)	18	0	0
4	2-Naphthoxyacetic acid	18	0	0
5	3,5-Dichloroaniline	18	0	0
6	3-Chloroaniline	18	0	0
7	3-hydroxy -carbofuran	18	0	0
8	4-Chlorophenoxy acetic acid	18	0	0
9	Abamectin (sum)	18	0	0
10	Acephate	18	0	0
11	Acetamiprid	18	0	0
12	Acrinathrin	18	0	0
13	Aldicarb	18	0	0
14	Aldicarb (sum)	18	0	0
15	Aldicarb-Sulfone	18	0	0
16	Aldicarb-Sulfoxide	18	0	0
17	Aldrin	18	0	0
18	Aldrin and Dieldrin	18	0	0
19	Amitraz (sum)	0	0	0
20	Azinphos-ethyl	18	0	0
21	Azinphos-methyl	18	0	0
22	Azoxystrobin	18	0	0
23	Bentazone	18	0	0
24	Bentazone (sum animal products)	18	0	0
25	Bentazone-8-hydroxy	18	0	0
26	Bifenthrin	18	0	0
27	Biphenyl	18	0	0
28	Bitertanol	18	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Oil plants*	*Nr Found*	*MRL Exc*
29	Boscalid	18	0	0
30	Bromide ion	0	0	0
31	Bromophos-ethyl	18	0	0
32	Bromopropylate	18	0	0
33	Bromoxynil (sum)	18	0	0
34	Bromuconazole (sum)	18	0	0
35	Bupirimate	18	0	0
36	Buprofezin	18	0	0
37	Cadusafos	18	0	0
38	Camphechlor	0	0	0
39	Captafol	18	0	0
40	Captan	18	0	0
41	Carbaryl	18	0	0
42	Carbendazim	18	0	0
43	Carbendazim and benomyl	18	0	0
44	Carbofuran	18	0	0
45	Carbofuran (sum)	18	0	0
46	Chinomethionat	18	0	0
47	Chlordane	0	0	0
48	Chlorfenapyr	18	0	0
49	Chlorfenvinphos	18	0	0
50	Chlormequat	0	0	0
51	Chlorobenzilate	0	0	0
52	Chlorothalonil	18	0	0
53	Chloroxuron	18	0	0
54	Chlorpropham	18	0	0
55	Chlorpropham (sum)	18	0	0
56	Chlorpyrifos	18	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Oil plants*	*Nr Found*	*MRL Exc*
57	Chlorpyrifos-methyl	18	0	0
58	Clofentezine	18	0	0
59	Clopyralid	18	0	0
60	Clothianidin	18	0	0
61	Cycloxydim (sum)	18	0	0
62	Cyfluthrin	0	0	0
63	Cyfluthrin (sum)	18	0	0
64	Cypermethrin (sum)	18	0	0
65	Cyproconazole	18	0	0
66	Cyprodinil	18	0	0
67	Cyromazine	18	0	0
68	DDD, o,p-	18	0	0
69	DDD, p,p-	18	0	0
70	DDE, o,p-	18	0	0
71	DDE, p,p-	18	0	0
72	DDT (sum)	18	0	0
73	DDT, o,p-	18	0	0
74	DDT, p,p-	18	0	0
75	DMSA	18	0	0
76	Deltamethrin	18	0	0
77	Demeton-S-Methyl	18	0	0
78	Demeton-S-Methyl (sum baby and infant food)	0	0	0
79	Demeton-S-Methylsulfone	18	0	0
80	Desmethyl pirimicarb	18	0	0
81	Diazinon	18	0	0
82	Dicamba	18	0	0
83	Dichlofluanid	18	0	0
84	Dichlorprop incl. Dichlorprop-P	18	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Oil plants*	*Nr Found*	*MRL Exc*
85	Dichlorvos	18	0	0
86	Dicloran	18	0	0
87	Dicofol (sum)	18	0	0
88	Dicrotophos	18	0	0
89	Dieldrin	18	0	0
90	Diethofencarb	18	0	0
91	Difenoconazole	18	0	0
92	Diflubenzuron	18	0	0
93	Dimethoate	18	0	0
94	Dimethoate (sum)	18	0	0
95	Dimethomorph	18	0	0
96	Dimethylaminosulfotoluidide	18	0	0
97	Dimoxystrobin	18	0	0
98	Diniconazole	18	0	0
99	Diphenylamine	18	0	0
100	Disulfoton	18	0	0
101	Disulfoton (sum)	18	0	0
102	Disulfoton-Sulfon	18	0	0
103	Disulfoton-Sulfoxid	18	0	0
104	Dithiocarbamates	0	0	0
105	Dodine	18	0	0
106	EPN	18	0	0
107	Endosulfan (sum)	18	1	0
108	Endosulfansulfate	18	1	0
109	Endrin	18	0	0
110	Epoxiconazole	18	0	0
111	Ethiofencarb	18	0	0
112	Ethion	18	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Oil plants*	*Nr Found*	*MRL Exc*
113	Ethoprophos	18	0	0
114	Ethoxyquin	18	0	0
115	Etofenprox	18	0	0
116	Etrimfos	18	0	0
117	Fenamiphos	18	0	0
118	Fenamiphos (sum)	18	0	0
119	Fenamiphos-Sulfon	18	0	0
120	Fenamiphos-Sulfoxid	18	0	0
121	Fenarimol	18	0	0
122	Fenazaquin	18	0	0
123	Fenbuconazole	18	0	0
124	Fenhexamid	18	0	0
125	Fenitrothion	18	0	0
126	Fenoprop	18	0	0
127	Fenoxaprop-P	18	0	0
128	Fenoxycarb	18	0	0
129	Fenpropathrin	18	0	0
130	Fenpropimorph	18	0	0
131	Fenpyroximate	18	0	0
132	Fensulfothion	18	0	0
133	Fensulfothion (sum)	18	0	0
134	Fensulfothion oxon	18	0	0
135	Fensulfothion-sulfon	18	0	0
136	Fenthion	18	0	0
137	Fenthion (sum)	18	0	0
138	Fenthion-Oxon	18	0	0
139	Fenthion-Oxonsulfoxide	18	0	0
140	Fenthion-Sulfon	18	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Oil plants*	*Nr Found*	*MRL Exc*
141	Fenthion-Sulfoxide	18	0	0
142	Fenthion-oxonsulfone	18	0	0
143	Fentin (animal products)	0	0	0
144	Fenvalerate	0	0	0
145	Fenvalerate and Esfenvalerate (sum of RR and SS isom	18	0	0
146	Fenvalerate and Esfenvalerate (sum of RS and SR isom	18	0	0
147	Fipronil	18	0	0
148	Fipronil (sum baby and infant food)	0	0	0
149	Fipronil (sum)	18	0	0
150	Fipronil-Desulfinyl	18	0	0
151	Florasulam	18	0	0
152	Fluazifop	18	2	0
153	Fluazifop-Butyl	18	0	0
154	Fluazifop-P-butyl (sum)	18	2	0
155	Flucythrinate	18	0	0
156	Fludioxonil	18	0	0
157	Flufenoxuron	18	0	0
158	Fluoxastrobin	18	0	0
159	Fluquinconazole	18	0	0
160	Fluroxypyr (sum)	18	0	0
161	Flusilazole	18	0	0
162	Flutriafol	18	0	0
163	Folpet	18	0	0
164	Fomesafen	18	0	0
165	Fonofos	18	0	0
166	Formetanate	18	0	0
167	Formetanate (sum)	18	0	0
168	Formothion	18	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Oil plants*	*Nr Found*	*MRL Exc*
169	Fosthiazate	18	0	0
170	Glyphosate	0	0	0
171	HCH (sum)	18	0	0
172	HCH alpha	18	0	0
173	HCH beta	18	0	0
174	HCH delta	18	0	0
175	Haloxyfop	18	0	0
176	Haloxyfop (sum baby and infant food)	0	0	0
177	Haloxyfop including haloxyfop-R	18	0	0
178	Haloxyfop-Methyl	18	0	0
179	Heptachlor	18	0	0
180	Heptachlor (sum)	18	0	0
181	Heptachlor epoxide	18	0	0
182	Heptenophos	18	0	0
183	Hexachlorobenzene	18	0	0
184	Hexaconazole	18	0	0
185	Hexythiazox	18	0	0
186	Imazalil	18	0	0
187	Imazapyr	18	0	0
188	Imazaquin	18	0	0
189	Imazethapyr	18	0	0
190	Imazosulfuron	18	0	0
191	Imidacloprid	18	0	0
192	Indoxacarb	18	0	0
193	Ioxynil	18	0	0
194	Iprodione	18	0	0
195	Iprovalicarb	18	0	0
196	Isofenphos-Methyl	18	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	Compound	Oil plants	Nr Found	MRL Exc
197	Isoproturon	18	0	0
198	Kresoxim-methyl	18	0	0
199	Lambda-Cyhalothrin	18	0	0
200	Lindane	18	0	0
201	Linuron	18	0	0
202	Lufenuron	18	0	0
203	MCPA	18	0	0
204	MCPA and MCPB	18	0	0
205	MCPB	18	0	0
206	Malaoxon	18	0	0
207	Malathion	18	0	0
208	Malathion (sum)	18	0	0
209	Mecarbam	18	0	0
210	Mecoprop (sum)	18	0	0
211	Mepanipyrim (sum)	18	0	0
212	Mepiquat	0	0	0
213	Mepronil	18	0	0
214	Metalaxyl (sum)	18	0	0
215	Metamitron	18	0	0
216	Metamitron-desamino	18	0	0
217	Metconazole	18	0	0
218	Methacrifos	18	0	0
219	Methamidophos	18	0	0
220	Methidathion	18	0	0
221	Methiocarb	18	0	0
222	Methiocarb (sum)	18	0	0
223	Methiocarb-Sulfon	18	0	0
224	Methiocarb-Sulfoxid	18	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Oil plants*	*Nr Found*	*MRL Exc*
225	Methomyl	18	0	0
226	Methomyl and Thiodicarb	18	0	0
227	Methoxychlor	0	0	0
228	Methoxyfenozide	18	0	0
229	Metobromuron	18	0	0
230	Metolcarb	18	0	0
231	Metominostrobin	18	0	0
232	Metosulam	18	0	0
233	Metoxuron	18	0	0
234	Metsulfuron-methyl	18	0	0
235	Mevinphos	18	0	0
236	Mirex	18	0	0
237	Monocrotophos	18	0	0
238	Monuron	18	0	0
239	Myclobutanil	18	0	0
240	Nitrofen	18	0	0
241	Omethoate	18	0	0
242	Orthophenylphenol	8	0	0
243	Oxadixyl	18	0	0
244	Oxamyl	18	0	0
245	Oxamyl-Oxime	18	0	0
246	Oxydemeton-methyl	18	0	0
247	Oxydemeton-methyl (sum)	18	0	0
248	Paclobutrazol	18	0	0
249	Paraoxon-Methyl	18	0	0
250	Parathion	18	0	0
251	Parathion-methyl	18	0	0
252	Parathion-methyl (sum)	18	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	Compound	Oil plants	Nr Found	MRL Exc
253	Penconazole	18	0	0
254	Pencycuron	18	0	0
255	Pendimethalin	18	0	0
256	Pentachloroaniline	18	0	0
257	Pentachlorophenol	18	0	0
258	Permethrin (sum)	18	0	0
259	Phorate	18	0	0
260	Phorate (sum)	18	0	0
261	Phorate-Sulfon	18	0	0
262	Phorate-Sulfoxid	18	0	0
263	Phosalone	18	0	0
264	Phosmet	18	0	0
265	Phosmet (sum)	18	0	0
266	Phosmet oxon	18	0	0
267	Phosphamidon	18	0	0
268	Phoxim	18	0	0
269	Picloram	18	0	0
270	Picoxystrobin	18	0	0
271	Piperonyl Butoxide	18	0	0
272	Pirimicarb	18	0	0
273	Pirimicarb (sum)	18	0	0
274	Pirimiphos-Ethyl	18	0	0
275	Pirimiphos-methyl	18	0	0
276	Prochloraz (sum)	18	0	0
277	Procymidone	18	0	0
278	Profenofos	18	0	0
279	Propachlor (sum)	18	0	0
280	Propamocarb (sum)	18	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Oil plants*	*Nr Found*	*MRL Exc*
281	Propargite	18	0	0
282	Propham	18	0	0
283	Propiconazole	18	0	0
284	Propineb	0	0	0
285	Propoxur	18	0	0
286	Propyzamide	18	0	0
287	Prothioconazole	18	0	0
288	Prothioconazole (Prothioconazole-Desthio)	18	0	0
289	Prothioconazole-Desthio	18	0	0
290	Prothiofos	18	0	0
291	Pymetrozine	18	0	0
292	Pyraclostrobin	18	0	0
293	Pyrazophos	18	0	0
294	Pyrethrins	18	0	0
295	Pyridaben	18	0	0
296	Pyrifenox	18	0	0
297	Pyrimethanil	18	0	0
298	Pyriproxyfen	18	0	0
299	Quinalphos	18	0	0
300	Quinmerac	18	0	0
301	Quinoxyfen	18	0	0
302	Quintozene	18	0	0
303	Quintozene (sum)	18	0	0
304	Quizalofop (including Quizalfop-P)	18	0	0
305	Quizalofop-P-ethyl	18	0	0
306	RF-00000001-PPP	18	0	0
307	RF-00000147-VET	0	0	0
308	Resmethrin (sum)	0	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Oil plants*	*Nr Found*	*MRL Exc*
309	Rimsulfuron	18	0	0
310	Spinosad (sum)	18	0	0
311	Spiroxamine	18	0	0
312	Sulfotep	18	0	0
313	Tebuconazole	18	3	0
314	Tebufenozide	18	0	0
315	Tebufenpyrad	18	0	0
316	Tecnazene	18	0	0
317	Teflubenzuron	18	0	0
318	Tefluthrin	18	0	0
319	Terbufos	18	0	0
320	Terbufos (sum)	18	0	0
321	Terbufos Sulfone	18	0	0
322	Terbufos Sulfoxide	18	0	0
323	Tetraconazole	18	0	0
324	Tetradifon	18	0	0
325	Thiabendazole	18	0	0
326	Thiacloprid	18	0	0
327	Thiametoxam	18	0	0
328	Thiametoxam (sum)	18	0	0
329	Thifensulfuron-methyl	18	0	0
330	Thiodicarb	18	0	0
331	Thiometon	18	0	0
332	Thiophanate-methyl	18	0	0
333	Tolclofos-methyl	18	0	0
334	Tolylfluanid	18	0	0
335	Tolylfluanid (sum)	18	0	0
336	Triadimefon	18	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Oil plants*	*Nr Found*	*MRL Exc*
337	Triadimefon (sum)	18	0	0
338	Triadimenol	18	0	0
339	Triazamate	3	0	0
340	Triazophos	18	0	0
341	Trichlorfon	18	0	0
342	Trifloxystrobin	18	0	0
343	Triflumuron	18	0	0
344	Trifluralin	18	1	0
345	Triforine	18	0	0
346	Triticonazole	18	0	0
347	Vamidothion	18	0	0
348	Vamidothion (sum of Vamidothion, Vamidothion-sulfon	18	0	0
349	Vamidothion sulfone	18	0	0
350	Vamidothion sulfoxide	18	0	0
351	Vinclozolin	18	0	0
352	Vinclozolin (sum)	18	0	0
353	alpha-Endosulfan	18	1	0
354	beta-Endosulfan	18	0	0
355	tau-Fluvalinate	18	0	0
		6023	*11*	*0*

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Pulses*	*Nr Found*	*MRL Ex*
1	2,4 DB	2	0	0
2	2,4,5-T	2	0	0
3	2,4-D (sum)	2	0	0
4	2-Naphthoxyacetic acid	2	0	0
5	3,5-Dichloroaniline	2	0	0
6	3-Chloroaniline	2	0	0
7	3-hydroxy -carbofuran	2	0	0
8	4-Chlorophenoxy acetic acid	2	0	0
9	Abamectin (sum)	2	0	0
10	Acephate	2	0	0
11	Acetamiprid	2	0	0
12	Acrinathrin	2	0	0
13	Aldicarb	2	0	0
14	Aldicarb (sum)	2	0	0
15	Aldicarb-Sulfone	2	0	0
16	Aldicarb-Sulfoxide	2	0	0
17	Aldrin	2	0	0
18	Aldrin and Dieldrin	2	0	0
19	Amitraz (sum)	0	0	0
20	Azinphos-ethyl	2	0	0
21	Azinphos-methyl	2	0	0
22	Azoxystrobin	2	0	0
23	Bentazone	2	0	0
24	Bentazone (sum animal products)	2	0	0
25	Bentazone-8-hydroxy	2	0	0
26	Bifenthrin	2	0	0
27	Biphenyl	2	0	0
28	Bitertanol	2	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Pulses*	*Nr Found*	*MRL Ex*
29	Boscalid	2	1	0
30	Bromide ion	0	0	0
31	Bromophos-ethyl	2	0	0
32	Bromopropylate	2	0	0
33	Bromoxynil (sum)	2	0	0
34	Bromuconazole (sum)	2	0	0
35	Bupirimate	2	0	0
36	Buprofezin	2	0	0
37	Cadusafos	2	0	0
38	Camphechlor	0	0	0
39	Captafol	2	0	0
40	Captan	2	0	0
41	Carbaryl	2	0	0
42	Carbendazim	2	0	0
43	Carbendazim and benomyl	2	0	0
44	Carbofuran	2	0	0
45	Carbofuran (sum)	2	0	0
46	Chinomethionat	2	0	0
47	Chlordane	0	0	0
48	Chlorfenapyr	2	0	0
49	Chlorfenvinphos	2	0	0
50	Chlormequat	0	0	0
51	Chlorobenzilate	0	0	0
52	Chlorothalonil	2	0	0
53	Chloroxuron	2	0	0
54	Chlorpropham	2	0	0
55	Chlorpropham (sum)	2	0	0
56	Chlorpyrifos	2	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Pulses*	*Nr Found*	*MRL Ex*
57	Chlorpyrifos-methyl	2	0	0
58	Clofentezine	2	0	0
59	Clopyralid	2	0	0
60	Clothianidin	2	0	0
61	Cycloxydim (sum)	2	0	0
62	Cyfluthrin	0	0	0
63	Cyfluthrin (sum)	2	0	0
64	Cypermethrin (sum)	2	0	0
65	Cyproconazole	2	0	0
66	Cyprodinil	2	1	0
67	Cyromazine	2	0	0
68	DDD, o,p-	2	0	0
69	DDD, p,p-	2	0	0
70	DDE, o,p-	2	0	0
71	DDE, p,p-	2	0	0
72	DDT (sum)	2	0	0
73	DDT, o,p-	2	0	0
74	DDT, p,p-	2	0	0
75	DMSA	2	0	0
76	Deltamethrin	2	0	0
77	Demeton-S-Methyl	2	0	0
78	Demeton-S-Methyl (sum baby and infant food)	0	0	0
79	Demeton-S-Methylsulfone	2	0	0
80	Desmethyl pirimicarb	2	0	0
81	Diazinon	2	0	0
82	Dicamba	2	0	0
83	Dichlofluanid	2	0	0
84	Dichlorprop incl. Dichlorprop-P	2	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	Compound	Pulses	Nr Found	MRL Ex
85	Dichlorvos	2	0	0
86	Dicloran	2	0	0
87	Dicofol (sum)	2	0	0
88	Dicrotophos	2	0	0
89	Dieldrin	2	0	0
90	Diethofencarb	2	0	0
91	Difenoconazole	2	0	0
92	Diflubenzuron	2	0	0
93	Dimethoate	2	0	0
94	Dimethoate (sum)	2	0	0
95	Dimethomorph	2	0	0
96	Dimethylaminosulfotoluidide	2	0	0
97	Dimoxystrobin	2	0	0
98	Diniconazole	2	0	0
99	Diphenylamine	2	0	0
100	Disulfoton	2	0	0
101	Disulfoton (sum)	2	0	0
102	Disulfoton-Sulfon	2	0	0
103	Disulfoton-Sulfoxid	2	0	0
104	Dithiocarbamates	0	0	0
105	Dodine	2	0	0
106	EPN	2	0	0
107	Endosulfan (sum)	2	0	0
108	Endosulfansulfate	2	0	0
109	Endrin	2	0	0
110	Epoxiconazole	2	0	0
111	Ethiofencarb	2	0	0
112	Ethion	2	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	Compound	Pulses	Nr Found	MRL Ex
113	Ethoprophos	2	0	0
114	Ethoxyquin	2	0	0
115	Etofenprox	2	0	0
116	Etrimfos	2	0	0
117	Fenamiphos	2	0	0
118	Fenamiphos (sum)	2	0	0
119	Fenamiphos-Sulfon	2	0	0
120	Fenamiphos-Sulfoxid	2	0	0
121	Fenarimol	2	0	0
122	Fenazaquin	2	0	0
123	Fenbuconazole	2	0	0
124	Fenhexamid	2	0	0
125	Fenitrothion	2	0	0
126	Fenoprop	2	0	0
127	Fenoxaprop-P	2	0	0
128	Fenoxycarb	2	0	0
129	Fenpropathrin	2	0	0
130	Fenpropimorph	2	0	0
131	Fenpyroximate	2	0	0
132	Fensulfothion	2	0	0
133	Fensulfothion (sum)	2	0	0
134	Fensulfothion oxon	2	0	0
135	Fensulfothion-sulfon	2	0	0
136	Fenthion	2	0	0
137	Fenthion (sum)	2	0	0
138	Fenthion-Oxon	2	0	0
139	Fenthion-Oxonsulfoxide	2	0	0
140	Fenthion-Sulfon	2	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	Compound	Pulses	Nr Found	MRL Ex
141	Fenthion-Sulfoxide	2	0	0
142	Fenthion-oxonsulfone	2	0	0
143	Fentin (animal products)	0	0	0
144	Fenvalerate	0	0	0
145	Fenvalerate and Esfenvalerate (sum of RR and SS isom	2	0	0
146	Fenvalerate and Esfenvalerate (sum of RS and SR isom	2	0	0
147	Fipronil	2	0	0
148	Fipronil (sum baby and infant food)	0	0	0
149	Fipronil (sum)	2	0	0
150	Fipronil-Desulfinyl	2	0	0
151	Florasulam	2	0	0
152	Fluazifop	2	0	0
153	Fluazifop-Butyl	2	0	0
154	Fluazifop-P-butyl (sum)	2	0	0
155	Flucythrinate	2	0	0
156	Fludioxonil	2	0	0
157	Flufenoxuron	2	0	0
158	Fluoxastrobin	2	0	0
159	Fluquinconazole	2	0	0
160	Fluroxypyr (sum)	2	0	0
161	Flusilazole	2	0	0
162	Flutriafol	2	0	0
163	Folpet	2	0	0
164	Fomesafen	2	0	0
165	Fonofos	2	0	0
166	Formetanate	2	0	0
167	Formetanate (sum)	2	0	0
168	Formothion	2	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Pulses*	*Nr Found*	*MRL Ex*
169	Fosthiazate	2	0	0
170	Glyphosate	0	0	0
171	HCH (sum)	2	0	0
172	HCH alpha	2	0	0
173	HCH beta	2	0	0
174	HCH delta	2	0	0
175	Haloxyfop	2	0	0
176	Haloxyfop (sum baby and infant food)	0	0	0
177	Haloxyfop including haloxyfop-R	2	0	0
178	Haloxyfop-Methyl	2	0	0
179	Heptachlor	2	0	0
180	Heptachlor (sum)	2	0	0
181	Heptachlor epoxide	2	0	0
182	Heptenophos	2	0	0
183	Hexachlorobenzene	2	0	0
184	Hexaconazole	2	0	0
185	Hexythiazox	2	0	0
186	Imazalil	2	0	0
187	Imazapyr	2	0	0
188	Imazaquin	2	0	0
189	Imazethapyr	2	0	0
190	Imazosulfuron	2	0	0
191	Imidacloprid	2	0	0
192	Indoxacarb	2	0	0
193	Ioxynil	2	0	0
194	Iprodione	2	0	0
195	Iprovalicarb	2	0	0
196	Isofenphos-Methyl	2	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	Compound	Pulses	Nr Found	MRL Ex
197	Isoproturon	2	0	0
198	Kresoxim-methyl	2	0	0
199	Lambda-Cyhalothrin	2	0	0
200	Lindane	2	0	0
201	Linuron	2	0	0
202	Lufenuron	2	0	0
203	MCPA	2	0	0
204	MCPA and MCPB	2	0	0
205	MCPB	2	0	0
206	Malaoxon	2	0	0
207	Malathion	2	0	0
208	Malathion (sum)	2	0	0
209	Mecarbam	2	0	0
210	Mecoprop (sum)	2	0	0
211	Mepanipyrim (sum)	2	0	0
212	Mepiquat	0	0	0
213	Mepronil	2	0	0
214	Metalaxyl (sum)	2	0	0
215	Metamitron	2	0	0
216	Metamitron-desamino	2	0	0
217	Metconazole	2	0	0
218	Methacrifos	2	0	0
219	Methamidophos	2	0	0
220	Methidathion	2	0	0
221	Methiocarb	2	0	0
222	Methiocarb (sum)	2	0	0
223	Methiocarb-Sulfon	2	0	0
224	Methiocarb-Sulfoxid	2	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Pulses*	*Nr Found*	*MRL Ex*
225	Methomyl	2	0	0
226	Methomyl and Thiodicarb	2	0	0
227	Methoxychlor	0	0	0
228	Methoxyfenozide	2	0	0
229	Metobromuron	2	0	0
230	Metolcarb	2	0	0
231	Metominostrobin	2	0	0
232	Metosulam	2	0	0
233	Metoxuron	2	0	0
234	Metsulfuron-methyl	2	0	0
235	Mevinphos	2	0	0
236	Mirex	2	0	0
237	Monocrotophos	2	0	0
238	Monuron	2	0	0
239	Myclobutanil	2	0	0
240	Nitrofen	2	0	0
241	Omethoate	2	0	0
242	Orthophenylphenol	1	0	0
243	Oxadixyl	2	0	0
244	Oxamyl	2	0	0
245	Oxamyl-Oxime	2	0	0
246	Oxydemeton-methyl	2	0	0
247	Oxydemeton-methyl (sum)	2	0	0
248	Paclobutrazol	2	0	0
249	Paraoxon-Methyl	2	0	0
250	Parathion	2	0	0
251	Parathion-methyl	2	0	0
252	Parathion-methyl (sum)	2	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Pulses*	*Nr Found*	*MRL Ex*
253	Penconazole	2	0	0
254	Pencycuron	2	0	0
255	Pendimethalin	2	0	0
256	Pentachloroaniline	2	0	0
257	Pentachlorophenol	2	0	0
258	Permethrin (sum)	2	0	0
259	Phorate	2	0	0
260	Phorate (sum)	2	0	0
261	Phorate-Sulfon	2	0	0
262	Phorate-Sulfoxid	2	0	0
263	Phosalone	2	0	0
264	Phosmet	2	0	0
265	Phosmet (sum)	2	0	0
266	Phosmet oxon	2	0	0
267	Phosphamidon	2	0	0
268	Phoxim	2	0	0
269	Picloram	2	0	0
270	Picoxystrobin	2	0	0
271	Piperonyl Butoxide	2	0	0
272	Pirimicarb	2	0	0
273	Pirimicarb (sum)	2	0	0
274	Pirimiphos-Ethyl	2	0	0
275	Pirimiphos-methyl	2	0	0
276	Prochloraz (sum)	2	0	0
277	Procymidone	2	0	0
278	Profenofos	2	0	0
279	Propachlor (sum)	2	0	0
280	Propamocarb (sum)	2	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Pulses*	*Nr Found*	*MRL Ex*
281	Propargite	2	0	0
282	Propham	2	0	0
283	Propiconazole	2	0	0
284	Propineb	0	0	0
285	Propoxur	2	0	0
286	Propyzamide	2	0	0
287	Prothioconazole	2	0	0
288	Prothioconazole (Prothioconazole-Desthio)	2	0	0
289	Prothioconazole-Desthio	2	0	0
290	Prothiofos	2	0	0
291	Pymetrozine	2	0	0
292	Pyraclostrobin	2	0	0
293	Pyrazophos	2	0	0
294	Pyrethrins	2	0	0
295	Pyridaben	2	0	0
296	Pyrifenox	2	0	0
297	Pyrimethanil	2	0	0
298	Pyriproxyfen	2	0	0
299	Quinalphos	2	0	0
300	Quinmerac	2	0	0
301	Quinoxyfen	2	0	0
302	Quintozene	2	0	0
303	Quintozene (sum)	2	0	0
304	Quizalofop (including Quizalfop-P)	2	0	0
305	Quizalofop-P-ethyl	2	0	0
306	RF-00000001-PPP	2	0	0
307	RF-00000147-VET	0	0	0
308	Resmethrin (sum)	0	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Pulses*	*Nr Found*	*MRL Ex*
309	Rimsulfuron	2	0	0
310	Spinosad (sum)	2	0	0
311	Spiroxamine	2	0	0
312	Sulfotep	2	0	0
313	Tebuconazole	2	0	0
314	Tebufenozide	2	0	0
315	Tebufenpyrad	2	0	0
316	Tecnazene	2	0	0
317	Teflubenzuron	2	0	0
318	Tefluthrin	2	0	0
319	Terbufos	2	0	0
320	Terbufos (sum)	2	0	0
321	Terbufos Sulfone	2	0	0
322	Terbufos Sulfoxide	2	0	0
323	Tetraconazole	2	0	0
324	Tetradifon	2	0	0
325	Thiabendazole	2	0	0
326	Thiacloprid	2	0	0
327	Thiametoxam	2	0	0
328	Thiametoxam (sum)	2	0	0
329	Thifensulfuron-methyl	2	0	0
330	Thiodicarb	2	0	0
331	Thiometon	2	0	0
332	Thiophanate-methyl	2	0	0
333	Tolclofos-methyl	2	0	0
334	Tolylfluanid	2	0	0
335	Tolylfluanid (sum)	2	0	0
336	Triadimefon	2	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Pulses*	*Nr Found*	*MRL Ex*
337	Triadimefon (sum)	2	0	0
338	Triadimenol	2	0	0
339	Triazamate	0	0	0
340	Triazophos	2	0	0
341	Trichlorfon	2	0	0
342	Trifloxystrobin	2	0	0
343	Triflumuron	2	0	0
344	Trifluralin	2	0	0
345	Triforine	2	0	0
346	Triticonazole	2	0	0
347	Vamidothion	2	0	0
348	Vamidothion (sum of Vamidothion, Vamidothion-sulfon	2	0	0
349	Vamidothion sulfone	2	0	0
350	Vamidothion sulfoxide	2	0	0
351	Vinclozolin	2	0	0
352	Vinclozolin (sum)	2	0	0
353	alpha-Endosulfan	2	0	0
354	beta-Endosulfan	2	0	0
355	tau-Fluvalinate	2	0	0
		669	*2*	*0*

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Spices*	*Nr Found*	*MRL Ex*
1	2,4 DB	3	0	0
2	2,4,5-T	3	0	0
3	2,4-D (sum)	3	0	0
4	2-Naphthoxyacetic acid	3	0	0
5	3,5-Dichloroaniline	3	0	0
6	3-Chloroaniline	3	0	0
7	3-hydroxy -carbofuran	3	0	0
8	4-Chlorophenoxy acetic acid	3	0	0
9	Abamectin (sum)	3	0	0
10	Acephate	3	0	0
11	Acetamiprid	3	0	0
12	Acrinathrin	3	0	0
13	Aldicarb	3	0	0
14	Aldicarb (sum)	3	0	0
15	Aldicarb-Sulfone	3	0	0
16	Aldicarb-Sulfoxide	3	0	0
17	Aldrin	3	0	0
18	Aldrin and Dieldrin	3	0	0
19	Amitraz (sum)	0	0	0
20	Azinphos-ethyl	3	0	0
21	Azinphos-methyl	3	0	0
22	Azoxystrobin	3	0	0
23	Bentazone	3	0	0
24	Bentazone (sum animal products)	3	0	0
25	Bentazone-8-hydroxy	3	0	0
26	Bifenthrin	3	0	0
27	Biphenyl	3	0	0
28	Bitertanol	3	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Spices*	*Nr Found*	*MRL Ex*
29	Boscalid	3	0	0
30	Bromide ion	0	0	0
31	Bromophos-ethyl	3	0	0
32	Bromopropylate	3	0	0
33	Bromoxynil (sum)	3	0	0
34	Bromuconazole (sum)	3	0	0
35	Bupirimate	3	0	0
36	Buprofezin	3	0	0
37	Cadusafos	3	0	0
38	Camphechlor	0	0	0
39	Captafol	3	0	0
40	Captan	3	0	0
41	Carbaryl	3	0	0
42	Carbendazim	3	0	0
43	Carbendazim and benomyl	3	0	0
44	Carbofuran	3	0	0
45	Carbofuran (sum)	3	0	0
46	Chinomethionat	3	0	0
47	Chlordane	0	0	0
48	Chlorfenapyr	3	0	0
49	Chlorfenvinphos	3	0	0
50	Chlormequat	0	0	0
51	Chlorobenzilate	0	0	0
52	Chlorothalonil	3	0	0
53	Chloroxuron	3	0	0
54	Chlorpropham	3	0	0
55	Chlorpropham (sum)	3	0	0
56	Chlorpyrifos	3	1	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Spices*	*Nr Found*	*MRL Ex*
57	Chlorpyrifos-methyl	3	0	0
58	Clofentezine	3	0	0
59	Clopyralid	3	0	0
60	Clothianidin	3	0	0
61	Cycloxydim (sum)	3	0	0
62	Cyfluthrin	0	0	0
63	Cyfluthrin (sum)	3	0	0
64	Cypermethrin (sum)	3	0	0
65	Cyproconazole	3	0	0
66	Cyprodinil	3	0	0
67	Cyromazine	3	0	0
68	DDD, o,p-	3	0	0
69	DDD, p,p-	3	0	0
70	DDE, o,p-	3	0	0
71	DDE, p,p-	3	0	0
72	DDT (sum)	3	0	0
73	DDT, o,p-	3	0	0
74	DDT, p,p-	3	0	0
75	DMSA	3	0	0
76	Deltamethrin	3	0	0
77	Demeton-S-Methyl	3	0	0
78	Demeton-S-Methyl (sum baby and infant food)	0	0	0
79	Demeton-S-Methylsulfone	3	0	0
80	Desmethyl pirimicarb	3	0	0
81	Diazinon	3	0	0
82	Dicamba	3	0	0
83	Dichlofluanid	3	0	0
84	Dichlorprop incl. Dichlorprop-P	3	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	Compound	Spices	Nr Found	MRL Ex
85	Dichlorvos	3	0	0
86	Dicloran	3	0	0
87	Dicofol (sum)	3	0	0
88	Dicrotophos	3	0	0
89	Dieldrin	3	0	0
90	Diethofencarb	3	0	0
91	Difenoconazole	3	0	0
92	Diflubenzuron	3	0	0
93	Dimethoate	3	0	0
94	Dimethoate (sum)	3	0	0
95	Dimethomorph	3	0	0
96	Dimethylaminosulfotoluidide	3	0	0
97	Dimoxystrobin	3	0	0
98	Diniconazole	3	0	0
99	Diphenylamine	3	0	0
100	Disulfoton	3	0	0
101	Disulfoton (sum)	3	0	0
102	Disulfoton-Sulfon	3	0	0
103	Disulfoton-Sulfoxid	3	0	0
104	Dithiocarbamates	0	0	0
105	Dodine	3	0	0
106	EPN	3	0	0
107	Endosulfan (sum)	3	0	0
108	Endosulfansulfate	3	0	0
109	Endrin	3	0	0
110	Epoxiconazole	3	0	0
111	Ethiofencarb	3	0	0
112	Ethion	3	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	Compound	Spices	Nr Found	MRL Ex
113	Ethoprophos	3	0	0
114	Ethoxyquin	3	0	0
115	Etofenprox	3	0	0
116	Etrimfos	3	0	0
117	Fenamiphos	3	0	0
118	Fenamiphos (sum)	3	0	0
119	Fenamiphos-Sulfon	3	0	0
120	Fenamiphos-Sulfoxid	3	0	0
121	Fenarimol	3	0	0
122	Fenazaquin	3	0	0
123	Fenbuconazole	3	0	0
124	Fenhexamid	3	0	0
125	Fenitrothion	3	0	0
126	Fenoprop	3	0	0
127	Fenoxaprop-P	3	0	0
128	Fenoxycarb	3	0	0
129	Fenpropathrin	3	0	0
130	Fenpropimorph	3	0	0
131	Fenpyroximate	3	0	0
132	Fensulfothion	3	0	0
133	Fensulfothion (sum)	3	0	0
134	Fensulfothion oxon	3	0	0
135	Fensulfothion-sulfon	3	0	0
136	Fenthion	3	0	0
137	Fenthion (sum)	3	0	0
138	Fenthion-Oxon	3	0	0
139	Fenthion-Oxonsulfoxide	3	0	0
140	Fenthion-Sulfon	3	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	Compound	Spices	Nr Found	MRL Ex
141	Fenthion-Sulfoxide	3	0	0
142	Fenthion-oxonsulfone	3	0	0
143	Fentin (animal products)	0	0	0
144	Fenvalerate	0	0	0
145	Fenvalerate and Esfenvalerate (sum of RR and SS isom	3	0	0
146	Fenvalerate and Esfenvalerate (sum of RS and SR isom	3	0	0
147	Fipronil	3	0	0
148	Fipronil (sum baby and infant food)	0	0	0
149	Fipronil (sum)	3	0	0
150	Fipronil-Desulfinyl	3	0	0
151	Florasulam	3	0	0
152	Fluazifop	3	0	0
153	Fluazifop-Butyl	3	0	0
154	Fluazifop-P-butyl (sum)	3	0	0
155	Flucythrinate	3	0	0
156	Fludioxonil	3	0	0
157	Flufenoxuron	3	0	0
158	Fluoxastrobin	3	0	0
159	Fluquinconazole	3	0	0
160	Fluroxypyr (sum)	3	0	0
161	Flusilazole	3	0	0
162	Flutriafol	3	0	0
163	Folpet	3	0	0
164	Fomesafen	3	0	0
165	Fonofos	3	0	0
166	Formetanate	3	0	0
167	Formetanate (sum)	3	0	0
168	Formothion	3	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Spices*	*Nr Found*	*MRL Ex*
169	Fosthiazate	3	0	0
170	Glyphosate	0	0	0
171	HCH (sum)	3	0	0
172	HCH alpha	3	0	0
173	HCH beta	3	0	0
174	HCH delta	3	0	0
175	Haloxyfop	3	0	0
176	Haloxyfop (sum baby and infant food)	0	0	0
177	Haloxyfop including haloxyfop-R	3	0	0
178	Haloxyfop-Methyl	3	0	0
179	Heptachlor	3	0	0
180	Heptachlor (sum)	3	0	0
181	Heptachlor epoxide	3	0	0
182	Heptenophos	3	0	0
183	Hexachlorobenzene	3	0	0
184	Hexaconazole	3	0	0
185	Hexythiazox	3	0	0
186	Imazalil	3	0	0
187	Imazapyr	3	0	0
188	Imazaquin	3	0	0
189	Imazethapyr	3	0	0
190	Imazosulfuron	3	0	0
191	Imidacloprid	3	0	0
192	Indoxacarb	3	0	0
193	Ioxynil	3	0	0
194	Iprodione	3	0	0
195	Iprovalicarb	3	0	0
196	Isofenphos-Methyl	3	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	Compound	Spices	Nr Found	MRL Ex
197	Isoproturon	3	0	0
198	Kresoxim-methyl	3	0	0
199	Lambda-Cyhalothrin	3	0	0
200	Lindane	3	0	0
201	Linuron	3	0	0
202	Lufenuron	3	0	0
203	MCPA	3	0	0
204	MCPA and MCPB	3	0	0
205	MCPB	3	0	0
206	Malaoxon	3	0	0
207	Malathion	3	0	0
208	Malathion (sum)	3	0	0
209	Mecarbam	3	0	0
210	Mecoprop (sum)	3	0	0
211	Mepanipyrim (sum)	3	0	0
212	Mepiquat	0	0	0
213	Mepronil	3	0	0
214	Metalaxyl (sum)	3	0	0
215	Metamitron	3	0	0
216	Metamitron-desamino	3	0	0
217	Metconazole	3	0	0
218	Methacrifos	3	0	0
219	Methamidophos	3	0	0
220	Methidathion	3	0	0
221	Methiocarb	3	0	0
222	Methiocarb (sum)	3	0	0
223	Methiocarb-Sulfon	3	0	0
224	Methiocarb-Sulfoxid	3	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Spices*	*Nr Found*	*MRL Ex*
225	Methomyl	3	0	0
226	Methomyl and Thiodicarb	3	0	0
227	Methoxychlor	0	0	0
228	Methoxyfenozide	3	0	0
229	Metobromuron	3	0	0
230	Metolcarb	3	0	0
231	Metominostrobin	3	0	0
232	Metosulam	3	0	0
233	Metoxuron	3	0	0
234	Metsulfuron-methyl	3	0	0
235	Mevinphos	3	0	0
236	Mirex	3	0	0
237	Monocrotophos	3	0	0
238	Monuron	3	0	0
239	Myclobutanil	3	0	0
240	Nitrofen	3	0	0
241	Omethoate	3	0	0
242	Orthophenylphenol	2	0	0
243	Oxadixyl	3	0	0
244	Oxamyl	3	0	0
245	Oxamyl-Oxime	3	0	0
246	Oxydemeton-methyl	3	0	0
247	Oxydemeton-methyl (sum)	3	0	0
248	Paclobutrazol	3	0	0
249	Paraoxon-Methyl	3	0	0
250	Parathion	3	0	0
251	Parathion-methyl	3	0	0
252	Parathion-methyl (sum)	3	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Spices*	*Nr Found*	*MRL Ex*
253	Penconazole	3	0	0
254	Pencycuron	3	0	0
255	Pendimethalin	3	0	0
256	Pentachloroaniline	3	0	0
257	Pentachlorophenol	3	0	0
258	Permethrin (sum)	3	0	0
259	Phorate	3	0	0
260	Phorate (sum)	3	0	0
261	Phorate-Sulfon	3	0	0
262	Phorate-Sulfoxid	3	0	0
263	Phosalone	3	0	0
264	Phosmet	3	0	0
265	Phosmet (sum)	3	0	0
266	Phosmet oxon	3	0	0
267	Phosphamidon	3	0	0
268	Phoxim	3	0	0
269	Picloram	3	0	0
270	Picoxystrobin	3	0	0
271	Piperonyl Butoxide	3	0	0
272	Pirimicarb	3	0	0
273	Pirimicarb (sum)	3	0	0
274	Pirimiphos-Ethyl	3	0	0
275	Pirimiphos-methyl	3	0	0
276	Prochloraz (sum)	3	0	0
277	Procymidone	3	0	0
278	Profenofos	3	0	0
279	Propachlor (sum)	3	0	0
280	Propamocarb (sum)	3	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Spices*	*Nr Found*	*MRL Ex*
281	Propargite	3	0	0
282	Propham	3	0	0
283	Propiconazole	3	0	0
284	Propineb	0	0	0
285	Propoxur	3	0	0
286	Propyzamide	3	0	0
287	Prothioconazole	3	0	0
288	Prothioconazole (Prothioconazole-Desthio)	3	0	0
289	Prothioconazole-Desthio	3	0	0
290	Prothiofos	3	0	0
291	Pymetrozine	3	0	0
292	Pyraclostrobin	3	0	0
293	Pyrazophos	3	0	0
294	Pyrethrins	3	0	0
295	Pyridaben	3	0	0
296	Pyrifenox	3	0	0
297	Pyrimethanil	3	0	0
298	Pyriproxyfen	3	0	0
299	Quinalphos	3	0	0
300	Quinmerac	3	0	0
301	Quinoxyfen	3	0	0
302	Quintozene	3	0	0
303	Quintozene (sum)	3	0	0
304	Quizalofop (including Quizalfop-P)	3	0	0
305	Quizalofop-P-ethyl	3	0	0
306	RF-00000001-PPP	3	0	0
307	RF-00000147-VET	0	0	0
308	Resmethrin (sum)	0	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Sugar Plants*	*Nr Found*	*MRL Ex*
1	2,4 DB	0	0	0
2	2,4,5-T	0	0	0
3	2,4-D (sum)	0	0	0
4	2-Naphthoxyacetic acid	0	0	0
5	3,5-Dichloroaniline	0	0	0
6	3-Chloroaniline	0	0	0
7	3-hydroxy -carbofuran	0	0	0
8	4-Chlorophenoxy acetic acid	0	0	0
9	Abamectin (sum)	0	0	0
10	Acephate	0	0	0
11	Acetamiprid	0	0	0
12	Acrinathrin	0	0	0
13	Aldicarb	0	0	0
14	Aldicarb (sum)	0	0	0
15	Aldicarb-Sulfone	0	0	0
16	Aldicarb-Sulfoxide	0	0	0
17	Aldrin	0	0	0
18	Aldrin and Dieldrin	0	0	0
19	Amitraz (sum)	0	0	0
20	Azinphos-ethyl	0	0	0
21	Azinphos-methyl	0	0	0
22	Azoxystrobin	0	0	0
23	Bentazone	0	0	0
24	Bentazone (sum animal products)	0	0	0
25	Bentazone-8-hydroxy	0	0	0
26	Bifenthrin	0	0	0
27	Biphenyl	0	0	0
28	Bitertanol	0	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Sugar Plants*	*Nr Found*	*MRL Ex*
29	Boscalid	0	0	0
30	Bromide ion	0	0	0
31	Bromophos-ethyl	0	0	0
32	Bromopropylate	0	0	0
33	Bromoxynil (sum)	0	0	0
34	Bromuconazole (sum)	0	0	0
35	Bupirimate	0	0	0
36	Buprofezin	0	0	0
37	Cadusafos	0	0	0
38	Camphechlor	0	0	0
39	Captafol	0	0	0
40	Captan	0	0	0
41	Carbaryl	0	0	0
42	Carbendazim	0	0	0
43	Carbendazim and benomyl	0	0	0
44	Carbofuran	0	0	0
45	Carbofuran (sum)	0	0	0
46	Chinomethionat	0	0	0
47	Chlordane	0	0	0
48	Chlorfenapyr	0	0	0
49	Chlorfenvinphos	0	0	0
50	Chlormequat	0	0	0
51	Chlorobenzilate	0	0	0
52	Chlorothalonil	0	0	0
53	Chloroxuron	0	0	0
54	Chlorpropham	0	0	0
55	Chlorpropham (sum)	0	0	0
56	Chlorpyrifos	0	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Sugar Plants*	*Nr Found*	*MRL Ex*
57	Chlorpyrifos-methyl	0	0	0
58	Clofentezine	0	0	0
59	Clopyralid	0	0	0
60	Clothianidin	0	0	0
61	Cycloxydim (sum)	0	0	0
62	Cyfluthrin	0	0	0
63	Cyfluthrin (sum)	0	0	0
64	Cypermethrin (sum)	0	0	0
65	Cyproconazole	0	0	0
66	Cyprodinil	0	0	0
67	Cyromazine	0	0	0
68	DDD, o,p-	0	0	0
69	DDD, p,p-	0	0	0
70	DDE, o,p-	0	0	0
71	DDE, p,p-	0	0	0
72	DDT (sum)	0	0	0
73	DDT, o,p-	0	0	0
74	DDT, p,p-	0	0	0
75	DMSA	0	0	0
76	Deltamethrin	0	0	0
77	Demeton-S-Methyl	0	0	0
78	Demeton-S-Methyl (sum baby and infant food)	0	0	0
79	Demeton-S-Methylsulfone	0	0	0
80	Desmethyl pirimicarb	0	0	0
81	Diazinon	0	0	0
82	Dicamba	0	0	0
83	Dichlofluanid	0	0	0
84	Dichlorprop incl. Dichlorprop-P	0	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Sugar Plants*	*Nr Found*	*MRL Ex*
85	Dichlorvos	0	0	0
86	Dicloran	0	0	0
87	Dicofol (sum)	0	0	0
88	Dicrotophos	0	0	0
89	Dieldrin	0	0	0
90	Diethofencarb	0	0	0
91	Difenoconazole	0	0	0
92	Diflubenzuron	0	0	0
93	Dimethoate	0	0	0
94	Dimethoate (sum)	0	0	0
95	Dimethomorph	0	0	0
96	Dimethylaminosulfotoluidide	0	0	0
97	Dimoxystrobin	0	0	0
98	Diniconazole	0	0	0
99	Diphenylamine	0	0	0
100	Disulfoton	0	0	0
101	Disulfoton (sum)	0	0	0
102	Disulfoton-Sulfon	0	0	0
103	Disulfoton-Sulfoxid	0	0	0
104	Dithiocarbamates	0	0	0
105	Dodine	0	0	0
106	EPN	0	0	0
107	Endosulfan (sum)	0	0	0
108	Endosulfansulfate	0	0	0
109	Endrin	0	0	0
110	Epoxiconazole	0	0	0
111	Ethiofencarb	0	0	0
112	Ethion	0	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Sugar Plants*	*Nr Found*	*MRL Ex*
113	Ethoprophos	0	0	0
114	Ethoxyquin	0	0	0
115	Etofenprox	0	0	0
116	Etrimfos	0	0	0
117	Fenamiphos	0	0	0
118	Fenamiphos (sum)	0	0	0
119	Fenamiphos-Sulfon	0	0	0
120	Fenamiphos-Sulfoxid	0	0	0
121	Fenarimol	0	0	0
122	Fenazaquin	0	0	0
123	Fenbuconazole	0	0	0
124	Fenhexamid	0	0	0
125	Fenitrothion	0	0	0
126	Fenoprop	0	0	0
127	Fenoxaprop-P	0	0	0
128	Fenoxycarb	0	0	0
129	Fenpropathrin	0	0	0
130	Fenpropimorph	0	0	0
131	Fenpyroximate	0	0	0
132	Fensulfothion	0	0	0
133	Fensulfothion (sum)	0	0	0
134	Fensulfothion oxon	0	0	0
135	Fensulfothion-sulfon	0	0	0
136	Fenthion	0	0	0
137	Fenthion (sum)	0	0	0
138	Fenthion-Oxon	0	0	0
139	Fenthion-Oxonsulfoxide	0	0	0
140	Fenthion-Sulfon	0	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Sugar Plants*	*Nr Found*	*MRL Ex*
141	Fenthion-Sulfoxide	0	0	0
142	Fenthion-oxonsulfone	0	0	0
143	Fentin (animal products)	0	0	0
144	Fenvalerate	0	0	0
145	Fenvalerate and Esfenvalerate (sum of RR and SS isom	0	0	0
146	Fenvalerate and Esfenvalerate (sum of RS and SR isom	0	0	0
147	Fipronil	0	0	0
148	Fipronil (sum baby and infant food)	0	0	0
149	Fipronil (sum)	0	0	0
150	Fipronil-Desulfinyl	0	0	0
151	Florasulam	0	0	0
152	Fluazifop	0	0	0
153	Fluazifop-Butyl	0	0	0
154	Fluazifop-P-butyl (sum)	0	0	0
155	Flucythrinate	0	0	0
156	Fludioxonil	0	0	0
157	Flufenoxuron	0	0	0
158	Fluoxastrobin	0	0	0
159	Fluquinconazole	0	0	0
160	Fluroxypyr (sum)	0	0	0
161	Flusilazole	0	0	0
162	Flutriafol	0	0	0
163	Folpet	0	0	0
164	Fomesafen	0	0	0
165	Fonofos	0	0	0
166	Formetanate	0	0	0
167	Formetanate (sum)	0	0	0
168	Formothion	0	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Sugar Plants*	*Nr Found*	*MRL Ex*
169	Fosthiazate	0	0	0
170	Glyphosate	0	0	0
171	HCH (sum)	0	0	0
172	HCH alpha	0	0	0
173	HCH beta	0	0	0
174	HCH delta	0	0	0
175	Haloxyfop	0	0	0
176	Haloxyfop (sum baby and infant food)	0	0	0
177	Haloxyfop including haloxyfop-R	0	0	0
178	Haloxyfop-Methyl	0	0	0
179	Heptachlor	0	0	0
180	Heptachlor (sum)	0	0	0
181	Heptachlor epoxide	0	0	0
182	Heptenophos	0	0	0
183	Hexachlorobenzene	0	0	0
184	Hexaconazole	0	0	0
185	Hexythiazox	0	0	0
186	Imazalil	0	0	0
187	Imazapyr	0	0	0
188	Imazaquin	0	0	0
189	Imazethapyr	0	0	0
190	Imazosulfuron	0	0	0
191	Imidacloprid	0	0	0
192	Indoxacarb	0	0	0
193	Ioxynil	0	0	0
194	Iprodione	0	0	0
195	Iprovalicarb	0	0	0
196	Isofenphos-Methyl	0	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	Compound	Sugar Plants	Nr Found	MRL Ex
197	Isoproturon	0	0	0
198	Kresoxim-methyl	0	0	0
199	Lambda-Cyhalothrin	0	0	0
200	Lindane	0	0	0
201	Linuron	0	0	0
202	Lufenuron	0	0	0
203	MCPA	0	0	0
204	MCPA and MCPB	0	0	0
205	MCPB	0	0	0
206	Malaoxon	0	0	0
207	Malathion	0	0	0
208	Malathion (sum)	0	0	0
209	Mecarbam	0	0	0
210	Mecoprop (sum)	0	0	0
211	Mepanipyrim (sum)	0	0	0
212	Mepiquat	0	0	0
213	Mepronil	0	0	0
214	Metalaxyl (sum)	0	0	0
215	Metamitron	0	0	0
216	Metamitron-desamino	0	0	0
217	Metconazole	0	0	0
218	Methacrifos	0	0	0
219	Methamidophos	0	0	0
220	Methidathion	0	0	0
221	Methiocarb	0	0	0
222	Methiocarb (sum)	0	0	0
223	Methiocarb-Sulfon	0	0	0
224	Methiocarb-Sulfoxid	0	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Sugar Plants*	*Nr Found*	*MRL Ex*
225	Methomyl	0	0	0
226	Methomyl and Thiodicarb	0	0	0
227	Methoxychlor	0	0	0
228	Methoxyfenozide	0	0	0
229	Metobromuron	0	0	0
230	Metolcarb	0	0	0
231	Metominostrobin	0	0	0
232	Metosulam	0	0	0
233	Metoxuron	0	0	0
234	Metsulfuron-methyl	0	0	0
235	Mevinphos	0	0	0
236	Mirex	0	0	0
237	Monocrotophos	0	0	0
238	Monuron	0	0	0
239	Myclobutanil	0	0	0
240	Nitrofen	0	0	0
241	Omethoate	0	0	0
242	Orthophenylphenol	0	0	0
243	Oxadixyl	0	0	0
244	Oxamyl	0	0	0
245	Oxamyl-Oxime	0	0	0
246	Oxydemeton-methyl	0	0	0
247	Oxydemeton-methyl (sum)	0	0	0
248	Paclobutrazol	0	0	0
249	Paraoxon-Methyl	0	0	0
250	Parathion	0	0	0
251	Parathion-methyl	0	0	0
252	Parathion-methyl (sum)	0	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Sugar Plants*	*Nr Found*	*MRL Ex*
253	Penconazole	0	0	0
254	Pencycuron	0	0	0
255	Pendimethalin	0	0	0
256	Pentachloroaniline	0	0	0
257	Pentachlorophenol	0	0	0
258	Permethrin (sum)	0	0	0
259	Phorate	0	0	0
260	Phorate (sum)	0	0	0
261	Phorate-Sulfon	0	0	0
262	Phorate-Sulfoxid	0	0	0
263	Phosalone	0	0	0
264	Phosmet	0	0	0
265	Phosmet (sum)	0	0	0
266	Phosmet oxon	0	0	0
267	Phosphamidon	0	0	0
268	Phoxim	0	0	0
269	Picloram	0	0	0
270	Picoxystrobin	0	0	0
271	Piperonyl Butoxide	0	0	0
272	Pirimicarb	0	0	0
273	Pirimicarb (sum)	0	0	0
274	Pirimiphos-Ethyl	0	0	0
275	Pirimiphos-methyl	0	0	0
276	Prochloraz (sum)	0	0	0
277	Procymidone	0	0	0
278	Profenofos	0	0	0
279	Propachlor (sum)	0	0	0
280	Propamocarb (sum)	0	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Sugar Plants*	*Nr Found*	*MRL Ex*
281	Propargite	0	0	0
282	Propham	0	0	0
283	Propiconazole	0	0	0
284	Propineb	0	0	0
285	Propoxur	0	0	0
286	Propyzamide	0	0	0
287	Prothioconazole	0	0	0
288	Prothioconazole (Prothioconazole-Desthio)	0	0	0
289	Prothioconazole-Desthio	0	0	0
290	Prothiofos	0	0	0
291	Pymetrozine	0	0	0
292	Pyraclostrobin	0	0	0
293	Pyrazophos	0	0	0
294	Pyrethrins	0	0	0
295	Pyridaben	0	0	0
296	Pyrifenox	0	0	0
297	Pyrimethanil	0	0	0
298	Pyriproxyfen	0	0	0
299	Quinalphos	0	0	0
300	Quinmerac	0	0	0
301	Quinoxyfen	0	0	0
302	Quintozene	0	0	0
303	Quintozene (sum)	0	0	0
304	Quizalofop (including Quizalfop-P)	0	0	0
305	Quizalofop-P-ethyl	0	0	0
306	RF-00000001-PPP	0	0	0
307	RF-00000147-VET	0	0	0
308	Resmethrin (sum)	0	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Sugar Plants*	*Nr Found*	*MRL Ex*
309	Rimsulfuron	0	0	0
310	Spinosad (sum)	0	0	0
311	Spiroxamine	0	0	0
312	Sulfotep	0	0	0
313	Tebuconazole	0	0	0
314	Tebufenozide	0	0	0
315	Tebufenpyrad	0	0	0
316	Tecnazene	0	0	0
317	Teflubenzuron	0	0	0
318	Tefluthrin	0	0	0
319	Terbufos	0	0	0
320	Terbufos (sum)	0	0	0
321	Terbufos Sulfone	0	0	0
322	Terbufos Sulfoxide	0	0	0
323	Tetraconazole	0	0	0
324	Tetradifon	0	0	0
325	Thiabendazole	0	0	0
326	Thiacloprid	0	0	0
327	Thiametoxam	0	0	0
328	Thiametoxam (sum)	0	0	0
329	Thifensulfuron-methyl	0	0	0
330	Thiodicarb	0	0	0
331	Thiometon	0	0	0
332	Thiophanate-methyl	0	0	0
333	Tolclofos-methyl	0	0	0
334	Tolylfluanid	0	0	0
335	Tolylfluanid (sum)	0	0	0
336	Triadimefon	0	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Sugar Plants*	*Nr Found*	*MRL Ex*
337	Triadimefon (sum)	0	0	0
338	Triadimenol	0	0	0
339	Triazamate	0	0	0
340	Triazophos	0	0	0
341	Trichlorfon	0	0	0
342	Trifloxystrobin	0	0	0
343	Triflumuron	0	0	0
344	Trifluralin	0	0	0
345	Triforine	0	0	0
346	Triticonazole	0	0	0
347	Vamidothion	0	0	0
348	Vamidothion (sum of Vamidothion, Vamidothion-sulfon	0	0	0
349	Vamidothion sulfone	0	0	0
350	Vamidothion sulfoxide	0	0	0
351	Vinclozolin	0	0	0
352	Vinclozolin (sum)	0	0	0
353	alpha-Endosulfan	0	0	0
354	beta-Endosulfan	0	0	0
355	tau-Fluvalinate	0	0	0
		0	*0*	*0*

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Vegetables*	*Nr Found*	*MRL Ex*
1	2,4 DB	576	0	0
2	2,4,5-T	576	0	0
3	2,4-D (sum)	576	2	0
4	2-Naphthoxyacetic acid	576	0	0
5	3,5-Dichloroaniline	576	0	0
6	3-Chloroaniline	576	1	0
7	3-hydroxy -carbofuran	576	0	0
8	4-Chlorophenoxy acetic acid	576	0	0
9	Abamectin (sum)	576	0	0
10	Acephate	576	0	0
11	Acetamiprid	576	11	1
12	Acrinathrin	576	1	0
13	Aldicarb	576	0	0
14	Aldicarb (sum)	576	0	0
15	Aldicarb-Sulfone	576	0	0
16	Aldicarb-Sulfoxide	576	0	0
17	Aldrin	576	0	0
18	Aldrin and Dieldrin	576	0	0
19	Amitraz (sum)	0	0	0
20	Azinphos-ethyl	576	0	0
21	Azinphos-methyl	576	0	0
22	Azoxystrobin	576	56	0
23	Bentazone	576	0	0
24	Bentazone (sum animal products)	576	0	0
25	Bentazone-8-hydroxy	576	0	0
26	Bifenthrin	576	7	1
27	Biphenyl	575	0	0
28	Bitertanol	576	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Vegetables*	*Nr Found*	*MRL Ex*
29	Boscalid	576	79	0
30	Bromide ion	50	7	0
31	Bromophos-ethyl	576	0	0
32	Bromopropylate	576	1	0
33	Bromoxynil (sum)	576	2	0
34	Bromuconazole (sum)	576	0	0
35	Bupirimate	576	5	0
36	Buprofezin	576	4	0
37	Cadusafos	576	0	0
38	Camphechlor	0	0	0
39	Captafol	516	0	0
40	Captan	576	0	0
41	Carbaryl	576	0	0
42	Carbendazim	576	12	0
43	Carbendazim and benomyl	576	12	0
44	Carbofuran	576	0	0
45	Carbofuran (sum)	576	0	0
46	Chinomethionat	576	0	0
47	Chlordane	0	0	0
48	Chlorfenapyr	576	0	0
49	Chlorfenvinphos	576	0	0
50	Chlormequat	20	0	0
51	Chlorobenzilate	0	0	0
52	Chlorothalonil	576	22	0
53	Chloroxuron	576	0	0
54	Chlorpropham	576	7	0
55	Chlorpropham (sum)	576	2	1
56	Chlorpyrifos	576	29	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Vegetables*	*Nr Found*	*MRL Ex*
57	Chlorpyrifos-methyl	576	4	0
58	Clofentezine	576	6	1
59	Clopyralid	576	0	0
60	Clothianidin	576	7	0
61	Cycloxydim (sum)	576	0	0
62	Cyfluthrin	0	0	0
63	Cyfluthrin (sum)	576	0	0
64	Cypermethrin (sum)	576	5	0
65	Cyproconazole	576	2	1
66	Cyprodinil	576	50	1
67	Cyromazine	576	4	0
68	DDD, o,p-	576	0	0
69	DDD, p,p-	576	0	0
70	DDE, o,p-	576	0	0
71	DDE, p,p-	576	7	0
72	DDT (sum)	576	7	1
73	DDT, o,p-	576	1	0
74	DDT, p,p-	576	3	0
75	DMSA	576	0	0
76	Deltamethrin	576	1	0
77	Demeton-S-Methyl	576	0	0
78	Demeton-S-Methyl (sum baby and infant food)	0	0	0
79	Demeton-S-Methylsulfone	576	0	0
80	Desmethyl pirimicarb	576	5	0
81	Diazinon	576	1	0
82	Dicamba	576	0	0
83	Dichlofluanid	576	0	0
84	Dichlorprop incl. Dichlorprop-P	576	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Vegetables*	*Nr Found*	*MRL Ex*
85	Dichlorvos	576	0	0
86	Dicloran	576	1	0
87	Dicofol (sum)	517	0	0
88	Dicrotophos	576	0	0
89	Dieldrin	576	0	0
90	Diethofencarb	576	3	0
91	Difenoconazole	576	35	0
92	Diflubenzuron	576	3	0
93	Dimethoate	576	4	0
94	Dimethoate (sum)	576	13	0
95	Dimethomorph	576	46	0
96	Dimethylaminosulfotoluidide	576	0	0
97	Dimoxystrobin	576	0	0
98	Diniconazole	576	0	0
99	Diphenylamine	576	0	0
100	Disulfoton	576	0	0
101	Disulfoton (sum)	576	0	0
102	Disulfoton-Sulfon	576	0	0
103	Disulfoton-Sulfoxid	576	0	0
104	Dithiocarbamates	70	44	0
105	Dodine	576	0	0
106	EPN	576	0	0
107	Endosulfan (sum)	576	2	0
108	Endosulfansulfate	576	2	0
109	Endrin	576	0	0
110	Epoxiconazole	576	1	0
111	Ethiofencarb	576	0	0
112	Ethion	576	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Vegetables*	*Nr Found*	*MRL Ex*
113	Ethoprophos	576	0	0
114	Ethoxyquin	576	0	0
115	Etofenprox	576	1	0
116	Etrimfos	576	0	0
117	Fenamiphos	576	0	0
118	Fenamiphos (sum)	576	1	0
119	Fenamiphos-Sulfon	576	1	0
120	Fenamiphos-Sulfoxid	576	1	0
121	Fenarimol	576	0	0
122	Fenazaquin	576	2	0
123	Fenbuconazole	576	0	0
124	Fenhexamid	576	10	0
125	Fenitrothion	576	1	0
126	Fenoprop	576	0	0
127	Fenoxaprop-P	576	0	0
128	Fenoxycarb	576	0	0
129	Fenpropathrin	576	0	0
130	Fenpropimorph	576	1	0
131	Fenpyroximate	576	1	0
132	Fensulfothion	576	0	0
133	Fensulfothion (sum)	576	0	0
134	Fensulfothion oxon	576	0	0
135	Fensulfothion-sulfon	576	0	0
136	Fenthion	576	0	0
137	Fenthion (sum)	576	0	0
138	Fenthion-Oxon	576	0	0
139	Fenthion-Oxonsulfoxide	576	0	0
140	Fenthion-Sulfon	576	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	Compound	Vegetables	Nr Found	MRL Ex
141	Fenthion-Sulfoxide	576	0	0
142	Fenthion-oxonsulfone	576	0	0
143	Fentin (animal products)	0	0	0
144	Fenvalerate	0	0	0
145	Fenvalerate and Esfenvalerate (sum of RR and SS isom	575	0	0
146	Fenvalerate and Esfenvalerate (sum of RS and SR isom	576	0	0
147	Fipronil	576	2	0
148	Fipronil (sum baby and infant food)	1	0	0
149	Fipronil (sum)	575	0	0
150	Fipronil-Desulfinyl	576	0	0
151	Florasulam	576	0	0
152	Fluazifop	576	7	0
153	Fluazifop-Butyl	576	0	0
154	Fluazifop-P-butyl (sum)	576	7	0
155	Flucythrinate	576	0	0
156	Fludioxonil	576	26	0
157	Flufenoxuron	576	0	0
158	Fluoxastrobin	576	0	0
159	Fluquinconazole	576	0	0
160	Fluroxypyr (sum)	576	0	0
161	Flusilazole	576	0	0
162	Flutriafol	576	2	0
163	Folpet	576	0	0
164	Fomesafen	576	0	0
165	Fonofos	576	0	0
166	Formetanate	576	8	0
167	Formetanate (sum)	576	8	4
168	Formothion	576	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Vegetables*	*Nr Found*	*MRL Ex*
169	Fosthiazate	576	0	0
170	Glyphosate	0	0	0
171	HCH (sum)	576	0	0
172	HCH alpha	576	0	0
173	HCH beta	576	0	0
174	HCH delta	576	0	0
175	Haloxyfop	576	4	0
176	Haloxyfop (sum baby and infant food)	0	0	0
177	Haloxyfop including haloxyfop-R	576	0	0
178	Haloxyfop-Methyl	576	0	0
179	Heptachlor	576	0	0
180	Heptachlor (sum)	576	1	0
181	Heptachlor epoxide	576	1	0
182	Heptenophos	576	0	0
183	Hexachlorobenzene	576	0	0
184	Hexaconazole	576	0	0
185	Hexythiazox	576	1	0
186	Imazalil	576	6	1
187	Imazapyr	576	0	0
188	Imazaquin	576	0	0
189	Imazethapyr	576	0	0
190	Imazosulfuron	576	0	0
191	Imidacloprid	576	47	0
192	Indoxacarb	576	16	0
193	Ioxynil	576	0	0
194	Iprodione	576	11	0
195	Iprovalicarb	576	0	0
196	Isofenphos-Methyl	576	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Vegetables*	*Nr Found*	*MRL Ex*
197	Isoproturon	576	0	0
198	Kresoxim-methyl	576	2	0
199	Lambda-Cyhalothrin	576	10	0
200	Lindane	576	0	0
201	Linuron	576	27	0
202	Lufenuron	576	3	0
203	MCPA	576	0	0
204	MCPA and MCPB	576	0	0
205	MCPB	576	0	0
206	Malaoxon	576	0	0
207	Malathion	576	0	0
208	Malathion (sum)	576	0	0
209	Mecarbam	576	0	0
210	Mecoprop (sum)	576	0	0
211	Mepanipyrim (sum)	576	2	0
212	Mepiquat	20	0	0
213	Mepronil	576	0	0
214	Metalaxyl (sum)	576	44	0
215	Metamitron	576	0	0
216	Metamitron-desamino	576	0	0
217	Metconazole	576	0	0
218	Methacrifos	576	0	0
219	Methamidophos	576	0	0
220	Methidathion	576	0	0
221	Methiocarb	576	1	0
222	Methiocarb (sum)	576	2	0
223	Methiocarb-Sulfon	576	1	0
224	Methiocarb-Sulfoxid	576	1	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Vegetables*	*Nr Found*	*MRL Ex*
225	Methomyl	576	1	0
226	Methomyl and Thiodicarb	576	1	0
227	Methoxychlor	0	0	0
228	Methoxyfenozide	576	7	1
229	Metobromuron	576	0	0
230	Metolcarb	576	0	0
231	Metominostrobin	576	0	0
232	Metosulam	576	0	0
233	Metoxuron	576	0	0
234	Metsulfuron-methyl	576	0	0
235	Mevinphos	576	0	0
236	Mirex	576	0	0
237	Monocrotophos	576	0	0
238	Monuron	576	0	0
239	Myclobutanil	576	4	0
240	Nitrofen	576	0	0
241	Omethoate	576	11	0
242	Orthophenylphenol	283	0	0
243	Oxadixyl	576	0	0
244	Oxamyl	576	4	3
245	Oxamyl-Oxime	576	14	0
246	Oxydemeton-methyl	576	1	0
247	Oxydemeton-methyl (sum)	576	1	0
248	Paclobutrazol	576	0	0
249	Paraoxon-Methyl	576	0	0
250	Parathion	576	0	0
251	Parathion-methyl	576	0	0
252	Parathion-methyl (sum)	576	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Vegetables*	*Nr Found*	*MRL Ex*
253	Penconazole	576	2	0
254	Pencycuron	576	4	0
255	Pendimethalin	576	14	1
256	Pentachloroaniline	576	3	0
257	Pentachlorophenol	507	0	0
258	Permethrin (sum)	576	0	0
259	Phorate	576	0	0
260	Phorate (sum)	576	0	0
261	Phorate-Sulfon	576	0	0
262	Phorate-Sulfoxid	576	0	0
263	Phosalone	576	0	0
264	Phosmet	576	0	0
265	Phosmet (sum)	576	0	0
266	Phosmet oxon	576	0	0
267	Phosphamidon	576	0	0
268	Phoxim	576	0	0
269	Picloram	576	0	0
270	Picoxystrobin	576	0	0
271	Piperonyl Butoxide	576	2	0
272	Pirimicarb	576	3	0
273	Pirimicarb (sum)	576	6	0
274	Pirimiphos-Ethyl	576	0	0
275	Pirimiphos-methyl	576	1	0
276	Prochloraz (sum)	576	13	0
277	Procymidone	576	13	0
278	Profenofos	576	0	0
279	Propachlor (sum)	576	0	0
280	Propamocarb (sum)	576	122	1

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Vegetables*	*Nr Found*	*MRL Ex*
281	Propargite	576	1	0
282	Propham	576	0	0
283	Propiconazole	576	0	0
284	Propineb	0	0	0
285	Propoxur	576	0	0
286	Propyzamide	576	1	0
287	Prothioconazole	576	0	0
288	Prothioconazole (Prothioconazole-Desthio)	576	0	0
289	Prothioconazole-Desthio	576	0	0
290	Prothiofos	576	0	0
291	Pymetrozine	576	3	0
292	Pyraclostrobin	576	17	1
293	Pyrazophos	576	0	0
294	Pyrethrins	576	0	0
295	Pyridaben	576	2	0
296	Pyrifenox	576	0	0
297	Pyrimethanil	576	18	0
298	Pyriproxyfen	576	9	0
299	Quinalphos	576	0	0
300	Quinmerac	576	0	0
301	Quinoxyfen	576	0	0
302	Quintozene	576	0	0
303	Quintozene (sum)	576	0	0
304	Quizalofop (including Quizalfop-P)	576	6	0
305	Quizalofop-P-ethyl	576	0	0
306	RF-00000001-PPP	576	0	0
307	RF-00000147-VET	0	0	0
308	Resmethrin (sum)	0	0	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Vegetables*	*Nr Found*	*MRL Ex*
309	Rimsulfuron	576	0	0
310	Spinosad (sum)	576	5	0
311	Spiroxamine	576	2	1
312	Sulfotep	576	0	0
313	Tebuconazole	576	28	0
314	Tebufenozide	576	2	0
315	Tebufenpyrad	576	1	0
316	Tecnazene	576	0	0
317	Teflubenzuron	576	8	0
318	Tefluthrin	576	3	0
319	Terbufos	576	0	0
320	Terbufos (sum)	576	0	0
321	Terbufos Sulfone	576	0	0
322	Terbufos Sulfoxide	576	0	0
323	Tetraconazole	576	4	0
324	Tetradifon	576	1	0
325	Thiabendazole	576	5	2
326	Thiacloprid	576	8	0
327	Thiametoxam	576	11	0
328	Thiametoxam (sum)	576	12	0
329	Thifensulfuron-methyl	576	0	0
330	Thiodicarb	576	0	0
331	Thiometon	576	0	0
332	Thiophanate-methyl	576	4	0
333	Tolclofos-methyl	576	7	0
334	Tolylfluanid	576	0	0
335	Tolylfluanid (sum)	576	0	0
336	Triadimefon	576	1	0

Table A3: Scope of analytical methods, number of samples analysed for each residue by matrix

Row number	*Compound*	*Vegetables*	*Nr Found*	*MRL Ex*
337	Triadimefon (sum)	576	12	0
338	Triadimenol	576	11	0
339	Triazamate	108	0	0
340	Triazophos	576	0	0
341	Trichlorfon	576	0	0
342	Trifloxystrobin	576	4	0
343	Triflumuron	576	0	0
344	Trifluralin	576	1	0
345	Triforine	576	0	0
346	Triticonazole	576	0	0
347	Vamidothion	576	0	0
348	Vamidothion (sum of Vamidothion, Vamidothion-sulfon	576	0	0
349	Vamidothion sulfone	576	0	0
350	Vamidothion sulfoxide	576	0	0
351	Vinclozolin	576	0	0
352	Vinclozolin (sum)	575	0	0
353	alpha-Endosulfan	576	1	0
354	beta-Endosulfan	576	2	0
355	tau-Fluvalinate	576	0	0
		192744	*1193*	*22*

Table A4: Overview of samples taken in National and EU co-ordinated programmes

Strategy=Enforcement Origin=Domestic Country=Czech Republic

Product Class	*Product*	*Treatment*	*Production Method*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Vegetables	Peppers	Unprocessed	Non-organic production	1	0	0	0	0	0

Strategy=Enforcement Origin=EEA Country=Hungary

Product Class	*Product*	*Treatment*	*Production Method*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Vegetables	Peppers	Unprocessed	Non-organic production	2	1	1	0	0	0
Strategy				*3*	*1*	*1*	*0*	*0*	*0*

Total = total samples in national and EU programe, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Table A4: Overview of samples taken in National and EU co-ordinated programmes

Strategy=Surveillance Origin=Domestic Country=Czech Republic

Product Class	*Product*	*Treatment*	*Production Method*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Animal products	Bovine Liver	Unknown	Domestic or cultivated	2	1	0	0	0	0
Animal products	Bovine Meat	Unknown	Domestic or cultivated	4	0	0	0	0	0
Animal products	Eggs Chicken	Unknown	Industrial production	7	0	0	0	0	0
Animal products	Honey	Unknown	Industrial production	5	0	0	0	0	0
Animal products	Milk products	Unknown	Industrial production	25	10	0	0	0	0
Animal products	Poultry Meat	Unknown	Battery production	6	0	0	0	0	0
Animal products	Sheep Liver	Unknown	Domestic or cultivated	1	0	0	0	0	0
Animal products	Swine Liver	Unknown	Domestic or cultivated	2	1	0	0	0	0
Animal products	Swine Meat	Unknown	Industrial production	15	9	0	0	0	0
Baby and infant food	Babyfood	Processed	Non-organic production	11	3	0	0	0	0
Baby and infant food	Babyfood	Processed	Organic production	6	1	0	0	0	0
Cereals	Barley	Unprocessed	Non-organic production	11	7	0	0	0	0
Cereals	Barley	Unprocessed	Organic production	1	1	0	0	0	0
Cereals	Maize	Milling	Non-organic production	1	0	0	0	0	0
Cereals	Maize	Unprocessed	Non-organic production	7	2	0	0	0	0
Cereals	Maize	Unprocessed	Organic production	1	0	0	0	0	0
Cereals	Oats	Unprocessed	Non-organic production	8	4	0	8	3	0
Cereals	Oats	Unprocessed	Organic production	7	0	0	7	0	0
Cereals	Other cereals	Cooking in air (Baking)	Non-organic production	3	1	0	0	0	0
Cereals	Other cereals	Milling	Non-organic production	1	0	0	0	0	0
Cereals	Other cereals	Milling	Organic production	1	0	0	0	0	0
Cereals	Other cereals	Unprocessed	Non-organic production	2	1	0	0	0	0
Cereals	Other cereals	Unprocessed	Organic production	15	1	0	0	0	0
Cereals	Rye	Cooking in air (Baking)	Organic production	1	0	0	0	0	0
Cereals	Rye	Milling	Non-organic production	1	0	0	0	0	0

Total = total samples in national and EU programe, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Table A4: Overview of samples taken in National and EU co-ordinated programmes

Strategy=Surveillance Origin=Domestic Country=Czech Republic

Product Class	*Product*	*Treatment*	*Production Method*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Cereals	Rye	Milling	Organic production	1	0	0	0	0	0
Cereals	Rye	Unprocessed	Non-organic production	34	13	0	34	13	0
Cereals	Rye	Unprocessed	Organic production	1	0	0	1	0	0
Cereals	Wheat	Cooking in air (Baking)	Non-organic production	8	3	0	0	0	0
Cereals	Wheat	Milling	Non-organic production	5	2	0	0	0	0
Cereals	Wheat	Processed	Non-organic production	1	0	0	0	0	0
Cereals	Wheat	Unprocessed	Non-organic production	15	9	0	0	0	0
Cereals	Wheat	Unprocessed	Organic production	1	0	0	0	0	0
Fish products	Fish and fish products	Unknown	Wild or gathered	5	2	0	0	0	0
Fruit and Nuts	Apples	Unprocessed	Non-organic production	25	24	2	25	24	2
Fruit and Nuts	Apples	Unprocessed	Organic production	2	0	0	2	0	0
Fruit and Nuts	Oranges	Juicing	Non-organic production	2	1	0	0	0	0
Fruit and Nuts	Peaches	Unprocessed	Non-organic production	1	1	0	1	1	0
Fruit and Nuts	Pears	Unprocessed	Non-organic production	4	1	0	1	0	0
Fruit and Nuts	Plums	Unprocessed	Non-organic production	2	0	0	0	0	0
Fruit and Nuts	Plums	Unprocessed	Organic production	1	0	0	0	0	0
Fruit and Nuts	Strawberries	Unprocessed	Non-organic production	3	3	0	3	3	0
Oil plants	Sunflower seed	Decortication	Non-organic production	1	0	0	0	0	0
Vegetables	Beans (with pods)	Unprocessed	Non-organic production	5	3	0	0	0	0
Vegetables	Beans (without pods)	Unprocessed	Non-organic production	2	1	0	0	0	0
Vegetables	Broccoli	Unprocessed	Non-organic production	2	1	0	0	0	0
Vegetables	Carrots	Unprocessed	Non-organic production	11	5	0	0	0	0
Vegetables	Carrots	Unprocessed	Organic production	2	1	1	0	0	0
Vegetables	Cauliflower	Unprocessed	Non-organic production	6	2	0	0	0	0
Vegetables	Celeriac	Unprocessed	Non-organic production	8	8	0	0	0	0

Total = total samples in national and EU programe, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Table A4: Overview of samples taken in National and EU co-ordinated programmes

Strategy=Surveillance Origin=Domestic Country=Czech Republic

Product Class	*Product*	*Treatment*	*Production Method*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Vegetables	Chinese cabbage	Unprocessed	Non-organic production	9	4	0	0	0	0
Vegetables	Cucumbers	Unprocessed	Non-organic production	6	6	0	0	0	0
Vegetables	Cultivated fungi	Unprocessed	Non-organic production	10	10	0	0	0	0
Vegetables	Gherkins	Pickling	Non-organic production	9	9	0	0	0	0
Vegetables	Head cabbage	Unprocessed	Non-organic production	27	21	1	27	20	1
Vegetables	Leek	Unprocessed	Non-organic production	1	1	0	1	1	0
Vegetables	Lettuce	Unprocessed	Non-organic production	19	14	0	19	14	0
Vegetables	Onions	Unprocessed	Non-organic production	12	7	0	0	0	0
Vegetables	Parsley root	Unprocessed	Non-organic production	6	6	0	0	0	0
Vegetables	Parsley root	Unprocessed	Organic production	1	0	0	0	0	0
Vegetables	Peas (with pods)	Unprocessed	Non-organic production	6	3	1	0	0	0
Vegetables	Peas (without pods)	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Peppers	Unprocessed	Non-organic production	3	2	0	0	0	0
Vegetables	Potatoes	Unprocessed	Non-organic production	29	25	0	0	0	0
Vegetables	Potatoes	Unprocessed	Organic production	1	0	0	0	0	0
Vegetables	Radishes	Unprocessed	Non-organic production	2	2	0	0	0	0
Vegetables	Spinach	Unprocessed	Non-organic production	3	1	0	0	0	0
Vegetables	Tomatoes	Unprocessed	Non-organic production	3	3	1	3	3	1
Vegetables	Tomatoes	Unprocessed	Organic production	1	0	0	1	0	0
Origin				*441*	*236*	*6*	*133*	*82*	*4*
Region				*441*	*236*	*6*	*133*	*82*	*4*

Total = total samples in national and EU programe, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Table A4: Overview of samples taken in National and EU co-ordinated programmes

Strategy=Surveillance Origin=EEA Country=Austria

Product Class	*Product*	*Treatment*	*Production Method*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Fruit and Nuts	Apples	Unprocessed	Non-organic production	3	3	0	3	3	0
Fruit and Nuts	Apples	Unprocessed	Organic production	1	0	0	1	0	0
Fruit and Nuts	Oranges	Juicing	Organic production	1	0	0	0	0	0
Spices	Spices	Dehydration	Organic production	1	0	0	0	0	0
Vegetables	Carrots	Unprocessed	Organic production	2	0	0	0	0	0
Vegetables	Celeriac	Unprocessed	Non-organic production	1	1	0	0	0	0
Vegetables	Gherkins	Pickling	Non-organic production	1	1	0	0	0	0
Vegetables	Onions	Unprocessed	Non-organic production	4	1	0	0	0	0
Vegetables	Onions	Unprocessed	Organic production	1	0	0	0	0	0
Vegetables	Peppers	Unprocessed	Non-organic production	1	1	0	0	0	0
Vegetables	Potatoes	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Potatoes	Unprocessed	Organic production	3	1	0	0	0	0
Origin				*20*	*8*	*0*	*4*	*3*	*0*

Strategy=Surveillance Origin=EEA Country=Belgium

Product Class	*Product*	*Treatment*	*Production Method*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Fruit and Nuts	Apples	Unprocessed	Non-organic production	4	4	0	4	4	0
Fruit and Nuts	Pears	Unprocessed	Non-organic production	4	4	0	4	0	0
Fruit and Nuts	Strawberries	Unprocessed	Non-organic production	2	2	0	2	2	0
Vegetables	Beans (with pods)	Freezing	Non-organic production	2	2	0	0	0	0
Vegetables	Brussels sprouts	Freezing	Non-organic production	1	1	0	0	0	0
Vegetables	Brussels sprouts	Unprocessed	Non-organic production	2	2	0	0	0	0
Vegetables	Carrots	Unprocessed	Non-organic production	6	4	0	0	0	0
Vegetables	Leek	Unprocessed	Non-organic production	16	13	0	16	13	0
Vegetables	Lettuce	Unprocessed	Non-organic production	8	7	0	8	7	0

Total = total samples in national and EU programe, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Table A4: Overview of samples taken in National and EU co-ordinated programmes

Strategy=Surveillance Origin=EEA Country=Belgium

Product Class	*Product*	*Treatment*	*Production Method*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Vegetables	Onions	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Peas (without pods)	Freezing	Non-organic production	1	0	0	0	0	0
Vegetables	Peppers	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Spinach	Freezing	Non-organic production	1	1	0	0	0	0
Vegetables	Tomatoes	Unprocessed	Non-organic production	5	4	0	5	3	0
Origin				*54*	*44*	*0*	*39*	*29*	*0*

Strategy=Surveillance Origin=EEA Country=Bulgaria

Product Class	*Product*	*Treatment*	*Production Method*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Oil plants	Sunflower seed	Decortication	Non-organic production	1	0	0	0	0	0

Strategy=Surveillance Origin=EEA Country=Denmark

Product Class	*Product*	*Treatment*	*Production Method*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Cereals	Other cereals	Processed	Non-organic production	1	1	0	0	0	0

Strategy=Surveillance Origin=EEA Country=European Union

Product Class	*Product*	*Treatment*	*Production Method*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Baby and infant food	Babyfood	Processed	Non-organic production	1	0	0	0	0	0
Baby and infant food	Babyfood	Processed	Organic production	2	0	0	0	0	0
Cereals	Rice	Unprocessed	Organic production	1	0	0	0	0	0
Fruit and Nuts	Oranges	Juicing	Non-organic production	2	0	0	0	0	0
Vegetables	Gherkins	Pickling	Organic production	1	0	0	0	0	0
Origin				*7*	*0*	*0*	*0*	*0*	*0*

Total = total samples in national and EU programe, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Table A4: Overview of samples taken in National and EU co-ordinated programmes

Strategy=Surveillance Origin=EEA Country=France

Product Class	*Product*	*Treatment*	*Production Method*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Baby and infant food	Babyfood	Processed	Non-organic production	3	0	0	0	0	0
Fruit and Nuts	Apricots	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruit and Nuts	Bananas	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruit and Nuts	Pears	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Carrots	Unprocessed	Non-organic production	4	3	0	0	0	0
Vegetables	Cauliflower	Unprocessed	Non-organic production	4	1	0	0	0	0
Vegetables	Head cabbage	Unprocessed	Non-organic production	2	2	0	2	2	0
Vegetables	Leek	Unprocessed	Non-organic production	4	3	1	4	3	1
Vegetables	Potatoes	Unprocessed	Non-organic production	3	3	0	0	0	0
Vegetables	Tomatoes	Unprocessed	Non-organic production	2	2	0	2	2	0
Origin				*25*	*16*	*1*	*8*	*7*	*1*

Strategy=Surveillance Origin=EEA Country=Germany

Product Class	*Product*	*Treatment*	*Production Method*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Baby and infant food	Babyfood	Processed	Organic production	3	0	0	0	0	0
Baby and infant food	Infant formulae	Processed	Organic production	5	0	0	0	0	0
Baby and infant food	Processed cereal-based foods	Processed	Non-organic production	2	0	0	0	0	0
Baby and infant food	Processed cereal-based foods	Processed	Organic production	1	0	0	0	0	0
Cereals	Other cereals	Processed	Non-organic production	1	1	0	0	0	0
Cereals	Rice	Unprocessed	Non-organic production	1	0	0	0	0	0
Fruit and Nuts	Apples	Juicing	Non-organic production	1	0	0	0	0	0
Fruit and Nuts	Apples	Unprocessed	Non-organic production	1	1	0	1	1	0
Fruit and Nuts	Strawberries	Unprocessed	Non-organic production	2	1	0	2	1	0
Infusions	Tea	Dehydration	Non-organic production	1	1	0	0	0	0
Vegetables	Beans (with pods)	Freezing	Non-organic production	1	1	0	0	0	0

Total = total samples in national and EU programe, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Table A4: Overview of samples taken in National and EU co-ordinated programmes

Strategy=Surveillance Origin=EEA Country=Germany

Product Class	*Product*	*Treatment*	*Production Method*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Vegetables	Cauliflower	Unprocessed	Non-organic production	2	0	0	0	0	0
Vegetables	Chinese cabbage	Unprocessed	Non-organic production	1	1	0	0	0	0
Vegetables	Gherkins	Pickling	Non-organic production	4	3	0	0	0	0
Vegetables	Head cabbage	Unprocessed	Non-organic production	2	2	0	2	2	0
Vegetables	Kale	Unprocessed	Non-organic production	1	1	0	0	0	0
Vegetables	Lettuce	Unprocessed	Non-organic production	2	2	0	2	2	0
Vegetables	Onions	Unprocessed	Non-organic production	2	0	0	0	0	0
Vegetables	Parsley	Unprocessed	Non-organic production	1	1	1	0	0	0
Vegetables	Parsley root	Unprocessed	Non-organic production	1	1	0	0	0	0
Vegetables	Peas (without pods)	Freezing	Non-organic production	1	0	0	0	0	0
Vegetables	Potatoes	Unprocessed	Non-organic production	4	4	0	0	0	0
Vegetables	Radishes	Unprocessed	Non-organic production	3	3	0	0	0	0
Vegetables	Spinach	Unprocessed	Non-organic production	5	4	0	0	0	0
Vegetables	Tomatoes	Processed	Organic production	1	1	0	0	0	0
Origin				*49*	*28*	*1*	*7*	*6*	*0*

Strategy=Surveillance Origin=EEA Country=Greece

Product Class	*Product*	*Treatment*	*Production Method*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Fruit and Nuts	Apricots	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruit and Nuts	Kiwi	Unprocessed	Non-organic production	1	0	0	0	0	0
Fruit and Nuts	Oranges	Unprocessed	Non-organic production	3	3	0	0	0	0
Fruit and Nuts	Peaches	Unprocessed	Non-organic production	1	1	0	1	1	0
Fruit and Nuts	Strawberries	Unprocessed	Non-organic production	2	2	0	2	2	0
Fruit and Nuts	Table grapes	Unprocessed	Non-organic production	1	1	0	0	0	0
Vegetables	Aubergines (egg plants)	Unprocessed	Non-organic production	1	1	0	0	0	0

Total = total samples in national and EU programe, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Table A4: Overview of samples taken in National and EU co-ordinated programmes

Strategy=Surveillance Origin=EEA Country=Greece

Product Class	*Product*	*Treatment*	*Production Method*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Vegetables	Cucumbers	Unprocessed	Non-organic production	4	4	1	0	0	0
Vegetables	Peppers	Unprocessed	Non-organic production	3	3	0	0	0	0
Vegetables	Potatoes	Unprocessed	Non-organic production	1	1	0	0	0	0
Origin				*18*	*17*	*1*	*3*	*3*	*0*

Strategy=Surveillance Origin=EEA Country=Hungary

Product Class	*Product*	*Treatment*	*Production Method*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Baby and infant food	Babyfood	Processed	Non-organic production	2	0	0	0	0	0
Baby and infant food	Infant formulae	Processed	Organic production	2	0	0	0	0	0
Cereals	Maize	Processed	Non-organic production	1	0	0	0	0	0
Fruit and Nuts	Oranges	Juicing	Non-organic production	1	1	0	0	0	0
Vegetables	Carrots	Unprocessed	Non-organic production	1	1	0	0	0	0
Vegetables	Chinese cabbage	Unprocessed	Non-organic production	2	2	0	0	0	0
Vegetables	Cucumbers	Unprocessed	Non-organic production	1	1	1	0	0	0
Vegetables	Cultivated fungi	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Gherkins	Pickling	Non-organic production	1	1	0	0	0	0
Vegetables	Peas (with pods)	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Peppers	Unprocessed	Non-organic production	4	2	0	0	0	0
Origin				*17*	*8*	*1*	*0*	*0*	*0*

Total = total samples in national and EU programe, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Table A4: Overview of samples taken in National and EU co-ordinated programmes

Strategy=Surveillance Origin=EEA Country=Italy

Product Class	*Product*	*Treatment*	*Production Method*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Cereals	Rice	Unprocessed	Non-organic production	2	2	0	0	0	0
Cereals	Rice	Unprocessed	Organic production	3	0	0	0	0	0
Fruit and Nuts	Apples	Unprocessed	Non-organic production	6	6	0	6	6	0
Fruit and Nuts	Apples	Unprocessed	Organic production	3	1	0	3	1	0
Fruit and Nuts	Apricots	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruit and Nuts	Kiwi	Unprocessed	Non-organic production	6	5	0	0	0	0
Fruit and Nuts	Kiwi	Unprocessed	Organic production	1	0	0	0	0	0
Fruit and Nuts	Lemons	Unprocessed	Organic production	2	0	0	0	0	0
Fruit and Nuts	Oranges	Unprocessed	Non-organic production	3	3	0	0	0	0
Fruit and Nuts	Oranges	Unprocessed	Organic production	1	0	0	0	0	0
Fruit and Nuts	Peaches	Unprocessed	Non-organic production	12	12	0	12	11	0
Fruit and Nuts	Pears	Unprocessed	Non-organic production	1	0	0	0	0	0
Fruit and Nuts	Pears	Unprocessed	Organic production	2	1	0	2	0	0
Fruit and Nuts	Plums	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruit and Nuts	Table grapes	Unprocessed	Non-organic production	3	3	1	0	0	0
Vegetables	Aubergines (egg plants)	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Broccoli	Unprocessed	Non-organic production	5	3	0	0	0	0
Vegetables	Carrots	Unprocessed	Non-organic production	1	1	0	0	0	0
Vegetables	Carrots	Unprocessed	Organic production	5	2	0	0	0	0
Vegetables	Cauliflower	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Head cabbage	Unprocessed	Non-organic production	4	1	0	4	1	0
Vegetables	Onions	Unprocessed	Non-organic production	1	1	0	0	0	0
Vegetables	Peas (with pods)	Unprocessed	Non-organic production	2	2	0	0	0	0
Vegetables	Peppers	Unprocessed	Organic production	1	0	0	0	0	0
Vegetables	Potatoes	Unprocessed	Non-organic production	2	1	0	0	0	0

Total = total samples in national and EU programe, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Table A4: Overview of samples taken in National and EU co-ordinated programmes

Strategy=Surveillance Origin=EEA Country=Italy

Product Class	*Product*	*Treatment*	*Production Method*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Vegetables	Potatoes	Unprocessed	Organic production	2	0	0	0	0	0
Vegetables	Radishes	Unprocessed	Non-organic production	4	0	0	0	0	0
Vegetables	Spinach	Unprocessed	Non-organic production	6	2	0	0	0	0
Vegetables	Tomatoes	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Tomatoes	Unprocessed	Organic production	3	0	0	3	0	0
Origin				*86*	*48*	*1*	*30*	*19*	*0*

Strategy=Surveillance Origin=EEA Country=Netherlands

Product Class	*Product*	*Treatment*	*Production Method*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Fruit and Nuts	Apples	Unprocessed	Non-organic production	1	1	0	1	1	0
Fruit and Nuts	Pears	Unprocessed	Non-organic production	2	0	0	0	0	0
Fruit and Nuts	Strawberries	Unprocessed	Non-organic production	1	1	0	1	1	0
Vegetables	Aubergines (egg plants)	Unprocessed	Non-organic production	7	5	0	0	0	0
Vegetables	Beans (with pods)	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Broccoli	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Brussels sprouts	Unprocessed	Non-organic production	4	4	1	0	0	0
Vegetables	Carrots	Unprocessed	Non-organic production	15	11	0	0	0	0
Vegetables	Carrots	Unprocessed	Organic production	1	1	0	0	0	0
Vegetables	Cauliflower	Unprocessed	Non-organic production	2	1	0	0	0	0
Vegetables	Celeriac	Unprocessed	Non-organic production	1	1	0	0	0	0
Vegetables	Cucumbers	Unprocessed	Non-organic production	2	1	0	0	0	0
Vegetables	Cucumbers	Unprocessed	Organic production	2	0	0	0	0	0
Vegetables	Head cabbage	Unprocessed	Non-organic production	4	4	0	4	4	0
Vegetables	Leek	Unprocessed	Non-organic production	5	5	0	5	5	0
Vegetables	Lettuce	Unprocessed	Non-organic production	2	2	0	2	2	0

Total = total samples in national and EU programe, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Table A4: Overview of samples taken in National and EU co-ordinated programmes

Strategy=Surveillance Origin=EEA Country=Netherlands

Product Class	*Product*	*Treatment*	*Production Method*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Vegetables	Onions	Unprocessed	Non-organic production	6	3	0	0	0	0
Vegetables	Onions	Unprocessed	Organic production	2	0	0	0	0	0
Vegetables	Peppers	Unprocessed	Non-organic production	4	2	0	0	0	0
Vegetables	Potatoes	Unprocessed	Non-organic production	1	1	1	0	0	0
Vegetables	Spinach	Unprocessed	Non-organic production	3	3	0	0	0	0
Vegetables	Tomatoes	Unprocessed	Non-organic production	10	3	1	6	3	1
Vegetables	Tomatoes	Unprocessed	Organic production	3	0	0	3	0	0
Origin				*80*	*49*	*3*	*22*	*16*	*1*

Strategy=Surveillance Origin=EEA Country=Poland

Product Class	*Product*	*Treatment*	*Production Method*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Baby and infant food	Infant formulae	Processed	Non-organic production	2	0	0	0	0	0
Baby and infant food	Processed cereal-based foods	Processed	Non-organic production	1	0	0	0	0	0
Cereals	Buckwheat	Unprocessed	Organic production	1	0	0	0	0	0
Cereals	Other cereals	Unprocessed	Organic production	3	0	0	0	0	0
Cereals	Rye	Unprocessed	Organic production	1	0	0	1	0	0
Fruit and Nuts	Apples	Unprocessed	Non-organic production	6	6	0	6	6	0
Vegetables	Broccoli	Unprocessed	Non-organic production	1	1	0	0	0	0
Vegetables	Brussels sprouts	Unprocessed	Non-organic production	1	1	0	0	0	0
Vegetables	Carrots	Unprocessed	Non-organic production	1	1	0	0	0	0
Vegetables	Cauliflower	Unprocessed	Non-organic production	3	1	0	0	0	0
Vegetables	Chinese cabbage	Unprocessed	Non-organic production	6	4	0	0	0	0
Vegetables	Cucumbers	Unprocessed	Non-organic production	1	1	0	0	0	0
Vegetables	Cultivated fungi	Unprocessed	Non-organic production	9	5	0	0	0	0
Vegetables	Garlic	Unprocessed	Non-organic production	1	0	0	0	0	0

Total = total samples in national and EU programe, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Table A4: Overview of samples taken in National and EU co-ordinated programmes

Strategy=Surveillance Origin=EEA Country=Poland

Product Class	*Product*	*Treatment*	*Production Method*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Vegetables	Lettuce	Unprocessed	Non-organic production	1	1	0	1	1	0
Vegetables	Onions	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Tomatoes	Unprocessed	Non-organic production	3	2	0	2	2	0
Origin				*42*	*23*	*0*	*10*	*9*	*0*

Strategy=Surveillance Origin=EEA Country=Slovakia

Product Class	*Product*	*Treatment*	*Production Method*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Cereals	Barley	Unprocessed	Non-organic production	1	1	0	0	0	0
Cereals	Barley	Unprocessed	Organic production	3	3	0	0	0	0
Cereals	Other cereals	Unprocessed	Organic production	2	1	0	0	0	0
Fruit and Nuts	Apples	Unprocessed	Non-organic production	1	1	0	1	1	0
Pulses	Peas (dry)	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Chinese cabbage	Unprocessed	Non-organic production	1	1	0	0	0	0
Vegetables	Cucumbers	Unprocessed	Non-organic production	3	2	0	0	0	0
Vegetables	Peppers	Unprocessed	Non-organic production	1	1	0	0	0	0
Vegetables	Potatoes	Unprocessed	Organic production	1	0	0	0	0	0
Vegetables	Spinach	Freezing	Non-organic production	1	0	0	0	0	0
Origin				*15*	*10*	*0*	*1*	*1*	*0*

Strategy=Surveillance Origin=EEA Country=Slovenia

Product Class	*Product*	*Treatment*	*Production Method*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Fruit and Nuts	Bananas	Unprocessed	Non-organic production	1	1	0	0	0	0

Total = total samples in national and EU programe, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Table A4: Overview of samples taken in National and EU co-ordinated programmes

Strategy=Surveillance Origin=EEA Country=Spain

Product Class	*Product*	*Treatment*	*Production Method*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Baby and infant food	Babyfood	Processed	Non-organic production	2	0	0	0	0	0
Cereals	Other cereals	Cooking in air (Baking)	Non-organic production	1	1	0	0	0	0
Fruit and Nuts	Apricots	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruit and Nuts	Grapefruit	Unprocessed	Non-organic production	2	2	0	0	0	0
Fruit and Nuts	Kiwi	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruit and Nuts	Lemons	Unprocessed	Non-organic production	4	4	0	0	0	0
Fruit and Nuts	Mandarins	Unprocessed	Non-organic production	8	8	0	0	0	0
Fruit and Nuts	Oranges	Unprocessed	Non-organic production	7	7	0	0	0	0
Fruit and Nuts	Peaches	Unprocessed	Non-organic production	7	7	0	7	7	0
Fruit and Nuts	Pears	Unprocessed	Non-organic production	1	1	0	1	0	0
Fruit and Nuts	Strawberries	Unprocessed	Non-organic production	4	2	0	4	2	0
Fruit and Nuts	Table grapes	Unprocessed	Non-organic production	1	1	0	0	0	0
Vegetables	Aubergines (egg plants)	Unprocessed	Non-organic production	9	7	0	0	0	0
Vegetables	Broccoli	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Cucumbers	Unprocessed	Non-organic production	19	19	0	0	0	0
Vegetables	Garlic	Unprocessed	Non-organic production	5	3	0	0	0	0
Vegetables	Lettuce	Unprocessed	Non-organic production	8	8	0	8	8	0
Vegetables	Peas (with pods)	Unprocessed	Non-organic production	1	1	0	0	0	0
Vegetables	Peppers	Unprocessed	Non-organic production	8	7	0	0	0	0
Vegetables	Radishes	Unprocessed	Non-organic production	1	1	0	0	0	0
Vegetables	Spinach	Freezing	Non-organic production	1	0	0	0	0	0
Vegetables	Spinach	Unprocessed	Non-organic production	2	2	0	0	0	0
Vegetables	Tomatoes	Unprocessed	Non-organic production	19	16	1	16	16	1
Origin				*113*	*99*	*1*	*36*	*33*	*1*

Total = total samples in national and EU programe, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Table A4: Overview of samples taken in National and EU co-ordinated programmes

Strategy=Surveillance Origin=EEA Country=Sweden

Product Class	*Product*	*Treatment*	*Production Method*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Baby and infant food	Babyfood	Processed	Non-organic production	1	1	0	0	0	0
Vegetables	Cucumbers	Unprocessed	Non-organic production	1	1	0	0	0	0
Origin				*2*	*2*	*0*	*0*	*0*	*0*

Strategy=Surveillance Origin=EEA Country=United Kingdom

Product Class	*Product*	*Treatment*	*Production Method*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Baby and infant food	Infant formulae	Processed	Non-organic production	3	0	0	0	0	0
Cereals	Other cereals	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Parsley root	Unprocessed	Non-organic production	1	1	0	0	0	0
Vegetables	Parsnips	Unprocessed	Non-organic production	2	2	0	0	0	0
Origin				*7*	*3*	*0*	*0*	*0*	*0*
Region				*538*	*357*	*9*	*160*	*126*	*3*

Strategy=Surveillance Origin=TC Country=Argentina

Product Class	*Product*	*Treatment*	*Production Method*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Cereals	Maize	Processed	Non-organic production	1	0	0	0	0	0
Cereals	Other cereals	Processed	Non-organic production	1	0	0	0	0	0
Fruit and Nuts	Lemons	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruit and Nuts	Mandarins	Unprocessed	Non-organic production	3	3	0	0	0	0
Fruit and Nuts	Pears	Unprocessed	Organic production	1	0	0	1	0	0
Fruit and Nuts	Table grapes	Unprocessed	Non-organic production	2	1	0	0	0	0
Vegetables	Garlic	Unprocessed	Organic production	1	0	0	0	0	0
Origin				*10*	*5*	*0*	*1*	*0*	*0*

Total = total samples in national and EU programe, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Table A4: Overview of samples taken in National and EU co-ordinated programmes

Strategy=Surveillance Origin=TC Country=Brazil

Product Class	*Product*	*Treatment*	*Production Method*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Fruit and Nuts	Mangoes	Unprocessed	Non-organic production	2	2	0	0	0	0
Fruit and Nuts	Miscellaneous fruit	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruit and Nuts	Papaya	Unprocessed	Non-organic production	2	2	0	0	0	0
Origin				*5*	*5*	*0*	*0*	*0*	*0*

Strategy=Surveillance Origin=TC Country=Canada

Product Class	*Product*	*Treatment*	*Production Method*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Oil plants	Soya bean	Unprocessed	Non-organic production	6	3	0	0	0	0

Strategy=Surveillance Origin=TC Country=Chile

Product Class	*Product*	*Treatment*	*Production Method*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Fruit and Nuts	Peaches	Unprocessed	Non-organic production	3	3	0	3	3	0
Fruit and Nuts	Pears	Unprocessed	Non-organic production	1	0	0	0	0	0
Origin				*4*	*3*	*0*	*3*	*3*	*0*

Strategy=Surveillance Origin=TC Country=China

Product Class	*Product*	*Treatment*	*Production Method*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Infusions	Tea	Dehydration	Non-organic production	1	1	0	0	0	0
Oil plants	Pumpkin seeds	Unprocessed	Organic production	1	0	0	0	0	0
Oil plants	Soya bean	Unprocessed	Organic production	3	0	0	0	0	0
Oil plants	Sunflower seed	Decortication	Non-organic production	1	0	0	0	0	0
Oil plants	Sunflower seed	Unprocessed	Organic production	2	0	0	0	0	0
Vegetables	Garlic	Unprocessed	Non-organic production	12	1	0	0	0	0
Origin				*20*	*2*	*0*	*0*	*0*	*0*

Total = total samples in national and EU programe, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Table A4: Overview of samples taken in National and EU co-ordinated programmes

Strategy=Surveillance Origin=TC Country=Colombia

Product Class	*Product*	*Treatment*	*Production Method*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Fruit and Nuts	Bananas	Unprocessed	Non-organic production	2	2	0	0	0	0

Strategy=Surveillance Origin=TC Country=Costa Rica

Product Class	*Product*	*Treatment*	*Production Method*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Fruit and Nuts	Bananas	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruit and Nuts	Pineapples	Unprocessed	Non-organic production	2	2	0	0	0	0
Origin				*3*	*3*	*0*	*0*	*0*	*0*

Strategy=Surveillance Origin=TC Country=Cote D'Ivoire

Product Class	*Product*	*Treatment*	*Production Method*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Fruit and Nuts	Bananas	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruit and Nuts	Pineapples	Unprocessed	Non-organic production	1	1	0	0	0	0
Origin				*2*	*2*	*0*	*0*	*0*	*0*

Strategy=Surveillance Origin=TC Country=Croatia

Product Class	*Product*	*Treatment*	*Production Method*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Baby and infant food	Processed cereal-based foods	Processed	Organic production	1	0	0	0	0	0
Fruit and Nuts	Mandarins	Unprocessed	Non-organic production	1	1	0	0	0	0
Origin				*2*	*1*	*0*	*0*	*0*	*0*

Strategy=Surveillance Origin=TC Country=Dominican Republic

Product Class	*Product*	*Treatment*	*Production Method*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Fruit and Nuts	Bananas	Unprocessed	Non-organic production	1	1	0	0	0	0

Total = total samples in national and EU programe, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Table A4: Overview of samples taken in National and EU co-ordinated programmes

Strategy=Surveillance Origin=TC Country=Ecuador

Product Class	*Product*	*Treatment*	*Production Method*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Fruit and Nuts	Bananas	Unprocessed	Non-organic production	2	2	0	0	0	0
Fruit and Nuts	Bananas	Unprocessed	Organic production	1	0	0	0	0	0
Fruit and Nuts	Miscellaneous fruit	Unprocessed	Non-organic production	1	1	0	0	0	0
Origin				*4*	*3*	*0*	*0*	*0*	*0*

Strategy=Surveillance Origin=TC Country=Egypt

Product Class	*Product*	*Treatment*	*Production Method*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Fruit and Nuts	Oranges	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruit and Nuts	Peaches	Unprocessed	Non-organic production	1	1	0	1	1	0
Fruit and Nuts	Strawberries	Unprocessed	Non-organic production	1	1	0	1	1	0
Fruit and Nuts	Table grapes	Unprocessed	Non-organic production	1	0	0	0	0	0
Spices	Spices	Dehydration	Non-organic production	1	1	0	0	0	0
Vegetables	Potatoes	Unprocessed	Non-organic production	1	1	0	0	0	0
Origin				*6*	*5*	*0*	*2*	*2*	*0*

Strategy=Surveillance Origin=TC Country=Ghana

Product Class	*Product*	*Treatment*	*Production Method*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Fruit and Nuts	Pineapples	Unprocessed	Non-organic production	1	1	0	0	0	0

Strategy=Surveillance Origin=TC Country=India

Product Class	*Product*	*Treatment*	*Production Method*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Cereals	Rice	Unprocessed	Non-organic production	1	0	0	0	0	0
Fruit and Nuts	Table grapes	Unprocessed	Non-organic production	5	5	3	0	0	0
Origin				*6*	*5*	*3*	*0*	*0*	*0*

Total = total samples in national and EU programe, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Table A4: Overview of samples taken in National and EU co-ordinated programmes

Strategy=Surveillance Origin=TC Country=Israel

Product Class	*Product*	*Treatment*	*Production Method*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Fruit and Nuts	Pomegranate	Unprocessed	Non-organic production	1	1	1	0	0	0
Vegetables	Carrots	Unprocessed	Non-organic production	1	1	0	0	0	0
Vegetables	Peppers	Unprocessed	Non-organic production	3	3	0	0	0	0
Origin				*5*	*5*	*1*	*0*	*0*	*0*

Strategy=Surveillance Origin=TC Country=Kenya

Product Class	*Product*	*Treatment*	*Production Method*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Vegetables	Beans (with pods)	Unprocessed	Non-organic production	2	0	0	0	0	0

Strategy=Surveillance Origin=TC Country=Madagascar

Product Class	*Product*	*Treatment*	*Production Method*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Fruit and Nuts	Lychee (Litchi)	Unprocessed	Non-organic production	2	0	0	0	0	0

Strategy=Surveillance Origin=TC Country=Mauritius

Product Class	*Product*	*Treatment*	*Production Method*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Fruit and Nuts	Lychee (Litchi)	Unprocessed	Non-organic production	1	0	0	0	0	0

Strategy=Surveillance Origin=TC Country=Morocco

Product Class	*Product*	*Treatment*	*Production Method*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Fruit and Nuts	Mandarins	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruit and Nuts	Oranges	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruit and Nuts	Strawberries	Unprocessed	Non-organic production	2	2	0	2	2	0
Vegetables	Beans (with pods)	Unprocessed	Non-organic production	3	1	0	0	0	0
Vegetables	Peppers	Unprocessed	Non-organic production	3	3	0	0	0	0

Total = total samples in national and EU programe, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Table A4: Overview of samples taken in National and EU co-ordinated programmes

Strategy=Surveillance Origin=TC Country=Morocco

Product Class	*Product*	*Treatment*	*Production Method*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Vegetables	Tomatoes	Unprocessed	Non-organic production	6	6	0	6	6	0
Origin				*16*	*14*	*0*	*8*	*8*	*0*

Strategy=Surveillance Origin=TC Country=Pakistan

Product Class	*Product*	*Treatment*	*Production Method*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Cereals	Rice	Unprocessed	Organic production	1	1	0	0	0	0

Strategy=Surveillance Origin=TC Country=Panama

Product Class	*Product*	*Treatment*	*Production Method*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Fruit and Nuts	Pineapples	Unprocessed	Non-organic production	1	1	0	0	0	0

Strategy=Surveillance Origin=TC Country=Peru

Product Class	*Product*	*Treatment*	*Production Method*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Fruit and Nuts	Mandarins	Unprocessed	Non-organic production	1	1	0	0	0	0
Fruit and Nuts	Mangoes	Unprocessed	Non-organic production	3	3	0	0	0	0
Origin				*4*	*4*	*0*	*0*	*0*	*0*

Strategy=Surveillance Origin=TC Country=Serbia

Product Class	*Product*	*Treatment*	*Production Method*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Fruit and Nuts	Plums	Unprocessed	Non-organic production	1	0	0	0	0	0
Fruit and Nuts	Strawberries	Unprocessed	Non-organic production	1	1	0	1	1	0
Origin				*2*	*1*	*0*	*1*	*1*	*0*

Total = total samples in national and EU programe, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme
EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Table A4: Overview of samples taken in National and EU co-ordinated programmes

Strategy=Surveillance Origin=TC Country=South Africa

Product Class	*Product*	*Treatment*	*Production Method*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Fruit and Nuts	Oranges	Unprocessed	Non-organic production	2	2	0	0	0	0
Fruit and Nuts	Peaches	Unprocessed	Non-organic production	1	1	0	1	1	0
Fruit and Nuts	Pears	Unprocessed	Non-organic production	4	1	0	1	0	0
Fruit and Nuts	Table grapes	Unprocessed	Non-organic production	4	4	1	0	0	0
Origin				*11*	*8*	*1*	*2*	*1*	*0*

Strategy=Surveillance Origin=TC Country=Sri Lanka

Product Class	*Product*	*Treatment*	*Production Method*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Infusions	Tea	Dehydration	Non-organic production	1	0	0	0	0	0

Strategy=Surveillance Origin=TC Country=Tunisia

Product Class	*Product*	*Treatment*	*Production Method*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Infusions	Other herbal infusions	Dehydration	Non-organic production	1	0	0	0	0	0

Strategy=Surveillance Origin=TC Country=Turkey

Product Class	*Product*	*Treatment*	*Production Method*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Baby and infant food	Infant formulae	Processed	Non-organic production	1	0	0	0	0	0
Baby and infant food	Processed cereal-based foods	Processed	Non-organic production	2	0	0	0	0	0
Fruit and Nuts	Grapefruit	Unprocessed	Non-organic production	2	2	0	0	0	0
Fruit and Nuts	Peaches	Unprocessed	Non-organic production	2	2	2	2	2	2
Vegetables	Cucumbers	Unprocessed	Non-organic production	1	1	0	0	0	0
Vegetables	Peppers	Unprocessed	Non-organic production	5	5	4	0	0	0
Vegetables	Tomatoes	Unprocessed	Non-organic production	4	4	1	4	4	1
Origin				*17*	*14*	*7*	*6*	*6*	*3*

Total = total samples in national and EU programe, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Table A4: Overview of samples taken in National and EU co-ordinated programmes

Strategy=Surveillance Origin=TC Country=United States

Product Class	*Product*	*Treatment*	*Production Method*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Cereals	Other cereals	Processed	Non-organic production	1	1	1	0	0	0
Oil plants	Sunflower seed	Decortication	Non-organic production	1	0	0	0	0	0
Origin				*2*	*1*	*1*	*0*	*0*	*0*

Strategy=Surveillance Origin=TC Country=Vietnam

Product Class	*Product*	*Treatment*	*Production Method*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Cereals	Rice	Unprocessed	Non-organic production	1	1	0	0	0	0
Vegetables	Gherkins	Pickling	Non-organic production	1	1	0	0	0	0
Origin				*2*	*2*	*0*	*0*	*0*	*0*
Region				*140*	*92*	*13*	*23*	*21*	*3*

Strategy=Surveillance Origin=UNK Country=Unknown

Product Class	*Product*	*Treatment*	*Production Method*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Baby and infant food	Babyfood	Processed	Non-organic production	2	0	0	0	0	0
Baby and infant food	Babyfood	Processed	Organic production	1	0	0	0	0	0
Baby and infant food	Infant formulae	Processed	Non-organic production	3	1	0	0	0	0
Baby and infant food	Processed cereal-based foods	Processed	Non-organic production	1	0	0	0	0	0
Cereals	Maize	Processed	Non-organic production	2	0	0	0	0	0
Cereals	Other cereals	Cooking in air (Baking)	Non-organic production	1	0	0	0	0	0
Cereals	Other cereals	Processed	Non-organic production	1	0	0	0	0	0
Fruit and Nuts	Apples	Juicing	Non-organic production	2	2	0	0	0	0
Infusions	Tea	Dehydration	Non-organic production	1	1	0	0	0	0
Oil plants	Pumpkin seeds	Dehydration	Organic production	1	1	0	0	0	0
Oil plants	Sunflower seed	Decortication	Organic production	1	0	0	0	0	0

Total = total samples in national and EU programe, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Table A4: Overview of samples taken in National and EU co-ordinated programmes

Strategy=Surveillance Origin=UNK Country=Unknown

Product Class	*Product*	*Treatment*	*Production Method*	*Total*	*ND*	*Ex*	*EUTotal*	*EUND*	*EUEx*
Pulses	Beans (dry)	Unprocessed	Non-organic production	1	1	0	0	0	0
Spices	Spices	Dehydration	Non-organic production	1	0	0	0	0	0
Vegetables	Beans (with pods)	Freezing	Non-organic production	2	1	0	0	0	0
Vegetables	Gherkins	Pickling	Non-organic production	1	1	0	0	0	0
Vegetables	Spinach	Freezing	Non-organic production	3	2	0	0	0	0
Vegetables	Spinach	Unprocessed	Non-organic production	1	0	0	0	0	0
Vegetables	Sweet corn	Pickling	Non-organic production	1	0	0	0	0	0
Origin				*26*	*10*	*0*	*0*	*0*	*0*
Region				*26*	*10*	*0*	*0*	*0*	*0*
Strategy				*1145*	*695*	*28*	*316*	*229*	*10*
				1148	*696*	*29*	*316*	*229*	*10*

Total = total samples in national and EU programe, ND= number of detections in national and EU programme, Ex number of MRL exceedences in national and EU programme

EUTotal = number of samples in EU programme, EUND = number of detections in EU programme, EUEx = number of exceedences in EU programme

Table A5: Overview of country of origin for samples taken in National and EU co-ordinated programmes

ProductType=Animal Products

Country	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Exceeding MRL*	*Non Compliant*
Czech Republic	67	46	21	0	0

ProductType=Babyfood

Country	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Exceeding MRL*	*Non Compliant*
Croatia	1	1	0	0	0
Czech Republic	17	13	4	0	0
European Union	3	3	0	0	0
France	3	3	0	0	0
Germany	11	11	0	0	0
Hungary	4	4	0	0	0
Poland	3	3	0	0	0
Spain	2	2	0	0	0
Sweden	1	0	1	0	0
Turkey	3	3	0	0	0
United Kingdom	3	3	0	0	0
Unknown	7	6	1	0	0
ProductType	*58*	*52*	*6*	*0*	*0*

Figures in bold totals for all countries

Table A5: Overview of country of origin for samples taken in National and EU co-ordinated programmes

ProductType=Cereals

Country	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Exceeding MRL*	*Non Compliant*
Argentina	2	2	0	0	0
Czech Republic	126	82	44	0	0
Denmark	1	0	1	0	0
European Union	1	1	0	0	0
Germany	2	1	1	0	0
Hungary	1	1	0	0	0
India	1	1	0	0	0
Italy	5	3	2	0	0
Pakistan	1	0	1	0	0
Poland	5	5	0	0	0
Slovakia	6	1	5	0	0
Spain	1	0	1	0	0
United Kingdom	1	1	0	0	0
United States	1	0	0	1	0
Unknown	4	4	0	0	0
Vietnam	1	0	1	0	0
ProductType	*159*	*102*	*56*	*1*	*0*

ProductType=Fish products

Country	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Exceeding MRL*	*Non Compliant*
Czech Republic	5	3	2	0	0

Figures in bold totals for all countries

Table A5: Overview of country of origin for samples taken in National and EU co-ordinated programmes

ProductType=Fruit and Nuts

Country	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Exceeding MRL*	*Non Compliant*
Argentina	7	2	5	0	0
Austria	5	2	3	0	0
Belgium	10	0	10	0	0
Brazil	5	0	5	0	0
Chile	4	1	3	0	0
Colombia	2	0	2	0	0
Costa Rica	3	0	3	0	0
Cote D'Ivoire	2	0	2	0	0
Croatia	1	0	1	0	0
Czech Republic	40	10	28	2	1
Dominican Republic	1	0	1	0	0
Ecuador	4	1	3	0	0
Egypt	4	1	3	0	0
European Union	2	2	0	0	0
France	3	1	2	0	0
Germany	4	2	2	0	0
Ghana	1	0	1	0	0
Greece	9	1	8	0	0
Hungary	1	0	1	0	0
India	5	0	2	3	3
Israel	1	0	0	1	1
Italy	42	9	32	1	0
Madagascar	2	2	0	0	0
Mauritius	1	1	0	0	0
Morocco	4	0	4	0	0

Figures in bold totals for all countries

Table A5: Overview of country of origin for samples taken in National and EU co-ordinated programmes

ProductType=Fruit and Nuts

Country	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Exceeding MRL*	*Non Compliant*
Netherlands	4	2	2	0	0
Panama	1	0	1	0	0
Peru	4	0	4	0	0
Poland	6	0	6	0	0
Serbia	2	1	1	0	0
Slovakia	1	0	1	0	0
Slovenia	1	0	1	0	0
South Africa	11	3	7	1	0
Spain	36	2	34	0	0
Turkey	4	0	2	2	1
Unknown	2	0	2	0	0
ProductType	*235*	*43*	*182*	*10*	*6*

ProductType=Others

Country	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Exceeding MRL*	*Non Compliant*
Austria	1	1	0	0	0
Bulgaria	1	1	0	0	0
Canada	6	3	3	0	0
China	8	7	1	0	0
Czech Republic	1	1	0	0	0
Egypt	1	0	1	0	0
Germany	1	0	1	0	0
Slovakia	1	1	0	0	0

Figures in bold totals for all countries

Table A5: Overview of country of origin for samples taken in National and EU co-ordinated programmes

ProductType=Others

Country	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Exceeding MRL*	*Non Compliant*
Sri Lanka	1	1	0	0	0
Tunisia	1	1	0	0	0
United States	1	1	0	0	0
Unknown	5	2	3	0	0
ProductType	*28*	*19*	*9*	*0*	*0*

ProductType=Vegetables

Country	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Exceeding MRL*	*Non Compliant*
Argentina	1	1	0	0	0
Austria	14	9	5	0	0
Belgium	44	10	34	0	0
China	12	11	1	0	0
Czech Republic	186	51	131	4	2
Egypt	1	0	1	0	0
European Union	1	1	0	0	0
France	19	5	13	1	1
Germany	31	7	23	1	0
Greece	9	0	8	1	1
Hungary	13	5	6	2	1
Israel	4	0	4	0	0
Italy	39	26	13	0	0
Kenya	2	2	0	0	0
Morocco	12	2	10	0	0

Figures in bold totals for all countries

Table A5: Overview of country of origin for samples taken in National and EU co-ordinated programmes

ProductType=Vegetables

Country	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Exceeding MRL*	*Non Compliant*
Netherlands	76	29	44	3	1
Poland	28	11	17	0	0
Slovakia	7	3	4	0	0
Spain	74	10	63	1	0
Sweden	1	0	1	0	0
Turkey	10	0	5	5	4
United Kingdom	3	0	3	0	0
Unknown	8	4	4	0	0
Vietnam	1	0	1	0	0
ProductType	*596*	*187*	*391*	*18*	*10*
	1148	***452***	***667***	***29***	***16***

Figures in bold totals for all countries

Table B: Results of the EU co-ordinated programme

Product=Apples Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
2,4-D (sum)	0.008	0.008	52	52	0	0	0.004	0.004	0.004	0.05	0
Abamectin (sum)	0.040	0.040	52	52	0	0	0.020	0.020	0.020	0.01	0
Acephate	0.100	0.100	52	52	0	0	0.050	0.050	0.050	0.02	0
Acetamiprid	0.002	0.002	52	48	4	0	0.009	0.001	0.001	0.1	0
Acrinathrin	0.008	0.008	52	52	0	0	0.004	0.004	0.004	0.1	0
Aldicarb (sum)	0.008	0.008	52	52	0	0	0.004	0.004	0.004	0.02	0
Azinphos-methyl	0.002	0.002	52	52	0	0	0.001	0.001	0.001	0.05	0
Azoxystrobin	0.002	0.002	52	52	0	0	0.001	0.001	0.001	0.05	0
Bifenthrin	0.008	0.008	52	52	0	0	0.004	0.004	0.004	0.3	0
Bitertanol	0.008	0.008	52	49	3	0	0.077	0.006	0.004	2	0
Boscalid	0.002	0.002	52	39	13	0	0.160	0.013	0.001	2	0
Bromide ion	5.000	5.000	12	12	0	0	2.500	2.500	2.500	20	0
Bromopropylate	0.002	0.002	52	52	0	0	0.001	0.001	0.001	2	0
Bromuconazole (sum)	0.008	0.008	52	52	0	0	0.004	0.004	0.004	0.05	0
Bupirimate	0.002	0.002	52	51	1	0	0.013	0.001	0.001	0.2	0
Buprofezin	0.002	0.002	52	52	0	0	0.001	0.001	0.001	0.5	0
Cadusafos	0.002	0.002	52	52	0	0	0.001	0.001	0.001	0.01	0
Carbaryl	0.002	0.002	52	52	0	0	0.001	0.001	0.001	0.05	0
Carbendazim and benomyl	0.008	0.008	52	51	1	0	0.120	0.006	0.004	0.2	0
Carbofuran (sum)	0.002	0.002	52	52	0	0	0.001	0.001	0.001	0.02	0
Chlorfenapyr	0.010	0.010	52	52	0	0	0.005	0.005	0.005	0.05	0
Chlorfenvinphos	0.040	0.040	52	52	0	0	0.020	0.020	0.020	0.02	0
Chlorothalonil	0.008	0.008	52	52	0	0	0.004	0.004	0.004	1	0
Chlorpropham (sum)	0.100	0.100	52	52	0	0	0.050	0.050	0.050	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Apples Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Chlorpyrifos	0.002	0.002	52	47	5	0	0.069	0.003	0.001	0.5	0
Chlorpyrifos-methyl	0.002	0.002	52	50	2	0	0.031	0.002	0.001	0.5	0
Clofentezine	0.002	0.002	52	52	0	0	0.001	0.001	0.001	0.5	0
Clothianidin	0.002	0.002	52	52	0	0	0.001	0.001	0.001	0.05	0
Cyfluthrin (sum)	0.040	0.040	52	52	0	0	0.020	0.020	0.020	0.2	0
Cypermethrin (sum)	0.040	0.040	52	51	1	0	0.077	0.021	0.020	1	0
Cyproconazole	0.002	0.002	52	52	0	0	0.001	0.001	0.001	0.1	0
Cyprodinil	0.002	0.002	52	42	10	0	0.190	0.012	0.001	1	0
Deltamethrin	0.040	0.040	52	52	0	0	0.020	0.020	0.020	0.2	0
Diazinon	0.008	0.008	52	51	1	0	0.008	0.004	0.004	0.01	0
Dichlofluanid	0.008	0.008	52	52	0	0	0.004	0.004	0.004	0.01	0
Dichlorvos	0.100	0.100	52	52	0	0	0.050	0.050	0.050	0.1	0
Dicloran	0.002	0.002	52	52	0	0	0.001	0.001	0.001	0.1	0
Dicofol (sum)	0.040	0.040	51	51	0	0	0.020	0.020	0.020	0.02	0
Difenoconazole	0.002	0.002	52	40	12	0	0.012	0.002	0.001	0.5	0
Dimethoate	0.002	0.002	52	52	0	0	0.001	0.001	0.001	.	0
Dimethoate (sum)	0.002	0.002	52	51	1	0	0.020	0.001	0.001	0.02	0
Dimethomorph	0.002	0.002	52	52	0	0	0.001	0.001	0.001	0.05	0
Diphenylamine	0.008	0.008	52	51	1	0	0.017	0.004	0.004	5	0
Dithiocarbamates	0.030	0.030	29	17	12	0	0.190	0.041	0.015	5	0
Endosulfan (sum)	0.002	0.002	52	52	0	0	0.001	0.001	0.001	0.05	0
Epoxiconazole	0.002	0.002	52	52	0	0	0.001	0.001	0.001	0.05	0
Ethion	0.002	0.002	52	52	0	0	0.001	0.001	0.001	0.01	0
Ethoprophos	0.002	0.002	52	52	0	0	0.001	0.001	0.001	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Apples Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Etofenprox	0.002	0.002	52	48	4	0	0.040	0.003	0.001	1	0
Fenamiphos (sum)	0.002	0.002	52	52	0	0	0.001	0.001	0.001	0.02	0
Fenarimol	0.008	0.008	52	52	0	0	0.004	0.004	0.004	0.3	0
Fenazaquin	0.002	0.002	52	52	0	0	0.001	0.001	0.001	0.1	0
Fenbuconazole	0.002	0.002	52	52	0	0	0.001	0.001	0.001	0.4	0
Fenhexamid	0.002	0.002	52	52	0	0	0.001	0.001	0.001	0.05	0
Fenitrothion	0.002	0.002	52	51	0	1	0.021	0.001	0.001	0.01	1
Fenoxycarb	0.002	0.002	52	49	3	0	0.039	0.002	0.001	1	0
Fenpropathrin	0.002	0.002	52	52	0	0	0.001	0.001	0.001	0.01	0
Fenpropimorph	0.002	0.002	52	52	0	0	0.001	0.001	0.001	0.05	0
Fenthion (sum)	0.008	0.008	52	52	0	0	0.004	0.004	0.004	0.01	0
Fenvalerate and Esfenvalerate (sum of RR and SS isom	0.008	0.008	52	51	1	0	0.027	0.004	0.004	0.05	0
Fenvalerate and Esfenvalerate (sum of RS and SR isom	0.008	0.008	52	52	0	0	0.004	0.004	0.004	0.02	0
Fipronil (sum)	0.002	0.002	51	51	0	0	0.001	0.001	0.001	0.005	0
Fluazifop-P-butyl (sum)	0.002	0.002	52	52	0	0	0.001	0.001	0.001	0.2	0
Fludioxonil	0.002	0.002	52	44	8	0	0.240	0.012	0.001	5	0
Flufenoxuron	0.002	0.002	52	43	9	0	0.017	0.002	0.001	0.5	0
Fluquinconazole	0.002	0.002	52	49	3	0	0.007	0.001	0.001	0.1	0
Flusilazole	0.002	0.002	52	49	3	0	0.015	0.002	0.001	0.02	0
Flutriafol	0.008	0.008	52	52	0	0	0.004	0.004	0.004	0.05	0
Formetanate (sum)	0.002	0.002	52	52	0	0	0.001	0.001	0.001	0.05	0
Fosthiazate	0.002	0.002	52	52	0	0	0.001	0.001	0.001	0.02	0
Haloxyfop including haloxyfop-R	0.004	0.004	52	52	0	0	0.002	0.002	0.002	0.05	0
Hexaconazole	0.002	0.002	52	52	0	0	0.001	0.001	0.001	0.1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Apples Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Hexythiazox	0.002	0.002	52	52	0	0	0.001	0.001	0.001	1	0
Imazalil	0.002	0.002	52	52	0	0	0.001	0.001	0.001	2	0
Imidacloprid	0.002	0.002	52	52	0	0	0.001	0.001	0.001	0.5	0
Indoxacarb	0.008	0.008	52	49	3	0	0.036	0.005	0.004	0.5	0
Iprodione	0.040	0.040	52	49	3	0	0.099	0.023	0.020	5	0
Iprovalicarb	0.002	0.002	52	52	0	0	0.001	0.001	0.001	0.05	0
Kresoxim-methyl	0.002	0.002	52	51	1	0	0.004	0.001	0.001	0.2	0
Lambda-Cyhalothrin	0.008	0.008	32	32	0	0	0.004	0.004	0.004	0.1	0
	0.008	0.008	20	20	0	0	0.004	0.004	0.004	0.5	0
Linuron	0.002	0.002	52	52	0	0	0.001	0.001	0.001	0.05	0
Lufenuron	0.002	0.002	52	48	4	0	0.006	0.001	0.001	0.5	0
Malathion (sum)	0.002	0.002	52	52	0	0	0.001	0.001	0.001	0.5	0
Mepanipyrim (sum)	0.002	0.002	52	52	0	0	0.001	0.001	0.001	0.01	0
Metalaxyl (sum)	0.002	0.002	52	52	0	0	0.001	0.001	0.001	1	0
Metconazole	0.002	0.002	52	52	0	0	0.001	0.001	0.001	0.02	0
Methamidophos	0.008	0.008	52	52	0	0	0.004	0.004	0.004	0.01	0
Methidathion	0.002	0.002	52	52	0	0	0.001	0.001	0.001	0.05	0
Methiocarb (sum)	0.002	0.002	52	52	0	0	0.001	0.001	0.001	0.1	0
Methomyl and Thiodicarb	0.008	0.008	32	32	0	0	0.004	0.004	0.004	0.2	0
	0.008	0.008	20	20	0	0	0.004	0.004	0.004	0.02	0
Methoxyfenozide	0.002	0.002	52	41	11	0	0.078	0.005	0.001	2	0
Monocrotophos	0.002	0.002	52	52	0	0	0.001	0.001	0.001	0.01	0
Myclobutanil	0.008	0.008	52	50	2	0	0.017	0.005	0.004	0.5	0
Omethoate	0.002	0.002	52	51	1	0	0.018	0.001	0.001	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Apples Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Oxadixyl	0.008	0.008	52	52	0	0	0.004	0.004	0.004	0.01	0
Oxamyl	0.002	0.002	52	52	0	0	0.001	0.001	0.001	0.01	0
Oxydemeton-methyl (sum)	0.002	0.002	52	52	0	0	0.001	0.001	0.001	0.02	0
Paclobutrazol	0.008	0.008	52	52	0	0	0.004	0.004	0.004	0.05	0
Parathion	0.008	0.008	52	52	0	0	0.004	0.004	0.004	0.05	0
Parathion-methyl (sum)	0.008	0.008	52	52	0	0	0.004	0.004	0.004	0.02	0
Penconazole	0.002	0.002	52	50	2	0	0.004	0.001	0.001	0.2	0
Pencycuron	0.002	0.002	52	52	0	0	0.001	0.001	0.001	0.05	0
Pendimethalin	0.008	0.008	52	52	0	0	0.004	0.004	0.004	0.05	0
Phosalone	0.008	0.008	52	51	0	1	0.076	0.005	0.004	0.05	0
Phosmet (sum)	0.002	0.002	52	52	0	0	0.001	0.001	0.001	0.2	0
Phoxim	0.008	0.008	52	52	0	0	0.004	0.004	0.004	0.01	0
Pirimicarb (sum)	0.002	0.002	52	34	18	0	0.100	0.015	0.001	2	0
Pirimiphos-methyl	0.008	0.008	52	52	0	0	0.004	0.004	0.004	0.05	0
Prochloraz (sum)	0.002	0.002	52	52	0	0	0.001	0.001	0.001	0.05	0
Procymidone	0.002	0.002	52	52	0	0	0.001	0.001	0.001	0.02	0
Profenofos	0.002	0.002	52	52	0	0	0.001	0.001	0.001	0.05	0
Propamocarb (sum)	0.002	0.002	52	52	0	0	0.001	0.001	0.001	10	0
Propargite	0.008	0.008	52	51	1	0	0.160	0.007	0.004	3	0
Propiconazole	0.002	0.002	52	52	0	0	0.001	0.001	0.001	0.05	0
Propyzamide	0.008	0.008	52	52	0	0	0.004	0.004	0.004	0.02	0
Prothioconazole-Desthio	0.008	0.008	52	52	0	0	0.004	0.004	0.004	.	0
Pyraclostrobin	0.002	0.002	52	43	9	0	0.083	0.006	0.001	0.3	0
Pyrethrins	0.040	0.040	52	52	0	0	0.020	0.020	0.020	1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Apples Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Pyridaben	0.002	0.002	52	51	1	0	0.009	0.001	0.001	0.5	0
Pyrimethanil	0.002	0.002	52	42	10	0	0.095	0.007	0.001	5	0
Pyriproxyfen	0.002	0.002	52	52	0	0	0.001	0.001	0.001	0.2	0
Quinoxyfen	0.002	0.002	52	52	0	0	0.001	0.001	0.001	0.05	0
Spinosad (sum)	0.008	0.008	52	51	1	0	0.011	0.004	0.004	1	0
Spiroxamine	0.002	0.002	52	52	0	0	0.001	0.001	0.001	0.05	0
Tebuconazole	0.008	0.008	52	52	0	0	0.004	0.004	0.004	1	0
Tebufenozide	0.002	0.002	52	52	0	0	0.001	0.001	0.001	1	0
Tebufenpyrad	0.002	0.002	52	52	0	0	0.001	0.001	0.001	0.2	0
Teflubenzuron	0.002	0.002	52	51	1	0	0.120	0.003	0.001	1	0
Tefluthrin	0.002	0.002	52	52	0	0	0.001	0.001	0.001	0.05	0
Tetraconazole	0.002	0.002	52	47	5	0	0.014	0.002	0.001	0.3	0
Tetradifon	0.002	0.002	52	52	0	0	0.001	0.001	0.001	0.02	0
Thiabendazole	0.002	0.002	52	52	0	0	0.001	0.001	0.001	5	0
Thiacloprid	0.002	0.002	52	51	1	0	0.004	0.001	0.001	0.3	0
Thiametoxam (sum)	0.008	0.008	52	52	0	0	0.004	0.004	0.004	0.2	0
Thiophanate-methyl	0.008	0.008	52	52	0	0	0.004	0.004	0.004	0.5	0
Tolclofos-methyl	0.008	0.008	52	52	0	0	0.004	0.004	0.004	0.05	0
Tolylfluanid (sum)	0.008	0.008	52	52	0	0	0.004	0.004	0.004	3	0
Triadimefon (sum)	0.008	0.008	32	30	2	0	0.020	0.005	0.004	0.2	0
	0.008	0.008	20	19	1	0	0.008	0.004	0.004	0.5	0
Triazophos	0.002	0.002	52	52	0	0	0.001	0.001	0.001	0.01	0
Trichlorfon	0.040	0.040	52	52	0	0	0.020	0.020	0.020	1	0
Trifloxystrobin	0.002	0.002	52	47	5	0	0.054	0.003	0.001	0.5	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Apples Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Triflumuron	0.008	0.008	52	51	1	0	0.080	0.005	0.004	0.5	0
Trifluralin	0.008	0.008	52	52	0	0	0.004	0.004	0.004	0.1	0
Triticonazole	0.008	0.008	52	52	0	0	0.004	0.004	0.004	0.01	0
Vinclozolin (sum)	0.102	0.102	52	52	0	0	0.051	0.051	0.051	.	0
tau-Fluvalinate	0.008	0.008	52	52	0	0	0.004	0.004	0.004	0.1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Head cabbage Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
2,4-D (sum)	0.008	0.008	39	39	0	0	0.004	0.004	0.004	0.05	0
Abamectin (sum)	0.040	0.040	39	39	0	0	0.020	0.020	0.020	0.01	0
Acephate	0.100	0.100	39	39	0	0	0.050	0.050	0.050	0.02	0
Acetamiprid	0.002	0.002	39	38	1	0	0.008	0.001	0.001	0.01	0
Acrinathrin	0.008	0.008	39	39	0	0	0.004	0.004	0.004	0.05	0
Aldicarb (sum)	0.008	0.008	39	39	0	0	0.004	0.004	0.004	0.02	0
Azinphos-methyl	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.05	0
Azoxystrobin	0.002	0.002	16	14	2	0	0.130	0.010	0.001	5	0
	0.002	0.002	23	22	1	0	0.028	0.002	0.001	0.3	0
Bifenthrin	0.008	0.008	39	39	0	0	0.004	0.004	0.004	1	0
Bitertanol	0.008	0.008	39	39	0	0	0.004	0.004	0.004	0.05	0
Boscalid	0.002	0.002	39	37	2	0	0.009	0.001	0.001	2	0
Bromide ion	5.000	5.000	13	12	1	0	7.000	2.846	2.500	30	0
Bromopropylate	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.05	0
Bromuconazole (sum)	0.008	0.008	39	39	0	0	0.004	0.004	0.004	0.05	0
Bupirimate	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.05	0
Buprofezin	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.05	0
Cadusafos	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.01	0
Captan	0.040	0.040	39	39	0	0	0.020	0.020	0.020	0.02	0
Carbaryl	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.05	0
Carbendazim and benomyl	0.008	0.008	39	38	1	0	0.011	0.004	0.004	0.1	0
Carbofuran (sum)	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.02	0
Chlorfenapyr	0.010	0.010	39	39	0	0	0.005	0.005	0.005	0.05	0
Chlorfenvinphos	0.040	0.040	39	39	0	0	0.020	0.020	0.020	0.5	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Head cabbage Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Chlorothalonil	0.008	0.008	39	39	0	0	0.004	0.004	0.004	3	0
Chlorpropham (sum)	0.100	0.100	39	39	0	0	0.050	0.050	0.050	0.05	0
Chlorpyrifos	0.002	0.002	39	36	3	0	0.065	0.004	0.001	1	0
Chlorpyrifos-methyl	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.05	0
Clofentezine	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.02	0
Clothianidin	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.02	0
Cyfluthrin (sum)	0.040	0.040	39	39	0	0	0.020	0.020	0.020	0.3	0
Cypermethrin (sum)	0.040	0.040	16	16	0	0	0.020	0.020	0.020	1	0
	0.040	0.040	23	22	1	0	0.044	0.021	0.020	0.5	0
Cyproconazole	0.002	0.002	39	38	0	1	0.110	0.004	0.001	0.05	1
Cyprodinil	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.05	0
Deltamethrin	0.040	0.040	39	39	0	0	0.020	0.020	0.020	0.1	0
Diazinon	0.008	0.008	39	39	0	0	0.004	0.004	0.004	0.5	0
Dichlofluanid	0.008	0.008	39	39	0	0	0.004	0.004	0.004	0.01	0
Dichlorvos	0.100	0.100	39	39	0	0	0.050	0.050	0.050	0.01	0
Dicloran	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.1	0
Dicofol (sum)	0.040	0.040	34	34	0	0	0.020	0.020	0.020	0.02	0
Difenoconazole	0.002	0.002	39	36	3	0	0.009	0.001	0.001	0.2	0
Dimethoate	0.002	0.002	39	39	0	0	0.001	0.001	0.001	.	0
Dimethoate (sum)	0.002	0.002	31	31	0	0	0.001	0.001	0.001	1	0
	0.002	0.002	8	8	0	0	0.001	0.001	0.001	0.02	0
Dimethomorph	0.002	0.002	39	38	1	0	0.042	0.002	0.001	0.05	0
Diphenylamine	0.008	0.008	39	39	0	0	0.004	0.004	0.004	0.05	0
Dithiocarbamates	0.030	0.030	4	0	4	0	0.140	0.093	0.090	2	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Head cabbage Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
	0.030	0.030	14	1	13	0	0.170	0.068	0.065	3	0
Endosulfan (sum)	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.05	0
Epoxiconazole	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.2	0
Ethion	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.01	0
Ethoprophos	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.02	0
Etofenprox	0.002	0.002	39	39	0	0	0.001	0.001	0.001	2	0
Fenamiphos (sum)	0.002	0.002	8	8	0	0	0.001	0.001	0.001	0.02	0
	0.002	0.002	31	31	0	0	0.001	0.001	0.001	0.05	0
Fenarimol	0.008	0.008	39	39	0	0	0.004	0.004	0.004	0.02	0
Fenazaquin	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.01	0
Fenbuconazole	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.05	0
Fenhexamid	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.05	0
Fenitrothion	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.01	0
Fenoxycarb	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.05	0
Fenpropathrin	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.01	0
Fenpropimorph	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.05	0
Fenthion (sum)	0.008	0.008	39	39	0	0	0.004	0.004	0.004	0.01	0
Fenvalerate and Esfenvalerate (sum of RR and SS isom	0.008	0.008	39	39	0	0	0.004	0.004	0.004	0.1	0
Fenvalerate and Esfenvalerate (sum of RS and SR isom	0.008	0.008	39	39	0	0	0.004	0.004	0.004	0.02	0
Fipronil (sum)	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.02	0
Fluazifop-P-butyl (sum)	0.002	0.002	39	38	1	0	0.110	0.004	0.001	0.3	0
Fludioxonil	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.05	0
Flufenoxuron	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.05	0
Fluquinconazole	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Head cabbage Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Flusilazole	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.02	0
Flutriafol	0.008	0.008	39	39	0	0	0.004	0.004	0.004	0.05	0
Folpet	0.008	0.008	39	39	0	0	0.004	0.004	0.004	0.02	0
Formetanate (sum)	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.05	0
Fosthiazate	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.02	0
Haloxyfop including haloxyfop-R	0.004	0.004	39	39	0	0	0.002	0.002	0.002	0.05	0
Hexaconazole	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.02	0
Hexythiazox	0.002	0.002	39	39	0	0	0.001	0.001	0.001	2	0
Imazalil	0.002	0.002	24	24	0	0	0.001	0.001	0.001	0.02	0
	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.05	0
Imidacloprid	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.5	0
Indoxacarb	0.008	0.008	39	37	2	0	0.038	0.005	0.004	3	0
Iprodione	0.040	0.040	39	38	1	0	0.280	0.027	0.020	5	0
Iprovalicarb	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.05	0
Kresoxim-methyl	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.05	0
Lambda-Cyhalothrin	0.008	0.008	31	31	0	0	0.004	0.004	0.004	0.2	0
	0.008	0.008	8	8	0	0	0.004	0.004	0.004	0.02	0
Linuron	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.05	0
Lufenuron	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.5	0
Malathion (sum)	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.02	0
Mepanipyrim (sum)	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.01	0
Metalaxyl (sum)	0.002	0.002	39	39	0	0	0.001	0.001	0.001	1	0
Metconazole	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.02	0
Methamidophos	0.008	0.008	39	39	0	0	0.004	0.004	0.004	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Head cabbage Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Methidathion	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.1	0
Methiocarb (sum)	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.1	0
Methomyl and Thiodicarb	0.008	0.008	16	16	0	0	0.004	0.004	0.004	0.02	0
	0.008	0.008	23	23	0	0	0.004	0.004	0.004	0.05	0
Methoxyfenozide	0.002	0.002	39	38	0	1	0.130	0.004	0.001	0.02	1
Monocrotophos	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.01	0
Myclobutanil	0.008	0.008	39	39	0	0	0.004	0.004	0.004	0.02	0
Omethoate	0.002	0.002	39	39	0	0	0.001	0.001	0.001	.	0
Oxadixyl	0.008	0.008	39	39	0	0	0.004	0.004	0.004	0.01	0
Oxamyl	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.01	0
Oxydemeton-methyl (sum)	0.002	0.002	8	8	0	0	0.001	0.001	0.001	0.01	0
	0.002	0.002	31	31	0	0	0.001	0.001	0.001	0.05	0
Paclobutrazol	0.008	0.008	39	39	0	0	0.004	0.004	0.004	0.02	0
Parathion	0.008	0.008	39	39	0	0	0.004	0.004	0.004	0.05	0
Parathion-methyl (sum)	0.008	0.008	39	39	0	0	0.004	0.004	0.004	0.02	0
Penconazole	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.05	0
Pencycuron	0.002	0.002	39	38	1	0	0.010	0.001	0.001	0.05	0
Pendimethalin	0.008	0.008	39	37	2	0	0.011	0.004	0.004	0.05	0
Phosalone	0.008	0.008	39	39	0	0	0.004	0.004	0.004	0.05	0
Phosmet (sum)	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.05	0
Phoxim	0.008	0.008	39	39	0	0	0.004	0.004	0.004	0.01	0
Pirimicarb (sum)	0.002	0.002	39	38	1	0	0.025	0.002	0.001	1	0
Pirimiphos-methyl	0.008	0.008	39	39	0	0	0.004	0.004	0.004	0.05	0
Prochloraz (sum)	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Head cabbage Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Procymidone	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.02	0
Profenofos	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.05	0
Propamocarb (sum)	0.002	0.002	39	35	4	0	0.010	0.002	0.001	10	0
Propargite	0.008	0.008	39	39	0	0	0.004	0.004	0.004	0.01	0
Propiconazole	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.05	0
Propyzamide	0.008	0.008	39	39	0	0	0.004	0.004	0.004	0.02	0
Prothioconazole-Desthio	0.008	0.008	39	39	0	0	0.004	0.004	0.004	.	0
Pyraclostrobin	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.2	0
Pyrethrins	0.040	0.040	39	39	0	0	0.020	0.020	0.020	1	0
Pyridaben	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.05	0
Pyrimethanil	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.05	0
Pyriproxyfen	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.05	0
Quinoxyfen	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.02	0
Spinosad (sum)	0.008	0.008	39	39	0	0	0.004	0.004	0.004	2	0
Spiroxamine	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.05	0
Tebuconazole	0.008	0.008	39	38	1	0	0.008	0.004	0.004	1	0
Tebufenozide	0.002	0.002	39	39	0	0	0.001	0.001	0.001	5	0
Tebufenpyrad	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.05	0
Teflubenzuron	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.5	0
Tefluthrin	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.05	0
Tetraconazole	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.02	0
Tetradifon	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.02	0
Thiabendazole	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.05	0
Thiacloprid	0.002	0.002	39	38	1	0	0.015	0.001	0.001	0.2	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Head cabbage Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Thiametoxam (sum)	0.008	0.008	39	38	1	0	0.017	0.004	0.004	0.2	0
Thiophanate-methyl	0.008	0.008	39	39	0	0	0.004	0.004	0.004	0.1	0
Tolclofos-methyl	0.008	0.008	39	39	0	0	0.004	0.004	0.004	0.5	0
Tolylfluanid (sum)	0.008	0.008	39	39	0	0	0.004	0.004	0.004	0.05	0
Triadimefon (sum)	0.008	0.008	39	39	0	0	0.004	0.004	0.004	0.1	0
Triazophos	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.01	0
Trichlorfon	0.040	0.040	39	39	0	0	0.020	0.020	0.020	0.5	0
Trifloxystrobin	0.002	0.002	39	39	0	0	0.001	0.001	0.001	0.3	0
Triflumuron	0.008	0.008	39	39	0	0	0.004	0.004	0.004	0.2	0
Trifluralin	0.008	0.008	39	39	0	0	0.004	0.004	0.004	0.5	0
Triticonazole	0.008	0.008	39	39	0	0	0.004	0.004	0.004	0.01	0
Vinclozolin (sum)	0.102	0.102	39	39	0	0	0.051	0.051	0.051	0.05	0
tau-Fluvalinate	0.008	0.008	39	39	0	0	0.004	0.004	0.004	0.2	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Leek Treatment=Unprocessed

Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
2,4-D (sum)	0.008	0.008	26	26	0	0	0.004	0.004	0.004	0.05	0
Abamectin (sum)	0.040	0.040	26	26	0	0	0.020	0.020	0.020	0.01	0
Acephate	0.100	0.100	26	26	0	0	0.050	0.050	0.050	0.02	0
Acetamiprid	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.01	0
Acrinathrin	0.008	0.008	26	26	0	0	0.004	0.004	0.004	0.05	0
Aldicarb (sum)	0.008	0.008	26	26	0	0	0.004	0.004	0.004	0.02	0
Azinphos-methyl	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.05	0
Azoxystrobin	0.002	0.002	18	16	2	0	0.024	0.003	0.001	2	0
	0.002	0.002	8	7	1	0	0.005	0.002	0.001	10	0
Bifenthrin	0.008	0.008	26	26	0	0	0.004	0.004	0.004	0.05	0
Bitertanol	0.008	0.008	26	26	0	0	0.004	0.004	0.004	0.05	0
Boscalid	0.002	0.002	26	14	12	0	0.150	0.021	0.001	5	0
Bromide ion	5.000	5.000	13	9	4	0	11.000	4.277	2.500	30	0
Bromopropylate	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.05	0
Bromuconazole (sum)	0.008	0.008	26	26	0	0	0.004	0.004	0.004	0.05	0
Bupirimate	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.05	0
Buprofezin	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.05	0
Cadusafos	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.01	0
Captan	0.040	0.040	26	26	0	0	0.020	0.020	0.020	2	0
Carbaryl	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.05	0
Carbendazim and benomyl	0.008	0.008	26	26	0	0	0.004	0.004	0.004	0.1	0
Carbofuran (sum)	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.02	0
Chlorfenapyr	0.010	0.010	26	26	0	0	0.005	0.005	0.005	0.05	0
Chlorfenvinphos	0.040	0.040	26	26	0	0	0.020	0.020	0.020	0.1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Leek Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Chlorothalonil	0.008	0.008	26	26	0	0	0.004	0.004	0.004	10	0
Chlorpropham (sum)	0.100	0.100	26	26	0	0	0.050	0.050	0.050	0.05	0
Chlorpyrifos	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.5	0
Chlorpyrifos-methyl	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.05	0
Clofentezine	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.02	0
Clothianidin	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.02	0
Cyfluthrin (sum)	0.040	0.040	26	26	0	0	0.020	0.020	0.020	0.02	0
Cypermethrin (sum)	0.040	0.040	26	26	0	0	0.020	0.020	0.020	0.5	0
Cyproconazole	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.05	0
Cyprodinil	0.002	0.002	26	25	0	1	0.056	0.003	0.001	0.05	0
Deltamethrin	0.040	0.040	26	26	0	0	0.020	0.020	0.020	0.2	0
Diazinon	0.008	0.008	26	26	0	0	0.004	0.004	0.004	0.01	0
Dichlofluanid	0.008	0.008	26	26	0	0	0.004	0.004	0.004	0.01	0
Dichlorvos	0.100	0.100	26	26	0	0	0.050	0.050	0.050	0.01	0
Dicloran	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.1	0
Dicofol (sum)	0.040	0.040	21	21	0	0	0.020	0.020	0.020	0.02	0
Difenoconazole	0.002	0.002	26	22	4	0	0.063	0.007	0.001	0.5	0
Dimethoate	0.002	0.002	26	26	0	0	0.001	0.001	0.001	.	0
Dimethoate (sum)	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.02	0
Dimethomorph	0.002	0.002	18	18	0	0	0.001	0.001	0.001	0.2	0
	0.002	0.002	8	8	0	0	0.001	0.001	0.001	1.5	0
Diphenylamine	0.008	0.008	26	26	0	0	0.004	0.004	0.004	0.05	0
Dithiocarbamates	0.030	0.030	16	7	9	0	2.010	0.221	0.040	3	0
	0.030	0.030	1	1	0	0	0.015	0.015	0.015	0.5	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Leek Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Endosulfan (sum)	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.05	0
Epoxiconazole	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.05	0
Ethion	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.01	0
Ethoprophos	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.02	0
Etofenprox	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.01	0
Fenamiphos (sum)	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.02	0
Fenarimol	0.008	0.008	26	26	0	0	0.004	0.004	0.004	0.02	0
Fenazaquin	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.01	0
Fenbuconazole	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.05	0
Fenhexamid	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.05	0
Fenitrothion	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.01	0
Fenoxycarb	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.05	0
Fenpropathrin	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.01	0
Fenpropimorph	0.002	0.002	26	26	0	0	0.001	0.001	0.001	1	0
Fenthion (sum)	0.008	0.008	26	26	0	0	0.004	0.004	0.004	0.01	0
Fenvalerate and Esfenvalerate (sum of RR and SS isom	0.008	0.008	26	26	0	0	0.004	0.004	0.004	0.02	0
Fenvalerate and Esfenvalerate (sum of RS and SR isom	0.008	0.008	26	26	0	0	0.004	0.004	0.004	0.02	0
Fipronil (sum)	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.01	0
Fluazifop-P-butyl (sum)	0.002	0.002	26	25	1	0	0.002	0.001	0.001	0.2	0
Fludioxonil	0.002	0.002	26	25	1	0	0.023	0.002	0.001	0.05	0
Flufenoxuron	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.05	0
Fluquinconazole	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.05	0
Flusilazole	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.02	0
Flutriafol	0.008	0.008	26	26	0	0	0.004	0.004	0.004	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Leek Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Folpet	0.008	0.008	26	26	0	0	0.004	0.004	0.004	0.02	0
Formetanate (sum)	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.05	0
Fosthiazate	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.02	0
Haloxyfop including haloxyfop-R	0.004	0.004	26	26	0	0	0.002	0.002	0.002	0.1	0
Hexaconazole	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.02	0
Hexythiazox	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.5	0
Imazalil	0.002	0.002	18	18	0	0	0.001	0.001	0.001	0.02	0
	0.002	0.002	8	8	0	0	0.001	0.001	0.001	0.05	0
Imidacloprid	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.05	0
Indoxacarb	0.008	0.008	26	26	0	0	0.004	0.004	0.004	0.02	0
Iprodione	0.040	0.040	26	26	0	0	0.020	0.020	0.020	0.02	0
Iprovalicarb	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.05	0
Kresoxim-methyl	0.002	0.002	26	26	0	0	0.001	0.001	0.001	5	0
Lambda-Cyhalothrin	0.008	0.008	26	26	0	0	0.004	0.004	0.004	0.3	0
Linuron	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.05	0
Lufenuron	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.05	0
Malathion (sum)	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.02	0
Mepanipyrim (sum)	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.01	0
Metalaxyl (sum)	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.2	0
Metconazole	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.02	0
Methamidophos	0.008	0.008	26	26	0	0	0.004	0.004	0.004	0.01	0
Methidathion	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.02	0
Methiocarb (sum)	0.002	0.002	26	25	1	0	0.005	0.001	0.001	0.2	0
Methomyl and Thiodicarb	0.008	0.008	8	8	0	0	0.004	0.004	0.004	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Leek Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
	0.008	0.008	18	18	0	0	0.004	0.004	0.004	0.05	0
Methoxyfenozide	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.02	0
Monocrotophos	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.01	0
Myclobutanil	0.008	0.008	26	26	0	0	0.004	0.004	0.004	0.02	0
Omethoate	0.002	0.002	26	26	0	0	0.001	0.001	0.001	.	0
Oxadixyl	0.008	0.008	26	26	0	0	0.004	0.004	0.004	0.01	0
Oxamyl	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.01	0
Oxydemeton-methyl (sum)	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.02	0
Paclobutrazol	0.008	0.008	26	26	0	0	0.004	0.004	0.004	0.02	0
Parathion	0.008	0.008	26	26	0	0	0.004	0.004	0.004	0.05	0
Parathion-methyl (sum)	0.008	0.008	26	26	0	0	0.004	0.004	0.004	0.02	0
Penconazole	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.05	0
Pencycuron	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.05	0
Pendimethalin	0.008	0.008	26	26	0	0	0.004	0.004	0.004	0.05	0
Phosalone	0.008	0.008	26	26	0	0	0.004	0.004	0.004	0.05	0
Phosmet (sum)	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.05	0
Phoxim	0.008	0.008	26	26	0	0	0.004	0.004	0.004	0.01	0
Pirimicarb (sum)	0.002	0.002	26	26	0	0	0.001	0.001	0.001	1	0
Pirimiphos-methyl	0.008	0.008	26	26	0	0	0.004	0.004	0.004	0.05	0
Prochloraz (sum)	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.05	0
Procymidone	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.02	0
Profenofos	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.05	0
Propamocarb (sum)	0.002	0.002	26	26	0	0	0.001	0.001	0.001	10	0
Propargite	0.008	0.008	26	26	0	0	0.004	0.004	0.004	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Leek Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Propiconazole	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.1	0
Propyzamide	0.008	0.008	26	26	0	0	0.004	0.004	0.004	0.02	0
Prothioconazole-Desthio	0.008	0.008	26	26	0	0	0.004	0.004	0.004	.	0
Pyraclostrobin	0.002	0.002	26	21	5	0	0.035	0.005	0.001	0.5	0
Pyrethrins	0.040	0.040	26	26	0	0	0.020	0.020	0.020	1	0
Pyridaben	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.05	0
Pyrimethanil	0.002	0.002	26	26	0	0	0.001	0.001	0.001	1	0
Pyriproxyfen	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.05	0
Quinoxyfen	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.02	0
Spinosad (sum)	0.008	0.008	26	25	1	0	0.008	0.004	0.004	0.5	0
Spiroxamine	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.05	0
Tebuconazole	0.008	0.008	26	17	9	0	0.100	0.015	0.004	1	0
Tebufenozide	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.05	0
Tebufenpyrad	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.05	0
Teflubenzuron	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.05	0
Tefluthrin	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.05	0
Tetraconazole	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.02	0
Tetradifon	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.02	0
Thiabendazole	0.002	0.002	26	25	0	1	0.150	0.007	0.001	0.05	1
Thiacloprid	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.1	0
Thiametoxam (sum)	0.008	0.008	26	26	0	0	0.004	0.004	0.004	0.05	0
Thiophanate-methyl	0.008	0.008	26	26	0	0	0.004	0.004	0.004	0.1	0
Tolclofos-methyl	0.008	0.008	26	26	0	0	0.004	0.004	0.004	0.05	0
Tolylfluanid (sum)	0.008	0.008	26	26	0	0	0.004	0.004	0.004	3	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Leek Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Triadimefon (sum)	0.008	0.008	26	26	0	0	0.004	0.004	0.004	0.1	0
Triazophos	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.01	0
Trichlorfon	0.040	0.040	26	26	0	0	0.020	0.020	0.020	0.5	0
Trifloxystrobin	0.002	0.002	26	24	2	0	0.018	0.002	0.001	0.2	0
Triflumuron	0.008	0.008	26	26	0	0	0.004	0.004	0.004	0.05	0
Trifluralin	0.008	0.008	26	26	0	0	0.004	0.004	0.004	0.5	0
Triticonazole	0.008	0.008	26	26	0	0	0.004	0.004	0.004	0.01	0
Vinclozolin (sum)	0.102	0.102	26	26	0	0	0.051	0.051	0.051	0.05	0
tau-Fluvalinate	0.008	0.008	26	26	0	0	0.004	0.004	0.004	0.1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Lettuce Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
2,4-D (sum)	0.008	0.008	40	40	0	0	0.004	0.004	0.004	0.05	0
Abamectin (sum)	0.040	0.040	40	40	0	0	0.020	0.020	0.020	0.1	0
Acephate	0.100	0.100	40	40	0	0	0.050	0.050	0.050	0.02	0
Acetamiprid	0.002	0.002	40	39	1	0	0.033	0.002	0.001	5	0
Acrinathrin	0.008	0.008	40	40	0	0	0.004	0.004	0.004	0.05	0
Aldicarb (sum)	0.008	0.008	40	40	0	0	0.004	0.004	0.004	0.02	0
Azinphos-methyl	0.002	0.002	40	40	0	0	0.001	0.001	0.001	0.05	0
Azoxystrobin	0.002	0.002	40	38	2	0	0.006	0.001	0.001	3	0
Bifenthrin	0.008	0.008	40	40	0	0	0.004	0.004	0.004	2	0
Bitertanol	0.008	0.008	40	40	0	0	0.004	0.004	0.004	0.05	0
Boscalid	0.002	0.002	40	26	14	0	0.640	0.041	0.001	10	0
Bromide ion	5.000	5.000	12	11	1	0	26.000	4.458	2.500	50	0
Bromopropylate	0.002	0.002	40	40	0	0	0.001	0.001	0.001	0.05	0
Bromuconazole (sum)	0.008	0.008	40	40	0	0	0.004	0.004	0.004	0.05	0
Bupirimate	0.002	0.002	40	40	0	0	0.001	0.001	0.001	0.05	0
Buprofezin	0.002	0.002	40	40	0	0	0.001	0.001	0.001	0.5	0
Cadusafos	0.002	0.002	40	40	0	0	0.001	0.001	0.001	0.01	0
Captan	0.040	0.040	40	40	0	0	0.020	0.020	0.020	0.02	0
Carbaryl	0.002	0.002	40	40	0	0	0.001	0.001	0.001	0.05	0
Carbendazim and benomyl	0.008	0.008	40	40	0	0	0.004	0.004	0.004	0.1	0
Carbofuran (sum)	0.002	0.002	40	40	0	0	0.001	0.001	0.001	0.02	0
Chlorfenapyr	0.010	0.010	40	40	0	0	0.005	0.005	0.005	0.05	0
Chlorfenvinphos	0.040	0.040	40	40	0	0	0.020	0.020	0.020	0.02	0
Chlorothalonil	0.008	0.008	40	40	0	0	0.004	0.004	0.004	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Lettuce Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Chlorpropham (sum)	0.100	0.100	40	40	0	0	0.050	0.050	0.050	0.05	0
Chlorpyrifos	0.002	0.002	40	36	4	0	0.020	0.002	0.001	0.05	0
Chlorpyrifos-methyl	0.002	0.002	40	40	0	0	0.001	0.001	0.001	0.05	0
Clofentezine	0.002	0.002	40	40	0	0	0.001	0.001	0.001	0.02	0
Clothianidin	0.002	0.002	40	40	0	0	0.001	0.001	0.001	0.1	0
Cyfluthrin (sum)	0.040	0.040	40	40	0	0	0.020	0.020	0.020	1	0
Cypermethrin (sum)	0.040	0.040	40	39	1	0	0.280	0.027	0.020	2	0
Cyproconazole	0.002	0.002	40	40	0	0	0.001	0.001	0.001	0.05	0
Cyprodinil	0.002	0.002	40	29	11	0	0.130	0.006	0.001	10	0
Deltamethrin	0.040	0.040	40	40	0	0	0.020	0.020	0.020	0.5	0
Diazinon	0.008	0.008	40	40	0	0	0.004	0.004	0.004	0.01	0
Dichlofluanid	0.008	0.008	40	40	0	0	0.004	0.004	0.004	0.01	0
Dichlorvos	0.100	0.100	40	40	0	0	0.050	0.050	0.050	0.01	0
Dicloran	0.002	0.002	40	40	0	0	0.001	0.001	0.001	0.1	0
Dicofol (sum)	0.040	0.040	34	34	0	0	0.020	0.020	0.020	0.02	0
Difenoconazole	0.002	0.002	40	40	0	0	0.001	0.001	0.001	3	0
Dimethoate	0.002	0.002	40	40	0	0	0.001	0.001	0.001	.	0
Dimethoate (sum)	0.002	0.002	24	24	0	0	0.001	0.001	0.001	0.5	0
	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.02	0
Dimethomorph	0.002	0.002	40	29	11	0	0.460	0.032	0.001	10	0
Diphenylamine	0.008	0.008	40	40	0	0	0.004	0.004	0.004	0.05	0
Dithiocarbamates	0.030	0.030	12	5	7	0	0.790	0.118	0.035	5	0
Endosulfan (sum)	0.002	0.002	40	40	0	0	0.001	0.001	0.001	0.05	0
Epoxiconazole	0.002	0.002	40	40	0	0	0.001	0.001	0.001	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Lettuce Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Ethion	0.002	0.002	40	40	0	0	0.001	0.001	0.001	0.01	0
Ethoprophos	0.002	0.002	40	40	0	0	0.001	0.001	0.001	0.02	0
Etofenprox	0.002	0.002	40	40	0	0	0.001	0.001	0.001	3	0
Fenamiphos (sum)	0.002	0.002	40	40	0	0	0.001	0.001	0.001	0.02	0
Fenarimol	0.008	0.008	40	40	0	0	0.004	0.004	0.004	0.02	0
Fenazaquin	0.002	0.002	40	40	0	0	0.001	0.001	0.001	0.01	0
Fenbuconazole	0.002	0.002	40	40	0	0	0.001	0.001	0.001	0.05	0
Fenhexamid	0.002	0.002	25	25	0	0	0.001	0.001	0.001	30	0
	0.002	0.002	15	14	1	0	0.009	0.002	0.001	40	0
Fenitrothion	0.002	0.002	40	40	0	0	0.001	0.001	0.001	0.01	0
Fenoxycarb	0.002	0.002	40	40	0	0	0.001	0.001	0.001	0.05	0
Fenpropathrin	0.002	0.002	40	40	0	0	0.001	0.001	0.001	0.01	0
Fenpropimorph	0.002	0.002	40	40	0	0	0.001	0.001	0.001	0.05	0
Fenthion (sum)	0.008	0.008	40	40	0	0	0.004	0.004	0.004	0.01	0
Fenvalerate and Esfenvalerate (sum of RR and SS isom	0.008	0.008	40	40	0	0	0.004	0.004	0.004	0.02	0
Fenvalerate and Esfenvalerate (sum of RS and SR isom	0.008	0.008	40	40	0	0	0.004	0.004	0.004	0.02	0
Fipronil (sum)	0.002	0.002	40	40	0	0	0.001	0.001	0.001	0.005	0
Fluazifop-P-butyl (sum)	0.002	0.002	40	40	0	0	0.001	0.001	0.001	0.2	0
Fludioxonil	0.002	0.002	40	37	3	0	0.080	0.003	0.001	10	0
Flufenoxuron	0.002	0.002	40	40	0	0	0.001	0.001	0.001	1	0
Fluquinconazole	0.002	0.002	40	40	0	0	0.001	0.001	0.001	0.05	0
Flusilazole	0.002	0.002	40	40	0	0	0.001	0.001	0.001	0.02	0
Flutriafol	0.008	0.008	40	40	0	0	0.004	0.004	0.004	0.05	0
Folpet	0.008	0.008	40	40	0	0	0.004	0.004	0.004	2	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Lettuce Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Formetanate (sum)	0.002	0.002	40	40	0	0	0.001	0.001	0.001	0.05	0
Fosthiazate	0.002	0.002	40	40	0	0	0.001	0.001	0.001	0.02	0
Haloxyfop including haloxyfop-R	0.004	0.004	40	40	0	0	0.002	0.002	0.002	0.1	0
Hexaconazole	0.002	0.002	40	40	0	0	0.001	0.001	0.001	0.02	0
Hexythiazox	0.002	0.002	40	40	0	0	0.001	0.001	0.001	0.5	0
Imazalil	0.002	0.002	24	24	0	0	0.001	0.001	0.001	0.02	0
	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.05	0
Imidacloprid	0.002	0.002	40	30	10	0	0.049	0.005	0.001	2	0
Indoxacarb	0.008	0.008	40	40	0	0	0.004	0.004	0.004	2	0
Iprodione	0.040	0.040	40	35	5	0	3.340	0.244	0.020	10	0
Iprovalicarb	0.002	0.002	40	40	0	0	0.001	0.001	0.001	1	0
Kresoxim-methyl	0.002	0.002	40	40	0	0	0.001	0.001	0.001	0.05	0
Lambda-Cyhalothrin	0.008	0.008	40	35	5	0	0.064	0.009	0.004	0.5	0
Linuron	0.002	0.002	40	40	0	0	0.001	0.001	0.001	0.05	0
Lufenuron	0.002	0.002	40	39	1	0	0.002	0.001	0.001	0.5	0
Malathion (sum)	0.002	0.002	40	40	0	0	0.001	0.001	0.001	0.02	0
Mepanipyrim (sum)	0.002	0.002	40	40	0	0	0.001	0.001	0.001	0.01	0
Metalaxyl (sum)	0.002	0.002	40	27	13	0	0.028	0.004	0.001	2	0
Metconazole	0.002	0.002	40	40	0	0	0.001	0.001	0.001	0.02	0
Methamidophos	0.008	0.008	40	40	0	0	0.004	0.004	0.004	0.01	0
Methidathion	0.002	0.002	40	40	0	0	0.001	0.001	0.001	0.02	0
Methiocarb (sum)	0.002	0.002	40	40	0	0	0.001	0.001	0.001	1	0
Methomyl and Thiodicarb	0.008	0.008	16	16	0	0	0.004	0.004	0.004	0.2	0
	0.008	0.008	24	24	0	0	0.004	0.004	0.004	0.3	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Lettuce Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Methoxyfenozide	0.002	0.002	40	40	0	0	0.001	0.001	0.001	0.02	0
Monocrotophos	0.002	0.002	40	40	0	0	0.001	0.001	0.001	0.01	0
Myclobutanil	0.008	0.008	40	40	0	0	0.004	0.004	0.004	0.02	0
Omethoate	0.002	0.002	40	40	0	0	0.001	0.001	0.001	.	0
Oxadixyl	0.008	0.008	40	40	0	0	0.004	0.004	0.004	0.1	0
Oxamyl	0.002	0.002	40	40	0	0	0.001	0.001	0.001	0.01	0
Oxydemeton-methyl (sum)	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.01	0
	0.002	0.002	24	24	0	0	0.001	0.001	0.001	0.05	0
Paclobutrazol	0.008	0.008	40	40	0	0	0.004	0.004	0.004	0.02	0
Parathion	0.008	0.008	40	40	0	0	0.004	0.004	0.004	0.05	0
Parathion-methyl (sum)	0.008	0.008	40	40	0	0	0.004	0.004	0.004	0.02	0
Penconazole	0.002	0.002	40	40	0	0	0.001	0.001	0.001	0.05	0
Pencycuron	0.002	0.002	40	40	0	0	0.001	0.001	0.001	2	0
Pendimethalin	0.008	0.008	40	37	3	0	0.035	0.005	0.004	0.05	0
Phosalone	0.008	0.008	40	40	0	0	0.004	0.004	0.004	0.05	0
Phosmet (sum)	0.002	0.002	40	40	0	0	0.001	0.001	0.001	0.05	0
Phoxim	0.008	0.008	40	40	0	0	0.004	0.004	0.004	0.1	0
Pirimicarb (sum)	0.002	0.002	40	39	1	0	0.004	0.001	0.001	5	0
Pirimiphos-methyl	0.008	0.008	40	40	0	0	0.004	0.004	0.004	0.05	0
Prochloraz (sum)	0.002	0.002	40	40	0	0	0.001	0.001	0.001	5	0
Procymidone	0.002	0.002	24	23	1	0	0.002	0.001	0.001	5	0
	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.02	0
Profenofos	0.002	0.002	40	40	0	0	0.001	0.001	0.001	0.05	0
Propamocarb (sum)	0.002	0.002	40	31	9	0	1.300	0.064	0.001	50	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Lettuce Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Propargite	0.008	0.008	40	40	0	0	0.004	0.004	0.004	0.01	0
Propiconazole	0.002	0.002	40	40	0	0	0.001	0.001	0.001	0.05	0
Propyzamide	0.008	0.008	40	39	1	0	0.024	0.005	0.004	1	0
Prothioconazole-Desthio	0.008	0.008	40	40	0	0	0.004	0.004	0.004	.	0
Pyraclostrobin	0.002	0.002	40	36	4	0	0.140	0.006	0.001	2	0
Pyrethrins	0.040	0.040	40	40	0	0	0.020	0.020	0.020	1	0
Pyridaben	0.002	0.002	40	40	0	0	0.001	0.001	0.001	0.05	0
Pyrimethanil	0.002	0.002	40	39	1	0	0.002	0.001	0.001	10	0
Pyriproxyfen	0.002	0.002	40	40	0	0	0.001	0.001	0.001	0.05	0
Quinoxyfen	0.002	0.002	40	40	0	0	0.001	0.001	0.001	0.02	0
Spinosad (sum)	0.008	0.008	40	39	1	0	0.240	0.010	0.004	10	0
Spiroxamine	0.002	0.002	40	39	1	0	0.003	0.001	0.001	0.05	0
Tebuconazole	0.008	0.008	40	40	0	0	0.004	0.004	0.004	0.05	0
Tebufenozide	0.002	0.002	40	40	0	0	0.001	0.001	0.001	10	0
Tebufenpyrad	0.002	0.002	40	40	0	0	0.001	0.001	0.001	0.05	0
Teflubenzuron	0.002	0.002	40	40	0	0	0.001	0.001	0.001	0.05	0
Tefluthrin	0.002	0.002	40	40	0	0	0.001	0.001	0.001	0.05	0
Tetraconazole	0.002	0.002	40	40	0	0	0.001	0.001	0.001	0.02	0
Tetradifon	0.002	0.002	40	40	0	0	0.001	0.001	0.001	0.02	0
Thiabendazole	0.002	0.002	40	40	0	0	0.001	0.001	0.001	0.05	0
Thiacloprid	0.002	0.002	40	39	1	0	0.018	0.001	0.001	2	0
Thiametoxam (sum)	0.004	0.008	40	38	2	0	0.008	0.004	0.004	5	0
Thiophanate-methyl	0.008	0.008	40	40	0	0	0.004	0.004	0.004	0.1	0
Tolclofos-methyl	0.008	0.008	40	35	5	0	0.289	0.015	0.004	2	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Lettuce Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Tolylfluanid (sum)	0.008	0.008	40	40	0	0	0.004	0.004	0.004	20	0
Triadimefon (sum)	0.008	0.008	40	40	0	0	0.004	0.004	0.004	0.1	0
Triazophos	0.002	0.002	40	40	0	0	0.001	0.001	0.001	0.01	0
Trichlorfon	0.040	0.040	40	40	0	0	0.020	0.020	0.020	0.5	0
Trifloxystrobin	0.002	0.002	40	40	0	0	0.001	0.001	0.001	10	0
Triflumuron	0.008	0.008	40	40	0	0	0.004	0.004	0.004	0.05	0
Trifluralin	0.008	0.008	40	40	0	0	0.004	0.004	0.004	0.5	0
Triticonazole	0.008	0.008	40	40	0	0	0.004	0.004	0.004	0.01	0
Vinclozolin (sum)	0.102	0.102	40	40	0	0	0.051	0.051	0.051	.	0
tau-Fluvalinate	0.008	0.008	40	40	0	0	0.004	0.004	0.004	0.3	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Oats Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
2,4-D (sum)	0.008	0.008	15	15	0	0	0.004	0.004	0.004	0.05	0
Abamectin (sum)	0.040	0.040	15	15	0	0	0.020	0.020	0.020	0.01	0
Acephate	0.100	0.100	15	15	0	0	0.050	0.050	0.050	0.02	0
Acetamiprid	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.01	0
Acrinathrin	0.008	0.008	15	15	0	0	0.004	0.004	0.004	0.05	0
Aldicarb (sum)	0.008	0.008	15	15	0	0	0.004	0.004	0.004	0.05	0
Azinphos-methyl	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.05	0
Azoxystrobin	0.002	0.002	8	8	0	0	0.001	0.001	0.001	0.3	0
	0.002	0.002	7	7	0	0	0.001	0.001	0.001	0.5	0
Bifenthrin	0.008	0.008	15	15	0	0	0.004	0.004	0.004	0.5	0
Bitertanol	0.008	0.008	15	15	0	0	0.004	0.004	0.004	0.05	0
Boscalid	0.002	0.002	15	15	0	0	0.001	0.001	0.001	3	0
Bromopropylate	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.05	0
Bromuconazole (sum)	0.008	0.008	15	15	0	0	0.004	0.004	0.004	0.2	0
Bupirimate	0.008	0.008	15	15	0	0	0.004	0.004	0.004	0.05	0
Buprofezin	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.05	0
Cadusafos	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.01	0
Captan	0.040	0.040	15	15	0	0	0.020	0.020	0.020	0.02	0
Carbaryl	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.5	0
Carbendazim and benomyl	0.008	0.008	15	15	0	0	0.004	0.004	0.004	2	0
Carbofuran (sum)	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.02	0
Chlorfenapyr	0.010	0.010	15	15	0	0	0.005	0.005	0.005	0.05	0
Chlorfenvinphos	0.040	0.040	15	15	0	0	0.020	0.020	0.020	0.02	0
Chlorothalonil	0.008	0.008	15	15	0	0	0.004	0.004	0.004	0.1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Oats Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Chlorpropham (sum)	0.100	0.100	15	15	0	0	0.050	0.050	0.050	0.02	0
Chlorpyrifos	0.002	0.002	15	14	1	0	0.013	0.002	0.001	0.05	0
Chlorpyrifos-methyl	0.008	0.008	15	13	2	0	0.044	0.009	0.004	3	0
Clothianidin	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.02	0
Cyfluthrin (sum)	0.040	0.040	15	15	0	0	0.020	0.020	0.020	0.02	0
Cypermethrin (sum)	0.040	0.040	15	15	0	0	0.020	0.020	0.020	2	0
Cyproconazole	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.1	0
Cyprodinil	0.002	0.002	15	15	0	0	0.001	0.001	0.001	2	0
Deltamethrin	0.040	0.040	15	15	0	0	0.020	0.020	0.020	2	0
Diazinon	0.008	0.008	15	15	0	0	0.004	0.004	0.004	0.02	0
Dichlofluanid	0.040	0.040	15	15	0	0	0.020	0.020	0.020	.	0
Dichlorvos	0.100	0.100	15	15	0	0	0.050	0.050	0.050	0.01	0
Dicloran	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.01	0
Dicofol (sum)	0.040	0.040	15	15	0	0	0.020	0.020	0.020	0.02	0
Difenoconazole	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.05	0
Dimethoate	0.002	0.002	15	15	0	0	0.001	0.001	0.001	.	0
Dimethoate (sum)	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.02	0
Dimethomorph	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.05	0
Diphenylamine	0.100	0.100	15	15	0	0	0.050	0.050	0.050	0.05	0
Dithiocarbamates	0.030	0.030	5	5	0	0	0.015	0.015	0.015	2	0
Endosulfan (sum)	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.05	0
Epoxiconazole	0.002	0.002	15	15	0	0	0.001	0.001	0.001	1	0
Ethion	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.01	0
Ethoprophos	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Oats Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Etofenprox	0.008	0.008	15	15	0	0	0.004	0.004	0.004	0.5	0
Fenamiphos (sum)	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.02	0
Fenarimol	0.008	0.008	15	15	0	0	0.004	0.004	0.004	0.02	0
Fenazaquin	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.01	0
Fenbuconazole	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.05	0
Fenhexamid	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.05	0
Fenitrothion	0.002	0.002	8	8	0	0	0.001	0.001	0.001	0.5	0
	0.002	0.002	7	7	0	0	0.001	0.001	0.001	0.05	0
Fenoxycarb	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.05	0
Fenpropathrin	0.008	0.008	15	15	0	0	0.004	0.004	0.004	0.01	0
Fenpropimorph	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.5	0
Fenthion (sum)	0.008	0.100	15	15	0	0	0.050	0.035	0.050	0.01	0
Fenvalerate and Esfenvalerate (sum of RR and SS isom	0.008	0.008	15	15	0	0	0.004	0.004	0.004	0.2	0
Fenvalerate and Esfenvalerate (sum of RS and SR isom	0.008	0.008	15	15	0	0	0.004	0.004	0.004	0.05	0
Fipronil (sum)	0.002	0.002	15	15	0	0	0.001	0.001	0.001	.	0
Fluazifop-P-butyl (sum)	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.1	0
Fludioxonil	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.05	0
Flufenoxuron	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.05	0
Fluquinconazole	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.05	0
Flusilazole	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.2	0
Flutriafol	0.008	0.008	15	15	0	0	0.004	0.004	0.004	0.5	0
Folpet	0.008	0.008	15	15	0	0	0.004	0.004	0.004	0.02	0
Formetanate (sum)	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.05	0
Fosthiazate	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Oats Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Haloxyfop including haloxyfop-R	0.004	0.004	15	15	0	0	0.002	0.002	0.002	0.1	0
Hexaconazole	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.02	0
Hexythiazox	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.5	0
Imazalil	0.002	0.002	8	8	0	0	0.001	0.001	0.001	0.02	0
	0.002	0.002	7	7	0	0	0.001	0.001	0.001	0.05	0
Imidacloprid	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.1	0
Indoxacarb	0.008	0.008	15	15	0	0	0.004	0.004	0.004	0.02	0
Iprodione	0.040	0.040	15	15	0	0	0.020	0.020	0.020	0.5	0
Iprovalicarb	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.05	0
Kresoxim-methyl	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.05	0
Lambda-Cyhalothrin	0.008	0.008	8	8	0	0	0.004	0.004	0.004	0.02	0
	0.008	0.008	7	7	0	0	0.004	0.004	0.004	0.05	0
Linuron	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.05	0
Lufenuron	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.02	0
Malathion (sum)	0.002	0.002	15	15	0	0	0.001	0.001	0.001	8	0
Mepanipyrim (sum)	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.01	0
Metalaxyl (sum)	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.05	0
Metconazole	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.1	0
Methamidophos	0.040	0.040	15	15	0	0	0.020	0.020	0.020	0.01	0
Methidathion	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.02	0
Methiocarb (sum)	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.1	0
Methomyl and Thiodicarb	0.008	0.008	7	7	0	0	0.004	0.004	0.004	0.02	0
	0.008	0.008	8	8	0	0	0.004	0.004	0.004	0.05	0
Methoxyfenozide	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Oats Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Monocrotophos	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.01	0
Myclobutanil	0.040	0.040	15	15	0	0	0.020	0.020	0.020	0.02	0
Omethoate	0.002	0.002	15	15	0	0	0.001	0.001	0.001	.	0
Oxadixyl	0.008	0.008	15	15	0	0	0.004	0.004	0.004	0.01	0
Oxamyl	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.01	0
Oxydemeton-methyl (sum)	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.02	0
Paclobutrazol	0.008	0.008	15	15	0	0	0.004	0.004	0.004	0.02	0
Parathion	0.008	0.008	15	15	0	0	0.004	0.004	0.004	0.05	0
Parathion-methyl (sum)	0.040	0.040	15	15	0	0	0.020	0.020	0.020	0.02	0
Penconazole	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.05	0
Pencycuron	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.05	0
Pendimethalin	0.008	0.008	15	15	0	0	0.004	0.004	0.004	0.05	0
Phosalone	0.008	0.008	15	15	0	0	0.004	0.004	0.004	0.05	0
Phosmet (sum)	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.05	0
Phoxim	0.008	0.008	15	15	0	0	0.004	0.004	0.004	0.01	0
Pirimicarb (sum)	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.5	0
Pirimiphos-methyl	0.008	0.008	15	15	0	0	0.004	0.004	0.004	5	0
Prochloraz (sum)	0.002	0.002	15	15	0	0	0.001	0.001	0.001	1	0
Procymidone	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.02	0
Profenofos	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.05	0
Propamocarb (sum)	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.1	0
Propargite	0.008	0.008	15	15	0	0	0.004	0.004	0.004	0.01	0
Propiconazole	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.2	0
Propyzamide	0.008	0.008	15	15	0	0	0.004	0.004	0.004	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Oats Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Prothioconazole-Desthio	0.008	0.008	15	15	0	0	0.004	0.004	0.004	.	0
Pyraclostrobin	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.3	0
Pyrethrins	0.100	0.100	15	15	0	0	0.050	0.050	0.050	3	0
Pyridaben	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.05	0
Pyrimethanil	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.05	0
Pyriproxyfen	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.05	0
Quinoxyfen	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.2	0
Spinosad (sum)	0.008	0.008	15	15	0	0	0.004	0.004	0.004	1	0
Spiroxamine	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.3	0
Tebuconazole	0.008	0.008	15	15	0	0	0.004	0.004	0.004	2	0
Tebufenozide	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.05	0
Tebufenpyrad	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.05	0
Teflubenzuron	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.1	0
Tefluthrin	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.05	0
Tetraconazole	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.1	0
Tetradifon	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.02	0
Thiabendazole	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.05	0
Thiacloprid	0.002	0.002	15	15	0	0	0.001	0.001	0.001	1	0
Thiametoxam (sum)	0.008	0.008	15	15	0	0	0.004	0.004	0.004	0.05	0
Thiophanate-methyl	0.008	0.008	15	15	0	0	0.004	0.004	0.004	0.3	0
Tolclofos-methyl	0.008	0.008	15	15	0	0	0.004	0.004	0.004	0.05	0
Tolylfluanid (sum)	0.008	0.008	15	15	0	0	0.004	0.004	0.004	0.05	0
Triadimefon (sum)	0.008	0.008	7	7	0	0	0.004	0.004	0.004	0.1	0
	0.008	0.008	8	8	0	0	0.004	0.004	0.004	0.2	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Oats Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Triazophos	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.02	0
Trichlorfon	0.040	0.040	15	15	0	0	0.020	0.020	0.020	0.1	0
Trifloxystrobin	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.02	0
Triflumuron	0.008	0.008	15	15	0	0	0.004	0.004	0.004	0.05	0
Trifluralin	0.008	0.008	15	15	0	0	0.004	0.004	0.004	0.1	0
Triticonazole	0.008	0.008	15	15	0	0	0.004	0.004	0.004	0.01	0
Vinclozolin (sum)	0.102	0.102	15	15	0	0	0.051	0.051	0.051	0.05	0
tau-Fluvalinate	0.008	0.008	15	15	0	0	0.004	0.004	0.004	0.5	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Peaches Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
2,4-D (sum)	0.008	0.008	28	28	0	0	0.004	0.004	0.004	0.05	0
Abamectin (sum)	0.040	0.040	28	28	0	0	0.020	0.020	0.020	0.01	0
Acephate	0.100	0.100	28	28	0	0	0.050	0.050	0.050	0.02	0
Acetamiprid	0.002	0.002	28	27	1	0	0.011	0.001	0.001	0.1	0
Acrinathrin	0.008	0.008	28	28	0	0	0.004	0.004	0.004	0.2	0
Aldicarb (sum)	0.008	0.008	28	28	0	0	0.004	0.004	0.004	0.02	0
Azinphos-methyl	0.002	0.002	28	28	0	0	0.001	0.001	0.001	0.05	0
Azoxystrobin	0.002	0.002	8	8	0	0	0.001	0.001	0.001	2	0
	0.002	0.002	20	20	0	0	0.001	0.001	0.001	0.05	0
Bifenthrin	0.008	0.008	28	28	0	0	0.004	0.004	0.004	0.2	0
Bitertanol	0.008	0.008	28	26	2	0	0.046	0.006	0.004	1	0
Boscalid	0.002	0.002	28	25	3	0	0.240	0.015	0.001	3	0
Bromide ion	5.000	5.000	9	9	0	0	2.500	2.500	2.500	20	0
Bromopropylate	0.002	0.002	28	28	0	0	0.001	0.001	0.001	0.05	0
Bromuconazole (sum)	0.008	0.008	28	28	0	0	0.004	0.004	0.004	0.1	0
Bupirimate	0.002	0.002	28	27	1	0	0.014	0.001	0.001	0.2	0
Buprofezin	0.002	0.002	28	28	0	0	0.001	0.001	0.001	0.7	0
Cadusafos	0.002	0.002	28	28	0	0	0.001	0.001	0.001	0.01	0
Captan	0.040	0.040	28	27	0	1	3.200	0.134	0.020	0.02	1
Carbaryl	0.002	0.002	28	28	0	0	0.001	0.001	0.001	0.05	0
Carbendazim and benomyl	0.008	0.008	28	27	1	0	0.044	0.005	0.004	0.2	0
Carbofuran (sum)	0.002	0.002	28	28	0	0	0.001	0.001	0.001	0.02	0
Chlorfenapyr	0.010	0.010	28	28	0	0	0.005	0.005	0.005	0.05	0
Chlorfenvinphos	0.040	0.040	28	28	0	0	0.020	0.020	0.020	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Peaches Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Chlorothalonil	0.008	0.008	28	26	2	0	0.580	0.027	0.004	1	0
Chlorpropham (sum)	0.100	0.100	28	28	0	0	0.050	0.050	0.050	0.05	0
Chlorpyrifos	0.002	0.002	28	15	13	0	0.140	0.010	0.001	0.2	0
Chlorpyrifos-methyl	0.002	0.002	28	26	2	0	0.010	0.002	0.001	0.5	0
Clofentezine	0.002	0.002	28	28	0	0	0.001	0.001	0.001	0.02	0
Clothianidin	0.002	0.002	28	28	0	0	0.001	0.001	0.001	0.1	0
Cyfluthrin (sum)	0.040	0.040	28	28	0	0	0.020	0.020	0.020	0.3	0
Cypermethrin (sum)	0.040	0.040	28	27	1	0	0.280	0.029	0.020	2	0
Cyproconazole	0.002	0.002	28	28	0	0	0.001	0.001	0.001	0.1	0
Cyprodinil	0.002	0.002	28	26	2	0	0.190	0.009	0.001	2	0
Deltamethrin	0.040	0.040	28	28	0	0	0.020	0.020	0.020	0.1	0
Diazinon	0.008	0.008	28	28	0	0	0.004	0.004	0.004	0.01	0
Dichlofluanid	0.008	0.008	28	28	0	0	0.004	0.004	0.004	0.01	0
Dichlorvos	0.100	0.100	28	28	0	0	0.050	0.050	0.050	0.01	0
Dicloran	0.002	0.002	28	28	0	0	0.001	0.001	0.001	0.1	0
Dicofol (sum)	0.040	0.040	22	22	0	0	0.020	0.020	0.020	0.02	0
Difenoconazole	0.002	0.002	28	26	2	0	0.009	0.001	0.001	0.5	0
Dimethoate	0.002	0.002	28	28	0	0	0.001	0.001	0.001	.	0
Dimethoate (sum)	0.002	0.002	28	28	0	0	0.001	0.001	0.001	0.02	0
Dimethomorph	0.002	0.002	28	28	0	0	0.001	0.001	0.001	0.05	0
Diphenylamine	0.008	0.008	28	28	0	0	0.004	0.004	0.004	0.05	0
Dithiocarbamates	0.030	0.030	15	13	2	0	0.220	0.030	0.015	2	0
Endosulfan (sum)	0.002	0.002	28	28	0	0	0.001	0.001	0.001	0.05	0
Epoxiconazole	0.002	0.002	28	28	0	0	0.001	0.001	0.001	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Peaches Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Ethion	0.002	0.002	28	28	0	0	0.001	0.001	0.001	0.01	0
Ethoprophos	0.002	0.002	28	28	0	0	0.001	0.001	0.001	0.02	0
Etofenprox	0.002	0.002	28	24	4	0	0.150	0.007	0.001	0.5	0
Fenamiphos (sum)	0.002	0.002	28	28	0	0	0.001	0.001	0.001	0.02	0
Fenarimol	0.008	0.008	28	28	0	0	0.004	0.004	0.004	0.5	0
Fenazaquin	0.002	0.002	28	28	0	0	0.001	0.001	0.001	0.5	0
Fenbuconazole	0.002	0.002	28	24	4	0	0.018	0.002	0.001	0.5	0
Fenhexamid	0.002	0.002	28	22	6	0	0.110	0.007	0.001	5	0
Fenitrothion	0.002	0.002	28	28	0	0	0.001	0.001	0.001	0.01	0
Fenoxycarb	0.002	0.002	28	28	0	0	0.001	0.001	0.001	1	0
Fenpropathrin	0.002	0.002	28	28	0	0	0.001	0.001	0.001	0.01	0
Fenpropimorph	0.002	0.002	28	28	0	0	0.001	0.001	0.001	0.05	0
Fenthion (sum)	0.008	0.008	28	28	0	0	0.004	0.004	0.004	0.01	0
Fenvalerate and Esfenvalerate (sum of RR and SS isom	0.008	0.008	28	28	0	0	0.004	0.004	0.004	0.1	0
Fenvalerate and Esfenvalerate (sum of RS and SR isom	0.008	0.008	28	28	0	0	0.004	0.004	0.004	0.02	0
Fipronil (sum)	0.002	0.002	28	28	0	0	0.001	0.001	0.001	0.005	0
Fluazifop-P-butyl (sum)	0.002	0.002	28	28	0	0	0.001	0.001	0.001	0.2	0
Fludioxonil	0.002	0.002	28	25	3	0	0.370	0.017	0.001	7	0
Flufenoxuron	0.002	0.002	28	28	0	0	0.001	0.001	0.001	0.5	0
Fluquinconazole	0.002	0.002	28	28	0	0	0.001	0.001	0.001	0.1	0
Flusilazole	0.002	0.002	8	8	0	0	0.001	0.001	0.001	0.2	0
	0.002	0.002	20	19	1	0	0.006	0.001	0.001	0.05	0
Flutriafol	0.008	0.008	28	28	0	0	0.004	0.004	0.004	0.05	0
Folpet	0.008	0.008	28	28	0	0	0.004	0.004	0.004	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Peaches Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Formetanate (sum)	0.002	0.002	28	28	0	0	0.001	0.001	0.001	0.05	0
Fosthiazate	0.002	0.002	28	28	0	0	0.001	0.001	0.001	0.02	0
Haloxyfop including haloxyfop-R	0.004	0.004	28	28	0	0	0.002	0.002	0.002	0.05	0
Hexaconazole	0.002	0.002	28	27	0	1	0.024	0.002	0.001	0.02	0
Hexythiazox	0.002	0.002	28	28	0	0	0.001	0.001	0.001	1	0
Imazalil	0.002	0.002	20	20	0	0	0.001	0.001	0.001	0.02	0
	0.002	0.002	8	8	0	0	0.001	0.001	0.001	0.05	0
Imidacloprid	0.002	0.002	28	26	2	0	0.170	0.007	0.001	0.5	0
Indoxacarb	0.008	0.008	28	28	0	0	0.004	0.004	0.004	0.3	0
Iprodione	0.040	0.040	28	25	3	0	2.900	0.169	0.020	3	0
Iprovalicarb	0.002	0.002	28	28	0	0	0.001	0.001	0.001	0.05	0
Kresoxim-methyl	0.002	0.002	28	28	0	0	0.001	0.001	0.001	0.05	0
Lambda-Cyhalothrin	0.008	0.008	28	27	1	0	0.011	0.004	0.004	0.2	0
Linuron	0.002	0.002	28	28	0	0	0.001	0.001	0.001	0.05	0
Lufenuron	0.002	0.002	28	28	0	0	0.001	0.001	0.001	1	0
Malathion (sum)	0.002	0.002	28	28	0	0	0.001	0.001	0.001	0.5	0
Mepanipyrim (sum)	0.002	0.002	28	28	0	0	0.001	0.001	0.001	0.01	0
Metalaxyl (sum)	0.002	0.002	28	28	0	0	0.001	0.001	0.001	0.05	0
Metconazole	0.002	0.002	28	28	0	0	0.001	0.001	0.001	0.02	0
Methamidophos	0.008	0.008	28	28	0	0	0.004	0.004	0.004	0.05	0
Methidathion	0.002	0.002	28	28	0	0	0.001	0.001	0.001	0.05	0
Methiocarb (sum)	0.002	0.002	28	27	0	1	0.410	0.016	0.001	0.2	0
Methomyl and Thiodicarb	0.008	0.008	20	20	0	0	0.004	0.004	0.004	0.2	0
	0.008	0.008	8	8	0	0	0.004	0.004	0.004	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Peaches Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Methoxyfenozide	0.002	0.002	28	24	4	0	0.110	0.009	0.001	0.3	0
Monocrotophos	0.002	0.002	28	28	0	0	0.001	0.001	0.001	0.01	0
Myclobutanil	0.008	0.008	28	28	0	0	0.004	0.004	0.004	0.5	0
Omethoate	0.002	0.002	28	28	0	0	0.001	0.001	0.001	.	0
Oxadixyl	0.008	0.008	28	28	0	0	0.004	0.004	0.004	0.01	0
Oxamyl	0.002	0.002	28	28	0	0	0.001	0.001	0.001	0.01	0
Oxydemeton-methyl (sum)	0.002	0.002	28	28	0	0	0.001	0.001	0.001	0.02	0
Paclobutrazol	0.008	0.008	28	28	0	0	0.004	0.004	0.004	0.5	0
Parathion	0.008	0.008	28	28	0	0	0.004	0.004	0.004	0.05	0
Parathion-methyl (sum)	0.008	0.008	28	28	0	0	0.004	0.004	0.004	0.02	0
Penconazole	0.002	0.002	28	27	1	0	0.002	0.001	0.001	0.1	0
Pencycuron	0.002	0.002	28	28	0	0	0.001	0.001	0.001	0.05	0
Pendimethalin	0.008	0.008	28	28	0	0	0.004	0.004	0.004	0.05	0
Phosalone	0.008	0.008	28	28	0	0	0.004	0.004	0.004	2	0
Phosmet (sum)	0.002	0.002	28	28	0	0	0.001	0.001	0.001	0.05	0
Phoxim	0.008	0.008	28	28	0	0	0.004	0.004	0.004	0.01	0
Pirimicarb (sum)	0.002	0.002	28	28	0	0	0.001	0.001	0.001	2	0
Pirimiphos-methyl	0.008	0.008	28	28	0	0	0.004	0.004	0.004	0.05	0
Prochloraz (sum)	0.002	0.002	28	28	0	0	0.001	0.001	0.001	0.05	0
Procymidone	0.002	0.002	20	20	0	0	0.001	0.001	0.001	2	0
	0.002	0.002	8	8	0	0	0.001	0.001	0.001	0.01	0
Profenofos	0.002	0.002	28	28	0	0	0.001	0.001	0.001	0.05	0
Propamocarb (sum)	0.002	0.002	28	28	0	0	0.001	0.001	0.001	0.1	0
Propargite	0.008	0.008	28	27	1	0	0.019	0.005	0.004	4	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Peaches Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Propiconazole	0.002	0.002	28	27	1	0	0.021	0.002	0.001	0.2	0
Propyzamide	0.008	0.008	28	28	0	0	0.004	0.004	0.004	0.02	0
Prothioconazole-Desthio	0.008	0.008	28	28	0	0	0.004	0.004	0.004	.	0
Pyraclostrobin	0.002	0.002	28	26	2	0	0.059	0.004	0.001	0.2	0
Pyrethrins	0.040	0.040	28	28	0	0	0.020	0.020	0.020	1	0
Pyridaben	0.002	0.002	28	28	0	0	0.001	0.001	0.001	0.5	0
Pyrimethanil	0.002	0.002	28	27	1	0	0.280	0.011	0.001	10	0
Pyriproxyfen	0.002	0.002	28	28	0	0	0.001	0.001	0.001	0.5	0
Quinoxyfen	0.002	0.002	28	28	0	0	0.001	0.001	0.001	0.05	0
Spinosad (sum)	0.008	0.008	28	27	1	0	0.012	0.004	0.004	1	0
Spiroxamine	0.002	0.002	28	28	0	0	0.001	0.001	0.001	0.05	0
Tebuconazole	0.008	0.008	28	19	9	0	0.150	0.022	0.004	1	0
Tebufenozide	0.002	0.002	28	28	0	0	0.001	0.001	0.001	0.5	0
Tebufenpyrad	0.002	0.002	28	27	1	0	0.015	0.002	0.001	0.3	0
Teflubenzuron	0.002	0.002	28	24	4	0	0.028	0.004	0.001	1	0
Tefluthrin	0.002	0.002	28	28	0	0	0.001	0.001	0.001	0.05	0
Tetraconazole	0.002	0.002	28	28	0	0	0.001	0.001	0.001	0.1	0
Tetradifon	0.002	0.002	28	28	0	0	0.001	0.001	0.001	0.02	0
Thiabendazole	0.002	0.002	28	27	1	0	0.015	0.002	0.001	0.05	0
Thiacloprid	0.002	0.002	28	27	1	0	0.010	0.001	0.001	0.3	0
Thiametoxam (sum)	0.008	0.008	28	28	0	0	0.004	0.004	0.004	0.3	0
Thiophanate-methyl	0.008	0.008	28	27	1	0	0.023	0.005	0.004	2	0
Tolclofos-methyl	0.008	0.008	28	28	0	0	0.004	0.004	0.004	0.05	0
Tolylfluanid (sum)	0.008	0.008	28	28	0	0	0.004	0.004	0.004	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Peaches Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Triadimefon (sum)	0.008	0.008	28	28	0	0	0.004	0.004	0.004	0.1	0
Triazophos	0.002	0.002	28	28	0	0	0.001	0.001	0.001	0.01	0
Trichlorfon	0.040	0.040	28	28	0	0	0.020	0.020	0.020	0.5	0
Trifloxystrobin	0.002	0.002	28	28	0	0	0.001	0.001	0.001	1	0
Triflumuron	0.008	0.008	28	22	6	0	0.088	0.012	0.004	1	0
Trifluralin	0.008	0.008	28	28	0	0	0.004	0.004	0.004	0.1	0
Triticonazole	0.008	0.008	28	28	0	0	0.004	0.004	0.004	0.01	0
Vinclozolin (sum)	0.102	0.102	28	28	0	0	0.051	0.051	0.051	0.05	0
tau-Fluvalinate	0.008	0.008	28	28	0	0	0.004	0.004	0.004	0.1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Pears Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Amitraz (sum)	0.001	0.010	10	10	0	0	0.005	0.003	0.003	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Rye Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
2,4-D (sum)	0.008	0.008	16	16	0	0	0.004	0.004	0.004	0.05	0
Abamectin (sum)	0.040	0.040	16	16	0	0	0.020	0.020	0.020	0.01	0
Acephate	0.100	0.100	16	16	0	0	0.050	0.050	0.050	0.02	0
Acetamiprid	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.01	0
Acrinathrin	0.008	0.008	1	1	0	0	0.004	0.004	0.004	0.1	0
	0.008	0.008	15	15	0	0	0.004	0.004	0.004	0.05	0
Aldicarb (sum)	0.008	0.008	16	16	0	0	0.004	0.004	0.004	0.05	0
Azinphos-methyl	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.05	0
Azoxystrobin	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.3	0
	0.002	0.002	1	1	0	0	0.001	0.001	0.001	0.05	0
Bifenthrin	0.008	0.008	16	16	0	0	0.004	0.004	0.004	0.05	0
Bitertanol	0.008	0.008	16	16	0	0	0.004	0.004	0.004	0.05	0
Boscalid	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.5	0
Bromide ion	5.000	5.000	11	10	1	0	8.500	3.045	2.500	50	0
Bromopropylate	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.05	0
Bromuconazole (sum)	0.008	0.008	16	16	0	0	0.004	0.004	0.004	0.2	0
Bupirimate	0.008	0.008	16	16	0	0	0.004	0.004	0.004	0.05	0
Buprofezin	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.05	0
Cadusafos	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.01	0
Captan	0.040	0.040	16	16	0	0	0.020	0.020	0.020	0.02	0
Carbaryl	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.5	0
Carbendazim and benomyl	0.008	0.008	15	15	0	0	0.004	0.004	0.004	0.1	0
	0.008	0.008	1	1	0	0	0.004	0.004	0.004	0.01	0
Carbofuran (sum)	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Rye Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Chlorfenapyr	0.010	0.010	16	16	0	0	0.005	0.005	0.005	0.05	0
Chlorfenvinphos	0.040	0.040	16	16	0	0	0.020	0.020	0.020	0.02	0
Chlormequat	0.020	0.020	10	5	5	0	0.390	0.138	0.090	2	0
Chlorothalonil	0.008	0.008	15	15	0	0	0.004	0.004	0.004	0.1	0
	0.008	0.008	1	1	0	0	0.004	0.004	0.004	0.01	0
Chlorpropham (sum)	0.100	0.100	16	16	0	0	0.050	0.050	0.050	0.02	0
Chlorpyrifos	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.05	0
Chlorpyrifos-methyl	0.008	0.008	16	11	5	0	0.071	0.017	0.004	3	0
Clothianidin	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.02	0
Cyfluthrin (sum)	0.040	0.040	15	15	0	0	0.020	0.020	0.020	0.02	0
	0.040	0.040	1	1	0	0	0.020	0.020	0.020	0.05	0
Cypermethrin (sum)	0.040	0.040	15	15	0	0	0.020	0.020	0.020	2	0
	0.040	0.040	1	1	0	0	0.020	0.020	0.020	0.05	0
Cyproconazole	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.1	0
Cyprodinil	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.5	0
	0.002	0.002	1	1	0	0	0.001	0.001	0.001	0.05	0
Deltamethrin	0.040	0.040	16	16	0	0	0.020	0.020	0.020	2	0
Diazinon	0.008	0.008	16	16	0	0	0.004	0.004	0.004	0.02	0
Dichlofluanid	0.040	0.040	16	16	0	0	0.020	0.020	0.020	.	0
Dichlorvos	0.100	0.100	16	16	0	0	0.050	0.050	0.050	0.01	0
Dicloran	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.01	0
Dicofol (sum)	0.040	0.040	15	15	0	0	0.020	0.020	0.020	0.02	0
Difenoconazole	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.1	0
	0.002	0.002	1	1	0	0	0.001	0.001	0.001	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Rye Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Dimethoate	0.002	0.002	16	16	0	0	0.001	0.001	0.001	.	0
Dimethoate (sum)	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.3	0
	0.002	0.002	1	1	0	0	0.001	0.001	0.001	0.02	0
Dimethomorph	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.05	0
Diphenylamine	0.100	0.100	16	16	0	0	0.050	0.050	0.050	0.05	0
Dithiocarbamates	0.030	0.030	8	8	0	0	0.015	0.015	0.015	1	0
Endosulfan (sum)	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.05	0
Epoxiconazole	0.002	0.002	1	1	0	0	0.001	0.001	0.001	0.1	0
	0.002	0.002	15	13	2	0	0.008	0.002	0.001	0.2	0
Ethion	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.01	0
Ethoprophos	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.02	0
Etofenprox	0.008	0.008	16	16	0	0	0.004	0.004	0.004	0.5	0
Fenamiphos (sum)	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.02	0
Fenarimol	0.008	0.008	16	16	0	0	0.004	0.004	0.004	0.02	0
Fenazaquin	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.01	0
Fenbuconazole	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.1	0
	0.002	0.002	1	1	0	0	0.001	0.001	0.001	0.05	0
Fenhexamid	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.05	0
Fenitrothion	0.002	0.002	9	9	0	0	0.001	0.001	0.001	0.5	0
	0.002	0.002	7	7	0	0	0.001	0.001	0.001	0.05	0
Fenoxycarb	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.05	0
Fenpropathrin	0.008	0.008	16	16	0	0	0.004	0.004	0.004	0.01	0
Fenpropimorph	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.5	0
	0.002	0.002	1	1	0	0	0.001	0.001	0.001	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Rye Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Fenthion (sum)	0.008	0.100	16	16	0	0	0.050	0.036	0.050	0.01	0
Fenvalerate and Esfenvalerate (sum of RR and SS isom	0.008	0.008	1	1	0	0	0.004	0.004	0.004	0.02	0
	0.008	0.008	15	15	0	0	0.004	0.004	0.004	0.05	0
Fenvalerate and Esfenvalerate (sum of RS and SR isom	0.008	0.008	16	16	0	0	0.004	0.004	0.004	0.02	0
Fipronil (sum)	0.002	0.002	16	16	0	0	0.001	0.001	0.001	.	0
Fluazifop-P-butyl (sum)	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.1	0
Fludioxonil	0.002	0.002	1	1	0	0	0.001	0.001	0.001	0.1	0
	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.05	0
Flufenoxuron	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.05	0
Fluquinconazole	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.1	0
	0.002	0.002	1	1	0	0	0.001	0.001	0.001	0.05	0
Flusilazole	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.1	0
	0.002	0.002	1	1	0	0	0.001	0.001	0.001	0.02	0
Flutriafol	0.008	0.008	16	16	0	0	0.004	0.004	0.004	0.5	0
Folpet	0.008	0.008	16	16	0	0	0.004	0.004	0.004	0.02	0
Formetanate (sum)	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.05	0
Fosthiazate	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.02	0
Glyphosate	0.460	0.460	10	10	0	0	0.230	0.230	0.230	10	0
Haloxyfop including haloxyfop-R	0.004	0.004	16	16	0	0	0.002	0.002	0.002	0.1	0
Hexaconazole	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.02	0
Hexythiazox	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.5	0
Imazalil	0.002	0.002	9	9	0	0	0.001	0.001	0.001	0.02	0
	0.002	0.002	7	7	0	0	0.001	0.001	0.001	0.05	0
Imidacloprid	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Rye Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Indoxacarb	0.008	0.008	16	16	0	0	0.004	0.004	0.004	0.02	0
Iprodione	0.040	0.040	16	16	0	0	0.020	0.020	0.020	0.02	0
Iprovalicarb	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.05	0
Kresoxim-methyl	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.05	0
Lambda-Cyhalothrin	0.008	0.008	9	9	0	0	0.004	0.004	0.004	0.02	0
	0.008	0.008	7	7	0	0	0.004	0.004	0.004	0.05	0
Linuron	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.05	0
Lufenuron	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.02	0
	0.002	0.002	1	1	0	0	0.001	0.001	0.001	0.05	0
Malathion (sum)	0.002	0.002	16	16	0	0	0.001	0.001	0.001	8	0
Mepanipyrim (sum)	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.01	0
Mepiquat	0.020	0.020	10	10	0	0	0.010	0.010	0.010	3	0
Metalaxyl (sum)	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.05	0
Metconazole	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.1	0
Methamidophos	0.040	0.040	16	16	0	0	0.020	0.020	0.020	0.01	0
Methidathion	0.002	0.002	1	1	0	0	0.001	0.001	0.001	0.1	0
	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.02	0
Methiocarb (sum)	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.1	0
Methomyl and Thiodicarb	0.008	0.008	7	7	0	0	0.004	0.004	0.004	0.02	0
	0.008	0.008	9	9	0	0	0.004	0.004	0.004	0.05	0
Methoxyfenozide	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.05	0
Monocrotophos	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.01	0
Myclobutanil	0.040	0.040	16	16	0	0	0.020	0.020	0.020	0.02	0
Omethoate	0.002	0.002	16	16	0	0	0.001	0.001	0.001	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Rye Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Oxadixyl	0.008	0.008	16	16	0	0	0.004	0.004	0.004	0.01	0
Oxamyl	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.01	0
Oxydemeton-methyl (sum)	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.02	0
Paclobutrazol	0.008	0.008	16	16	0	0	0.004	0.004	0.004	0.02	0
Parathion	0.008	0.008	16	16	0	0	0.004	0.004	0.004	0.05	0
Parathion-methyl (sum)	0.040	0.040	16	16	0	0	0.020	0.020	0.020	0.02	0
Penconazole	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.05	0
Pencycuron	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.05	0
Pendimethalin	0.008	0.008	16	16	0	0	0.004	0.004	0.004	0.05	0
Phosalone	0.008	0.008	16	16	0	0	0.004	0.004	0.004	0.05	0
Phosmet (sum)	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.05	0
Phoxim	0.008	0.008	16	16	0	0	0.004	0.004	0.004	0.01	0
Pirimicarb (sum)	0.002	0.002	1	1	0	0	0.001	0.001	0.001	0.2	0
	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.5	0
Pirimiphos-methyl	0.008	0.008	16	14	2	0	0.025	0.006	0.004	5	0
Prochloraz (sum)	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.5	0
Procymidone	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.02	0
Profenofos	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.05	0
Propamocarb (sum)	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.1	0
Propargite	0.008	0.008	1	1	0	0	0.004	0.004	0.004	0.1	0
	0.008	0.008	15	15	0	0	0.004	0.004	0.004	0.01	0
Propiconazole	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.05	0
Propyzamide	0.008	0.008	16	16	0	0	0.004	0.004	0.004	0.02	0
Prothioconazole-Desthio	0.008	0.008	16	16	0	0	0.004	0.004	0.004	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Rye Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Pyraclostrobin	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.1	0
	0.002	0.002	1	1	0	0	0.001	0.001	0.001	0.02	0
Pyrethrins	0.100	0.100	16	16	0	0	0.050	0.050	0.050	3	0
Pyridaben	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.05	0
Pyrimethanil	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.05	0
Pyriproxyfen	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.05	0
Quinoxyfen	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.02	0
Spinosad (sum)	0.008	0.008	16	16	0	0	0.004	0.004	0.004	1	0
Spiroxamine	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.05	0
Tebuconazole	0.008	0.008	16	16	0	0	0.004	0.004	0.004	0.2	0
Tebufenozide	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.05	0
Tebufenpyrad	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.05	0
Teflubenzuron	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.1	0
Tefluthrin	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.05	0
Tetraconazole	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.05	0
Tetradifon	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.02	0
Thiabendazole	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.05	0
Thiacloprid	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.05	0
Thiametoxam (sum)	0.008	0.008	16	16	0	0	0.004	0.004	0.004	0.05	0
Thiophanate-methyl	0.008	0.008	1	1	0	0	0.004	0.004	0.004	0.01	0
	0.008	0.008	15	15	0	0	0.004	0.004	0.004	0.05	0
Tolclofos-methyl	0.008	0.008	16	16	0	0	0.004	0.004	0.004	0.05	0
Tolylfluanid (sum)	0.008	0.008	16	16	0	0	0.004	0.004	0.004	0.05	0
Triadimefon (sum)	0.008	0.008	1	1	0	0	0.004	0.004	0.004	0.1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Rye Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
	0.008	0.008	15	15	0	0	0.004	0.004	0.004	0.2	0
Triazophos	0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.02	0
Trichlorfon	0.040	0.040	16	16	0	0	0.020	0.020	0.020	0.1	0
Trifloxystrobin	0.002	0.002	1	1	0	0	0.001	0.001	0.001	0.02	0
	0.002	0.002	15	15	0	0	0.001	0.001	0.001	0.05	0
Triflumuron	0.008	0.008	1	1	0	0	0.004	0.004	0.004	0.2	0
	0.008	0.008	15	15	0	0	0.004	0.004	0.004	0.05	0
Trifluralin	0.008	0.008	16	16	0	0	0.004	0.004	0.004	0.1	0
Triticonazole	0.008	0.008	15	15	0	0	0.004	0.004	0.004	0.1	0
	0.008	0.008	1	1	0	0	0.004	0.004	0.004	0.01	0
Vinclozolin (sum)	0.102	0.102	16	16	0	0	0.051	0.051	0.051	0.05	0
tau-Fluvalinate	0.008	0.008	1	1	0	0	0.004	0.004	0.004	0.1	0
	0.008	0.008	15	15	0	0	0.004	0.004	0.004	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Strawberries Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
2,4-D (sum)	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.05	0
Abamectin (sum)	0.040	0.040	17	17	0	0	0.020	0.020	0.020	0.1	0
Acephate	0.100	0.100	17	17	0	0	0.050	0.050	0.050	0.02	0
Acetamiprid	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.01	0
Acrinathrin	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.2	0
Aldicarb (sum)	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.02	0
Azinphos-methyl	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.05	0
Azoxystrobin	0.002	0.002	12	11	1	0	0.310	0.027	0.001	2	0
	0.002	0.002	5	4	1	0	0.025	0.006	0.001	10	0
Bifenthrin	0.008	0.008	17	16	1	0	0.014	0.005	0.004	0.5	0
Bitertanol	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.05	0
Boscalid	0.002	0.002	17	11	6	0	0.390	0.056	0.001	10	0
Bromide ion	5.000	5.000	12	10	2	0	9.000	3.417	2.500	30	0
Bromopropylate	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.05	0
Bromuconazole (sum)	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.05	0
Bupirimate	0.002	0.002	17	17	0	0	0.001	0.001	0.001	1	0
Buprofezin	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.05	0
Cadusafos	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.01	0
Carbaryl	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.05	0
Carbendazim and benomyl	0.008	0.008	17	16	1	0	0.012	0.004	0.004	0.1	0
Carbofuran (sum)	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.02	0
Chlorfenapyr	0.010	0.010	17	17	0	0	0.005	0.005	0.005	0.05	0
Chlorfenvinphos	0.040	0.040	17	17	0	0	0.020	0.020	0.020	0.02	0
Chlorothalonil	0.008	0.008	17	17	0	0	0.004	0.004	0.004	3	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Strawberries Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Chlorpropham (sum)	0.100	0.100	17	17	0	0	0.050	0.050	0.050	0.05	0
Chlorpyrifos	0.002	0.002	17	16	1	0	0.004	0.001	0.001	0.2	0
Chlorpyrifos-methyl	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.5	0
Clofentezine	0.002	0.002	17	17	0	0	0.001	0.001	0.001	2	0
Clothianidin	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.02	0
Cyfluthrin (sum)	0.040	0.040	17	17	0	0	0.020	0.020	0.020	0.02	0
Cypermethrin (sum)	0.040	0.040	12	12	0	0	0.020	0.020	0.020	0.05	0
	0.040	0.040	5	5	0	0	0.020	0.020	0.020	0.07	0
Cyproconazole	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.05	0
Cyprodinil	0.002	0.002	17	10	7	0	0.440	0.059	0.001	5	0
Deltamethrin	0.040	0.040	17	17	0	0	0.020	0.020	0.020	0.2	0
Diazinon	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.01	0
Dichlofluanid	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.01	0
Dichlorvos	0.100	0.100	17	17	0	0	0.050	0.050	0.050	0.01	0
Dicloran	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.3	0
Dicofol (sum)	0.040	0.040	14	14	0	0	0.020	0.020	0.020	0.02	0
Difenoconazole	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.1	0
Dimethoate	0.002	0.002	17	17	0	0	0.001	0.001	0.001	.	0
Dimethoate (sum)	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.02	0
Dimethomorph	0.002	0.002	17	16	1	0	0.006	0.001	0.001	0.05	0
Diphenylamine	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.05	0
Dithiocarbamates	0.030	0.030	15	15	0	0	0.015	0.015	0.015	10	0
Endosulfan (sum)	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.05	0
Epoxiconazole	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Strawberries Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Ethion	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.01	0
Ethoprophos	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.02	0
Etofenprox	0.002	0.002	17	17	0	0	0.001	0.001	0.001	1	0
Fenamiphos (sum)	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.02	0
Fenarimol	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.3	0
Fenazaquin	0.002	0.002	17	17	0	0	0.001	0.001	0.001	1	0
Fenbuconazole	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.05	0
Fenhexamid	0.002	0.002	17	9	8	0	1.700	0.180	0.001	5	0
Fenitrothion	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.01	0
Fenoxycarb	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.05	0
Fenpropathrin	0.002	0.002	17	17	0	0	0.001	0.001	0.001	2	0
Fenpropimorph	0.002	0.002	17	17	0	0	0.001	0.001	0.001	1	0
Fenthion (sum)	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.01	0
Fenvalerate and Esfenvalerate (sum of RR and SS isom	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.02	0
Fenvalerate and Esfenvalerate (sum of RS and SR isom	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.02	0
Fipronil (sum)	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.005	0
Fluazifop-P-butyl (sum)	0.002	0.002	17	16	1	0	0.011	0.002	0.001	0.2	0
Fludioxonil	0.002	0.002	17	9	8	0	0.390	0.048	0.001	3	0
Flufenoxuron	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.05	0
Fluquinconazole	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.05	0
Flusilazole	0.002	0.002	17	16	1	0	0.004	0.001	0.001	0.02	0
Flutriafol	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.5	0
Formetanate (sum)	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.3	0
Fosthiazate	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Strawberries Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Haloxyfop including haloxyfop-R	0.004	0.004	17	17	0	0	0.002	0.002	0.002	0.05	0
Hexaconazole	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.2	0
Hexythiazox	0.002	0.002	17	16	1	0	0.220	0.014	0.001	0.5	0
Imazalil	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.02	0
Imidacloprid	0.002	0.002	12	12	0	0	0.001	0.001	0.001	0.1	0
	0.002	0.002	5	5	0	0	0.001	0.001	0.001	0.5	0
Indoxacarb	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.02	0
Iprodione	0.040	0.040	17	17	0	0	0.020	0.020	0.020	15	0
Iprovalicarb	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.05	0
Kresoxim-methyl	0.002	0.002	17	16	1	0	0.049	0.004	0.001	1	0
Lambda-Cyhalothrin	0.008	0.008	5	5	0	0	0.004	0.004	0.004	0.2	0
	0.008	0.008	12	11	1	0	0.017	0.005	0.004	0.5	0
Linuron	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.05	0
Lufenuron	0.002	0.002	17	16	1	0	0.003	0.001	0.001	1	0
Malathion (sum)	0.002	0.002	17	17	0	0	0.001	0.001	0.001	1	0
Mepanipyrim (sum)	0.002	0.002	17	16	1	0	0.560	0.034	0.001	2	0
Metalaxyl (sum)	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.5	0
Metconazole	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.02	0
Methamidophos	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.01	0
Methidathion	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.02	0
Methiocarb (sum)	0.002	0.002	17	17	0	0	0.001	0.001	0.001	1	0
Methomyl and Thiodicarb	0.008	0.008	5	5	0	0	0.004	0.004	0.004	0.02	0
	0.008	0.008	12	12	0	0	0.004	0.004	0.004	0.05	0
Methoxyfenozide	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Strawberries Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Monocrotophos	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.01	0
Myclobutanil	0.008	0.008	17	14	3	0	0.190	0.026	0.004	1	0
Omethoate	0.002	0.002	17	17	0	0	0.001	0.001	0.001	.	0
Oxadixyl	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.01	0
Oxamyl	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.01	0
Oxydemeton-methyl (sum)	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.02	0
Paclobutrazol	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.5	0
Parathion	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.05	0
Parathion-methyl (sum)	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.02	0
Penconazole	0.002	0.002	17	12	5	0	0.022	0.005	0.001	0.5	0
Pencycuron	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.05	0
Pendimethalin	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.05	0
Phosalone	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.05	0
Phosmet (sum)	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.05	0
Phoxim	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.01	0
Pirimicarb (sum)	0.002	0.002	17	17	0	0	0.001	0.001	0.001	3	0
Pirimiphos-methyl	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.05	0
Prochloraz (sum)	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.05	0
Procymidone	0.002	0.002	12	12	0	0	0.001	0.001	0.001	5	0
	0.002	0.002	5	4	1	0	0.009	0.003	0.001	0.01	0
Profenofos	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.05	0
Propamocarb (sum)	0.002	0.002	17	17	0	0	0.001	0.001	0.001	10	0
Propargite	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.01	0
Propiconazole	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Strawberries Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Propyzamide	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.02	0
Prothioconazole-Desthio	0.008	0.008	17	17	0	0	0.004	0.004	0.004	.	0
Pyraclostrobin	0.002	0.002	5	3	2	0	0.082	0.031	0.001	1	0
	0.002	0.002	12	12	0	0	0.001	0.001	0.001	0.5	0
Pyrethrins	0.040	0.040	17	17	0	0	0.020	0.020	0.020	1	0
Pyridaben	0.002	0.002	17	16	1	0	0.006	0.001	0.001	1	0
Pyrimethanil	0.002	0.002	17	15	2	0	0.130	0.009	0.001	5	0
Pyriproxyfen	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.05	0
Quinoxyfen	0.002	0.002	17	15	2	0	0.032	0.003	0.001	0.3	0
Spinosad (sum)	0.008	0.008	17	16	1	0	0.019	0.005	0.004	0.3	0
Spiroxamine	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.05	0
Tebuconazole	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.05	0
Tebufenozide	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.05	0
Tebufenpyrad	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.5	0
Teflubenzuron	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.2	0
Tefluthrin	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.05	0
Tetraconazole	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.2	0
Tetradifon	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.02	0
Thiabendazole	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.05	0
Thiacloprid	0.002	0.002	5	3	2	0	0.038	0.015	0.001	1	0
	0.002	0.002	12	12	0	0	0.001	0.001	0.001	0.5	0
Thiametoxam (sum)	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.05	0
Thiophanate-methyl	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.1	0
Tolclofos-methyl	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Strawberries Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Tolylfluanid (sum)	0.008	0.008	17	17	0	0	0.004	0.004	0.004	5	0
Triadimefon (sum)	0.008	0.008	5	5	0	0	0.004	0.004	0.004	2	0
	0.008	0.008	12	11	1	0	0.078	0.010	0.004	0.5	0
Triazophos	0.002	0.002	17	17	0	0	0.001	0.001	0.001	0.01	0
Trichlorfon	0.040	0.040	17	17	0	0	0.020	0.020	0.020	2	0
Trifloxystrobin	0.002	0.002	17	15	2	0	0.170	0.020	0.001	0.5	0
Triflumuron	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.05	0
Trifluralin	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.1	0
Triticonazole	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.01	0
Vinclozolin (sum)	0.102	0.102	17	17	0	0	0.051	0.051	0.051	.	0
tau-Fluvalinate	0.008	0.008	17	17	0	0	0.004	0.004	0.004	0.5	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Tomatoes Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
2,4-D (sum)	0.008	0.008	51	51	0	0	0.004	0.004	0.004	0.05	0
Abamectin (sum)	0.040	0.040	51	51	0	0	0.020	0.020	0.020	0.02	0
Acephate	0.100	0.100	51	51	0	0	0.050	0.050	0.050	0.02	0
Acetamiprid	0.002	0.002	51	48	2	1	0.130	0.004	0.001	0.1	0
Acrinathrin	0.008	0.008	51	51	0	0	0.004	0.004	0.004	0.1	0
Aldicarb (sum)	0.008	0.008	51	51	0	0	0.004	0.004	0.004	0.02	0
Azinphos-methyl	0.002	0.002	51	51	0	0	0.001	0.001	0.001	0.05	0
Azoxystrobin	0.002	0.002	33	29	4	0	0.054	0.004	0.001	2	0
	0.002	0.002	18	17	1	0	0.019	0.002	0.001	3	0
Bifenthrin	0.008	0.008	51	46	4	1	0.300	0.013	0.004	0.2	0
Bitertanol	0.008	0.008	51	51	0	0	0.004	0.004	0.004	3	0
Boscalid	0.002	0.002	51	45	6	0	0.800	0.018	0.001	1	0
Bromide ion	5.000	5.000	12	11	1	0	6.000	2.792	2.500	50	0
Bromopropylate	0.002	0.002	51	51	0	0	0.001	0.001	0.001	1	0
Bromuconazole (sum)	0.008	0.008	51	51	0	0	0.004	0.004	0.004	0.05	0
Bupirimate	0.002	0.002	51	48	3	0	0.034	0.002	0.001	2	0
Buprofezin	0.002	0.002	51	47	4	0	0.012	0.002	0.001	1	0
Cadusafos	0.002	0.002	51	51	0	0	0.001	0.001	0.001	0.01	0
Carbaryl	0.002	0.002	51	51	0	0	0.001	0.001	0.001	0.5	0
Carbendazim and benomyl	0.008	0.008	51	49	2	0	0.033	0.005	0.004	0.5	0
Carbofuran (sum)	0.002	0.002	51	51	0	0	0.001	0.001	0.001	0.02	0
Chlorfenapyr	0.010	0.010	51	51	0	0	0.005	0.005	0.005	0.05	0
Chlorfenvinphos	0.040	0.040	51	51	0	0	0.020	0.020	0.020	0.02	0
Chlorothalonil	0.008	0.008	51	39	12	0	1.090	0.113	0.004	2	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Tomatoes Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Chlorpropham (sum)	0.100	0.100	51	51	0	0	0.050	0.050	0.050	0.05	0
Chlorpyrifos	0.002	0.002	51	49	2	0	0.200	0.005	0.001	0.5	0
Chlorpyrifos-methyl	0.002	0.002	51	48	3	0	0.340	0.009	0.001	0.5	0
Clofentezine	0.002	0.002	51	47	4	0	0.030	0.002	0.001	0.3	0
Clothianidin	0.002	0.002	51	48	3	0	0.004	0.001	0.001	0.05	0
Cyfluthrin (sum)	0.040	0.040	51	51	0	0	0.020	0.020	0.020	0.05	0
Cypermethrin (sum)	0.040	0.040	51	49	2	0	0.240	0.026	0.020	0.5	0
Cyproconazole	0.002	0.002	51	51	0	0	0.001	0.001	0.001	0.05	0
Cyprodinil	0.002	0.002	51	32	19	0	0.350	0.028	0.001	1	0
Deltamethrin	0.040	0.040	51	50	1	0	0.085	0.021	0.020	0.3	0
Diazinon	0.008	0.008	51	51	0	0	0.004	0.004	0.004	0.01	0
Dichlofluanid	0.008	0.008	51	51	0	0	0.004	0.004	0.004	0.01	0
Dichlorvos	0.100	0.100	51	51	0	0	0.050	0.050	0.050	0.01	0
Dicloran	0.002	0.002	51	51	0	0	0.001	0.001	0.001	0.3	0
Dicofol (sum)	0.040	0.040	45	45	0	0	0.020	0.020	0.020	1	0
Difenoconazole	0.002	0.002	51	49	2	0	0.110	0.003	0.001	2	0
Dimethoate	0.002	0.002	51	51	0	0	0.001	0.001	0.001	.	0
Dimethoate (sum)	0.002	0.002	51	51	0	0	0.001	0.001	0.001	0.02	0
Dimethomorph	0.002	0.002	51	44	7	0	0.052	0.004	0.001	1	0
Diphenylamine	0.008	0.008	51	51	0	0	0.004	0.004	0.004	0.05	0
Dithiocarbamates	0.030	0.030	22	12	10	0	0.180	0.052	0.015	3	0
Endosulfan (sum)	0.002	0.002	51	49	2	0	0.128	0.004	0.001	0.5	0
Epoxiconazole	0.002	0.002	51	51	0	0	0.001	0.001	0.001	0.05	0
Ethion	0.002	0.002	51	51	0	0	0.001	0.001	0.001	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Tomatoes Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Ethoprophos	0.002	0.002	51	51	0	0	0.001	0.001	0.001	0.02	0
Etofenprox	0.002	0.002	51	50	1	0	0.018	0.001	0.001	1	0
Fenamiphos (sum)	0.002	0.002	51	50	1	0	0.029	0.002	0.001	0.05	0
Fenarimol	0.008	0.008	33	33	0	0	0.004	0.004	0.004	0.5	0
	0.008	0.008	18	18	0	0	0.004	0.004	0.004	0.02	0
Fenazaquin	0.002	0.002	51	51	0	0	0.001	0.001	0.001	0.5	0
Fenbuconazole	0.002	0.002	51	51	0	0	0.001	0.001	0.001	0.5	0
Fenhexamid	0.002	0.002	51	48	3	0	0.720	0.021	0.001	1	0
Fenitrothion	0.002	0.002	51	51	0	0	0.001	0.001	0.001	0.01	0
Fenoxycarb	0.002	0.002	51	51	0	0	0.001	0.001	0.001	0.05	0
Fenpropathrin	0.002	0.002	51	51	0	0	0.001	0.001	0.001	0.01	0
Fenpropimorph	0.002	0.002	51	51	0	0	0.001	0.001	0.001	0.05	0
Fenthion (sum)	0.008	0.008	51	51	0	0	0.004	0.004	0.004	0.01	0
Fenvalerate and Esfenvalerate (sum of RR and SS isom	0.008	0.008	51	51	0	0	0.004	0.004	0.004	0.05	0
Fenvalerate and Esfenvalerate (sum of RS and SR isom	0.008	0.008	51	51	0	0	0.004	0.004	0.004	0.02	0
Fipronil (sum)	0.002	0.002	51	51	0	0	0.001	0.001	0.001	0.005	0
Fluazifop-P-butyl (sum)	0.002	0.002	51	51	0	0	0.001	0.001	0.001	0.3	0
Fludioxonil	0.002	0.002	51	40	11	0	0.270	0.016	0.001	1	0
Flufenoxuron	0.002	0.002	51	51	0	0	0.001	0.001	0.001	0.5	0
Fluquinconazole	0.002	0.002	51	51	0	0	0.001	0.001	0.001	0.05	0
Flusilazole	0.002	0.002	51	51	0	0	0.001	0.001	0.001	0.02	0
Flutriafol	0.008	0.008	51	51	0	0	0.004	0.004	0.004	0.3	0
Formetanate (sum)	0.002	0.002	51	51	0	0	0.001	0.001	0.001	0.2	0
Fosthiazate	0.002	0.002	51	51	0	0	0.001	0.001	0.001	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Tomatoes Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Haloxyfop including haloxyfop-R	0.004	0.004	51	51	0	0	0.002	0.002	0.002	0.05	0
Hexaconazole	0.002	0.002	51	51	0	0	0.001	0.001	0.001	0.1	0
Hexythiazox	0.002	0.002	51	50	1	0	0.012	0.001	0.001	0.5	0
Imazalil	0.002	0.002	51	51	0	0	0.001	0.001	0.001	0.5	0
Imidacloprid	0.002	0.002	51	48	3	0	0.042	0.002	0.001	0.5	0
Indoxacarb	0.008	0.008	51	42	9	0	0.098	0.008	0.004	0.5	0
Iprodione	0.040	0.040	51	49	2	0	0.230	0.025	0.020	5	0
Iprovalicarb	0.002	0.002	51	51	0	0	0.001	0.001	0.001	1	0
Kresoxim-methyl	0.002	0.002	51	51	0	0	0.001	0.001	0.001	0.5	0
Lambda-Cyhalothrin	0.008	0.008	51	50	1	0	0.038	0.005	0.004	0.1	0
Linuron	0.002	0.002	51	51	0	0	0.001	0.001	0.001	0.05	0
Lufenuron	0.002	0.002	51	51	0	0	0.001	0.001	0.001	0.5	0
Malathion (sum)	0.002	0.002	51	51	0	0	0.001	0.001	0.001	0.5	0
Mepanipyrim (sum)	0.002	0.002	51	49	2	0	0.051	0.002	0.001	1	0
Metalaxyl (sum)	0.002	0.002	51	46	5	0	0.057	0.003	0.001	0.2	0
Metconazole	0.002	0.002	51	51	0	0	0.001	0.001	0.001	0.02	0
Methamidophos	0.008	0.008	51	51	0	0	0.004	0.004	0.004	0.01	0
Methidathion	0.002	0.002	51	51	0	0	0.001	0.001	0.001	0.1	0
Methiocarb (sum)	0.002	0.002	51	51	0	0	0.001	0.001	0.001	0.2	0
Methomyl and Thiodicarb	0.008	0.008	33	33	0	0	0.004	0.004	0.004	0.2	0
	0.008	0.008	18	18	0	0	0.004	0.004	0.004	0.02	0
Methoxyfenozide	0.002	0.002	51	50	1	0	0.012	0.001	0.001	2	0
Monocrotophos	0.002	0.002	51	51	0	0	0.001	0.001	0.001	0.01	0
Myclobutanil	0.008	0.008	51	50	1	0	0.009	0.004	0.004	0.3	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Tomatoes Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Omethoate	0.002	0.002	51	51	0	0	0.001	0.001	0.001	.	0
Oxadixyl	0.008	0.008	51	51	0	0	0.004	0.004	0.004	0.01	0
Oxamyl	0.002	0.002	51	51	0	0	0.001	0.001	0.001	0.02	0
Oxydemeton-methyl (sum)	0.002	0.002	51	51	0	0	0.001	0.001	0.001	0.02	0
Paclobutrazol	0.008	0.008	51	51	0	0	0.004	0.004	0.004	0.02	0
Parathion	0.008	0.008	51	51	0	0	0.004	0.004	0.004	0.05	0
Parathion-methyl (sum)	0.008	0.008	51	51	0	0	0.004	0.004	0.004	0.02	0
Penconazole	0.002	0.002	51	51	0	0	0.001	0.001	0.001	0.1	0
Pencycuron	0.002	0.002	51	51	0	0	0.001	0.001	0.001	0.05	0
Pendimethalin	0.008	0.008	51	51	0	0	0.004	0.004	0.004	0.05	0
Phosalone	0.008	0.008	51	51	0	0	0.004	0.004	0.004	0.05	0
Phosmet (sum)	0.002	0.002	51	51	0	0	0.001	0.001	0.001	0.05	0
Phoxim	0.008	0.008	51	51	0	0	0.004	0.004	0.004	0.01	0
Pirimicarb (sum)	0.002	0.002	51	51	0	0	0.001	0.001	0.001	1	0
Pirimiphos-methyl	0.008	0.008	51	51	0	0	0.004	0.004	0.004	1	0
Prochloraz (sum)	0.002	0.002	51	51	0	0	0.001	0.001	0.001	0.05	0
Procymidone	0.002	0.002	33	31	2	0	0.020	0.002	0.001	2	0
	0.002	0.002	18	17	1	0	0.008	0.001	0.001	0.02	0
Profenofos	0.002	0.002	18	18	0	0	0.001	0.001	0.001	10	0
	0.002	0.002	33	33	0	0	0.001	0.001	0.001	0.05	0
Propamocarb (sum)	0.002	0.002	51	42	9	0	0.490	0.014	0.001	10	0
Propargite	0.008	0.008	51	51	0	0	0.004	0.004	0.004	2	0
Propiconazole	0.002	0.002	51	51	0	0	0.001	0.001	0.001	0.05	0
Propyzamide	0.008	0.008	51	51	0	0	0.004	0.004	0.004	0.02	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Tomatoes Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Prothioconazole-Desthio	0.008	0.008	51	51	0	0	0.004	0.004	0.004	.	0
Pyraclostrobin	0.002	0.002	51	49	1	1	0.360	0.008	0.001	0.2	0
Pyrethrins	0.040	0.040	51	51	0	0	0.020	0.020	0.020	1	0
Pyridaben	0.002	0.002	51	50	1	0	0.041	0.002	0.001	0.3	0
Pyrimethanil	0.002	0.002	51	43	8	0	0.240	0.010	0.001	1	0
Pyriproxyfen	0.002	0.002	51	46	5	0	0.150	0.005	0.001	1	0
Quinoxyfen	0.002	0.002	51	51	0	0	0.001	0.001	0.001	0.02	0
Spinosad (sum)	0.008	0.008	51	49	2	0	0.037	0.005	0.004	1	0
Spiroxamine	0.002	0.002	51	50	0	1	0.054	0.002	0.001	0.05	0
Tebuconazole	0.008	0.008	51	46	5	0	0.087	0.007	0.004	1	0
Tebufenozide	0.002	0.002	51	51	0	0	0.001	0.001	0.001	1	0
Tebufenpyrad	0.002	0.002	51	50	1	0	0.019	0.001	0.001	0.5	0
Teflubenzuron	0.002	0.002	51	49	2	0	0.140	0.004	0.001	1	0
Tefluthrin	0.002	0.002	51	51	0	0	0.001	0.001	0.001	0.05	0
Tetraconazole	0.002	0.002	51	50	1	0	0.004	0.001	0.001	0.1	0
Tetradifon	0.002	0.002	51	51	0	0	0.001	0.001	0.001	0.02	0
Thiabendazole	0.002	0.002	51	51	0	0	0.001	0.001	0.001	0.05	0
Thiacloprid	0.002	0.002	51	46	5	0	0.050	0.003	0.001	0.5	0
Thiametoxam (sum)	0.008	0.008	51	51	0	0	0.004	0.004	0.004	0.2	0
Thiophanate-methyl	0.008	0.008	51	48	3	0	0.470	0.015	0.004	2	0
Tolclofos-methyl	0.008	0.008	51	51	0	0	0.004	0.004	0.004	1	0
Tolylfluanid (sum)	0.008	0.008	51	51	0	0	0.004	0.004	0.004	3	0
Triadimefon (sum)	0.008	0.008	18	16	2	0	0.041	0.007	0.004	1	0
	0.008	0.008	33	31	2	0	0.070	0.006	0.004	0.3	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table B: Results of the EU co-ordinated programme

Product=Tomatoes Treatment=Unprocessed

Compound	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Triazophos	0.002	0.002	51	51	0	0	0.001	0.001	0.001	0.01	0
Trichlorfon	0.040	0.040	51	51	0	0	0.020	0.020	0.020	0.5	0
Trifloxystrobin	0.002	0.002	51	51	0	0	0.001	0.001	0.001	0.5	0
Triflumuron	0.008	0.008	51	51	0	0	0.004	0.004	0.004	0.05	0
Trifluralin	0.008	0.008	51	51	0	0	0.004	0.004	0.004	0.5	0
Triticonazole	0.008	0.008	51	51	0	0	0.004	0.004	0.004	0.01	0
Vinclozolin (sum)	0.102	0.102	50	50	0	0	0.051	0.051	0.051	0.05	0
tau-Fluvalinate	0.008	0.008	51	51	0	0	0.004	0.004	0.004	0.1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Cereals

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Cereals	Barley	Chlorpyrifos	0.002	0.002	12	10	2	0	0.018	0.003	0.001	0.2	0
		Chlorpyrifos-methyl	0.008	0.008	12	9	3	0	0.090	0.015	0.004	3	0
		Epoxiconazole	0.002	0.002	12	11	1	0	0.013	0.002	0.001	1	0
		Fenpropimorph	0.002	0.002	12	11	1	0	0.007	0.002	0.001	0.5	0
		Pirimiphos-methyl	0.008	0.008	12	10	2	0	0.050	0.009	0.004	5	0
		Propiconazole	0.002	0.002	12	10	2	0	0.012	0.003	0.001	0.2	0
	Maize	Pirimiphos-methyl	0.008	0.008	7	5	2	0	0.028	0.008	0.004	5	0
	Oats	Chlorpyrifos	0.002	0.002	8	7	1	0	0.013	0.003	0.001	0.05	0
		Chlorpyrifos-methyl	0.008	0.008	8	6	2	0	0.044	0.013	0.004	3	0
		MCPA	0.002	0.002	8	7	1	0	0.007	0.002	0.001	.	0
		Piperonyl Butoxide	0.002	0.002	8	7	1	0	0.007	0.002	0.001	.	0
	Other cereals	Chlorpyrifos-methyl	0.008	0.008	2	1	1	0	0.012	0.008	0.008	3	0
	Rice	Chlorpyrifos	0.002	0.002	5	4	1	0	0.004	0.002	0.001	0.05	0
		Imidacloprid	0.002	0.002	5	4	1	0	0.015	0.004	0.001	0.05	0
		Piperonyl Butoxide	0.002	0.002	4	3	1	0	0.780	0.196	0.001	.	0
			0.002	0.002	1	0	1	0	0.012	0.012	0.012	10	0
		Pirimiphos-methyl	0.008	0.008	5	4	1	0	0.012	0.006	0.004	5	0
		Thiabendazole	0.002	0.002	5	4	1	0	0.011	0.003	0.001	0.05	0
	Rye	Bromide ion	5.000	5.000	10	9	1	0	8.500	3.100	2.500	50	0
		Chlormequat	0.020	0.020	10	5	5	0	0.390	0.138	0.090	2	0
		Chlorpyrifos-methyl	0.008	0.008	15	10	5	0	0.071	0.018	0.004	3	0
		Epoxiconazole	0.002	0.002	1	1	0	0	0.001	0.001	0.001	0.1	0
			0.002	0.002	14	12	2	0	0.008	0.002	0.001	0.2	0
		Pirimiphos-methyl	0.008	0.008	15	13	2	0	0.025	0.006	0.004	5	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Cereals

ProductGroup	*Product*	*Compound*	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
	Wheat	Chlorpyrifos	0.002	0.002	15	11	4	0	0.018	0.003	0.001	0.05	0
		Chlorpyrifos-methyl	0.008	0.008	15	12	3	0	0.100	0.014	0.004	3	0
		Pirimiphos-methyl	0.008	0.008	15	13	2	0	2.067	0.231	0.004	5	0
		Tebuconazole	0.008	0.008	15	12	3	0	0.013	0.005	0.004	0.2	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum (fruit, vegetables, other plant origin)

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Berries and small fruit	Strawberries	Azoxystrobin	0.002	0.002	12	11	1	0	0.310	0.027	0.001	2	0
			0.002	0.002	5	4	1	0	0.025	0.006	0.001	10	0
		Bifenthrin	0.008	0.008	17	16	1	0	0.014	0.005	0.004	0.5	0
		Boscalid	0.002	0.002	17	11	6	0	0.390	0.056	0.001	10	0
		Bromide ion	5.000	5.000	12	10	2	0	9.000	3.417	2.500	30	0
		Carbendazim	0.008	0.008	17	16	1	0	0.012	0.004	0.004	.	0
		Carbendazim and benomyl	0.008	0.008	17	16	1	0	0.012	0.004	0.004	0.1	0
		Chlorpyrifos	0.002	0.002	17	16	1	0	0.004	0.001	0.001	0.2	0
		Cyprodinil	0.002	0.002	17	10	7	0	0.440	0.059	0.001	5	0
		Dimethomorph	0.002	0.002	17	16	1	0	0.006	0.001	0.001	0.05	0
		Fenhexamid	0.002	0.002	17	9	8	0	1.700	0.180	0.001	5	0
		Fluazifop	0.002	0.002	17	16	1	0	0.009	0.001	0.001	.	0
		Fluazifop-P-butyl (sum)	0.002	0.002	17	16	1	0	0.011	0.002	0.001	0.2	0
		Fludioxonil	0.002	0.002	17	9	8	0	0.390	0.048	0.001	3	0
		Flusilazole	0.002	0.002	17	16	1	0	0.004	0.001	0.001	0.02	0
		Hexythiazox	0.002	0.002	17	16	1	0	0.220	0.014	0.001	0.5	0
		Kresoxim-methyl	0.002	0.002	17	16	1	0	0.049	0.004	0.001	1	0
		Lambda-Cyhalothrin	0.008	0.008	5	5	0	0	0.004	0.004	0.004	0.2	0
			0.008	0.008	12	11	1	0	0.017	0.005	0.004	0.5	0
		Lufenuron	0.002	0.002	17	16	1	0	0.003	0.001	0.001	1	0
		Mepanipyrim (sum)	0.002	0.002	17	16	1	0	0.560	0.034	0.001	2	0
		Myclobutanil	0.008	0.008	17	14	3	0	0.190	0.026	0.004	1	0
		Penconazole	0.002	0.002	17	12	5	0	0.022	0.005	0.001	0.5	0
		Procymidone	0.002	0.002	12	12	0	0	0.001	0.001	0.001	5	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum (fruit, vegetables, other plant origin)

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
			0.002	0.002	5	4	1	0	0.009	0.003	0.001	0.01	0
		Pyraclostrobin	0.002	0.002	5	3	2	0	0.082	0.031	0.001	1	0
			0.002	0.002	12	12	0	0	0.001	0.001	0.001	0.5	0
		Pyridaben	0.002	0.002	17	16	1	0	0.006	0.001	0.001	1	0
		Pyrimethanil	0.002	0.002	17	15	2	0	0.130	0.009	0.001	5	0
		Quinoxyfen	0.002	0.002	17	15	2	0	0.032	0.003	0.001	0.3	0
		Spinosad (sum)	0.008	0.008	17	16	1	0	0.019	0.005	0.004	0.3	0
		Thiacloprid	0.002	0.002	5	3	2	0	0.038	0.015	0.001	1	0
			0.002	0.002	12	12	0	0	0.001	0.001	0.001	0.5	0
		Triadimefon (sum)	0.008	0.008	5	5	0	0	0.004	0.004	0.004	2	0
			0.008	0.008	12	11	1	0	0.078	0.010	0.004	0.5	0
		Triadimenol	0.008	0.008	17	16	1	0	0.078	0.008	0.004	.	0
		Trifloxystrobin	0.002	0.002	17	15	2	0	0.170	0.020	0.001	0.5	0
	Table grapes	Azoxystrobin	0.002	0.002	13	11	2	0	0.130	0.018	0.001	2	0
		Boscalid	0.002	0.002	13	11	2	0	0.047	0.008	0.001	5	0
		Bromopropylate	0.002	0.002	12	12	0	0	0.001	0.001	0.001	2	0
			0.002	0.002	1	0	0	1	0.017	0.017	0.017	0.01	0
		Chlormequat	0.020	0.020	4	0	1	3	0.250	0.192	0.240	0.05	3
		Chlorpyrifos	0.002	0.002	13	11	2	0	0.052	0.005	0.001	0.5	0
		Chlorpyrifos-methyl	0.002	0.002	13	11	2	0	0.023	0.003	0.001	0.2	0
		Clothianidin	0.002	0.002	13	12	1	0	0.003	0.001	0.001	0.6	0
		Cyprodinil	0.002	0.002	13	10	3	0	0.230	0.020	0.001	5	0
		Dimethomorph	0.002	0.002	13	10	3	0	0.120	0.015	0.001	3	0
		Fenhexamid	0.002	0.002	13	9	3	1	5.300	0.615	0.001	5	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum (fruit, vegetables, other plant origin)

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
		Fludioxonil	0.002	0.002	13	12	1	0	0.110	0.009	0.001	2	0
		Flusilazole	0.002	0.002	13	12	1	0	0.024	0.003	0.001	0.05	0
		Hexythiazox	0.002	0.002	13	12	1	0	0.051	0.005	0.001	1	0
		Iprodione	0.040	0.040	13	11	2	0	0.138	0.037	0.020	10	0
		Iprovalicarb	0.002	0.002	13	12	1	0	0.035	0.004	0.001	2	0
		Metalaxyl (sum)	0.002	0.002	13	11	2	0	0.320	0.030	0.001	2	0
		Methoxyfenozide	0.002	0.002	13	12	1	0	0.008	0.002	0.001	1	0
		Myclobutanil	0.008	0.008	13	10	3	0	0.140	0.020	0.004	1	0
		Penconazole	0.002	0.002	13	10	3	0	0.012	0.003	0.001	0.2	0
		Pyrimethanil	0.002	0.002	13	10	3	0	0.290	0.040	0.001	5	0
		Quinoxyfen	0.002	0.002	13	10	3	0	0.007	0.002	0.001	1	0
		Spinosad (sum)	0.008	0.008	13	10	3	0	0.064	0.011	0.004	0.5	0
		Spiroxamine	0.002	0.002	13	11	2	0	0.095	0.012	0.001	1	0
		Tebuconazole	0.008	0.008	13	11	2	0	0.015	0.005	0.004	2	0
		Tebufenpyrad	0.002	0.002	13	12	1	0	0.076	0.007	0.001	0.5	0
		Thiametoxam	0.008	0.008	13	12	1	0	0.009	0.004	0.004	0.5	0
		Thiametoxam (sum)	0.008	0.008	13	12	1	0	0.011	0.005	0.004	0.5	0
		Thiophanate-methyl	0.008	0.008	13	12	1	0	0.037	0.007	0.004	0.1	0
		Triadimefon (sum)	0.008	0.008	13	11	2	0	0.042	0.008	0.004	2	0
		Triadimenol	0.008	0.008	13	11	2	0	0.042	0.008	0.004	.	0
		Trifloxystrobin	0.002	0.002	13	11	2	0	1.000	0.078	0.001	5	0
Brassica vegetables	Broccoli	2,4-D (sum)	0.008	0.008	10	8	2	0	0.051	0.013	0.004	0.05	0
		Bromoxynil (sum)	0.002	0.002	10	8	2	0	0.014	0.003	0.001	0.05	0
		Fenhexamid	0.002	0.002	10	9	1	0	0.031	0.004	0.001	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum (fruit, vegetables, other plant origin)

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
		Fluazifop	0.002	0.002	10	7	3	0	0.025	0.006	0.001	.	0
		Fluazifop-P-butyl (sum)	0.002	0.002	10	7	3	0	0.029	0.006	0.001	0.2	0
		Imidacloprid	0.002	0.002	10	9	1	0	0.007	0.002	0.001	0.5	0
	Brussels sprouts	Azoxystrobin	0.002	0.002	5	3	2	0	0.009	0.004	0.001	5	0
			0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.3	0
		Boscalid	0.002	0.002	8	4	4	0	0.083	0.017	0.003	2	0
		Difenoconazole	0.002	0.002	8	5	3	0	0.032	0.008	0.001	0.2	0
		Imazalil	0.002	0.002	3	3	0	0	0.001	0.001	0.001	0.02	0
			0.002	0.002	5	4	0	1	0.069	0.015	0.001	0.05	0
		Metalaxyl (sum)	0.002	0.002	1	1	0	0	0.001	0.001	0.001	1	0
			0.002	0.002	7	4	3	0	0.005	0.002	0.001	0.05	0
		Propamocarb (sum)	0.002	0.002	8	6	2	0	0.093	0.013	0.001	10	0
		Pyraclostrobin	0.002	0.002	8	6	2	0	0.015	0.005	0.001	0.2	0
		Tebuconazole	0.008	0.008	1	1	0	0	0.004	0.004	0.004	1	0
			0.008	0.008	7	5	2	0	0.026	0.008	0.004	0.5	0
		Teflubenzuron	0.002	0.002	8	4	4	0	0.047	0.015	0.007	0.5	0
		Thiabendazole	0.002	0.002	8	7	0	1	0.220	0.028	0.001	0.05	1
	Cauliflower	Chlorpyrifos	0.002	0.002	18	17	1	0	0.009	0.001	0.001	0.05	0
		Fluazifop	0.002	0.002	18	17	1	0	0.008	0.001	0.001	.	0
		Fluazifop-P-butyl (sum)	0.002	0.002	18	17	1	0	0.009	0.001	0.001	0.2	0
		Imidacloprid	0.002	0.002	18	16	2	0	0.007	0.001	0.001	0.5	0
		Indoxacarb	0.008	0.008	18	17	1	0	0.011	0.004	0.004	0.3	0
	Chinese cabbage	Azoxystrobin	0.002	0.002	19	17	2	0	0.089	0.006	0.001	5	0
		Boscalid	0.002	0.002	19	18	1	0	0.002	0.001	0.001	10	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum (fruit, vegetables, other plant origin)

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
		Carbendazim	0.008	0.008	19	18	1	0	0.009	0.004	0.004	.	0
		Carbendazim and benomyl	0.008	0.008	19	18	1	0	0.009	0.004	0.004	0.1	0
		Chlorpyrifos	0.002	0.002	19	15	4	0	0.034	0.003	0.001	0.5	0
		Diazinon	0.008	0.008	19	18	1	0	0.033	0.006	0.004	0.05	0
		Difenoconazole	0.002	0.002	19	18	1	0	0.008	0.001	0.001	2	0
		Dimethoate	0.002	0.002	19	17	2	0	0.013	0.002	0.001	.	0
		Dimethoate (sum)	0.002	0.002	19	17	2	0	0.016	0.002	0.001	0.02	0
		Dithiocarbamates	0.030	0.030	1	0	1	0	0.070	0.070	0.070	0.5	0
		Fenhexamid	0.002	0.002	19	18	1	0	0.026	0.002	0.001	0.05	0
		Imidacloprid	0.002	0.002	19	18	1	0	0.010	0.001	0.001	0.5	0
		Metalaxyl (sum)	0.002	0.002	19	18	1	0	0.010	0.001	0.001	0.05	0
		Omethoate	0.002	0.002	19	18	1	0	0.003	0.001	0.001	.	0
		Procymidone	0.002	0.002	19	18	1	0	0.002	0.001	0.001	0.02	0
		Pyrimethanil	0.002	0.002	19	18	1	0	0.008	0.001	0.001	0.05	0
		Thiacloprid	0.002	0.002	19	18	1	0	0.003	0.001	0.001	1	0
		Thiametoxam	0.003	0.008	19	16	3	0	0.011	0.005	0.004	0.2	0
		Thiametoxam (sum)	0.003	0.008	19	16	3	0	0.011	0.005	0.004	0.2	0
	Head cabbage	Acetamiprid	0.002	0.002	39	38	1	0	0.008	0.001	0.001	0.01	0
		Azoxystrobin	0.002	0.002	16	14	2	0	0.130	0.010	0.001	5	0
			0.002	0.002	23	22	1	0	0.028	0.002	0.001	0.3	0
		Boscalid	0.002	0.002	39	37	2	0	0.009	0.001	0.001	2	0
		Bromide ion	5.000	5.000	13	12	1	0	7.000	2.846	2.500	30	0
		Carbendazim	0.008	0.008	39	38	1	0	0.011	0.004	0.004	.	0
		Carbendazim and benomyl	0.008	0.008	39	38	1	0	0.011	0.004	0.004	0.1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum (fruit, vegetables, other plant origin)

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
		Chlorpyrifos	0.002	0.002	39	36	3	0	0.065	0.004	0.001	1	0
		Cypermethrin (sum)	0.040	0.040	16	16	0	0	0.020	0.020	0.020	1	0
			0.040	0.040	23	22	1	0	0.044	0.021	0.020	0.5	0
		Cyproconazole	0.002	0.002	39	38	0	1	0.110	0.004	0.001	0.05	1
		Desmethyl pirimicarb	0.002	0.002	39	38	1	0	0.027	0.002	0.001	.	0
		Difenoconazole	0.002	0.002	39	36	3	0	0.009	0.001	0.001	0.2	0
		Dimethomorph	0.002	0.002	39	38	1	0	0.042	0.002	0.001	0.05	0
		Dithiocarbamates	0.030	0.030	4	0	4	0	0.140	0.093	0.090	2	0
			0.030	0.030	14	1	13	0	0.170	0.068	0.065	3	0
		Fluazifop	0.002	0.002	39	38	1	0	0.120	0.004	0.001	.	0
		Fluazifop-P-butyl (sum)	0.002	0.002	39	38	1	0	0.110	0.004	0.001	0.3	0
		Indoxacarb	0.008	0.008	39	37	2	0	0.038	0.005	0.004	3	0
		Iprodione	0.040	0.040	39	38	1	0	0.280	0.027	0.020	5	0
		Methoxyfenozide	0.002	0.002	39	38	0	1	0.130	0.004	0.001	0.02	1
		Pencycuron	0.002	0.002	39	38	1	0	0.010	0.001	0.001	0.05	0
		Pendimethalin	0.008	0.008	39	37	2	0	0.011	0.004	0.004	0.05	0
		Pirimicarb (sum)	0.002	0.002	39	38	1	0	0.025	0.002	0.001	1	0
		Propamocarb (sum)	0.002	0.002	39	35	4	0	0.010	0.002	0.001	10	0
		Quizalofop (including Quizalfop-P)	0.002	0.002	39	38	1	0	0.005	0.001	0.001	0.4	0
		Tebuconazole	0.008	0.008	39	38	1	0	0.008	0.004	0.004	1	0
		Thiacloprid	0.002	0.002	39	38	1	0	0.015	0.001	0.001	0.2	0
		Thiametoxam	0.008	0.008	39	38	1	0	0.017	0.004	0.004	0.2	0
		Thiametoxam (sum)	0.008	0.008	39	38	1	0	0.017	0.004	0.004	0.2	0
	Kale	Metalaxyl (sum)	0.002	0.002	1	0	1	0	0.004	0.004	0.004	1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum (fruit, vegetables, other plant origin)

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Bulb vegetables	Garlic	Azoxystrobin	0.002	0.002	6	4	2	0	0.006	0.002	0.001	10	0
			0.002	0.002	12	12	0	0	0.001	0.001	0.001	0.05	0
		Boscalid	0.002	0.002	18	17	1	0	0.016	0.002	0.001	0.5	0
		Piperonyl Butoxide	0.002	0.002	18	17	1	0	0.005	0.001	0.001	.	0
		Thiametoxam	0.008	0.008	18	17	1	0	0.008	0.004	0.004	0.05	0
		Thiametoxam (sum)	0.008	0.008	18	17	1	0	0.008	0.004	0.004	0.05	0
	Onions	Azoxystrobin	0.002	0.002	1	1	0	0	0.001	0.001	0.001	2	0
			0.002	0.002	7	5	2	0	0.005	0.002	0.001	10	0
			0.002	0.002	19	18	1	0	0.007	0.001	0.001	0.05	0
		Boscalid	0.002	0.002	26	26	0	0	0.001	0.001	0.001	3	0
			0.002	0.002	1	0	1	0	0.016	0.016	0.016	0.5	0
		Chlorpropham	0.008	0.008	27	26	1	0	0.012	0.004	0.004	.	0
		Clothianidin	0.002	0.002	27	26	1	0	0.006	0.001	0.001	0.02	0
		Dimethomorph	0.002	0.002	26	22	4	0	0.033	0.004	0.001	0.1	0
			0.002	0.002	1	0	1	0	0.020	0.020	0.020	0.3	0
		Imidacloprid	0.002	0.002	26	25	1	0	0.009	0.001	0.001	0.1	0
			0.002	0.002	1	1	0	0	0.001	0.001	0.001	0.2	0
		Metalaxyl (sum)	0.002	0.002	1	1	0	0	0.001	0.001	0.001	0.2	0
			0.002	0.002	26	25	1	0	0.030	0.002	0.001	0.5	0
		Pencycuron	0.002	0.002	27	26	1	0	0.038	0.002	0.001	0.05	0
		Pendimethalin	0.008	0.008	27	26	1	0	0.008	0.004	0.004	0.05	0
		Propamocarb (sum)	0.002	0.002	26	21	5	0	0.034	0.003	0.001	10	0
			0.002	0.002	1	1	0	0	0.001	0.001	0.001	0.1	0
		Pyraclostrobin	0.002	0.002	26	26	0	0	0.001	0.001	0.001	0.2	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum (fruit, vegetables, other plant origin)

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
			0.002	0.002	1	0	1	0	0.020	0.020	0.020	0.02	0
		Thiabendazole	0.002	0.002	27	26	1	0	0.009	0.001	0.001	0.05	0
Citrus fruit	Grapefruit	2,4-D (sum)	0.008	0.008	4	3	1	0	0.250	0.066	0.004	1	0
		Buprofezin	0.002	0.002	4	3	1	0	0.007	0.003	0.001	1	0
		Chlorpyrifos	0.002	0.002	4	1	3	0	0.140	0.054	0.037	0.3	0
		Imazalil	0.002	0.002	4	0	4	0	3.300	1.158	0.520	5	0
		Malathion	0.002	0.002	4	3	1	0	0.005	0.002	0.001	.	0
		Malathion (sum)	0.002	0.002	4	3	1	0	0.005	0.002	0.001	7	0
		Prochloraz (sum)	0.002	0.002	4	3	1	0	0.004	0.002	0.001	10	0
		Pyraclostrobin	0.002	0.002	4	3	1	0	0.046	0.012	0.001	1	0
		Pyridaben	0.002	0.002	4	3	1	0	0.044	0.012	0.001	0.5	0
		Pyrimethanil	0.002	0.002	4	3	1	0	0.007	0.003	0.001	10	0
		Pyriproxyfen	0.002	0.002	4	0	4	0	0.140	0.054	0.027	0.6	0
		Thiabendazole	0.002	0.002	4	3	1	0	0.320	0.081	0.001	5	0
	Lemons	Carbendazim	0.008	0.008	5	4	1	0	0.025	0.008	0.004	.	0
		Carbendazim and benomyl	0.008	0.008	5	4	1	0	0.025	0.008	0.004	0.5	0
		Chlorpyrifos	0.002	0.002	5	0	5	0	0.081	0.045	0.037	0.2	0
		Dicofol (sum)	0.100	0.100	5	4	1	0	0.200	0.080	0.050	2	0
		Hexythiazox	0.002	0.002	5	1	4	0	0.027	0.012	0.008	1	0
		Imazalil	0.002	0.002	5	0	5	0	1.700	0.668	0.270	5	0
		MCPA	0.002	0.002	5	4	1	0	0.037	0.008	0.001	.	0
		Prochloraz (sum)	0.002	0.002	5	1	4	0	1.200	0.586	0.620	10	0
		Pyraclostrobin	0.002	0.002	5	4	1	0	0.040	0.009	0.001	1	0
		Pyridaben	0.002	0.002	5	4	1	0	0.002	0.001	0.001	0.5	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum (fruit, vegetables, other plant origin)

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
		Pyrimethanil	0.002	0.002	5	2	3	0	1.100	0.320	0.016	10	0
		Pyriproxyfen	0.002	0.002	5	1	4	0	0.060	0.030	0.029	0.6	0
		Thiabendazole	0.002	0.002	5	3	2	0	0.033	0.010	0.001	5	0
	Mandarins	Azoxystrobin	0.002	0.002	8	6	2	0	0.055	0.011	0.001	1	0
			0.002	0.002	6	6	0	0	0.001	0.001	0.001	15	0
		Buprofezin	0.002	0.002	14	12	2	0	0.025	0.004	0.001	1	0
		Carbendazim	0.008	0.008	14	13	1	0	0.019	0.005	0.004	.	0
		Carbendazim and benomyl	0.008	0.008	14	13	1	0	0.019	0.005	0.004	0.5	0
		Chlorpyrifos	0.002	0.002	14	4	10	0	0.260	0.086	0.036	2	0
		Chlorpyrifos-methyl	0.002	0.002	14	13	1	0	0.021	0.002	0.001	1	0
		Cypermethrin (sum)	0.040	0.040	14	13	1	0	0.470	0.052	0.020	2	0
		Dicofol (sum)	0.100	0.100	13	12	1	0	1.390	0.153	0.050	2	0
		Fludioxonil	0.002	0.002	14	13	1	0	0.240	0.018	0.001	7	0
		Hexythiazox	0.002	0.002	14	12	2	0	0.003	0.001	0.001	1	0
		Imazalil	0.002	0.002	14	0	14	0	2.000	0.621	0.350	5	0
		Malathion	0.002	0.002	14	13	1	0	0.003	0.001	0.001	.	0
		Malathion (sum)	0.002	0.002	14	13	1	0	0.003	0.001	0.001	7	0
		Prochloraz (sum)	0.002	0.002	14	10	4	0	0.031	0.004	0.001	10	0
		Pyrimethanil	0.002	0.002	14	12	2	0	0.760	0.091	0.001	10	0
		Pyriproxyfen	0.002	0.002	14	11	3	0	0.018	0.004	0.001	0.6	0
		Thiabendazole	0.002	0.002	14	10	4	0	2.100	0.157	0.001	5	0
	Oranges	2,4-D (sum)	0.008	0.008	17	12	5	0	0.180	0.026	0.004	1	0
		Carbendazim	0.008	0.008	17	16	1	0	0.052	0.007	0.004	.	0
		Carbendazim and benomyl	0.008	0.008	17	16	1	0	0.052	0.007	0.004	0.5	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum (fruit, vegetables, other plant origin)

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
		Chlorpyrifos	0.002	0.002	17	6	11	0	0.100	0.022	0.013	0.3	0
		Chlorpyrifos-methyl	0.002	0.002	17	14	3	0	0.085	0.007	0.001	0.5	0
		Dichlorprop incl. Dichlorprop-P	0.008	0.008	17	15	2	0	0.029	0.006	0.004	0.05	0
		Dimethoate	0.002	0.002	17	16	1	0	0.009	0.001	0.001	.	0
		Dimethoate (sum)	0.002	0.002	17	16	1	0	0.009	0.001	0.001	0.02	0
		Imazalil	0.002	0.002	17	1	16	0	2.300	0.448	0.310	5	0
		Imidacloprid	0.002	0.002	17	14	3	0	0.013	0.002	0.001	1	0
		Malathion	0.002	0.002	17	14	3	0	0.020	0.003	0.001	.	0
		Malathion (sum)	0.002	0.002	17	14	3	0	0.020	0.003	0.001	7	0
		Methidathion	0.002	0.002	17	16	1	0	0.013	0.002	0.001	5	0
		Phosmet	0.040	0.040	17	15	2	0	0.100	0.029	0.020	.	0
		Phosmet (sum)	0.040	0.040	17	15	2	0	0.100	0.029	0.020	0.2	0
		Propargite	0.008	0.008	17	15	2	0	0.037	0.007	0.004	3	0
		Pyraclostrobin	0.002	0.002	17	15	2	0	0.029	0.004	0.001	1	0
		Pyrimethanil	0.002	0.002	17	16	1	0	0.510	0.031	0.001	10	0
		Pyriproxyfen	0.002	0.002	17	16	1	0	0.007	0.001	0.001	0.6	0
		Tebufenpyrad	0.002	0.002	17	15	2	0	0.012	0.002	0.001	0.5	0
		Thiabendazole	0.002	0.002	17	14	3	0	0.430	0.061	0.001	5	0
Fruiting vegetables	Aubergines (egg plants)	Azoxystrobin	0.002	0.002	14	14	0	0	0.001	0.001	0.001	2	0
			0.002	0.002	4	3	1	0	0.015	0.005	0.001	3	0
		Carbendazim	0.008	0.008	18	17	1	0	0.033	0.006	0.004	.	0
		Carbendazim and benomyl	0.008	0.008	18	17	1	0	0.033	0.006	0.004	0.5	0
		Chlorothalonil	0.008	0.008	18	15	3	0	0.321	0.036	0.004	2	0
		Cyprodinil	0.002	0.002	18	15	3	0	0.056	0.005	0.001	1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum (fruit, vegetables, other plant origin)

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
		Dicloran	0.002	0.002	18	17	1	0	0.036	0.003	0.001	0.3	0
		Diethofencarb	0.002	0.002	18	17	1	0	0.006	0.001	0.001	1	0
		Dimethomorph	0.002	0.002	18	17	1	0	0.003	0.001	0.001	0.05	0
		Fenazaquin	0.002	0.002	18	16	2	0	0.018	0.002	0.001	0.5	0
		Fenhexamid	0.002	0.002	18	17	1	0	0.029	0.003	0.001	1	0
		Fludioxonil	0.002	0.002	18	16	2	0	0.020	0.002	0.001	1	0
		Formetanate	0.002	0.002	18	17	1	0	0.010	0.002	0.001	.	0
		Formetanate (sum)	0.002	0.002	18	17	1	0	0.020	0.002	0.001	0.2	0
		Imidacloprid	0.002	0.002	18	13	5	0	0.071	0.006	0.001	0.5	0
		Methoxyfenozide	0.002	0.002	18	16	2	0	0.014	0.002	0.001	0.5	0
		Oxamyl-Oxime	0.002	0.002	18	17	1	0	0.006	0.001	0.001	.	0
		Propamocarb (sum)	0.002	0.002	18	15	3	0	0.067	0.008	0.001	10	0
		Propargite	0.008	0.008	18	17	1	0	0.019	0.005	0.004	2	0
		Pyrimethanil	0.002	0.002	18	17	1	0	0.120	0.008	0.001	1	0
		Pyriproxyfen	0.002	0.002	18	17	1	0	0.018	0.002	0.001	1	0
		Tebuconazole	0.008	0.008	18	17	1	0	0.011	0.004	0.004	0.5	0
	Cucumbers	Acrinathrin	0.008	0.008	38	37	1	0	0.022	0.004	0.004	0.1	0
		Azoxystrobin	0.002	0.002	38	36	2	0	0.023	0.002	0.001	1	0
		Boscalid	0.002	0.002	38	35	3	0	0.015	0.002	0.001	2	0
		Bupirimate	0.002	0.002	38	37	1	0	0.003	0.001	0.001	1	0
		Carbendazim	0.008	0.008	38	37	1	0	0.012	0.004	0.004	.	0
		Carbendazim and benomyl	0.008	0.008	38	37	1	0	0.012	0.004	0.004	0.1	0
		Chlorothalonil	0.008	0.008	38	32	6	0	0.180	0.019	0.004	1	0
		Chlorpyrifos	0.002	0.002	38	37	1	0	0.022	0.002	0.001	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum (fruit, vegetables, other plant origin)

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
		Clofentezine	0.002	0.002	38	37	1	0	0.013	0.001	0.001	0.02	0
		Clothianidin	0.002	0.002	38	37	1	0	0.004	0.001	0.001	0.02	0
		Cyproconazole	0.002	0.002	38	37	1	0	0.006	0.001	0.001	0.05	0
		Cyprodinil	0.002	0.002	38	28	10	0	0.076	0.008	0.001	0.5	0
		Desmethyl pirimicarb	0.002	0.002	38	37	1	0	0.008	0.001	0.001	.	0
		Dimethomorph	0.002	0.002	38	28	10	0	0.029	0.004	0.001	1	0
		Fenhexamid	0.002	0.002	38	37	1	0	0.005	0.001	0.001	1	0
		Fludioxonil	0.002	0.002	38	33	5	0	0.080	0.006	0.001	1	0
		Formetanate	0.002	0.002	38	37	1	0	0.140	0.005	0.001	.	0
		Formetanate (sum)	0.002	0.002	38	37	0	1	0.160	0.005	0.001	0.05	1
		Imazalil	0.002	0.002	38	37	1	0	0.002	0.001	0.001	0.2	0
		Imidacloprid	0.002	0.002	38	32	6	0	0.026	0.003	0.001	1	0
		Iprodione	0.040	0.040	38	37	1	0	0.104	0.022	0.020	2	0
		Lufenuron	0.002	0.002	38	36	2	0	0.016	0.002	0.001	0.2	0
		Metalaxyl (sum)	0.002	0.002	38	28	10	0	0.030	0.004	0.001	0.5	0
		Methiocarb	0.002	0.002	38	37	1	0	0.002	0.001	0.001	.	0
		Methiocarb (sum)	0.002	0.002	38	37	1	0	0.006	0.001	0.001	0.2	0
		Methiocarb-Sulfon	0.002	0.002	38	37	1	0	0.004	0.001	0.001	.	0
		Methomyl	0.008	0.008	38	37	1	0	0.011	0.004	0.004	.	0
		Methomyl and Thiodicarb	0.008	0.008	10	9	1	0	0.011	0.005	0.004	0.1	0
			0.008	0.008	28	28	0	0	0.004	0.004	0.004	0.05	0
		Oxamyl	0.002	0.002	38	36	1	1	0.024	0.002	0.001	0.02	0
		Oxamyl-Oxime	0.002	0.002	38	32	6	0	0.098	0.007	0.001	.	0
		Pentachloroaniline	0.002	0.002	38	37	1	0	0.003	0.001	0.001	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum (fruit, vegetables, other plant origin)

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
		Pirimicarb	0.002	0.002	38	37	1	0	0.014	0.001	0.001	.	0
		Pirimicarb (sum)	0.002	0.002	38	37	1	0	0.022	0.002	0.001	1	0
		Procymidone	0.002	0.002	28	26	2	0	0.007	0.001	0.001	1	0
			0.002	0.002	10	10	0	0	0.001	0.001	0.001	0.02	0
		Propamocarb (sum)	0.002	0.002	38	6	32	0	0.700	0.101	0.066	10	0
		Pymetrozine	0.002	0.002	38	36	2	0	0.010	0.001	0.001	0.5	0
		Pyrimethanil	0.002	0.002	38	34	4	0	0.160	0.007	0.001	1	0
		Spinosad (sum)	0.008	0.008	38	37	1	0	0.009	0.004	0.004	1	0
		Tetraconazole	0.002	0.002	38	36	2	0	0.010	0.001	0.001	0.2	0
		Tetradifon	0.002	0.002	38	37	1	0	0.003	0.001	0.001	2	0
		Thiametoxam	0.008	0.008	38	36	2	0	0.052	0.005	0.004	0.3	0
		Thiametoxam (sum)	0.008	0.008	38	36	2	0	0.055	0.005	0.004	0.3	0
		Triadimefon (sum)	0.008	0.008	28	28	0	0	0.004	0.004	0.004	0.1	0
			0.008	0.008	10	9	1	0	0.010	0.005	0.004	0.2	0
		Triadimenol	0.008	0.008	38	37	1	0	0.010	0.004	0.004	.	0
		Trifloxystrobin	0.002	0.002	38	37	1	0	0.010	0.001	0.001	0.2	0
	Peppers	Acetamiprid	0.002	0.002	36	31	5	0	0.150	0.009	0.001	0.3	0
		Azoxystrobin	0.002	0.002	25	22	3	0	0.034	0.003	0.001	2	0
			0.002	0.002	11	10	1	0	0.011	0.002	0.001	3	0
		Bifenthrin	0.008	0.008	36	35	1	0	0.008	0.004	0.004	0.2	0
		Boscalid	0.002	0.002	36	30	6	0	0.220	0.014	0.001	2	0
		Bupirimate	0.002	0.002	36	35	1	0	0.130	0.005	0.001	2	0
		Carbendazim	0.008	0.008	36	35	1	0	0.021	0.004	0.004	.	0
		Carbendazim and benomyl	0.008	0.008	36	35	1	0	0.021	0.004	0.004	0.1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum (fruit, vegetables, other plant origin)

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
		Chlorpyrifos	0.002	0.002	36	32	4	0	0.063	0.004	0.001	0.5	0
		Chlorpyrifos-methyl	0.002	0.002	36	35	1	0	0.032	0.002	0.001	0.5	0
		Clofentezine	0.002	0.002	36	35	0	1	0.021	0.002	0.001	0.02	0
		Cyprodinil	0.002	0.002	36	34	2	0	0.025	0.002	0.001	1	0
		Dimethoate (sum)	0.002	0.002	36	35	1	0	0.003	0.001	0.001	0.02	0
		Fenhexamid	0.002	0.002	36	35	1	0	0.027	0.002	0.001	2	0
		Fluazifop	0.002	0.002	36	35	1	0	0.022	0.002	0.001	.	0
		Fluazifop-P-butyl (sum)	0.002	0.002	36	35	1	0	0.026	0.002	0.001	0.5	0
		Fludioxonil	0.002	0.002	36	34	2	0	0.082	0.004	0.001	2	0
		Flutriafol	0.008	0.008	36	34	2	0	0.098	0.008	0.004	1	0
		Formetanate	0.002	0.002	28	24	4	0	0.710	0.045	0.001	.	0
			0.002	0.002	8	7	1	0	0.021	0.004	0.001	0.05	0
		Formetanate (sum)	0.002	0.002	36	31	2	3	0.830	0.041	0.001	0.05	3
		Imidacloprid	0.002	0.002	36	27	9	0	0.058	0.005	0.001	1	0
		Indoxacarb	0.008	0.008	36	32	4	0	0.037	0.006	0.004	0.3	0
		Iprodione	0.040	0.040	36	35	1	0	0.217	0.025	0.020	5	0
		Kresoxim-methyl	0.002	0.002	36	34	2	0	0.005	0.001	0.001	1	0
		Metalaxyl (sum)	0.002	0.002	36	35	1	0	0.004	0.001	0.001	0.5	0
		Methoxyfenozide	0.002	0.002	36	33	3	0	0.029	0.002	0.001	1	0
		Myclobutanil	0.008	0.008	36	33	3	0	0.061	0.006	0.004	0.5	0
		Omethoate	0.002	0.002	36	35	1	0	0.004	0.001	0.001	.	0
		Oxamyl	0.002	0.002	36	35	0	1	0.058	0.003	0.001	0.02	1
		Oxamyl-Oxime	0.002	0.002	36	32	4	0	0.180	0.009	0.001	.	0
		Oxydemeton-methyl	0.002	0.002	36	35	1	0	0.003	0.001	0.001	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum (fruit, vegetables, other plant origin)

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
		Oxydemeton-methyl (sum)	0.002	0.002	36	35	1	0	0.003	0.001	0.001	0.02	0
		Pentachloroaniline	0.002	0.002	36	35	1	0	0.002	0.001	0.001	.	0
		Pirimicarb	0.002	0.002	36	35	1	0	0.003	0.001	0.001	.	0
		Pirimicarb (sum)	0.002	0.002	36	35	1	0	0.003	0.001	0.001	1	0
		Procymidone	0.002	0.002	25	20	5	0	0.223	0.016	0.001	2	0
			0.002	0.002	11	11	0	0	0.001	0.001	0.001	0.02	0
		Propamocarb (sum)	0.002	0.002	36	28	8	0	0.023	0.003	0.001	10	0
		Pyraclostrobin	0.002	0.002	36	33	3	0	0.088	0.006	0.001	0.5	0
		Pyrimethanil	0.002	0.002	36	35	1	0	0.002	0.001	0.001	2	0
		Pyriproxyfen	0.002	0.002	36	33	3	0	0.041	0.003	0.001	1	0
		Tebuconazole	0.008	0.008	36	35	1	0	0.026	0.005	0.004	0.5	0
		Tebufenozide	0.002	0.002	36	34	2	0	0.140	0.005	0.001	1	0
		Teflubenzuron	0.002	0.002	36	35	1	0	0.003	0.001	0.001	0.5	0
		Triadimefon	0.008	0.008	36	35	1	0	0.023	0.005	0.004	.	0
		Triadimefon (sum)	0.008	0.008	11	9	2	0	0.029	0.009	0.004	1	0
			0.008	0.008	25	21	4	0	0.263	0.017	0.004	0.5	0
		Triadimenol	0.008	0.008	36	31	5	0	0.263	0.014	0.004	.	0
		Trifloxystrobin	0.002	0.002	36	35	1	0	0.043	0.002	0.001	0.3	0
	Tomatoes	Acetamiprid	0.002	0.002	44	41	2	1	0.130	0.005	0.001	0.1	0
		Azoxystrobin	0.002	0.002	29	25	4	0	0.054	0.005	0.001	2	0
			0.002	0.002	15	14	1	0	0.019	0.002	0.001	3	0
		Bifenthrin	0.008	0.008	44	39	4	1	0.300	0.015	0.004	0.2	0
		Boscalid	0.002	0.002	44	38	6	0	0.800	0.021	0.001	1	0
		Bromide ion	5.000	5.000	12	11	1	0	6.000	2.792	2.500	50	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum (fruit, vegetables, other plant origin)

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
		Bupirimate	0.002	0.002	44	41	3	0	0.034	0.002	0.001	2	0
		Buprofezin	0.002	0.002	44	40	4	0	0.012	0.002	0.001	1	0
		Carbendazim	0.008	0.008	44	42	2	0	0.033	0.005	0.004	.	0
		Carbendazim and benomyl	0.008	0.008	44	42	2	0	0.033	0.005	0.004	0.5	0
		Chlorothalonil	0.008	0.008	44	32	12	0	1.090	0.130	0.004	2	0
		Chlorpyrifos	0.002	0.002	44	42	2	0	0.200	0.006	0.001	0.5	0
		Chlorpyrifos-methyl	0.002	0.002	44	41	3	0	0.340	0.010	0.001	0.5	0
		Clofentezine	0.002	0.002	44	40	4	0	0.030	0.002	0.001	0.3	0
		Clothianidin	0.002	0.002	44	41	3	0	0.004	0.001	0.001	0.05	0
		Cypermethrin (sum)	0.040	0.040	44	42	2	0	0.240	0.027	0.020	0.5	0
		Cyprodinil	0.002	0.002	44	25	19	0	0.350	0.033	0.001	1	0
		Cyromazine	0.008	0.008	44	42	2	0	0.022	0.005	0.004	1	0
		Deltamethrin	0.040	0.040	44	43	1	0	0.085	0.021	0.020	0.3	0
		Diethofencarb	0.002	0.002	44	42	2	0	0.031	0.002	0.001	1	0
		Difenoconazole	0.002	0.002	44	42	2	0	0.110	0.004	0.001	2	0
		Dimethomorph	0.002	0.002	44	37	7	0	0.052	0.005	0.001	1	0
		Dithiocarbamates	0.030	0.030	22	12	10	0	0.180	0.052	0.015	3	0
		Endosulfan (sum)	0.002	0.002	44	42	2	0	0.128	0.004	0.001	0.5	0
		Endosulfansulfate	0.002	0.002	44	42	2	0	0.014	0.001	0.001	.	0
		Etofenprox	0.002	0.002	44	43	1	0	0.018	0.001	0.001	1	0
		Fenamiphos (sum)	0.002	0.002	44	43	1	0	0.029	0.002	0.001	0.05	0
		Fenamiphos-Sulfon	0.002	0.002	44	43	1	0	0.006	0.001	0.001	.	0
		Fenamiphos-Sulfoxid	0.002	0.002	44	43	1	0	0.025	0.002	0.001	.	0
		Fenhexamid	0.002	0.002	44	41	3	0	0.720	0.024	0.001	1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum (fruit, vegetables, other plant origin)

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
		Fenpyroximate	0.002	0.002	44	43	1	0	0.005	0.001	0.001	0.2	0
		Fludioxonil	0.002	0.002	44	33	11	0	0.270	0.018	0.001	1	0
		Hexythiazox	0.002	0.002	44	43	1	0	0.012	0.001	0.001	0.5	0
		Imidacloprid	0.002	0.002	44	41	3	0	0.042	0.002	0.001	0.5	0
		Indoxacarb	0.008	0.008	44	35	9	0	0.098	0.009	0.004	0.5	0
		Iprodione	0.040	0.040	44	42	2	0	0.230	0.026	0.020	5	0
		Lambda-Cyhalothrin	0.008	0.008	44	43	1	0	0.038	0.005	0.004	0.1	0
		Mepanipyrim (sum)	0.002	0.002	44	42	2	0	0.051	0.002	0.001	1	0
		Metalaxyl (sum)	0.002	0.002	44	39	5	0	0.057	0.003	0.001	0.2	0
		Methoxyfenozide	0.002	0.002	44	43	1	0	0.012	0.001	0.001	2	0
		Myclobutanil	0.008	0.008	44	43	1	0	0.009	0.004	0.004	0.3	0
		Oxamyl-Oxime	0.002	0.002	44	43	1	0	0.005	0.001	0.001	.	0
		Pentachloroaniline	0.002	0.002	44	43	1	0	0.002	0.001	0.001	.	0
		Procymidone	0.002	0.002	29	27	2	0	0.020	0.002	0.001	2	0
			0.002	0.002	15	14	1	0	0.008	0.001	0.001	0.02	0
		Propamocarb (sum)	0.002	0.002	44	35	9	0	0.490	0.016	0.001	10	0
		Pyraclostrobin	0.002	0.002	44	42	1	1	0.360	0.009	0.001	0.2	0
		Pyridaben	0.002	0.002	44	43	1	0	0.041	0.002	0.001	0.3	0
		Pyrimethanil	0.002	0.002	44	36	8	0	0.240	0.011	0.001	1	0
		Pyriproxyfen	0.002	0.002	44	39	5	0	0.150	0.005	0.001	1	0
		Spinosad (sum)	0.008	0.008	44	42	2	0	0.037	0.005	0.004	1	0
		Spiroxamine	0.002	0.002	44	43	0	1	0.054	0.002	0.001	0.05	0
		Tebuconazole	0.008	0.008	44	39	5	0	0.087	0.008	0.004	1	0
		Tebufenpyrad	0.002	0.002	44	43	1	0	0.019	0.001	0.001	0.5	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum (fruit, vegetables, other plant origin)

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
		Teflubenzuron	0.002	0.002	44	42	2	0	0.140	0.004	0.001	1	0
		Tetraconazole	0.002	0.002	44	43	1	0	0.004	0.001	0.001	0.1	0
		Thiacloprid	0.002	0.002	44	39	5	0	0.050	0.003	0.001	0.5	0
		Thiophanate-methyl	0.008	0.008	44	41	3	0	0.470	0.017	0.004	2	0
		Triadimefon (sum)	0.008	0.008	15	13	2	0	0.041	0.008	0.004	1	0
			0.008	0.008	29	27	2	0	0.070	0.007	0.004	0.3	0
		Triadimenol	0.008	0.008	44	40	4	0	0.070	0.007	0.004	.	0
		alpha-Endosulfan	0.002	0.002	44	43	1	0	0.046	0.002	0.001	.	0
		beta-Endosulfan	0.002	0.002	44	42	2	0	0.069	0.003	0.001	.	0
Fungi	Cultivated fungi	Carbendazim	0.008	0.008	20	16	4	0	0.180	0.015	0.004	.	0
		Carbendazim and benomyl	0.008	0.008	20	16	4	0	0.180	0.015	0.004	1	0
		Cyromazine	0.008	0.008	20	19	1	0	0.078	0.008	0.004	5	0
		Diflubenzuron	0.002	0.002	20	17	3	0	0.026	0.004	0.001	2	0
		Prochloraz (sum)	0.002	0.002	20	7	13	0	0.081	0.010	0.006	2	0
		Teflubenzuron	0.002	0.002	20	19	1	0	0.006	0.001	0.001	0.05	0
		Thiophanate-methyl	0.008	0.008	20	19	1	0	0.039	0.006	0.004	0.1	0
Leaf vegetables and fresh herbs	Lettuce	Acetamiprid	0.002	0.002	40	39	1	0	0.033	0.002	0.001	5	0
		Azoxystrobin	0.002	0.002	40	38	2	0	0.006	0.001	0.001	3	0
		Boscalid	0.002	0.002	40	26	14	0	0.640	0.041	0.001	10	0
		Bromide ion	5.000	5.000	12	11	1	0	26.000	4.458	2.500	50	0
		Chlorpyrifos	0.002	0.002	40	36	4	0	0.020	0.002	0.001	0.05	0
		Cypermethrin (sum)	0.040	0.040	40	39	1	0	0.280	0.027	0.020	2	0
		Cyprodinil	0.002	0.002	40	29	11	0	0.130	0.006	0.001	10	0
		Cyromazine	0.008	0.008	40	39	1	0	0.010	0.004	0.004	15	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum (fruit, vegetables, other plant origin)

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
		Desmethyl pirimicarb	0.002	0.002	40	39	1	0	0.004	0.001	0.001	.	0
		Dimethomorph	0.002	0.002	40	29	11	0	0.460	0.032	0.001	10	0
		Dithiocarbamates	0.030	0.030	12	5	7	0	0.790	0.118	0.035	5	0
		Fenhexamid	0.002	0.002	25	25	0	0	0.001	0.001	0.001	30	0
			0.002	0.002	15	14	1	0	0.009	0.002	0.001	40	0
		Fludioxonil	0.002	0.002	40	37	3	0	0.080	0.003	0.001	10	0
		Imidacloprid	0.002	0.002	40	30	10	0	0.049	0.005	0.001	2	0
		Iprodione	0.040	0.040	40	35	5	0	3.340	0.244	0.020	10	0
		Lambda-Cyhalothrin	0.008	0.008	40	35	5	0	0.064	0.009	0.004	0.5	0
		Lufenuron	0.002	0.002	40	39	1	0	0.002	0.001	0.001	0.5	0
		Metalaxyl (sum)	0.002	0.002	40	27	13	0	0.028	0.004	0.001	2	0
		Oxamyl-Oxime	0.002	0.002	40	39	1	0	0.002	0.001	0.001	.	0
		Pendimethalin	0.008	0.008	40	37	3	0	0.035	0.005	0.004	0.05	0
		Pirimicarb (sum)	0.002	0.002	40	39	1	0	0.004	0.001	0.001	5	0
		Procymidone	0.002	0.002	24	23	1	0	0.002	0.001	0.001	5	0
			0.002	0.002	16	16	0	0	0.001	0.001	0.001	0.02	0
		Propamocarb (sum)	0.002	0.002	40	31	9	0	1.300	0.064	0.001	50	0
		Propyzamide	0.008	0.008	40	39	1	0	0.024	0.005	0.004	1	0
		Pymetrozine	0.002	0.002	40	39	1	0	0.038	0.002	0.001	2	0
		Pyraclostrobin	0.002	0.002	40	36	4	0	0.140	0.006	0.001	2	0
		Pyrimethanil	0.002	0.002	40	39	1	0	0.002	0.001	0.001	10	0
		Spinosad (sum)	0.008	0.008	40	39	1	0	0.240	0.010	0.004	10	0
		Spiroxamine	0.002	0.002	40	39	1	0	0.003	0.001	0.001	0.05	0
		Thiacloprid	0.002	0.002	40	39	1	0	0.018	0.001	0.001	2	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum (fruit, vegetables, other plant origin)

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
		Thiametoxam	0.004	0.008	40	38	2	0	0.008	0.004	0.004	5	0
		Thiametoxam (sum)	0.004	0.008	40	38	2	0	0.008	0.004	0.004	5	0
		Tolclofos-methyl	0.008	0.008	40	35	5	0	0.289	0.015	0.004	2	0
	Parsley	Cyprodinil	0.002	0.002	1	0	1	0	0.003	0.003	0.003	10	0
		Linuron	0.002	0.002	1	0	1	0	0.013	0.013	0.013	1	0
		Penconazole	0.002	0.002	1	0	1	0	0.002	0.002	0.002	0.05	0
		Pendimethalin	0.008	0.008	1	0	0	1	0.056	0.056	0.056	0.05	0
	Spinach	Azoxystrobin	0.002	0.002	26	25	1	0	0.040	0.003	0.001	0.05	0
		Boscalid	0.002	0.002	26	25	1	0	0.003	0.001	0.001	10	0
		Bromopropylate	0.002	0.002	26	25	1	0	0.002	0.001	0.001	0.05	0
		Clothianidin	0.002	0.002	26	25	1	0	0.013	0.001	0.001	0.02	0
		Desmethyl pirimicarb	0.002	0.002	26	24	2	0	0.041	0.003	0.001	.	0
		Dimethoate (sum)	0.002	0.002	26	25	1	0	0.010	0.001	0.001	0.02	0
		Dimethomorph	0.002	0.002	26	23	3	0	0.035	0.003	0.001	0.1	0
		Imazalil	0.002	0.002	14	13	1	0	0.003	0.001	0.001	0.02	0
			0.002	0.002	12	11	1	0	0.002	0.001	0.001	0.05	0
		Imidacloprid	0.002	0.002	26	22	4	0	0.012	0.002	0.001	0.05	0
		Lambda-Cyhalothrin	0.008	0.008	26	23	3	0	0.150	0.011	0.004	0.5	0
		Linuron	0.002	0.002	26	25	1	0	0.012	0.001	0.001	0.05	0
		Metalaxyl (sum)	0.002	0.002	26	25	1	0	0.003	0.001	0.001	0.05	0
		Omethoate	0.002	0.002	26	25	1	0	0.010	0.001	0.001	.	0
		Piperonyl Butoxide	0.002	0.002	26	25	1	0	0.023	0.002	0.001	.	0
		Pirimicarb	0.002	0.002	26	25	1	0	0.015	0.002	0.001	.	0
		Pirimicarb (sum)	0.002	0.002	26	24	2	0	0.054	0.004	0.001	2	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum (fruit, vegetables, other plant origin)

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
		Propamocarb (sum)	0.002	0.002	26	25	1	0	0.006	0.001	0.001	30	0
		Thiametoxam (sum)	0.008	0.008	26	25	1	0	0.011	0.004	0.004	0.05	0
Legume vegetables, fresh	Beans (with pods)	Azoxystrobin	0.002	0.002	7	7	0	0	0.001	0.001	0.001	1	0
			0.002	0.002	9	7	2	0	0.007	0.002	0.001	3	0
		Boscalid	0.002	0.002	16	12	4	0	0.069	0.011	0.001	2	0
		Carbendazim	0.008	0.008	16	15	1	0	0.011	0.004	0.004	.	0
		Carbendazim and benomyl	0.008	0.008	16	15	1	0	0.011	0.004	0.004	0.2	0
		Cyprodinil	0.002	0.002	16	14	2	0	0.055	0.005	0.001	2	0
		Fludioxonil	0.002	0.002	16	15	1	0	0.006	0.001	0.001	1	0
		Pendimethalin	0.008	0.008	16	15	1	0	0.010	0.004	0.004	0.2	0
		Propamocarb (sum)	0.002	0.002	16	15	1	0	0.002	0.001	0.001	0.1	0
	Beans (without pods)	Azoxystrobin	0.002	0.002	2	1	1	0	0.007	0.004	0.004	3	0
	Peas (with pods)	Acetamiprid	0.002	0.002	10	9	1	0	0.008	0.002	0.001	0.01	0
		Azoxystrobin	0.002	0.002	10	9	1	0	0.052	0.006	0.001	0.2	0
		Chlorothalonil	0.008	0.008	10	9	1	0	0.990	0.103	0.004	2	0
		Dimethomorph	0.002	0.002	10	8	2	0	0.038	0.007	0.001	0.05	0
		Fenitrothion	0.002	0.002	10	9	1	0	0.006	0.002	0.001	0.01	0
		Iprodione	0.040	0.040	10	9	1	0	0.650	0.083	0.020	2	0
		Propamocarb (sum)	0.002	0.002	10	8	1	1	0.290	0.035	0.001	0.1	1
		Tebuconazole	0.008	0.008	10	9	1	0	0.230	0.027	0.004	2	0
Miscellaneous fruit	Bananas	Azoxystrobin	0.002	0.002	9	8	1	0	0.037	0.005	0.001	2	0
		Bifenthrin	0.008	0.008	9	8	1	0	0.008	0.004	0.004	0.1	0
		Bitertanol	0.008	0.008	9	8	1	0	0.035	0.007	0.004	3	0
		Chlorpyrifos	0.002	0.002	9	7	2	0	0.029	0.005	0.001	3	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum (fruit, vegetables, other plant origin)

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
		Fenpropimorph	0.002	0.002	9	8	1	0	0.010	0.002	0.001	2	0
		Imazalil	0.002	0.002	9	3	6	0	0.320	0.118	0.110	2	0
		Imidacloprid	0.002	0.002	9	8	1	0	0.017	0.003	0.001	0.05	0
		Myclobutanil	0.008	0.008	9	8	1	0	0.076	0.012	0.004	2	0
		Thiabendazole	0.002	0.002	9	3	6	0	0.230	0.102	0.120	5	0
	Kiwi	Diphenylamine	0.008	0.008	8	7	1	0	0.025	0.007	0.004	0.05	0
		Fenhexamid	0.002	0.002	8	3	5	0	7.100	1.070	0.014	10	0
		Fludioxonil	0.002	0.002	8	6	2	0	1.600	0.201	0.001	20	0
		Vinclozolin	0.002	0.002	8	7	1	0	0.028	0.004	0.001	.	0
	Mangoes	Azoxystrobin	0.002	0.002	5	4	1	0	0.005	0.002	0.001	0.2	0
		Carbendazim	0.008	0.008	5	4	1	0	0.024	0.008	0.004	.	0
		Carbendazim and benomyl	0.008	0.008	5	4	1	0	0.024	0.008	0.004	0.5	0
		Prochloraz (sum)	0.002	0.002	5	1	4	0	0.930	0.255	0.130	5	0
		Thiabendazole	0.002	0.002	5	1	4	0	1.500	0.408	0.190	5	0
		Thiophanate-methyl	0.008	0.008	5	4	1	0	0.082	0.020	0.004	1	0
	Miscellaneous fruit	Carbendazim	0.008	0.008	2	1	1	0	0.054	0.029	0.029	.	0
		Carbendazim and benomyl	0.008	0.008	2	1	1	0	0.054	0.029	0.029	0.2	0
		Chlorothalonil	0.008	0.008	2	1	1	0	0.093	0.049	0.049	20	0
		Difenoconazole	0.002	0.002	2	1	1	0	0.004	0.003	0.003	0.1	0
		Prochloraz (sum)	0.002	0.002	2	0	2	0	0.120	0.072	0.072	0	0
		Thiabendazole	0.002	0.002	2	1	1	0	0.140	0.071	0.071	10	0
	Papaya	Bifenthrin	0.008	0.008	2	1	1	0	0.023	0.014	0.014	0.5	0
		Difenoconazole	0.002	0.002	2	1	1	0	0.014	0.008	0.008	0.1	0
		Fenpropathrin	0.002	0.002	2	1	1	0	0.004	0.003	0.003	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum (fruit, vegetables, other plant origin)

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
		Prochloraz (sum)	0.002	0.002	2	0	2	0	0.160	0.119	0.119	5	0
		Thiabendazole	0.002	0.002	2	1	1	0	0.017	0.009	0.009	10	0
		Thiophanate-methyl	0.008	0.008	2	1	1	0	0.250	0.127	0.127	1	0
	Pineapples	Chlorpyrifos	0.002	0.002	5	4	1	0	0.011	0.003	0.001	0.05	0
		Diazinon	0.008	0.008	5	4	1	0	0.021	0.007	0.004	0.3	0
		Endosulfan (sum)	0.002	0.002	5	4	1	0	0.005	0.002	0.001	0.05	0
		Endosulfansulfate	0.002	0.002	5	4	1	0	0.005	0.002	0.001	.	0
		Prochloraz (sum)	0.002	0.002	5	3	2	0	0.310	0.064	0.001	5	0
		Triadimefon	0.008	0.008	5	3	2	0	0.200	0.078	0.004	.	0
		Triadimefon (sum)	0.008	0.016	5	2	3	0	0.630	0.272	0.140	3	0
		Triadimenol	0.008	0.008	5	2	3	0	0.450	0.196	0.140	.	0
	Pomegranate	Bifenthrin	0.008	0.008	1	0	1	0	0.017	0.017	0.017	0.05	0
		Fludioxonil	0.002	0.002	1	0	1	0	0.028	0.028	0.028	3	0
		Indoxacarb	0.008	0.008	1	0	1	0	0.009	0.009	0.009	0.02	0
		Lambda-Cyhalothrin	0.008	0.008	1	0	0	1	0.058	0.058	0.058	0.02	1
Oilseeds	Soya bean	Fluazifop	0.002	0.002	6	4	2	0	0.079	0.023	0.001	.	0
		Fluazifop-P-butyl (sum)	0.002	0.002	6	4	2	0	0.093	0.027	0.001	5	0
		Tebuconazole	0.008	0.008	6	3	3	0	0.018	0.009	0.007	0.1	0
Pome fruit	Apples	Acetamiprid	0.002	0.002	46	42	4	0	0.009	0.001	0.001	0.1	0
		Bitertanol	0.008	0.008	46	43	3	0	0.077	0.007	0.004	2	0
		Boscalid	0.002	0.002	46	33	13	0	0.160	0.015	0.001	2	0
		Bupirimate	0.002	0.002	46	45	1	0	0.013	0.001	0.001	0.2	0
		Captan	0.040	0.040	46	36	10	0	0.191	0.034	0.020	3	0
		Carbendazim	0.008	0.008	46	45	1	0	0.120	0.007	0.004	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum (fruit, vegetables, other plant origin)

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
		Carbendazim and benomyl	0.008	0.008	46	45	1	0	0.120	0.007	0.004	0.2	0
		Chlorpyrifos	0.002	0.002	46	41	5	0	0.069	0.003	0.001	0.5	0
		Chlorpyrifos-methyl	0.002	0.002	46	44	2	0	0.031	0.002	0.001	0.5	0
		Cypermethrin (sum)	0.040	0.040	46	45	1	0	0.077	0.021	0.020	1	0
		Cyprodinil	0.002	0.002	46	36	10	0	0.190	0.014	0.001	1	0
		Desmethyl pirimicarb	0.002	0.002	46	36	10	0	0.012	0.002	0.001	.	0
		Diazinon	0.008	0.008	46	45	1	0	0.008	0.004	0.004	0.01	0
		Difenoconazole	0.002	0.002	46	34	12	0	0.012	0.002	0.001	0.5	0
		Dimethoate (sum)	0.002	0.002	46	45	1	0	0.020	0.001	0.001	0.02	0
		Diphenylamine	0.008	0.008	46	45	1	0	0.017	0.004	0.004	5	0
		Dithiocarbamates	0.030	0.030	29	17	12	0	0.190	0.041	0.015	5	0
		Dodine	0.002	0.002	46	26	20	0	0.350	0.025	0.001	5	0
		Etofenprox	0.002	0.002	46	42	4	0	0.040	0.003	0.001	1	0
		Fenitrothion	0.002	0.002	46	45	0	1	0.021	0.001	0.001	0.01	1
		Fenoxycarb	0.002	0.002	46	43	3	0	0.039	0.002	0.001	1	0
		Fenpyroximate	0.002	0.002	46	45	1	0	0.004	0.001	0.001	0.2	0
		Fenvalerate and Esfenvalerate (sum of RR and SS isom	0.008	0.008	46	45	1	0	0.027	0.005	0.004	0.05	0
		Fludioxonil	0.002	0.002	46	38	8	0	0.240	0.014	0.001	5	0
		Flufenoxuron	0.002	0.002	46	38	8	0	0.017	0.003	0.001	0.5	0
		Fluquinconazole	0.002	0.002	46	43	3	0	0.007	0.001	0.001	0.1	0
		Flusilazole	0.002	0.002	46	43	3	0	0.015	0.002	0.001	0.02	0
		Imazapyr	0.002	0.002	46	45	1	0	0.003	0.001	0.001	0.01	0
		Indoxacarb	0.008	0.008	46	43	3	0	0.036	0.005	0.004	0.5	0
		Iprodione	0.040	0.040	46	43	3	0	0.099	0.023	0.020	5	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum (fruit, vegetables, other plant origin)

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
		Kresoxim-methyl	0.002	0.002	46	45	1	0	0.004	0.001	0.001	0.2	0
		Lufenuron	0.002	0.002	46	42	4	0	0.006	0.001	0.001	0.5	0
		Methoxyfenozide	0.002	0.002	46	35	11	0	0.078	0.006	0.001	2	0
		Myclobutanil	0.008	0.008	46	44	2	0	0.017	0.005	0.004	0.5	0
		Omethoate	0.002	0.002	46	45	1	0	0.018	0.001	0.001	.	0
		Penconazole	0.002	0.002	46	44	2	0	0.004	0.001	0.001	0.2	0
		Phosalone	0.008	0.008	46	45	0	1	0.076	0.006	0.004	0.05	0
		Pirimicarb	0.002	0.002	46	28	18	0	0.089	0.015	0.001	.	0
		Pirimicarb (sum)	0.002	0.002	46	28	18	0	0.100	0.016	0.001	2	0
		Propargite	0.008	0.008	46	45	1	0	0.160	0.007	0.004	3	0
		Pyraclostrobin	0.002	0.002	46	37	9	0	0.083	0.007	0.001	0.3	0
		Pyridaben	0.002	0.002	46	45	1	0	0.009	0.001	0.001	0.5	0
		Pyrimethanil	0.002	0.002	46	36	10	0	0.095	0.007	0.001	5	0
		Spinosad (sum)	0.008	0.008	46	45	1	0	0.011	0.004	0.004	1	0
		Teflubenzuron	0.002	0.002	46	45	1	0	0.120	0.004	0.001	1	0
		Tetraconazole	0.002	0.002	46	41	5	0	0.014	0.002	0.001	0.3	0
		Thiacloprid	0.002	0.002	46	45	1	0	0.004	0.001	0.001	0.3	0
		Triadimefon (sum)	0.008	0.008	30	28	2	0	0.020	0.005	0.004	0.2	0
			0.008	0.008	16	15	1	0	0.008	0.004	0.004	0.5	0
		Triadimenol	0.008	0.008	46	43	3	0	0.020	0.005	0.004	.	0
		Trifloxystrobin	0.002	0.002	46	41	5	0	0.054	0.003	0.001	0.5	0
		Triflumuron	0.008	0.008	46	45	1	0	0.080	0.006	0.004	0.5	0
	Pears	Boscalid	0.002	0.002	7	4	3	0	0.210	0.046	0.001	2	0
		Cyprodinil	0.002	0.002	7	5	2	0	0.140	0.026	0.001	1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum (fruit, vegetables, other plant origin)

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
		Difenoconazole	0.002	0.002	7	4	3	0	0.016	0.003	0.001	0.5	0
		Diflubenzuron	0.002	0.002	7	6	1	0	0.027	0.005	0.001	5	0
		Dodine	0.002	0.002	7	4	3	0	0.007	0.003	0.001	5	0
		Ethoxyquin	0.040	0.040	7	6	1	0	0.389	0.073	0.020	3	0
		Fenoxycarb	0.002	0.002	7	5	2	0	0.014	0.004	0.001	1	0
		Fludioxonil	0.002	0.002	7	5	2	0	0.100	0.020	0.001	5	0
		Flufenoxuron	0.002	0.002	7	3	4	0	0.053	0.013	0.008	0.5	0
		Folpet	0.008	0.008	7	6	1	0	1.770	0.256	0.004	3	0
		Imazalil	0.002	0.002	7	5	2	0	0.620	0.124	0.001	2	0
		Imidacloprid	0.002	0.002	7	6	1	0	0.200	0.029	0.001	0.5	0
		Indoxacarb	0.008	0.008	7	6	1	0	0.014	0.005	0.004	0.3	0
		Iprodione	0.040	0.040	7	6	1	0	0.620	0.106	0.020	5	0
		Lambda-Cyhalothrin	0.008	0.008	7	6	1	0	0.025	0.007	0.004	0.1	0
		Methoxyfenozide	0.002	0.002	7	5	2	0	0.250	0.038	0.001	2	0
		Pyraclostrobin	0.002	0.002	7	5	2	0	0.099	0.023	0.001	0.3	0
		Pyridaben	0.002	0.002	7	5	2	0	0.003	0.001	0.001	0.5	0
		Pyrimethanil	0.002	0.002	7	6	1	0	0.640	0.092	0.001	5	0
		Tebuconazole	0.008	0.008	7	6	1	0	0.041	0.009	0.004	1	0
		Thiacloprid	0.002	0.002	7	6	1	0	0.042	0.007	0.001	0.3	0
Pulses, dry	Beans (dry)	Boscalid	0.002	0.002	1	0	1	0	0.010	0.010	0.010	2	0
		Cyprodinil	0.002	0.002	1	0	1	0	0.004	0.004	0.004	2	0
Root and tuber vegetables	Carrots	Azoxystrobin	0.002	0.002	6	2	4	0	0.040	0.013	0.007	1	0
			0.002	0.002	23	21	2	0	0.019	0.002	0.001	0.2	0
		Boscalid	0.002	0.002	29	11	18	0	0.140	0.024	0.021	1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum (fruit, vegetables, other plant origin)

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
		Chlorpyrifos	0.002	0.002	29	27	2	0	0.032	0.003	0.001	0.1	0
		Cyprodinil	0.002	0.002	29	28	1	0	0.003	0.001	0.001	2	0
		Difenoconazole	0.002	0.002	29	19	10	0	0.021	0.003	0.001	0.3	0
		Dimethoate (sum)	0.002	0.002	29	23	6	0	0.008	0.002	0.001	0.02	0
		Fludioxonil	0.002	0.002	29	28	1	0	0.012	0.001	0.001	1	0
		Heptachlor (sum)	0.002	0.002	29	28	1	0	0.003	0.001	0.001	0.01	0
		Heptachlor epoxide	0.002	0.002	29	28	1	0	0.003	0.001	0.001	.	0
		Linuron	0.002	0.002	29	20	9	0	0.014	0.003	0.001	0.2	0
		Metalaxyl (sum)	0.002	0.002	29	28	1	0	0.016	0.002	0.001	0.1	0
		Omethoate	0.002	0.002	29	23	6	0	0.009	0.002	0.001	.	0
		Pendimethalin	0.008	0.008	29	26	3	0	0.024	0.005	0.004	0.2	0
		Procymidone	0.002	0.002	29	28	1	0	0.017	0.002	0.001	0.02	0
		Propamocarb (sum)	0.002	0.002	29	27	2	0	0.008	0.001	0.001	10	0
		Pyrimethanil	0.002	0.002	29	28	1	0	0.003	0.001	0.001	1	0
		Quizalofop (including Quizalfop-P)	0.002	0.002	29	28	1	0	0.005	0.001	0.001	0.4	0
		Tebuconazole	0.008	0.008	29	23	6	0	0.019	0.006	0.004	0.5	0
		Tefluthrin	0.002	0.002	29	27	2	0	0.006	0.001	0.001	0.05	0
		Tolclofos-methyl	0.008	0.008	29	28	1	0	0.090	0.007	0.004	0.5	0
	Celeriac	Azoxystrobin	0.002	0.002	6	2	4	0	0.035	0.014	0.012	1	0
			0.002	0.002	4	4	0	0	0.001	0.001	0.001	0.3	0
		Boscalid	0.002	0.002	10	9	1	0	0.006	0.002	0.001	1	0
		Chlorpyrifos	0.002	0.002	10	8	2	0	0.035	0.005	0.001	0.05	0
		Difenoconazole	0.002	0.002	10	2	8	0	0.140	0.026	0.010	2	0
		Haloxyfop	0.002	0.002	10	9	1	0	0.023	0.003	0.001	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum (fruit, vegetables, other plant origin)

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
		Imidacloprid	0.002	0.002	6	6	0	0	0.001	0.001	0.001	0.5	0
			0.002	0.002	4	3	1	0	0.044	0.012	0.001	0.05	0
		Linuron	0.002	0.002	10	1	9	0	0.230	0.053	0.021	0.5	0
		Pendimethalin	0.008	0.008	10	9	1	0	0.014	0.005	0.004	0.1	0
		Quizalofop (including Quizalfop-P)	0.002	0.002	10	8	2	0	0.007	0.002	0.001	0.4	0
	Parsley root	Azoxystrobin	0.002	0.002	6	3	3	0	0.031	0.010	0.005	1	0
			0.002	0.002	2	1	1	0	0.009	0.005	0.005	0.2	0
		Chlorpyrifos	0.002	0.002	8	7	1	0	0.003	0.001	0.001	0.05	0
		Difenoconazole	0.002	0.002	8	5	3	0	0.015	0.005	0.001	0.2	0
		Haloxyfop	0.002	0.002	8	6	2	0	0.004	0.002	0.001	.	0
		Linuron	0.002	0.002	8	4	4	0	0.038	0.010	0.004	0.2	0
		Quizalofop (including Quizalfop-P)	0.002	0.002	8	7	1	0	0.004	0.001	0.001	0.4	0
		Tebuconazole	0.008	0.008	8	6	2	0	0.010	0.005	0.004	0.5	0
		Trifluralin	0.008	0.008	8	7	1	0	0.020	0.006	0.004	1	0
	Parsnips	Azoxystrobin	0.002	0.002	2	1	1	0	0.008	0.005	0.005	1	0
		Boscalid	0.002	0.002	2	1	1	0	0.004	0.003	0.003	1	0
		DDE, p,p-	0.002	0.002	2	1	1	0	0.005	0.003	0.003	.	0
		DDT (sum)	0.002	0.002	2	1	1	0	0.005	0.003	0.003	0.05	0
		Difenoconazole	0.002	0.002	2	1	1	0	0.002	0.002	0.002	0.3	0
		Epoxiconazole	0.002	0.002	2	1	1	0	0.003	0.002	0.002	0.05	0
		Fenpropimorph	0.002	0.002	2	1	1	0	0.005	0.003	0.003	0.05	0
		Linuron	0.002	0.002	2	0	2	0	0.037	0.024	0.024	0.2	0
		Tefluthrin	0.002	0.002	2	1	1	0	0.003	0.002	0.002	0.05	0
	Potatoes	3-Chloroaniline	0.100	0.100	42	41	1	0	2.010	0.097	0.050	.	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum (fruit, vegetables, other plant origin)

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
		Azoxystrobin	0.002	0.002	15	14	1	0	0.005	0.001	0.001	1	0
			0.002	0.002	27	27	0	0	0.001	0.001	0.001	0.05	0
		Chlorpropham	0.008	0.008	16	12	4	0	11.100	0.838	0.004	.	0
			0.008	0.008	26	24	2	0	0.310	0.016	0.004	10	0
		Chlorpropham (sum)	0.100	0.108	42	40	1	1	14.400	0.442	0.050	10	0
		Chlorpyrifos	0.002	0.002	42	40	2	0	0.018	0.001	0.001	0.05	0
		DDE, p,p-	0.002	0.002	42	40	2	0	0.010	0.001	0.001	.	0
		DDT (sum)	0.002	0.008	42	40	2	0	0.013	0.001	0.001	0.05	0
		DDT, p,p-	0.002	0.002	42	41	1	0	0.002	0.001	0.001	.	0
		Fipronil	0.002	0.002	42	41	1	0	0.007	0.001	0.001	.	0
		Formetanate	0.002	0.002	42	41	1	0	0.003	0.001	0.001	.	0
		Formetanate (sum)	0.002	0.002	42	41	1	0	0.004	0.001	0.001	0.05	0
		Imazalil	0.002	0.002	42	41	1	0	0.170	0.005	0.001	3	0
		Imidacloprid	0.002	0.002	42	39	3	0	0.022	0.002	0.001	0.5	0
		Metalaxyl (sum)	0.002	0.002	42	40	2	0	0.007	0.001	0.001	0.05	0
		Pencycuron	0.002	0.002	42	40	2	0	0.029	0.002	0.001	0.1	0
		Propamocarb (sum)	0.002	0.002	42	11	31	0	0.025	0.007	0.007	0.5	0
		Thiabendazole	0.002	0.002	42	41	1	0	0.110	0.004	0.001	15	0
		Tolclofos-methyl	0.008	0.008	42	41	1	0	0.008	0.004	0.004	0.2	0
	Radishes	Azoxystrobin	0.002	0.002	2	0	2	0	0.016	0.013	0.013	1	0
			0.002	0.002	8	8	0	0	0.001	0.001	0.001	0.2	0
		Boscalid	0.002	0.002	10	8	2	0	0.024	0.005	0.001	1	0
		DDE, p,p-	0.002	0.002	10	8	2	0	0.010	0.002	0.001	.	0
		DDT (sum)	0.002	0.002	10	8	2	0	0.010	0.002	0.001	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum (fruit, vegetables, other plant origin)

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
		Dimethoate	0.002	0.002	10	9	1	0	0.009	0.002	0.001	.	0
		Dimethoate (sum)	0.002	0.002	10	9	1	0	0.012	0.002	0.001	0.02	0
		Dimethomorph	0.002	0.002	10	8	2	0	0.017	0.003	0.001	1	0
		Metalaxyl (sum)	0.002	0.002	10	8	2	0	0.019	0.004	0.001	0.1	0
		Omethoate	0.002	0.002	10	9	1	0	0.003	0.001	0.001	.	0
Stem vegetables, fresh	Leek	Azoxystrobin	0.002	0.002	18	16	2	0	0.024	0.003	0.001	2	0
			0.002	0.002	8	7	1	0	0.005	0.002	0.001	10	0
		Boscalid	0.002	0.002	26	14	12	0	0.150	0.021	0.001	5	0
		Bromide ion	5.000	5.000	13	9	4	0	11.000	4.277	2.500	30	0
		Cyprodinil	0.002	0.002	26	25	0	1	0.056	0.003	0.001	0.05	0
		Difenoconazole	0.002	0.002	26	22	4	0	0.063	0.007	0.001	0.5	0
		Dithiocarbamates	0.030	0.030	16	7	9	0	2.010	0.221	0.040	3	0
			0.030	0.030	1	1	0	0	0.015	0.015	0.015	0.5	0
		Fluazifop	0.002	0.002	26	25	1	0	0.003	0.001	0.001	.	0
		Fluazifop-P-butyl (sum)	0.002	0.002	26	25	1	0	0.002	0.001	0.001	0.2	0
		Fludioxonil	0.002	0.002	26	25	1	0	0.023	0.002	0.001	0.05	0
		Haloxyfop	0.002	0.002	26	25	1	0	0.011	0.001	0.001	.	0
		Methiocarb (sum)	0.002	0.002	26	25	1	0	0.005	0.001	0.001	0.2	0
		Methiocarb-Sulfoxid	0.002	0.002	26	25	1	0	0.005	0.001	0.001	.	0
		Pyraclostrobin	0.002	0.002	26	21	5	0	0.035	0.005	0.001	0.5	0
		Spinosad (sum)	0.008	0.008	26	25	1	0	0.008	0.004	0.004	0.5	0
		Tebuconazole	0.008	0.008	26	17	9	0	0.100	0.015	0.004	1	0
		Thiabendazole	0.002	0.002	26	25	0	1	0.150	0.007	0.001	0.05	1
		Trifloxystrobin	0.002	0.002	26	24	2	0	0.018	0.002	0.001	0.2	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum (fruit, vegetables, other plant origin)

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
Stone fruit	Apricots	2,4-D (sum)	0.008	0.008	4	3	1	0	0.028	0.010	0.004	0.05	0
		Captan	0.040	0.040	4	3	1	0	0.085	0.036	0.020	3	0
		Carbendazim	0.008	0.008	4	3	1	0	0.009	0.005	0.004	.	0
		Carbendazim and benomyl	0.008	0.008	4	3	1	0	0.009	0.005	0.004	0.2	0
		Cypermethrin (sum)	0.040	0.040	4	3	1	0	0.170	0.058	0.020	2	0
		Dodine	0.002	0.002	4	3	1	0	0.012	0.004	0.001	5	0
		Etofenprox	0.002	0.002	4	3	1	0	0.017	0.005	0.001	1	0
		Fenbuconazole	0.002	0.002	4	2	2	0	0.008	0.005	0.005	1	0
		Imidacloprid	0.002	0.002	4	3	1	0	0.006	0.002	0.001	0.5	0
		Myclobutanil	0.008	0.008	4	3	1	0	0.041	0.013	0.004	0.3	0
		Teflubenzuron	0.002	0.002	4	3	1	0	0.100	0.026	0.001	1	0
		Triflumuron	0.008	0.008	4	3	1	0	0.012	0.006	0.004	1	0
	Peaches	Acetamiprid	0.002	0.002	28	27	1	0	0.011	0.001	0.001	0.1	0
		Bitertanol	0.008	0.008	28	26	2	0	0.046	0.006	0.004	1	0
		Boscalid	0.002	0.002	28	25	3	0	0.240	0.015	0.001	3	0
		Bupirimate	0.002	0.002	28	27	1	0	0.014	0.001	0.001	0.2	0
		Captan	0.040	0.040	28	27	0	1	3.200	0.134	0.020	0.02	1
		Carbendazim	0.008	0.008	28	27	1	0	0.044	0.005	0.004	.	0
		Carbendazim and benomyl	0.008	0.008	28	27	1	0	0.044	0.005	0.004	0.2	0
		Chlorothalonil	0.008	0.008	28	26	2	0	0.580	0.027	0.004	1	0
		Chlorpyrifos	0.002	0.002	28	15	13	0	0.140	0.010	0.001	0.2	0
		Chlorpyrifos-methyl	0.002	0.002	28	26	2	0	0.010	0.002	0.001	0.5	0
		Cypermethrin (sum)	0.040	0.040	28	27	1	0	0.280	0.029	0.020	2	0
		Cyprodinil	0.002	0.002	28	26	2	0	0.190	0.009	0.001	2	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum (fruit, vegetables, other plant origin)

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
		Difenoconazole	0.002	0.002	28	26	2	0	0.009	0.001	0.001	0.5	0
		Dithiocarbamates	0.030	0.030	15	13	2	0	0.220	0.030	0.015	2	0
		Dodine	0.002	0.002	28	26	2	0	0.010	0.001	0.001	5	0
		Etofenprox	0.002	0.002	28	24	4	0	0.150	0.007	0.001	0.5	0
		Fenbuconazole	0.002	0.002	28	24	4	0	0.018	0.002	0.001	0.5	0
		Fenhexamid	0.002	0.002	28	22	6	0	0.110	0.007	0.001	5	0
		Fludioxonil	0.002	0.002	28	25	3	0	0.370	0.017	0.001	7	0
		Flusilazole	0.002	0.002	8	8	0	0	0.001	0.001	0.001	0.2	0
			0.002	0.002	20	19	1	0	0.006	0.001	0.001	0.05	0
		Hexaconazole	0.002	0.002	28	27	0	1	0.024	0.002	0.001	0.02	0
		Imidacloprid	0.002	0.002	28	26	2	0	0.170	0.007	0.001	0.5	0
		Iprodione	0.040	0.040	28	25	3	0	2.900	0.169	0.020	3	0
		Lambda-Cyhalothrin	0.008	0.008	28	27	1	0	0.011	0.004	0.004	0.2	0
		Methiocarb	0.002	0.002	28	27	1	0	0.240	0.010	0.001	.	0
		Methiocarb (sum)	0.002	0.002	28	27	0	1	0.410	0.016	0.001	0.2	0
		Methiocarb-Sulfoxid	0.002	0.002	28	27	1	0	0.180	0.007	0.001	.	0
		Methoxyfenozide	0.002	0.002	28	24	4	0	0.110	0.009	0.001	0.3	0
		Penconazole	0.002	0.002	28	27	1	0	0.002	0.001	0.001	0.1	0
		Propargite	0.008	0.008	28	27	1	0	0.019	0.005	0.004	4	0
		Propiconazole	0.002	0.002	28	27	1	0	0.021	0.002	0.001	0.2	0
		Pyraclostrobin	0.002	0.002	28	26	2	0	0.059	0.004	0.001	0.2	0
		Pyrimethanil	0.002	0.002	28	27	1	0	0.280	0.011	0.001	10	0
		Spinosad (sum)	0.008	0.008	28	27	1	0	0.012	0.004	0.004	1	0
		Tebuconazole	0.008	0.008	28	19	9	0	0.150	0.022	0.004	1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C1: Results of national programme for unprocessed conventional products where residues were detected

ProductClass=Sum (fruit, vegetables, other plant origin)

ProductGroup	Product	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	MRL	Non Compliant
		Tebufenpyrad	0.002	0.002	28	27	1	0	0.015	0.002	0.001	0.3	0
		Teflubenzuron	0.002	0.002	28	24	4	0	0.028	0.004	0.001	1	0
		Thiabendazole	0.002	0.002	28	27	1	0	0.015	0.002	0.001	0.05	0
		Thiacloprid	0.002	0.002	28	27	1	0	0.010	0.001	0.001	0.3	0
		Thiophanate-methyl	0.008	0.008	28	27	1	0	0.023	0.005	0.004	2	0
		Triflumuron	0.008	0.008	28	22	6	0	0.088	0.012	0.004	1	0
	Plums	Etofenprox	0.002	0.002	4	3	1	0	0.025	0.007	0.001	1	0
		Teflubenzuron	0.002	0.002	4	3	1	0	0.013	0.004	0.001	1	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C2: Results of national programme organic products where residues were detected

ProductClass=Babyfood

ProductGroup	*Product*	*Treatment*	*Compound*	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Babyfood	Babyfood	Processed	Lambda-Cyhalothrin	0.004	0.008	12	11	1	0	0.004	0.004	0.004	0.01	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C2: Results of national programme organic products where residues were detected

ProductClass=Cereals

ProductGroup	*Product*	*Treatment*	*Compound*	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Cereals	Barley	Unprocessed	Chlorpyrifos	0.002	0.002	4	0	4	0	0.004	0.003	0.004	0.2	0
			Epoxiconazole	0.002	0.002	4	1	3	0	0.014	0.009	0.011	1	0
			Fenpropimorph	0.002	0.002	4	0	4	0	0.005	0.005	0.005	0.5	0
	Other cereals	Unprocessed	Chlorpyrifos	0.002	0.002	3	2	1	0	0.002	0.001	0.001	0.2	0
				0.002	0.002	12	12	0	0	0.001	0.001	0.001	0.05	0
			Epoxiconazole	0.002	0.002	7	6	1	0	0.009	0.002	0.001	1	0
				0.002	0.002	8	8	0	0	0.001	0.001	0.001	0.2	0
			Fenpropimorph	0.002	0.002	15	14	1	0	0.004	0.001	0.001	0.5	0
			Piperonyl Butoxide	0.002	0.002	15	14	1	0	0.020	0.002	0.001	.	0
	Rice	Unprocessed	Imidacloprid	0.002	0.002	5	4	1	0	0.005	0.002	0.001	0.05	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C2: Results of national programme organic products where residues were detected

ProductClass=Sum (fruit, vegetables, other plant origin)

ProductGroup	*Product*	*Treatment*	*Compound*	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*MRL*	*Non Compliant*
Fruiting vegetables	Tomatoes	Processed	Chlorpyrifos	0.002	0.002	1	0	1	0	0.007	0.007	0.007	0.5	0
			Triadimefon (sum)	0.008	0.008	1	0	1	0	0.012	0.012	0.012	0.3	0
			Triadimenol	0.008	0.008	1	0	1	0	0.012	0.012	0.012	.	0
Oilseeds	Pumpkin seeds	Dehydration	Endosulfan (sum)	0.002	0.002	1	0	1	0	0.021	0.021	0.021	0.1	0
			Endosulfansulfate	0.002	0.002	1	0	1	0	0.017	0.017	0.017	.	0
			Trifluralin	0.008	0.008	1	0	1	0	0.009	0.009	0.009	0.1	0
			alpha-Endosulfan	0.002	0.002	1	0	1	0	0.004	0.004	0.004	.	0
Pome fruit	Apples	Unprocessed	Flufenoxuron	0.002	0.002	6	5	1	0	0.004	0.002	0.001	0.5	0
	Pears	Unprocessed	Chlorpyrifos	0.002	0.002	3	2	1	0	0.010	0.004	0.001	0.5	0
			Piperonyl Butoxide	0.002	0.002	3	2	1	0	0.076	0.026	0.001	.	0
Root and tuber vegetables	Carrots	Unprocessed	Boscalid	0.002	0.002	10	9	1	0	0.003	0.001	0.001	1	0
			DDE, p,p-	0.002	0.002	10	8	2	0	0.043	0.006	0.001	.	0
			DDT (sum)	0.002	0.002	10	8	1	1	0.052	0.008	0.001	0.05	0
			DDT, o,p-	0.002	0.002	10	9	1	0	0.002	0.001	0.001	.	0
			DDT, p,p-	0.002	0.002	10	8	2	0	0.003	0.001	0.001	.	0
			Linuron	0.002	0.002	10	9	1	0	0.023	0.003	0.001	0.2	0
			Pendimethalin	0.008	0.008	10	8	2	0	0.013	0.005	0.004	0.2	0
			Quizalofop (including Quizalfop-P)	0.002	0.002	10	9	1	0	0.004	0.001	0.001	0.4	0
	Potatoes	Unprocessed	Imazalil	0.002	0.002	7	6	1	0	0.003	0.001	0.001	3	0
			Thiabendazole	0.002	0.002	7	6	1	0	0.013	0.003	0.001	15	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C3: Results of national programme processed conventional products where residues were detected

ProductClass=Animal Products

ProductGroup	*Product*	*Treatment*	*Compound*	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*Non Compliant*
Bovine	Bovine Liver	Unknown	DDT (sum)	0.001	0.001	2	1	1	0	0.001	0.001	0.001	0
Milk products	Milk products	Unknown	DDT (sum)	0.001	0.001	25	15	10	0	0.011	0.003	0.001	0
			Hexachlorobenzene	0.001	0.001	25	16	9	0	0.005	0.001	0.001	0
Swine	Swine Liver	Unknown	DDT (sum)	0.001	0.001	2	1	1	0	0.002	0.001	0.001	0
	Swine Meat	Unknown	DDT (sum)	0.001	0.001	15	6	9	0	0.639	0.046	0.002	0
			Hexachlorobenzene	0.001	0.001	15	9	6	0	0.008	0.002	0.001	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C3: Results of national programme processed conventional products where residues were detected

ProductClass=Babyfood

ProductGroup	*Product*	*Treatment*	*Compound*	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*Non Compliant*
Babyfood	Babyfood	Processed	Boscalid	0.002	0.002	22	21	1	0	0.003	0.001	0.001	0
			Dithiocarbamates	0.010	0.030	22	21	1	0	0.030	0.007	0.005	0
			Flufenoxuron	0.002	0.002	22	21	1	0	0.003	0.001	0.001	0
			Propamocarb (sum)	0.002	0.002	22	21	1	0	0.003	0.001	0.001	0
Infant formulae	Infant formulae	Processed	Procymidone	0.002	0.002	9	8	1	0	0.002	0.001	0.001	0

Table C3: Results of national programme processed conventional products where residues were detected

ProductClass=Cereals

ProductGroup	*Product*	*Treatment*	*Compound*	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*Non Compliant*
Cereals	Other cereals	Cooking in air (Baking)	Piperonyl Butoxide	0.002	0.002	5	4	1	0	0.006	0.002	0.001	0
			Pirimiphos-methyl	0.008	0.008	5	4	1	0	0.010	0.005	0.004	0
		Processed	Carbendazim	0.008	0.008	5	4	1	0	0.014	0.006	0.004	0
			Carbendazim and benomyl	0.008	0.008	5	4	0	1	0.014	0.006	0.004	0
			Chlorpyrifos-methyl	0.008	0.008	5	4	1	0	0.038	0.011	0.004	0
			Piperonyl Butoxide	0.002	0.002	5	4	1	0	0.011	0.003	0.001	0
	Wheat	Cooking in air (Baking)	Chlorpyrifos-methyl	0.008	0.008	8	7	1	0	0.010	0.005	0.004	0
			Fenhexamid	0.002	0.002	8	7	1	0	0.022	0.004	0.001	0
			Pirimiphos-methyl	0.008	0.008	8	6	2	0	0.011	0.006	0.004	0
		Milling	Chlorpyrifos	0.002	0.002	5	4	1	0	0.002	0.001	0.001	0
			Pirimiphos-methyl	0.008	0.008	5	3	2	0	0.219	0.051	0.004	0

Table C3: Results of national programme processed conventional products where residues were detected

ProductClass=Fish products

ProductGroup	*Product*	*Treatment*	*Compound*	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*Non Compliant*
Fish and fish products	Fish and fish products	Unknown	DDT (sum)	0.001	0.001	5	3	2	0	0.016	0.004	0.001	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C3: Results of national programme processed conventional products where residues were detected

ProductClass=Sum (fruit, vegetables, other plant origin)

ProductGroup	Product	Treatment	Compound	Min LOQ	Max LOQ	Total	Below LOQ	Between LOQ and MRL	Above MRL	Max Residue Level	Mean Residue Level	Median Residue Level	Non Compliant
Citrus fruit	Oranges	Juicing	Carbendazim	0.008	0.008	5	3	2	0	0.014	0.008	0.004	0
			Carbendazim and benomyl	0.008	0.008	5	3	2	0	0.014	0.008	0.004	0
Fruiting vegetables	Gherkins	Pickling	Azoxystrobin	0.002	0.002	17	14	3	0	0.012	0.002	0.001	0
			Bifenthrin	0.008	0.008	17	16	1	0	0.018	0.005	0.004	0
			Boscalid	0.002	0.002	17	16	1	0	0.004	0.001	0.001	0
			Chlorpyrifos	0.002	0.002	17	15	2	0	0.008	0.002	0.001	0
			Clothianidin	0.002	0.002	17	16	1	0	0.015	0.002	0.001	0
			Dimethoate	0.002	0.002	17	16	1	0	0.013	0.002	0.001	0
			Dimethoate (sum)	0.002	0.002	17	15	2	0	0.013	0.002	0.001	0
			Dimethomorph	0.002	0.002	17	13	4	0	0.030	0.004	0.001	0
			Imidacloprid	0.002	0.002	17	16	1	0	0.013	0.002	0.001	0
			Metalaxyl (sum)	0.002	0.002	17	14	3	0	0.028	0.004	0.001	0
			Omethoate	0.002	0.002	17	16	1	0	0.004	0.001	0.001	0
			Penconazole	0.002	0.002	17	16	1	0	0.008	0.001	0.001	0
			Propamocarb (sum)	0.002	0.002	17	4	13	0	0.860	0.166	0.180	0
			Pyridaben	0.002	0.002	17	16	1	0	0.016	0.002	0.001	0
			Pyrimethanil	0.002	0.002	17	16	1	0	0.008	0.001	0.001	0
			Tetraconazole	0.002	0.002	17	16	1	0	0.006	0.001	0.001	0
			Thiametoxam	0.008	0.008	17	15	2	0	0.025	0.006	0.004	0
			Thiametoxam (sum)	0.008	0.008	17	15	2	0	0.024	0.006	0.004	0
Pome fruit	Apples	Juicing	Carbendazim	0.008	0.008	3	1	2	0	0.021	0.012	0.012	0
			Carbendazim and benomyl	0.008	0.008	3	1	2	0	0.021	0.012	0.012	0
			Dimethoate (sum)	0.002	0.002	3	2	1	0	0.003	0.002	0.001	0
			Methidathion	0.002	0.002	3	2	1	0	0.003	0.002	0.001	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table C3: Results of national programme processed conventional products where residues were detected

ProductClass=Sum (fruit, vegetables, other plant origin)

ProductGroup	*Product*	*Treatment*	*Compound*	*Min LOQ*	*Max LOQ*	*Total*	*Below LOQ*	*Between LOQ and MRL*	*Above MRL*	*Max Residue Level*	*Mean Residue Level*	*Median Residue Level*	*Non Compliant*
			Omethoate	0.002	0.002	3	2	1	0	0.003	0.002	0.001	0
Spices	Spices	Dehydration	Chlorpyrifos	0.002	0.002	2	1	1	0	0.150	0.076	0.076	0
			Tetradifon	0.002	0.002	2	1	1	0	0.025	0.013	0.013	0
Tea	Tea	Dehydration	2,4-D (sum)	0.008	0.008	4	3	1	0	0.055	0.017	0.004	0
			Acetamiprid	0.002	0.002	4	3	1	0	0.003	0.002	0.001	0
			Bifenthrin	0.008	0.008	4	3	1	0	0.026	0.010	0.004	0
			Bromopropylate	0.002	0.002	4	3	1	0	0.003	0.002	0.001	0
			Cypermethrin (sum)	0.040	0.040	4	3	1	0	0.093	0.038	0.020	0
			Dicofol (sum)	0.040	0.040	4	3	1	0	0.660	0.180	0.020	0
			Ethion	0.002	0.002	4	2	2	0	0.033	0.010	0.003	0
			Imidacloprid	0.002	0.002	4	3	1	0	0.016	0.005	0.001	0
			Lambda-Cyhalothrin	0.008	0.008	4	3	1	0	0.022	0.009	0.004	0

For mean and median residue level calculations when results were below limit of detection LOQ/2 was substituted
All results expressed in mg/kg

Table D: Reported exceedences of MRL for surveillance and enforcement samples

Strategy=Enforcement

Sample Code	*ORIGCOUNTRY*	*Product*	*Sampling point*	*Treatment*	*Organic*	*Residue*	*LOQ*	*Level*	*Unit*	*MRL*	*Result Evaluation*
D006-50970/10/A01	HU	Peppers	Retail sale	Unprocessed		Oxamyl	0.002	0.066	mg/kg	0.02	Non compliant

Non compliant samples represent samples above MRL when measurement uncertainty has been taken into consideration. Numerical exceedences represent samples above MRL that are deemed to be compliant when measurement uncertainty has been taken into consideration

Table D: Reported exceedences of MRL for surveillance and enforcement samples

Strategy=Surveillance

Sample Code	*ORIGCOUNTRY*	*Product*	*Sampling point*	*Treatment*	*Organic*	*Residue*	*LOQ*	*Level*	*Unit*	*MRL*	*Result Evaluation*
D031-60204/10/A01	US	Other cereals	Retail sale	Processed		Carbendazim and benomyl	0.008	0.014	mg/kg	0.01	Numerical exceedence
D001-60599/10/A05	CZ	Apples	Distribution: wholesale and retail sale	Unprocessed		Fenitrothion	0.002	0.021	mg/kg	0.01	Non compliant
D002-80336/10/A01	CZ	Apples	Manufacturing	Unprocessed		Phosalone	0.008	0.076	mg/kg	0.05	Numerical exceedence
D035-30514/10/A03	NL	Brussels sprouts	Retail sale	Unprocessed		Imazalil	0.002	0.069	mg/kg	0.05	Numerical exceedence
D035-30514/10/A03	NL	Brussels sprouts	Retail sale	Unprocessed		Thiabendazole	0.002	0.220	mg/kg	0.05	Non compliant
D041-50562/10/A01	CZ	Carrots	Distribution: wholesale and retail sale	Unprocessed	Y	DDT (sum)	0.002	0.052	mg/kg	0.05	Numerical exceedence
D016-60559/10/A06	GR	Cucumbers	Retail sale	Unprocessed		Formetanate (sum)	0.002	0.160	mg/kg	0.05	Non compliant
D025-50562/10/A02	HU	Cucumbers	Distribution: wholesale and retail sale	Unprocessed		Oxamyl	0.002	0.024	mg/kg	0.02	Numerical exceedence
D027-60202/10/A04	CZ	Head cabbage	Distribution: wholesale and retail sale	Unprocessed		Cyproconazole	0.002	0.110	mg/kg	0.05	Non compliant
D027-60202/10/A04	CZ	Head cabbage	Distribution: wholesale and retail sale	Unprocessed		Methoxyfenozide	0.002	0.130	mg/kg	0.02	Non compliant
D012-70154/10/A01	FR	Leek	Retail sale	Unprocessed		Cyprodinil	0.002	0.056	mg/kg	0.05	Numerical exceedence
D012-70154/10/A01	FR	Leek	Retail sale	Unprocessed		Thiabendazole	0.002	0.150	mg/kg	0.05	Non compliant
D004-60059/10/A08	DE	Parsley	Retail sale	Unprocessed		Pendimethalin	0.008	0.056	mg/kg	0.05	Numerical exceedence
D010-30391/10/A01	TR	Peaches	Distribution: wholesale and retail sale	Unprocessed		Captan	0.040	3.200	mg/kg	0.02	Non compliant

Non compliant samples represent samples above MRL when measurement uncertainty has been taken into consideration. Numerical exceedences represent samples above MRL that are deemed to be compliant when measurement uncertainty has been taken into consideration

Table D: Reported exceedences of MRL for surveillance and enforcement samples

Strategy=Surveillance

Sample Code	*ORIGCOUNTRY*	*Product*	*Sampling point*	*Treatment*	*Organic*	*Residue*	*LOQ*	*Level*	*Unit*	*MRL*	*Result Evaluation*
D010-30391/10/A01	TR	Peaches	Distribution: wholesale and retail sale	Unprocessed		Hexaconazole	0.002	0.024	mg/kg	0.02	Numerical exceedence
D010-30391/10/A02	TR	Peaches	Distribution: wholesale and retail sale	Unprocessed		Methiocarb (sum)	0.002	0.410	mg/kg	0.20	Numerical exceedence
D036-40464/10/A01	CZ	Peas (with pods)	Retail sale	Unprocessed		Propamocarb (sum)	0.002	0.290	mg/kg	0.10	Non compliant
D003-30087/10/A05	TR	Peppers	Distribution: wholesale and retail sale	Unprocessed		Oxamyl	0.002	0.058	mg/kg	0.02	Non compliant
D004-50970/10/A04	TR	Peppers	Retail sale	Unprocessed		Formetanate (sum)	0.002	0.830	mg/kg	0.05	Non compliant
D005-30391/10/A05	TR	Peppers	Distribution: wholesale and retail sale	Unprocessed		Formetanate (sum)	0.002	0.270	mg/kg	0.05	Non compliant
D022-50374/10/A02	TR	Peppers	Distribution: wholesale and retail sale	Unprocessed		Clofentezine	0.002	0.021	mg/kg	0.02	Numerical exceedence
D022-50374/10/A02	TR	Peppers	Distribution: wholesale and retail sale	Unprocessed		Formetanate (sum)	0.002	0.260	mg/kg	0.05	Non compliant
D060-40464/10/A02	IL	Pomegranate	Distribution: wholesale and retail sale	Unprocessed		Lambda-Cyhalothrin	0.008	0.058	mg/kg	0.02	Non compliant
D020-40157/10/A06	NL	Potatoes	Distribution: wholesale and retail sale	Unprocessed		Chlorpropham (sum)	0.108	14.400	mg/kg	10.00	Numerical exceedence
D003-30391/10/A07	ZA	Table grapes	Distribution: wholesale and retail sale	Unprocessed		Bromopropylate	0.002	0.017	mg/kg	0.01	Numerical exceedence
D008-30391/10/A01	IN	Table grapes	Distribution: wholesale and retail sale	Unprocessed		Chlormequat	0.020	0.240	mg/kg	0.05	Non compliant

Non compliant samples represent samples above MRL when measurement uncertainty has been taken into consideration. Numerical exceedences represent samples above MRL that are deemed to be compliant when measurement uncertainty has been taken into consideration

Table D: Reported exceedences of MRL for surveillance and enforcement samples

Strategy=Surveillance

Sample Code	*ORIGCOUNTRY*	*Product*	*Sampling point*	*Treatment*	*Organic*	*Residue*	*LOQ*	*Level*	*Unit*	*MRL*	*Result Evaluation*
D012-30087/10/A01	IN	Table grapes	Distribution: wholesale and retail sale	Unprocessed		Chlormequat	0.020	0.240	mg/kg	0.05	Non compliant
D013-60599/10/A02	IT	Table grapes	Retail sale	Unprocessed		Fenhexamid	0.002	5.300	mg/kg	5.00	Numerical exceedence
D025-40347/10/A01	IN	Table grapes	Retail sale	Unprocessed		Chlormequat	0.020	0.250	mg/kg	0.05	Non compliant
D004-80738/10/A01	ES	Tomatoes	Distribution: wholesale and retail sale	Unprocessed		Bifenthrin	0.008	0.300	mg/kg	0.20	Numerical exceedence
D008-60559/10/A10	NL	Tomatoes	Distribution: wholesale and retail sale	Unprocessed		Pyraclostrobin	0.002	0.360	mg/kg	0.20	Numerical exceedence
D018-40347/10/A04	TR	Tomatoes	Distribution: wholesale and retail sale	Unprocessed		Acetamiprid	0.002	0.130	mg/kg	0.10	Numerical exceedence
D027-80846/10/A09	CZ	Tomatoes	Distribution: wholesale and retail sale	Unprocessed		Spiroxamine	0.002	0.054	mg/kg	0.05	Numerical exceedence

Table E1: Number of residues detected by product

Product Class	*Product*	*Processed*	*n0*	*n1*	*n2*	*n3*	*n4*	*n5*	*n6*	*n7*	*n8*	*n9*	*n10*	*n11*	*n12*	*n13*
Animal products	Bovine Liver	Y	1	1	.	.	.	.	.	.	.	.	.	.	.	.
Animal products	Bovine Meat	Y	4	.	.	.	.	.	.	.	.	.	.	.	.	.
Animal products	Eggs Chicken	Y	7	.	.	.	.	.	.	.	.	.	.	.	.	.
Animal products	Honey	Y	5	.	.	.	.	.	.	.	.	.	.	.	.	.
Animal products	Milk products	Y	15	1	9	.	.	.	.	.	.	.	.	.	.	.
Animal products	Poultry Meat	Y	6	.	.	.	.	.	.	.	.	.	.	.	.	.
Animal products	Sheep Liver	Y	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Animal products	Swine Liver	Y	1	1	.	.	.	.	.	.	.	.	.	.	.	.
Animal products	Swine Meat	Y	6	3	6	.	.	.	.	.	.	.	.	.	.	.
Baby and infant food	Babyfood	Y	29	5	.	.	.	.	.	.	.	.	.	.	.	.
Baby and infant food	Infant formulae	Y	15	1	.	.	.	.	.	.	.	.	.	.	.	.
Baby and infant food	Processed cereal-based foods	Y	8	.	.	.	.	.	.	.	.	.	.	.	.	.
Cereals	Barley		4	5	4	3	.	.	.	.	.	.	.	.	.	.
Cereals	Buckwheat		1	.	.	.	.	.	.	.	.	.	.	.	.	.
Cereals	Maize		6	2	.	.	.	.	.	.	.	.	.	.	.	.
Cereals	Maize	Y	5	.	.	.	.	.	.	.	.	.	.	.	.	.
Cereals	Oats		11	4	.	.	.	.	.	.	.	.	.	.	.	.
Cereals	Other cereals		20	2	.	1	.	.	.	.	.	.	.	.	.	.
Cereals	Other cereals	Y	7	5	.	.	.	.	.	.	.	.	.	.	.	.
Cereals	Rice		6	3	.	.	1	.	.	.	.	.	.	.	.	.
Cereals	Rye		23	11	2	.	.	.	.	.	.	.	.	.	.	.
Cereals	Rye	Y	3	.	.	.	.	.	.	.	.	.	.	.	.	.
Cereals	Wheat		7	6	3	.	.	.	.	.	.	.	.	.	.	.
Cereals	Wheat	Y	9	3	2	.	.	.	.	.	.	.	.	.	.	.
Fish products	Fish and fish products	Y	3	2	.	.	.	.	.	.	.	.	.	.	.	.
Fruit and Nuts	Apples		6	5	7	8	5	7	2	7	2	2	1	1	.	.
Fruit and Nuts	Apples	Y	1	1	.	1	.	.	.	.	.	.	.	.	.	.

Column nX indicates number of residues detected in product.
To avoid duplicates residues marked as part of sum are excluded

Table E1: Number of residues detected by product

Product Class	*Product*	*Processed*	*n0*	*n1*	*n2*	*n3*	*n4*	*n5*	*n6*	*n7*	*n8*	*n9*	*n10*	*n11*	*n12*	*n13*
Fruit and Nuts	Apricots		.	1	1	.	1	1	.	.	.	.	.	.	.	.
Fruit and Nuts	Bananas		1	2	4	2	1	.	.	.	.	.	.	.	.	.
Fruit and Nuts	Grapefruit		.	.	.	1	1	1	.	1	.	.	.	.	.	.
Fruit and Nuts	Kiwi		3	4	2	.	.	.	.	.	.	.	.	.	.	.
Fruit and Nuts	Lemons		2	.	.	.	1	.	2	1	1	.	.	.	.	.
Fruit and Nuts	Lychee (Litchi)		3	.	.	.	.	.	.	.	.	.	.	.	.	.
Fruit and Nuts	Mandarins		.	1	3	5	1	1	3	.	.	.	.	.	.	.
Fruit and Nuts	Mangoes		.	.	4	1	.	.	.	.	.	.	.	.	.	.
Fruit and Nuts	Miscellaneous fruit		.	1	.	.	.	1	.	.	.	.	.	.	.	.
Fruit and Nuts	Oranges		1	1	4	4	4	2	2	.	.	.	.	.	.	.
Fruit and Nuts	Oranges	Y	4	2	.	.	.	.	.	.	.	.	.	.	.	.
Fruit and Nuts	Papaya		.	.	1	.	.	1	.	.	.	.	.	.	.	.
Fruit and Nuts	Peaches		.	5	2	7	6	7	1	.	.	.	.	.	.	.
Fruit and Nuts	Pears		13	.	2	2	.	.	1	1	2	.	.	.	.	.
Fruit and Nuts	Pineapples		.	3	1	1	.	.	.	.	.	.	.	.	.	.
Fruit and Nuts	Plums		4	.	1	.	.	.	.	.	.	.	.	.	.	.
Fruit and Nuts	Pomegranate		.	.	.	.	1	.	.	.	.	.	.	.	.	.
Fruit and Nuts	Strawberries		3	3	.	4	1	2	3	1	.	.	.	.	.	1
Fruit and Nuts	Table grapes		2	4	1	4	.	3	.	2	.	.	.	.	1	.
Infusions	Other herbal infusions	Y	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Infusions	Tea	Y	1	1	.	1	.	.	1	.	.	.	.	.	.	.
Oil plants	Pumpkin seeds		1	.	.	.	.	.	.	.	.	.	.	.	.	.
Oil plants	Pumpkin seeds	Y	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Oil plants	Soya bean		6	1	.	2	.	.	.	.	.	.	.	.	.	.
Oil plants	Sunflower seed		2	.	.	.	.	.	.	.	.	.	.	.	.	.
Oil plants	Sunflower seed	Y	5	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulses	Beans (dry)		.	.	1	.	.	.	.	.	.	.	.	.	.	.

Column nX indicates number of residues detected in product.
To avoid duplicates residues marked as part of sum are excluded

Table E1: Number of residues detected by product

Product Class	*Product*	*Processed*	*n0*	*n1*	*n2*	*n3*	*n4*	*n5*	*n6*	*n7*	*n8*	*n9*	*n10*	*n11*	*n12*	*n13*
Pulses	Peas (dry)		1	.	.	.	.	.	.	.	.	.	.	.	.	.
Spices	Spices	Y	2	.	1	.	.	.	.	.	.	.	.	.	.	.
Vegetables	Aubergines (egg plants)		5	4	4	1	3	1	.	.	.	.	.	.	.	.
Vegetables	Beans (with pods)		8	6	1	.	1	.	.	.	.	.	.	.	.	.
Vegetables	Beans (without pods)		1	1	.	.	.	.	.	.	.	.	.	.	.	.
Vegetables	Broccoli		5	2	1	.	2	.	.	.	.	.	.	.	.	.
Vegetables	Brussels sprouts		.	1	3	1	2	.	1	.	.	.	.	.	.	.
Vegetables	Carrots		19	7	10	8	3	2	1	.	.	.	.	.	.	.
Vegetables	Cauliflower		13	4	1	.	.	.	.	.	.	.	.	.	.	.
Vegetables	Celeriac		.	.	4	5	.	1	.	.	.	.	.	.	.	.
Vegetables	Chinese cabbage		7	6	2	4	.	.	.	.	.	.	.	.	.	.
Vegetables	Cucumbers		4	6	10	6	3	2	6	2	1	.	.	.	.	.
Vegetables	Cultivated fungi		5	8	6	1	.	.	.	.	.	.	.	.	.	.
Vegetables	Garlic		15	3	1	.	.	.	.	.	.	.	.	.	.	.
Vegetables	Gherkins	Y	3	5	6	.	3	.	.	.	1	.	.	.	.	.
Vegetables	Head cabbage		9	19	7	1	.	2	1	.	.	.	.	.	.	.
Vegetables	Kale		.	1	.	.	.	.	.	.	.	.	.	.	.	.
Vegetables	Leek		4	8	5	4	2	1	2	.	.	.	.	.	.	.
Vegetables	Lettuce		6	8	8	5	4	1	1	4	1	.	1	1	.	.
Vegetables	Onions		18	7	2	2	1	.	.	.	.	.	.	.	.	.
Vegetables	Parsley		.	.	.	.	1	.	.	.	.	.	.	.	.	.
Vegetables	Parsley root		1	3	3	1	1	.	.	.	.	.	.	.	.	.
Vegetables	Parsnips		.	.	1	.	.	.	.	1	.	.	.	.	.	.
Vegetables	Peas (with pods)		4	3	2	1	.	.	.	.	.	.	.	.	.	.
Vegetables	Peas (without pods)		3	.	.	.	.	.	.	.	.	.	.	.	.	.
Vegetables	Peppers		10	9	4	7	1	2	2	1	1	2	1	.	.	.
Vegetables	Potatoes		14	22	10	3	.	.	.	.	.	.	.	.	.	.

Column nX indicates number of residues detected in product.
To avoid duplicates residues marked as part of sum are excluded

Table E1: Number of residues detected by product

Product Class	*Product*	*Processed*	*n0*	*n1*	*n2*	*n3*	*n4*	*n5*	*n6*	*n7*	*n8*	*n9*	*n10*	*n11*	*n12*	*n13*
Vegetables	Radishes		4	2	3	1	.	.	.	.	.	.	.	.	.	.
Vegetables	Spinach		11	8	5	2	.	.	.	.	.	.	.	.	.	.
Vegetables	Sweet corn	Y	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Vegetables	Tomatoes		20	6	2	8	7	4	2	3	2	2	.	2	2	.
Vegetables	Tomatoes	Y	.	.	1	.	.	.	.	.	.	.	.	.	.	.
			455	*239*	*164*	*108*	*57*	*42*	*31*	*24*	*11*	*6*	*3*	*4*	*3*	*1*

Column nX indicates number of residues detected in product.
To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Apples

Code	*Country*	*No Residues*	*Compound1*	*Compound2*	*Compound3*
D001-60599/10/A05	CZ	7	Pyrimethanil(0.008)	Flusilazole(0.015)	Pyraclostrobin(0.079)
D001-80038/10/A02	CZ	5	Methoxyfenozide(0.078)	Dithiocarbamates(0.07)	Pirimicarb (sum)(0.012)
D002-30514/10/A05	CZ	6	Dithiocarbamates(0.1)	Flufenoxuron(0.008)	Pirimicarb (sum)(0.004)
D002-60599/10/A01	CZ	7	Dithiocarbamates(0.04)	Pyrimethanil(0.039)	Fluquinconazole(0.007)
D002-80336/10/A01	CZ	4	Kresoxim-methyl(0.004)	Pyrimethanil(0.018)	Phosalone(0.076)
D003-30391/10/A01	CZ	4	Pyridaben(0.009)	Dodine(0.059)	Pirimicarb (sum)(0.014)
D003-30514/10/A01	CZ	5	Chlorpyrifos-methyl(0.003)	Cyprodinil(0.03)	Boscalid(0.004)

Code	*Compound4*	*Compound5*	*Compound6*	*Compound7*
D001-60599/10/A05	Diazinon(0.008)	Boscalid(0.16)	Dithiocarbamates(0.11)	Fenitrothion(0.021)
D001-80038/10/A02	Difenoconazole(0.003)	Indoxacarb(0.028)		
D002-30514/10/A05	Pyrimethanil(0.006)	Fluquinconazole(0.002)	Difenoconazole(0.003)	
D002-60599/10/A01	Cyprodinil(0.003)	Pirimicarb (sum)(0.029)	Methoxyfenozide(0.032)	Bitertanol(0.015)
D002-80336/10/A01	Dodine(0.021)			
D003-30391/10/A01	Difenoconazole(0.002)			
D003-30514/10/A01	Fludioxonil(0.02)	Captan(0.046)		

Code	*Compound8*	*Compound9*	*Compound10*	*Compound11*	*Compound12*	*Compound13*
D001-60599/10/A05						
D001-80038/10/A02						
D002-30514/10/A05						
D002-60599/10/A01						
D002-80336/10/A01						
D003-30391/10/A01						
D003-30514/10/A01						

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Apples

Code	*Country*	*No Residues*	*Compound1*	*Compound2*	*Compound3*
D003-60202/10/A01	CZ	9	Tetraconazole(0.002)	Captan(0.046)	Difenoconazole(0.003)
D003-80738/10/A04	BE	9	Methoxyfenozide(0.02)	Captan(0.075)	Dithiocarbamates(0.06)
D004-40464/10/A01	CZ	5	Dithiocarbamates(0.19)	Iprodione(0.099)	Bupirimate(0.013)
D004-50562/10/A03	PL	10	Carbendazim and benomyl(0.12)	Difenoconazole(0.003)	Cyprodinil(0.004)
D004-80738/10/A04	PL	5	Chlorpyrifos-methyl(0.031)	Flusilazole(0.012)	Pyrimethanil(0.005)
D005-30391/10/A01	CZ	7	Difenoconazole(0.002)	Boscalid(0.045)	Pyraclostrobin(0.013)
D006-60559/10/A01	CZ	7	Flufenoxuron(0.013)	Triadimefon (sum)(0.016)	Fludioxonil(0.028)

Code	*Compound4*	*Compound5*	*Compound6*	*Compound7*
D003-60202/10/A01	Trifloxystrobin(0.054)	Dithiocarbamates(0.04)	Dodine(0.04)	Imazapyr(0.003)
D003-80738/10/A04	Dodine(0.007)	Fludioxonil(0.24)	Cyprodinil(0.16)	Triadimefon (sum)(0.02)
D004-40464/10/A01	Dodine(0.35)	Boscalid(0.009)		
D004-50562/10/A03	Pirimicarb (sum)(0.074)	Fenvalerate and Esfenvalerate (sum of RR and SS isom(0.027)	Pyrimethanil(0.095)	Flusilazole(0.004)
D004-80738/10/A04	Fludioxonil(0.004)	Dithiocarbamates(0.07)		
D005-30391/10/A01	Dodine(0.25)	Triflumuron(0.08)	Lufenuron(0.006)	Chlorpyrifos(0.006)
D006-60559/10/A01	Trifloxystrobin(0.011)	Cyprodinil(0.074)	Pirimicarb (sum)(0.095)	Methoxyfenozide(0.011)

Code	*Compound8*	*Compound9*	*Compound10*	*Compound11*	*Compound12*	*Compound13*
D003-60202/10/A01	Bitertanol(0.044)	Pirimicarb (sum)(0.1)				
D003-80738/10/A04	Pirimicarb (sum)(0.007)	Flufenoxuron(0.009)				
D004-40464/10/A01						
D004-50562/10/A03	Fenoxycarb(0.039)	Dithiocarbamates(0.13)	Dimethoate (sum)(0.02)			
D004-80738/10/A04						
D005-30391/10/A01						
D006-60559/10/A01						

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Apples

Code	*Country*	*No Residues*	*Compound1*	*Compound2*	*Compound3*
D006-70580/10/A01	CZ	2	Methoxyfenozide(0.007)	Dodine(0.028)	
D007-30087/10/A07	PL	2	Acetamiprid(0.005)	Pyrimethanil(0.092)	
D007-40294/10/A01	AT	2	Dodine(0.036)	Pyrimethanil(0.004)	
D008-60559/10/A01	CZ	8	Tetraconazole(0.014)	Methoxyfenozide(0.033)	Pyrimethanil(0.028)
D008-80175/10/A03	IT	3	Lufenuron(0.002)	Boscalid(0.051)	Pyraclostrobin(0.011)
D009-30409/10/A04	NL	4	Fludioxonil(0.026)	Dodine(0.073)	Cyprodinil(0.038)
D009-30514/10/A05	BE	11	Boscalid(0.042)	Pyraclostrobin(0.02)	Penconazole(0.002)

Code	*Compound4*	*Compound5*	*Compound6*	*Compound7*
D006-70580/10/A01				
D007-30087/10/A07				
D007-40294/10/A01				
D008-60559/10/A01	Bitertanol(0.077)	Fluquinconazole(0.003)	Cyprodinil(0.007)	Dithiocarbamates(0.04)
D008-80175/10/A03				
D009-30409/10/A04	Pirimicarb (sum)(0.018)			
D009-30514/10/A05	Difenoconazole(0.012)	Indoxacarb(0.036)	Pirimicarb (sum)(0.084)	Cyprodinil(0.19)

Code	*Compound8*	*Compound9*	*Compound10*	*Compound11*	*Compound12*	*Compound13*
D006-70580/10/A01						
D007-30087/10/A07						
D007-40294/10/A01						
D008-60559/10/A01	Pirimicarb (sum)(0.037)					
D008-80175/10/A03						
D009-30409/10/A04						
D009-30514/10/A05	Myclobutanil(0.017)	Fludioxonil(0.12)	Flufenoxuron(0.017)	Fenoxycarb(0.004)		

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Apples

Code	*Country*	*No Residues*	*Compound1*	*Compound2*	*Compound3*
D009-70239/10/A01	CZ	3	Dithiocarbamates(0.03)	Captan(0.042)	Dodine(0.009)
D011-30508/10/A01	XX	3	Carbendazim and benomyl(0.021)	Methidathion(0.003)	Dimethoate (sum)(0.003)
D013-60559/10/A01	CZ	6	Tetraconazole(0.007)	Trifloxystrobin(0.003)	Acetamiprid(0.009)
D013-60599/10/A01	CZ	7	Methoxyfenozide(0.002)	Captan(0.14)	Cyprodinil(0.002)
D014-50374/10/A02	IT	3	Boscalid(0.025)	Indoxacarb(0.009)	Pyraclostrobin(0.011)
D014-80846/10/A02	BE	8	Pirimicarb (sum)(0.066)	Pyraclostrobin(0.019)	Difenoconazole(0.006)
D015-60202/10/A01	IT	5	Captan(0.191)	Diphenylamine(0.017)	Dodine(0.052)

Code	*Compound4*	*Compound5*	*Compound6*	*Compound7*
D009-70239/10/A01				
D011-30508/10/A01				
D013-60559/10/A01	Dodine(0.015)	Methoxyfenozide(0.005)	Etofenprox(0.04)	
D013-60599/10/A01	Pyraclostrobin(0.026)	Boscalid(0.033)	Lufenuron(0.005)	Chlorpyrifos(0.069)
D014-50374/10/A02				
D014-80846/10/A02	Boscalid(0.066)	Methoxyfenozide(0.018)	Fludioxonil(0.12)	Cyprodinil(0.097)
D015-60202/10/A01	Lufenuron(0.003)	Boscalid(0.002)		

Code	*Compound8*	*Compound9*	*Compound10*	*Compound11*	*Compound12*	*Compound13*
D009-70239/10/A01						
D011-30508/10/A01						
D013-60559/10/A01						
D013-60599/10/A01						
D014-50374/10/A02						
D014-80846/10/A02	Flufenoxuron(0.015)					
D015-60202/10/A01						

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Apples

Code	*Country*	*No Residues*	*Compound1*	*Compound2*	*Compound3*
D017-50374/10/A01	AT	5	Dodine(0.04)	Dithiocarbamates(0.05)	Fenoxycarb(0.015)
D019-40464/10/A02	IT	3	Captan(0.118)	Teflubenzuron(0.12)	Spinosad (sum)(0.011)
D019-60559/10/A03	CZ	5	Dodine(0.007)	Methoxyfenozide(0.011)	Etofenprox(0.025)
D027-70511/10/A01	PL	2	Chlorpyrifos(0.004)	Propargite(0.16)	
D027-80846/10/A02	IT	3	Boscalid(0.028)	Fludioxonil(0.037)	Trifloxystrobin(0.009)
D028-70511/10/A01	PL	2	Fenpyroximate(0.004)	Cypermethrin (sum)(0.077)	
D029-30514/10/A01	CZ	4	Dodine(0.019)	Captan(0.055)	Etofenprox(0.022)

Code	*Compound4*	*Compound5*	*Compound6*	*Compound7*
D017-50374/10/A01	Pyraclostrobin(0.019)	Captan(0.053)		
D019-40464/10/A02				
D019-60559/10/A03	Pirimicarb (sum)(0.039)	Difenoconazole(0.003)		
D027-70511/10/A01				
D027-80846/10/A02				
D028-70511/10/A01				
D029-30514/10/A01	Difenoconazole(0.003)			

Code	*Compound8*	*Compound9*	*Compound10*	*Compound11*	*Compound12*	*Compound13*
D017-50374/10/A01						
D019-40464/10/A02						
D019-60559/10/A03						
D027-70511/10/A01						
D027-80846/10/A02						
D028-70511/10/A01						
D029-30514/10/A01						

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Apples

Code	*Country*	*No Residues*	*Compound1*	*Compound2*	*Compound3*
D029-30514/10/A02	CZ	7	Tetraconazole(0.004)	Acetamiprid(0.004)	Pirimicarb (sum)(0.014)
D029-40157/10/A01	SK	2	Chlorpyrifos(0.03)	Boscalid(0.019)	
D029-70511/10/A01	CZ	2	Iprodione(0.069)	Dodine(0.006)	
D030-50856/10/A01	BE	7	Pyraclostrobin(0.083)	Difenoconazole(0.005)	Pirimicarb (sum)(0.03)
D035-70154/10/A02	AT	3	Dodine(0.032)	Methoxyfenozide(0.004)	Acetamiprid(0.007)
D039-40157/10/A01	DE	3	Pirimicarb (sum)(0.006)	Trifloxystrobin(0.011)	Myclobutanil(0.017)

Code	*Compound4*	*Compound5*	*Compound6*	*Compound7*
D029-30514/10/A02	Etofenprox(0.014)	Captan(0.079)	Dodine(0.052)	Difenoconazole(0.01)
D029-40157/10/A01				
D029-70511/10/A01				
D030-50856/10/A01	Boscalid(0.16)	Triadimefon (sum)(0.008)	Dodine(0.003)	Penconazole(0.004)
D035-70154/10/A02				
D039-40157/10/A01				

Code	*Compound8*	*Compound9*	*Compound10*	*Compound11*	*Compound12*	*Compound13*
D029-30514/10/A02						
D029-40157/10/A01						
D029-70511/10/A01						
D030-50856/10/A01						
D035-70154/10/A02						
D039-40157/10/A01						

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Apples

Code	Country	No Residues	Compound1	Compound2	Compound3
D050-50562/10/A01	CZ	3	Pirimicarb (sum)(0.073)	Tetraconazole(0.004)	Dodine(0.016)
D060-40464/10/A01	IT	4	Chlorpyrifos(0.008)	Flufenoxuron(0.003)	Thiacloprid(0.004)

Code	Compound4	Compound5	Compound6	Compound7
D050-50562/10/A01				
D060-40464/10/A01	Iprodione(0.051)			

Code	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13
D050-50562/10/A01						
D060-40464/10/A01						

Product=Apricots

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5
D011-60559/10/A01	IT	4	Triflumuron(0.012)	Fenbuconazole(0.008)	Etofenprox(0.017)	Teflubenzuron(0.1)	
D015-30087/10/A01	FR	5	Fenbuconazole(0.008)	Cypermethrin (sum)(0.17)	Myclobutanil(0.041)	Carbendazim and benomyl(0.009)	Captan(0.085)
D036-40464/10/A03	ES	2	Dodine(0.012)	Imidacloprid(0.006)			

Code	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13
D011-60559/10/A01								
D015-30087/10/A01								
D036-40464/10/A03								

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Aubergines (egg plants)

Code	*Country*	*No Residues*	*Compound1*	*Compound2*	*Compound3*	*Compound4*	*Compound5*
D001-60599/10/A02	ES	2	Tebuconazole(0.011)	Imidacloprid(0.006)			
D004-40464/10/A04	ES	4	Pyrimethanil(0.12)	Dimethomorph(0.003)	Carbendazim and benomyl(0.033)	Chlorothalonil(0.059)	
D004-60599/10/A06	ES	4	Imidacloprid(0.002)	Cyprodinil(0.056)	Fludioxonil(0.02)	Chlorothalonil(0.321)	
D007-60059/10/A04	ES	2	Chlorothalonil(0.21)	Azoxystrobin(0.015)			
D008-50252/10/A04	ES	3	Imidacloprid(0.003)	Fludioxonil(0.008)	Cyprodinil(0.019)		
D012-80738/10/A02	NL	4	Propamocarb (sum)(0.067)	Imidacloprid(0.071)	Fenhexamid(0.029)	Methoxyfenozide(0.014)	
D018-40464/10/A03	ES	5	Fenazaquin(0.018)	Dicloran(0.036)	Oxamyl-Oxime(0.006)	Cyprodinil(0.003)	Propargite(0.019)
D018-50252/10/A03	GR	2	Fenazaquin(0.003)	Pyriproxyfen(0.018)			
D025-30514/10/A06	NL	2	Propamocarb (sum)(0.02)	Imidacloprid(0.008)			

Code	*Compound6*	*Compound7*	*Compound8*	*Compound9*	*Compound10*	*Compound11*	*Compound12*	*Compound13*
D001-60599/10/A02								
D004-40464/10/A04								
D004-60599/10/A06								
D007-60059/10/A04								
D008-50252/10/A04								
D012-80738/10/A02								
D018-40464/10/A03								
D018-50252/10/A03								
D025-30514/10/A06								

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Bananas

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6
D003-30087/10/A08	EC	2	Thiabendazole(0.065)	Imazalil(0.089)				
D006-60059/10/A10	FR	2	Thiabendazole(0.23)	Imazalil(0.32)				
D008-60559/10/A08	EC	3	Thiabendazole(0.15)	Imazalil(0.26)	Chlorpyrifos(0.007)			
D013-30409/10/A02	CR	4	Thiabendazole(0.21)	Imazalil(0.15)	Chlorpyrifos(0.029)	Bifenthrin(0.008)		
D014-50374/10/A01	CO	2	Thiabendazole(0.12)	Imazalil(0.11)				
D027-80846/10/A04	SI	3	Fenpropimorph(0.01)	Imazalil(0.13)	Thiabendazole(0.14)			
D039-40157/10/A04	CO	2	Myclobutanil(0.076)	Azoxystrobin(0.037)				

Code	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13
D003-30087/10/A08							
D006-60059/10/A10							
D008-60559/10/A08							
D013-30409/10/A02							
D014-50374/10/A01							
D027-80846/10/A04							
D039-40157/10/A04							

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Barley

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6
D007-50972/10/A01	CZ	2	Propiconazole(0.01)	Pirimiphos-methyl(0.016)				
D009-30567/10/A01	CZ	3	Chlorpyrifos(0.004)	Fenpropimorph(0.005)	Epoxiconazole(0.014)			
D009-60899/10/A03	SK	3	Chlorpyrifos(0.003)	Epoxiconazole(0.011)	Fenpropimorph(0.005)			
D010-80022/10/A05	SK	2	Fenpropimorph(0.005)	Chlorpyrifos(0.002)				
D021-80022/10/A01	SK	3	Fenpropimorph(0.003)	Epoxiconazole(0.01)	Chlorpyrifos(0.004)			
D027-70571/10/A02	CZ	2	Propiconazole(0.012)	Chlorpyrifos-methyl(0.043)				
D053-80022/10/A02	SK	2	Fenpropimorph(0.007)	Epoxiconazole(0.013)				

Code	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13
D007-50972/10/A01							
D009-30567/10/A01							
D009-60899/10/A03							
D010-80022/10/A05							
D021-80022/10/A01							
D027-70571/10/A02							
D053-80022/10/A02							

Product=Beans (dry)

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6	Compound7
D043-50562/10/A03	XX	2	Boscalid(0.01)	Cyprodinil(0.004)					

Code	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13
D043-50562/10/A03						

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Beans (with pods)

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5
D003-60559/10/A06	DE	2	Cyprodinil(0.005)	Boscalid(0.069)			
D004-60059/10/A02	BE	4	Boscalid(0.012)	Carbendazim and benomyl(0.011)	Fludioxonil(0.006)	Cyprodinil(0.055)	

Code	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13
D003-60559/10/A06								
D004-60059/10/A02								

Product=Broccoli

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6
D003-80738/10/A05	IT	4	Fluazifop-P-butyl (sum)(0.008)	Fluazifop(0.007)	Bromoxynil (sum)(0.014)	2,4-D (sum)(0.044)		
D006-60059/10/A09	IT	2	Fluazifop-P-butyl (sum)(0.015)	Fluazifop(0.018)				
D019-50562/10/A04	IT	4	2,4-D (sum)(0.051)	Bromoxynil (sum)(0.005)	Fluazifop(0.025)	Fluazifop-P-butyl (sum)(0.029)		

Code	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13
D003-80738/10/A05							
D006-60059/10/A09							
D019-50562/10/A04							

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Brussels sprouts

Code	*Country*	*No Residues*	*Compound1*	*Compound2*	*Compound3*	*Compound4*	*Compound5*
D003-80766/10/A08	NL	2	Teflubenzuron(0.015)	Boscalid(0.028)			
D005-60059/10/A03	BE	4	Azoxystrobin(0.009)	Metalaxyl (sum)(0.004)	Difenoconazole(0.014)	Propamocarb (sum)(0.002)	
D008-50252/10/A03	BE	4	Tebuconazole(0.026)	Boscalid(0.083)	Teflubenzuron(0.012)	Pyraclostrobin(0.015)	
D025-30409/10/A04	NL	2	Propamocarb (sum)(0.093)	Metalaxyl (sum)(0.004)			
D026-70239/10/A02	NL	2	Teflubenzuron(0.047)	Boscalid(0.005)			
D035-30514/10/A03	NL	6	Teflubenzuron(0.039)	Tebuconazole(0.009)	Thiabendazole(0.22)	Imazalil(0.069)	Boscalid(0.019)
D079-40294/10/A03	PL	3	Metalaxyl (sum)(0.005)	Azoxystrobin(0.006)	Difenoconazole(0.015)		

Code	*Compound6*	*Compound7*	*Compound8*	*Compound9*	*Compound10*	*Compound11*	*Compound12*	*Compound13*
D003-80766/10/A08								
D005-60059/10/A03								
D008-50252/10/A03								
D025-30409/10/A04								
D026-70239/10/A02								
D035-30514/10/A03	Pyraclostrobin(0.015)							
D079-40294/10/A03								

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Carrots

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5
D001-60599/10/A03	BE	3	Difenoconazole(0.005)	Boscalid(0.021)	Dimethoate (sum)(0.003)		
D001-80038/10/A04	PL	2	Chlorpyrifos(0.032)	Boscalid(0.048)			
D002-30514/10/A01	NL	2	Boscalid(0.042)	Difenoconazole(0.005)			
D003-30391/10/A04	NL	2	Tebuconazole(0.018)	Boscalid(0.041)			
D003-60202/10/A05	BE	3	Dimethoate (sum)(0.003)	Difenoconazole(0.004)	Boscalid(0.008)		
D003-80131/10/A03	CZ	2	Pendimethalin(0.017)	Linuron(0.002)			
D003-80738/10/A07	FR	3	Tefluthrin(0.004)	Pyrimethanil(0.003)	Propamocarb (sum)(0.008)		
D004-40464/10/A03	NL	4	Azoxystrobin(0.006)	Difenoconazole(0.003)	Dimethoate (sum)(0.002)	Boscalid(0.048)	
D005-30391/10/A03	NL	3	Difenoconazole(0.003)	Boscalid(0.062)	Linuron(0.002)		
D005-40157/10/A01	NL	2	Boscalid(0.032)	Tebuconazole(0.019)			

Code	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13
D001-60599/10/A03								
D001-80038/10/A04								
D002-30514/10/A01								
D003-30391/10/A04								
D003-60202/10/A05								
D003-80131/10/A03								
D003-80738/10/A07								
D004-40464/10/A03								
D005-30391/10/A03								
D005-40157/10/A01								

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Carrots

Code	*Country*	*No Residues*	*Compound1*	*Compound2*	*Compound3*	*Compound4*	*Compound5*
D005-70239/10/A02	NL	2	Boscalid(0.024)	Dimethoate (sum)(0.006)			
D006-60559/10/A03	FR	2	Boscalid(0.026)	Difenoconazole(0.006)			
D006-70239/10/A03	HU	2	Linuron(0.004)	Boscalid(0.003)			
D008-60559/10/A09	NL	4	Tebuconazole(0.014)	Linuron(0.004)	Boscalid(0.078)	Difenoconazole(0.004)	
D009-70511/10/A01	BE	4	Boscalid(0.039)	Tebuconazole(0.008)	Difenoconazole(0.011)	Heptachlor (sum)(0.003)	
D010-50562/10/A04	IL	5	Fludioxonil(0.012)	Boscalid(0.025)	Cyprodinil(0.003)	Linuron(0.005)	Pendimethalin(0.01)
D013-50252/10/A01	IT	6	Tolclofos-methyl(0.09)	Procymidone(0.017)	Pendimethalin(0.024)	Linuron(0.012)	Metalaxyl (sum)(0.016)
D013-60559/10/A04	BE	3	Azoxystrobin(0.006)	Boscalid(0.019)	Difenoconazole(0.012)		
D013-60599/10/A06	IT	2	DDT (sum)(0.015)	Boscalid(0.003)			

Code	*Compound6*	*Compound7*	*Compound8*	*Compound9*	*Compound10*	*Compound11*	*Compound12*	*Compound13*
D005-70239/10/A02								
D006-60559/10/A03								
D006-70239/10/A03								
D008-60559/10/A09								
D009-70511/10/A01								
D010-50562/10/A04								
D013-50252/10/A01	Chlorpyrifos(0.018)							
D013-60559/10/A04								
D013-60599/10/A06								

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Carrots

Code	*Country*	*No Residues*	*Compound1*	*Compound2*	*Compound3*	*Compound4*	*Compound5*
D018-50562/10/A02	FR	5	Tefluthrin(0.006)	Propamocarb (sum)(0.005)	Linuron(0.006)	Dimethoate (sum)(0.006)	Boscalid(0.14)
D019-60202/10/A01	CZ	3	Linuron(0.005)	Tebuconazole(0.008)	Azoxystrobin(0.019)		
D020-30409/10/A02	CZ	3	Tebuconazole(0.01)	Azoxystrobin(0.04)	Difenoconazole(0.021)		
D028-40347/10/A03	NL	3	Quizalofop (including Quizalfop-P)(0.004)	Linuron(0.023)	Pendimethalin(0.008)		
D078-40157/10/A01	CZ	2	Quizalofop (including Quizalfop-P)(0.005)	Azoxystrobin(0.022)			

Code	*Compound6*	*Compound7*	*Compound8*	*Compound9*	*Compound10*	*Compound11*	*Compound12*	*Compound13*
D018-50562/10/A02								
D019-60202/10/A01								
D020-30409/10/A02								
D028-40347/10/A03								
D078-40157/10/A01								

Product=Cauliflower

Code	*Country*	*No Residues*	*Compound1*	*Compound2*	*Compound3*	*Compound4*	*Compound5*	*Compound6*
D008-60559/10/A03	FR	2	Fluazifop(0.008)	Fluazifop-P-butyl (sum)(0.009)				

Code	*Compound7*	*Compound8*	*Compound9*	*Compound10*	*Compound11*	*Compound12*	*Compound13*
D008-60559/10/A03							

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Celeriac

Code	*Country*	*No Residues*	*Compound1*	*Compound2*	*Compound3*	*Compound4*	*Compound5*
D003-70154/10/A01	AT	3	Boscalid(0.006)	Difenoconazole(0.14)	Imidacloprid(0.044)		
D003-80131/10/A06	CZ	2	Azoxystrobin(0.035)	Linuron(0.009)			
D003-80766/10/A06	CZ	3	Linuron(0.018)	Difenoconazole(0.019)	Pendimethalin(0.014)		
D004-30409/10/A04	CZ	2	Difenoconazole(0.005)	Linuron(0.023)			
D006-60059/10/A02	CZ	3	Linuron(0.13)	Difenoconazole(0.044)	Azoxystrobin(0.02)		
D009-30514/10/A01	CZ	2	Linuron(0.017)	Difenoconazole(0.011)			
D013-60559/10/A05	CZ	3	Quizalofop (including Quizalfop-P)(0.007)	Linuron(0.23)	Difenoconazole(0.009)		
D042-50562/10/A01	CZ	2	Azoxystrobin(0.024)	Linuron(0.027)			
D055-40464/10/A01	CZ	5	Quizalofop (including Quizalfop-P)(0.005)	Chlorpyrifos(0.008)	Azoxystrobin(0.004)	Linuron(0.064)	Difenoconazole(0.006)
D060-40464/10/A04	NL	3	Difenoconazole(0.024)	Chlorpyrifos(0.035)	Linuron(0.01)		

Code	*Compound6*	*Compound7*	*Compound8*	*Compound9*	*Compound10*	*Compound11*	*Compound12*	*Compound13*
D003-70154/10/A01								
D003-80131/10/A06								
D003-80766/10/A06								
D004-30409/10/A04								
D006-60059/10/A02								
D009-30514/10/A01								
D013-60559/10/A05								
D042-50562/10/A01								
D055-40464/10/A01								
D060-40464/10/A04								

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Chinese cabbage

Code	*Country*	*No Residues*	*Compound1*	*Compound2*	*Compound3*	*Compound4*	*Compound5*
D002-70154/10/A02	SK	3	Metalaxyl (sum)(0.01)	Dimethoate (sum)(0.006)	Chlorpyrifos(0.003)		
D004-60599/10/A07	HU	2	Fenhexamid(0.026)	Diazinon(0.033)			
D018-30087/10/A04	CZ	3	Procymidone(0.002)	Imidacloprid(0.01)	Chlorpyrifos(0.034)		
D027-80846/10/A07	PL	3	Pyrimethanil(0.008)	Dimethoate (sum)(0.016)	Chlorpyrifos(0.008)		
D038-40347/10/A03	DE	2	Thiacloprid(0.003)	Boscalid(0.002)			
D055-40464/10/A03	HU	3	Difenoconazole(0.008)	Thiametoxam (sum)(0.011)	Azoxystrobin(0.007)		

Code	*Compound6*	*Compound7*	*Compound8*	*Compound9*	*Compound10*	*Compound11*	*Compound12*	*Compound13*
D002-70154/10/A02								
D004-60599/10/A07								
D018-30087/10/A04								
D027-80846/10/A07								
D038-40347/10/A03								
D055-40464/10/A03								

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Cucumbers

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5
D002-50970/10/A04	ES	2	Cyprodinil(0.005)	Propamocarb (sum)(0.061)			
D002-80038/10/A02	ES	3	Imidacloprid(0.003)	Dimethomorph(0.004)	Cyprodinil(0.015)		
D003-30391/10/A06	ES	7	Propamocarb (sum)(0.046)	Metalaxyl (sum)(0.007)	Lufenuron(0.005)	Chlorothalonil(0.08)	Acrinathrin(0.022)
D003-40347/10/A03	ES	5	Pyrimethanil(0.16)	Propamocarb (sum)(0.007)	Imidacloprid(0.016)	Dimethomorph(0.027)	Chlorothalonil(0.034)
D003-60202/10/A04	ES	7	Propamocarb (sum)(0.07)	Metalaxyl (sum)(0.005)	Fludioxonil(0.012)	Methiocarb (sum)(0.006)	Dimethomorph(0.023)
D003-80766/10/A01	GR	6	Propamocarb (sum)(0.7)	Metalaxyl (sum)(0.006)	Iprodione(0.104)	Fludioxonil(0.08)	Dimethomorph(0.029)
D005-30391/10/A04	ES	3	Imidacloprid(0.002)	Dimethomorph(0.007)	Propamocarb (sum)(0.007)		
D005-40157/10/A03	ES	6	Tetraconazole(0.01)	Propamocarb (sum)(0.077)	Metalaxyl (sum)(0.007)	Fludioxonil(0.033)	Dimethomorph(0.007)
D006-60559/10/A04	ES	2	Imazalil(0.002)	Bupirimate(0.003)			
D007-30087/10/A09	ES	3	Spinosad (sum)(0.009)	Propamocarb (sum)(0.22)	Cyprodinil(0.008)		

Code	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13
D002-50970/10/A04								
D002-80038/10/A02								
D003-30391/10/A06	Dimethomorph(0.003)	Imidacloprid(0.026)						
D003-40347/10/A03								
D003-60202/10/A04	Cyprodinil(0.035)	Thiametoxam (sum)(0.008)						
D003-80766/10/A01	Cyprodinil(0.076)							
D005-30391/10/A04								
D005-40157/10/A03	Cyprodinil(0.054)							
D006-60559/10/A04								
D007-30087/10/A09								

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Cucumbers

Code	*Country*	*No Residues*	*Compound1*	*Compound2*	*Compound3*	*Compound4*	*Compound5*
D007-70049/10/A02	ES	4	Metalaxyl (sum)(0.005)	Cyprodinil(0.034)	Fludioxonil(0.032)	Propamocarb (sum)(0.12)	
D008-80175/10/A04	NL	2	Procymidone(0.003)	Boscalid(0.015)			
D009-30409/10/A07	ES	2	Propamocarb (sum)(0.21)	Metalaxyl (sum)(0.03)			
D010-50562/10/A02	GR	6	Propamocarb (sum)(0.26)	Metalaxyl (sum)(0.016)	Fludioxonil(0.042)	Pyrimethanil(0.025)	Cyprodinil(0.041)
D010-50970/10/A02	ES	3	Fenhexamid(0.005)	Pymetrozine(0.01)	Propamocarb (sum)(0.008)		
D011-70049/10/A02	ES	3	Propamocarb (sum)(0.11)	Lufenuron(0.016)	Cyprodinil(0.005)		
D013-60559/10/A10	ES	3	Clofentezine(0.013)	Methomyl and Thiodicarb(0.011)	Propamocarb (sum)(0.25)		

Code	*Compound6*	*Compound7*	*Compound8*	*Compound9*	*Compound10*	*Compound11*	*Compound12*	*Compound13*
D007-70049/10/A02								
D008-80175/10/A04								
D009-30409/10/A07								
D010-50562/10/A02	Oxamyl-Oxime(0.003)							
D010-50970/10/A02								
D011-70049/10/A02								
D013-60559/10/A10								

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Cucumbers

Code	*Country*	*No Residues*	*Compound1*	*Compound2*	*Compound3*	*Compound4*	*Compound5*
D014-70154/10/A01	CZ	2	Propamocarb (sum)(0.21)	Chlorothalonil(0.18)			
D014-70773/10/A01	CZ	2	Propamocarb (sum)(0.12)	Azoxystrobin(0.003)			
D015-60202/10/A03	CZ	2	Propamocarb (sum)(0.034)	Azoxystrobin(0.023)			
D016-60559/10/A06	GR	6	Tetraconazole(0.004)	Propamocarb (sum)(0.22)	Oxamyl-Oxime(0.014)	Metalaxyl (sum)(0.027)	Formetanate (sum)(0.16)
D018-80738/10/A01	ES	6	Propamocarb (sum)(0.008)	Pirimicarb (sum)(0.022)	Oxamyl-Oxime(0.081)	Imidacloprid(0.012)	Cyproconazole(0.006)
D019-50562/10/A02	GR	2	Pyrimethanil(0.002)	Propamocarb (sum)(0.14)			
D020-30409/10/A03	CZ	5	Metalaxyl (sum)(0.021)	Thiametoxam (sum)(0.055)	Propamocarb (sum)(0.2)	Cyprodinil(0.005)	Clothianidin(0.004)
D020-40157/10/A05	ES	4	Propamocarb (sum)(0.012)	Imidacloprid(0.009)	Boscalid(0.007)	Dimethomorph(0.009)	

Code	*Compound6*	*Compound7*	*Compound8*	*Compound9*	*Compound10*	*Compound11*	*Compound12*	*Compound13*
D014-70154/10/A01								
D014-70773/10/A01								
D015-60202/10/A03								
D016-60559/10/A06	Boscalid(0.005)							
D018-80738/10/A01	Carbendazim and benomyl(0.012)							
D019-50562/10/A02								
D020-30409/10/A03								
D020-40157/10/A05								

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Cucumbers

Code	*Country*	*No Residues*	*Compound1*	*Compound2*	*Compound3*	*Compound4*	*Compound5*
D025-50562/10/A02	HU	6	Procymidone(0.007)	Oxamyl-Oxime(0.02)	Oxamyl(0.024)	Dimethomorph(0.004)	Metalaxyl (sum)(0.006)
D030-50856/10/A05	TR	8	Trifloxystrobin(0.01)	Pyrimethanil(0.031)	Oxamyl-Oxime(0.098)	Chlorothalonil(0.13)	Propamocarb (sum)(0.074)
D043-40464/10/A04	PL	2	Chlorothalonil(0.138)	Propamocarb (sum)(0.12)			
D052-40464/10/A02	ES	2	Chlorpyrifos(0.022)	Propamocarb (sum)(0.05)			
D091-40294/10/A03	ES	4	Chlorothalonil(0.024)	Dimethomorph(0.009)	Propamocarb (sum)(0.15)	Pymetrozine(0.01)	

Code	*Compound6*	*Compound7*	*Compound8*	*Compound9*	*Compound10*	*Compound11*	*Compound12*	*Compound13*
D025-50562/10/A02	Propamocarb (sum)(0.037)							
D030-50856/10/A05	Triadimefon (sum)(0.01)	Tetradifon(0.003)	Oxamyl(0.003)					
D043-40464/10/A04								
D052-40464/10/A02								
D091-40294/10/A03								

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Cultivated fungi

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5
D004-60059/10/A05	CZ	2	Carbendazim and benomyl(0.033)	Prochloraz (sum)(0.01)			
D010-60599/10/A03	PL	3	Thiophanate-methyl(0.039)	Carbendazim and benomyl(0.18)	Diflubenzuron(0.019)		
D016-30391/10/A06	PL	2	Cyromazine(0.078)	Prochloraz (sum)(0.006)			
D016-80738/10/A03	PL	2	Teflubenzuron(0.006)	Prochloraz (sum)(0.081)			
D017-60202/10/A05	CZ	2	Prochloraz (sum)(0.007)	Diflubenzuron(0.026)			
D019-60559/10/A02	CZ	2	Prochloraz (sum)(0.006)	Carbendazim and benomyl(0.009)			
D023-50252/10/A02	CZ	2	Prochloraz (sum)(0.008)	Diflubenzuron(0.026)			

Code	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13
D004-60059/10/A05								
D010-60599/10/A03								
D016-30391/10/A06								
D016-80738/10/A03								
D017-60202/10/A05								
D019-60559/10/A02								
D023-50252/10/A02								

Product=Garlic

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6	Compound7
D060-40464/10/A06	ES	2	Piperonyl Butoxide(0.005)	Azoxystrobin(0.006)					

Code	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13
D060-40464/10/A06						

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Gherkins

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5
D001-40138/10/A01	DE	2	Propamocarb (sum)(0.23)	Dimethomorph(0.015)			
D001-80276/10/A02	CZ	4	Dimethoate (sum)(0.013)	Boscalid(0.004)	Propamocarb (sum)(0.1)	Pyrimethanil(0.008)	
D004-30421/10/A01	CZ	2	Propamocarb (sum)(0.057)	Bifenthrin(0.018)			
D005-30421/10/A01	CZ	2	Propamocarb (sum)(0.19)	Dimethomorph(0.03)			
D005-60779/10/A04	VN	2	Metalaxyl (sum)(0.028)	Chlorpyrifos(0.006)			
D010-70124/10/A01	HU	8	Thiametoxam (sum)(0.013)	Tetraconazole(0.006)	Propamocarb (sum)(0.18)	Penconazole(0.008)	Metalaxyl (sum)(0.009)
D022-70005/10/A01	CZ	4	Dimethomorph(0.008)	Propamocarb (sum)(0.04)	Dimethoate (sum)(0.004)	Azoxystrobin(0.006)	
D024-60097/10/A02	CZ	4	Propamocarb (sum)(0.006)	Thiametoxam (sum)(0.024)	Pyridaben(0.016)	Chlorpyrifos(0.008)	
D037-50906/10/A01	DE	2	Propamocarb (sum)(0.18)	Azoxystrobin(0.012)			
D037-50906/10/A02	DE	2	Propamocarb (sum)(0.18)	Azoxystrobin(0.01)			

Code	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13
D001-40138/10/A01								
D001-80276/10/A02								
D004-30421/10/A01								
D005-30421/10/A01								
D005-60779/10/A04								
D010-70124/10/A01	Imidacloprid(0.013)	Dimethomorph(0.006)	Clothianidin(0.015)					
D022-70005/10/A01								
D024-60097/10/A02								
D037-50906/10/A01								
D037-50906/10/A02								

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Grapefruit

Code	*Country*	*No Residues*	*Compound1*	*Compound2*	*Compound3*	*Compound4*	*Compound5*
D004-30514/10/A01	ES	3	Pyriproxyfen(0.028)	Imazalil(0.29)	Chlorpyrifos(0.042)		
D006-70773/10/A01	ES	4	Pyriproxyfen(0.023)	Pyrimethanil(0.007)	Imazalil(0.49)	Chlorpyrifos(0.031)	
D013-60559/10/A09	TR	7	Pyriproxyfen(0.14)	Pyridaben(0.044)	Chlorpyrifos(0.14)	Imazalil(0.55)	Buprofezin(0.007)
D069-40294/10/A02	TR	5	Imazalil(3.3)	2,4-D (sum)(0.25)	Pyriproxyfen(0.025)	Pyraclostrobin(0.046)	Malathion (sum)(0.005)

Code	*Compound6*	*Compound7*	*Compound8*	*Compound9*	*Compound10*	*Compound11*	*Compound12*	*Compound13*
D004-30514/10/A01								
D006-70773/10/A01								
D013-60559/10/A09	Prochloraz (sum)(0.004)	Thiabendazole(0.32)						
D069-40294/10/A02								

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Head cabbage

Code	*Country*	*No Residues*	*Compound1*	*Compound2*	*Compound3*	*Compound4*	*Compound5*
D003-80766/10/A05	IT	2	Boscalid(0.004)	Propamocarb (sum)(0.003)			
D011-60559/10/A02	CZ	2	Fluazifop(0.12)	Fluazifop-P-butyl (sum)(0.11)			
D013-30409/10/A04	DE	2	Dithiocarbamates(0.03)	Tebuconazole(0.008)			
D015-70511/10/A02	CZ	5	Propamocarb (sum)(0.01)	Iprodione(0.28)	Cypermethrin (sum)(0.044)	Azoxystrobin(0.028)	Chlorpyrifos(0.037)
D016-50562/10/A01	FR	2	Difenoconazole(0.005)	Carbendazim and benomyl(0.011)			
D018-80846/10/A01	CZ	5	Thiametoxam (sum)(0.017)	Pendimethalin(0.009)	Pencycuron(0.01)	Dithiocarbamates(0.12)	Chlorpyrifos(0.065)
D025-50252/10/A02	NL	2	Difenoconazole(0.009)	Dithiocarbamates(0.04)			
D027-60202/10/A04	CZ	6	Thiacloprid(0.015)	Methoxyfenozide(0.13)	Cyproconazole(0.11)	Acetamiprid(0.008)	Azoxystrobin(0.13)
D050-50562/10/A03	CZ	2	Dithiocarbamates(0.07)	Bromide ion(7)			

Code	*Compound6*	*Compound7*	*Compound8*	*Compound9*	*Compound10*	*Compound11*	*Compound12*	*Compound13*
D003-80766/10/A05								
D011-60559/10/A02								
D013-30409/10/A04								
D015-70511/10/A02								
D016-50562/10/A01								
D018-80846/10/A01								
D025-50252/10/A02								
D027-60202/10/A04	Dimethomorph(0.042)							
D050-50562/10/A03								

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Head cabbage

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5
D054-40157/10/A03	CZ	3	Pirimicarb (sum)(0.025)	Indoxacarb(0.038)	Pendimethalin(0.011)		
D060-40464/10/A09	CZ	2	Boscalid(0.009)	Azoxystrobin(0.009)			

Code	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13
D054-40157/10/A03								
D060-40464/10/A09								

Product=Kiwi

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6	Compound7
D007-30087/10/A08	IT	2	Fludioxonil(0.005)	Fenhexamid(1.4)					
D014-80846/10/A07	IT	2	Fludioxonil(1.6)	Fenhexamid(0.033)					

Code	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13
D007-30087/10/A08						
D014-80846/10/A07						

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Leek

Code	*Country*	*No Residues*	*Compound1*	*Compound2*	*Compound3*	*Compound4*	*Compound5*
D002-60599/10/A04	NL	4	Tebuconazole(0.1)	Dithiocarbamates(0.06)	Difenoconazole(0.057)	Boscalid(0.005)	
D004-50562/10/A02	FR	2	Dithiocarbamates(0.084)	Azoxystrobin(0.007)			
D009-30409/10/A02	NL	4	Tebuconazole(0.011)	Pyraclostrobin(0.011)	Dithiocarbamates(0.21)	Boscalid(0.045)	
D011-50562/10/A03	BE	6	Tebuconazole(0.078)	Pyraclostrobin(0.016)	Dithiocarbamates(0.11)	Difenoconazole(0.063)	Boscalid(0.072)
D012-70154/10/A01	FR	5	Thiabendazole(0.15)	Fludioxonil(0.023)	Difenoconazole(0.013)	Cyprodinil(0.056)	Boscalid(0.003)
D014-80846/10/A04	BE	2	Pyraclostrobin(0.026)	Boscalid(0.15)			
D015-60202/10/A05	BE	3	Pyraclostrobin(0.019)	Dithiocarbamates(0.03)	Boscalid(0.079)		
D018-40347/10/A02	BE	3	Pyraclostrobin(0.035)	Dithiocarbamates(0.05)	Boscalid(0.097)		
D018-80846/10/A02	FR	2	Bromide ion(6)	Methiocarb (sum)(0.005)			
D019-60559/10/A04	BE	2	Tebuconazole(0.012)	Boscalid(0.013)			
D021-30391/10/A02	BE	6	Trifloxystrobin(0.018)	Tebuconazole(0.048)	Spinosad (sum)(0.008)	Difenoconazole(0.036)	Boscalid(0.003)

Code	*Compound6*	*Compound7*	*Compound8*	*Compound9*	*Compound10*	*Compound11*	*Compound12*	*Compound13*
D002-60599/10/A04								
D004-50562/10/A02								
D009-30409/10/A02								
D011-50562/10/A03	Azoxystrobin(0.024)							
D012-70154/10/A01								
D014-80846/10/A04								
D015-60202/10/A05								
D018-40347/10/A02								
D018-80846/10/A02								
D019-60559/10/A04								
D021-30391/10/A02	Azoxystrobin(0.005)							

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Leek

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5
D025-50252/10/A03	NL	3	Bromide ion(9.1)	Fluazifop(0.003)	Fluazifop-P-butyl (sum)(0.002)		
D029-40157/10/A02	BE	3	Tebuconazole(0.015)	Dithiocarbamates(0.29)	Boscalid(0.042)		
D029-70049/10/A01	BE	2	Tebuconazole(0.011)	Trifloxystrobin(0.004)			

Code	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13
D025-50252/10/A03								
D029-40157/10/A02								
D029-70049/10/A01								

Product=Lemons

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5
D003-80738/10/A02	ES	8	Pyriproxyfen(0.06)	Pyridaben(0.002)	Prochloraz (sum)(1.1)	Imazalil(0.045)	Hexythiazox(0.027)
D006-70239/10/A01	ES	6	Prochloraz (sum)(0.62)	Pyriproxyfen(0.038)	Pyrimethanil(0.016)	Imazalil(0.023)	Hexythiazox(0.02)
D009-30409/10/A09	ES	4	Pyriproxyfen(0.023)	Imazalil(0.27)	Hexythiazox(0.008)	Chlorpyrifos(0.029)	
D019-50562/10/A01	ES	7	Thiabendazole(0.033)	Pyriproxyfen(0.029)	Prochloraz (sum)(0.007)	Imazalil(1.7)	Chlorpyrifos(0.072)
D069-40294/10/A03	AR	6	Prochloraz (sum)(1.2)	Pyraclostrobin(0.04)	Imazalil(1.3)	Chlorpyrifos(0.008)	Pyrimethanil(1.1)

Code	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13
D003-80738/10/A02	Dicofol (sum)(0.2)	Chlorpyrifos(0.081)	Carbendazim and benomyl(0.025)					
D006-70239/10/A01	Chlorpyrifos(0.037)							
D009-30409/10/A09								
D019-50562/10/A01	Pyrimethanil(0.48)	Hexythiazox(0.004)						
D069-40294/10/A03	Thiabendazole(0.013)							

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Lettuce

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4
D001-80038/10/A06	BE	10	Tolclofos-methyl(0.083)	Pyraclostrobin(0.14)	Propamocarb (sum)(1.3)	Procymidone(0.002)
D002-60599/10/A06	ES	2	Dithiocarbamates(0.06)	Dimethomorph(0.007)		
D003-60559/10/A01	DE	11	Tolclofos-methyl(0.289)	Spinosad (sum)(0.24)	Pyraclostrobin(0.012)	Propamocarb (sum)(0.56)
D007-30087/10/A02	BE	7	Tolclofos-methyl(0.029)	Propamocarb (sum)(0.078)	Pirimicarb (sum)(0.004)	Dithiocarbamates(0.04)
D008-50252/10/A02	ES	3	Metalaxyl (sum)(0.019)	Imidacloprid(0.031)	Cyprodinil(0.003)	
D008-50374/10/A02	ES	5	Thiametoxam (sum)(0.004)	Metalaxyl (sum)(0.008)	Imidacloprid(0.034)	Cyprodinil(0.003)
D008-60559/10/A06	ES	4	Oxamyl-Oxime(0.002)	Imidacloprid(0.003)	Cyprodinil(0.002)	Boscalid(0.003)

Code	Compound5	Compound6	Compound7	Compound8	Compound9
D001-80038/10/A06	Metalaxyl (sum)(0.004)	Lambda-Cyhalothrin(0.049)	Iprodione(3.11)	Dimethomorph(0.21)	Boscalid(0.64)
D002-60599/10/A06					
D003-60559/10/A01	Iprodione(3.34)	Dithiocarbamates(0.79)	Dimethomorph(0.46)	Cyprodinil(0.015)	Bromide ion(26)
D007-30087/10/A02	Dimethomorph(0.01)	Cyprodinil(0.022)	Boscalid(0.004)		
D008-50252/10/A02					
D008-50374/10/A02	Boscalid(0.009)				
D008-60559/10/A06					

Code	Compound10	Compound11	Compound12	Compound13
D001-80038/10/A06	Dithiocarbamates(0.17)			
D002-60599/10/A06				
D003-60559/10/A01	Boscalid(0.065)	Acetamiprid(0.033)		
D007-30087/10/A02				
D008-50252/10/A02				
D008-50374/10/A02				
D008-60559/10/A06				

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Lettuce

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4
D010-30391/10/A05	CZ	2	Pendimethalin(0.035)	Lambda-Cyhalothrin(0.054)		
D011-70580/10/A01	CZ	3	Pendimethalin(0.01)	Dimethomorph(0.075)	Cypermethrin (sum)(0.28)	
D014-80846/10/A05	CZ	3	Propyzamide(0.024)	Metalaxyl (sum)(0.005)	Dithiocarbamates(0.03)	
D018-30087/10/A01	DE	4	Propamocarb (sum)(0.009)	Imidacloprid(0.005)	Boscalid(0.003)	Metalaxyl (sum)(0.003)
D018-30087/10/A02	CZ	2	Metalaxyl (sum)(0.003)	Spiroxamine(0.003)		
D018-40347/10/A03	ES	4	Dimethomorph(0.005)	Dithiocarbamates(0.05)	Imidacloprid(0.049)	Boscalid(0.005)
D018-80738/10/A04	BE	7	Pymetrozine(0.038)	Iprodione(0.068)	Cyprodinil(0.009)	Boscalid(0.002)

Code	Compound5	Compound6	Compound7	Compound8	Compound9
D010-30391/10/A05					
D011-70580/10/A01					
D014-80846/10/A05					
D018-30087/10/A01					
D018-30087/10/A02					
D018-40347/10/A03					
D018-80738/10/A04	Dimethomorph(0.41)	Metalaxyl (sum)(0.003)	Tolclofos-methyl(0.035)		

Code	Compound10	Compound11	Compound12	Compound13
D010-30391/10/A05				
D011-70580/10/A01				
D014-80846/10/A05				
D018-30087/10/A01				
D018-30087/10/A02				
D018-40347/10/A03				
D018-80738/10/A04				

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Lettuce

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4
D018-80846/10/A03	BE	8	Pyraclostrobin(0.034)	Propamocarb (sum)(0.055)	Fludioxonil(0.003)	Dimethomorph(0.054)
D019-60559/10/A05	NL	2	Chlorpyrifos(0.015)	Dimethomorph(0.007)		
D020-40157/10/A04	BE	7	Propamocarb (sum)(0.15)	Lambda-Cyhalothrin(0.039)	Boscalid(0.034)	Cyprodinil(0.019)
D025-30409/10/A03	ES	7	Metalaxyl (sum)(0.005)	Dimethomorph(0.017)	Cyprodinil(0.004)	Chlorpyrifos(0.003)
D027-70511/10/A04	CZ	2	Metalaxyl (sum)(0.02)	Chlorpyrifos(0.02)		
D029-40464/10/A01	ES	3	Metalaxyl (sum)(0.028)	Cyromazine(0.01)	Imidacloprid(0.02)	
D029-70511/10/A03	CZ	2	Dimethomorph(0.004)	Fenhexamid(0.009)		

Code	Compound5	Compound6	Compound7	Compound8	Compound9
D018-80846/10/A03	Cyprodinil(0.008)	Boscalid(0.3)	Iprodione(0.73)	Thiacloprid(0.018)	
D019-60559/10/A05					
D020-40157/10/A04	Dithiocarbamates(0.2)	Tolclofos-methyl(0.016)	Fludioxonil(0.014)		
D025-30409/10/A03	Boscalid(0.003)	Pyrimethanil(0.002)	Imidacloprid(0.006)		
D027-70511/10/A04					
D029-40464/10/A01					
D029-70511/10/A03					

Code	Compound10	Compound11	Compound12	Compound13
D018-80846/10/A03				
D019-60559/10/A05				
D020-40157/10/A04				
D025-30409/10/A03				
D027-70511/10/A04				
D029-40464/10/A01				
D029-70511/10/A03				

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Lettuce

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4
D032-70049/10/A02	BE	6	Pyraclostrobin(0.026)	Propamocarb (sum)(0.003)	Lambda-Cyhalothrin(0.064)	Boscalid(0.54)
D038-50374/10/A01	PL	2	Boscalid(0.004)	Azoxystrobin(0.006)		
D051-50562/10/A04	ES	2	Lufenuron(0.002)	Imidacloprid(0.005)		
D055-40464/10/A02	BE	4	Propamocarb (sum)(0.36)	Fludioxonil(0.08)	Cyprodinil(0.13)	Boscalid(0.011)
D062-40157/10/A01	CZ	3	Propamocarb (sum)(0.005)	Imidacloprid(0.002)	Azoxystrobin(0.003)	

Code	Compound5	Compound6	Compound7	Compound8	Compound9
D032-70049/10/A02	Cyprodinil(0.003)	Iprodione(1.8)			
D038-50374/10/A01					
D051-50562/10/A04					
D055-40464/10/A02					
D062-40157/10/A01					

Code	Compound10	Compound11	Compound12	Compound13
D032-70049/10/A02				
D038-50374/10/A01				
D051-50562/10/A04				
D055-40464/10/A02				
D062-40157/10/A01				

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Mandarins

Code	*Country*	*No Residues*	*Compound1*	*Compound2*	*Compound3*	*Compound4*	*Compound5*
D002-70511/10/A03	ES	3	Thiabendazole(0.011)	Imazalil(0.007)	Chlorpyrifos(0.11)		
D003-30087/10/A03	ES	2	Imazalil(0.16)	Chlorpyrifos(0.027)			
D003-60202/10/A03	MA	3	Malathion (sum)(0.003)	Imazalil(0.2)	Chlorpyrifos(0.26)		
D005-50562/10/A03	ES	3	Imazalil(0.33)	Dicofol (sum)(1.39)	Chlorpyrifos(0.045)		
D006-60059/10/A07	ES	6	Thiabendazole(2.1)	Pyriproxyfen(0.018)	Imazalil(1.7)	Hexythiazox(0.002)	Chlorpyrifos-methyl(0.021)
D006-70239/10/A02	ES	2	Imazalil(0.73)	Chlorpyrifos(0.25)			
D007-40294/10/A03	ES	3	Imazalil(0.28)	Chlorpyrifos(0.008)	Buprofezin(0.025)		
D009-30514/10/A02	AR	5	Pyrimethanil(0.76)	Prochloraz (sum)(0.004)	Imazalil(1.3)	Cypermethrin (sum)(0.47)	Azoxystrobin(0.055)
D013-30409/10/A01	AR	6	Thiabendazole(0.025)	Pyrimethanil(0.5)	Prochloraz (sum)(0.031)	Fludioxonil(0.24)	Azoxystrobin(0.025)
D017-80738/10/A03	ES	3	Pyriproxyfen(0.006)	Imazalil(2)	Chlorpyrifos(0.015)		

Code	*Compound6*	*Compound7*	*Compound8*	*Compound9*	*Compound10*	*Compound11*	*Compound12*	*Compound13*
D002-70511/10/A03								
D003-30087/10/A03								
D003-60202/10/A03								
D005-50562/10/A03								
D006-60059/10/A07	Chlorpyrifos(0.13)							
D006-70239/10/A02								
D007-40294/10/A03								
D009-30514/10/A02								
D013-30409/10/A01	Imazalil(0.73)							
D017-80738/10/A03								

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Mandarins

Code	*Country*	*No Residues*	*Compound1*	*Compound2*	*Compound3*	*Compound4*	*Compound5*
D027-80846/10/A01	AR	2	Prochloraz (sum)(0.008)	Imazalil(0.53)			
D051-50562/10/A03	ES	4	Imazalil(0.37)	Chlorpyrifos(0.17)	Carbendazim and benomyl(0.019)	Pyriproxyfen(0.017)	
D069-40294/10/A01	PE	6	Thiabendazole(0.055)	Prochloraz (sum)(0.003)	Hexythiazox(0.003)	Chlorpyrifos(0.19)	Buprofezin(0.024)

Code	*Compound6*	*Compound7*	*Compound8*	*Compound9*	*Compound10*	*Compound11*	*Compound12*	*Compound13*
D027-80846/10/A01								
D051-50562/10/A03								
D069-40294/10/A01	Imazalil(0.18)							

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Mangoes

Code	*Country*	*No Residues*	*Compound1*	*Compound2*	*Compound3*	*Compound4*	*Compound5*
D002-50970/10/A01	PE	2	Thiabendazole(0.19)	Prochloraz (sum)(0.065)			
D002-70511/10/A01	BR	2	Thiabendazole(0.11)	Azoxystrobin(0.005)			
D003-40347/10/A02	PE	2	Prochloraz (sum)(0.15)	Carbendazim and benomyl(0.024)			
D004-30514/10/A02	PE	2	Thiabendazole(0.24)	Prochloraz (sum)(0.13)			
D004-60599/10/A03	BR	3	Thiophanate-methyl(0.082)	Thiabendazole(1.5)	Prochloraz (sum)(0.93)		

Code	*Compound6*	*Compound7*	*Compound8*	*Compound9*	*Compound10*	*Compound11*	*Compound12*	*Compound13*
D002-50970/10/A01								
D002-70511/10/A01								
D003-40347/10/A02								
D004-30514/10/A02								
D004-60599/10/A03								

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Milk products

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6	Compound7
100913123500S21040	CZ	2	Hexachlorobenzene(0.002)	DDT (sum)(0.006)					
100915103004S53017	CZ	2	Hexachlorobenzene(0.002)	DDT (sum)(0.005)					
100917084500S81066	CZ	2	Hexachlorobenzene(0.002)	DDT (sum)(0.003)					
100920110000S42068	CZ	2	Hexachlorobenzene(0.003)	DDT (sum)(0.008)					
100920130000S31057	CZ	2	Hexachlorobenzene(0.003)	DDT (sum)(0.007)					
100921090000S41030	CZ	2	Hexachlorobenzene(0.002)	DDT (sum)(0.003)					
100921093000S42023	CZ	2	Hexachlorobenzene(0.005)	DDT (sum)(0.011)					
101006090000S71101	CZ	2	Hexachlorobenzene(0.003)	DDT (sum)(0.006)					
101007090600S51042	CZ	2	Hexachlorobenzene(0.005)	DDT (sum)(0.005)					

Code	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13
100913123500S21040						
100915103004S53017						
100917084500S81066						
100920110000S42068						
100920130000S31057						
100921090000S41030						
100921093000S42023						
101006090000S71101						
101007090600S51042						

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Miscellaneous fruit

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5
D015-60559/10/A01	EC	5	Thiabendazole(0.14)	Prochloraz (sum)(0.12)	Difenoconazole(0.004)	Chlorothalonil(0.093)	Carbendazim and benomyl(0.054)

Code	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13
D015-60559/10/A01								

Product=Onions

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5
D004-50970/10/A03	CZ	4	Pencycuron(0.038)	Imidacloprid(0.009)	Dimethomorph(0.022)	Clothianidin(0.006)	
D006-60559/10/A06	NL	2	Thiabendazole(0.009)	Propamocarb (sum)(0.006)			
D013-50252/10/A02	IT	3	Pyraclostrobin(0.02)	Dimethomorph(0.02)	Boscalid(0.016)		
D038-50374/10/A02	NL	2	Propamocarb (sum)(0.006)	Azoxystrobin(0.005)			
D048-40157/10/A03	CZ	3	Pendimethalin(0.008)	Metalaxyl (sum)(0.03)	Dimethomorph(0.025)		

Code	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13
D004-50970/10/A03								
D006-60559/10/A06								
D013-50252/10/A02								
D038-50374/10/A02								
D048-40157/10/A03								

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Oranges

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5
D001-70154/10/A01	MA	3	Phosmet (sum)(0.1)	Imazalil(0.26)	2,4-D (sum)(0.011)		
D003-30391/10/A02	IT	2	Dimethoate (sum)(0.009)	Chlorpyrifos-methyl(0.01)			
D003-40347/10/A01	GR	3	Imazalil(0.61)	Chlorpyrifos(0.024)	2,4-D (sum)(0.012)		
D003-60202/10/A02	EG	5	Thiabendazole(0.43)	Malathion (sum)(0.02)	Imazalil(0.39)	Chlorpyrifos(0.004)	Carbendazim and benomyl(0.052)
D004-50562/10/A01	ES	4	Imazalil(0.31)	Dichlorprop incl. Dichlorprop-P(0.029)	Chlorpyrifos-methyl(0.085)	Chlorpyrifos(0.1)	
D004-70511/10/A01	ES	4	Thiabendazole(0.18)	Pyrimethanil(0.51)	Imazalil(0.71)	Chlorpyrifos(0.061)	
D005-30391/10/A02	GR	2	Imazalil(0.018)	Chlorpyrifos(0.005)			
D005-70239/10/A01	IT	4	Tebufenpyrad(0.012)	Phosmet (sum)(0.1)	Imazalil(0.021)	Chlorpyrifos(0.04)	
D006-60559/10/A02	ES	5	Tebufenpyrad(0.01)	Pyriproxyfen(0.007)	Propargite(0.037)	Imazalil(0.17)	Chlorpyrifos(0.041)
D008-60559/10/A07	ES	3	Propargite(0.026)	Chlorpyrifos(0.015)	Imazalil(0.15)		

Code	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13
D001-70154/10/A01								
D003-30391/10/A02								
D003-40347/10/A01								
D003-60202/10/A02								
D004-50562/10/A01								
D004-70511/10/A01								
D005-30391/10/A02								
D005-70239/10/A01								
D006-60559/10/A02								
D008-60559/10/A07								

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Oranges

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5
D009-30409/10/A01	GR	2	Imazalil(0.58)	Chlorpyrifos(0.028)			
D009-30514/10/A03	ES	3	Imazalil(0.82)	Chlorpyrifos-methyl(0.006)	Chlorpyrifos(0.013)		
D011-50562/10/A02	ES	2	Chlorpyrifos(0.031)	Imazalil(0.15)			
D013-60559/10/A08	ZA	4	Imidacloprid(0.004)	Imazalil(0.67)	2,4-D (sum)(0.074)	Thiabendazole(0.41)	
D017-80738/10/A04	ZA	6	Pyraclostrobin(0.016)	Malathion (sum)(0.006)	Imazalil(2.3)	Dichlorprop incl. Dichlorprop-P(0.014)	2,4-D (sum)(0.18)
D031-40347/10/A01	ES	6	Methidathion(0.013)	Malathion (sum)(0.006)	Imidacloprid(0.01)	Imazalil(0.45)	2,4-D (sum)(0.12)

Code	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13
D009-30409/10/A01								
D009-30514/10/A03								
D011-50562/10/A02								
D013-60559/10/A08								
D017-80738/10/A04	Imidacloprid(0.013)							
D031-40347/10/A01	Pyraclostrobin(0.029)							

Product=Other cereals

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6
D004-70595/10/A02	CZ	3	Fenpropimorph(0.004)	Epoxiconazole(0.009)	Chlorpyrifos(0.002)			

Code	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13
D004-70595/10/A02							

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Papaya

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5
D005-70511/10/A01	BR	2	Thiabendazole(0.017)	Prochloraz (sum)(0.078)			
D035-30514/10/A02	BR	5	Fenpropathrin(0.004)	Difenoconazole(0.014)	Bifenthrin(0.023)	Thiophanate-methyl(0.25)	Prochloraz (sum)(0.16)

Code	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13
D005-70511/10/A01								
D035-30514/10/A02								

Product=Parsley

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6
D004-60059/10/A08	DE	4	Pendimethalin(0.056)	Penconazole(0.002)	Linuron(0.013)	Cyprodinil(0.003)		

Code	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13
D004-60059/10/A08							

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Parsley root

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5
D005-60059/10/A02	CZ	3	Tebuconazole(0.01)	Difenoconazole(0.01)	Azoxystrobin(0.031)		
D016-30391/10/A03	CZ	4	Tebuconazole(0.009)	Linuron(0.015)	Chlorpyrifos(0.003)	Azoxystrobin(0.009)	
D020-30409/10/A05	GB	2	Quizalofop (including Quizalfop-P)(0.004)	Linuron(0.018)			
D043-40464/10/A02	DE	2	Difenoconazole(0.015)	Azoxystrobin(0.02)			
D048-50562/10/A02	CZ	2	Trifluralin(0.02)	Azoxystrobin(0.008)			

Code	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13
D005-60059/10/A02								
D016-30391/10/A03								
D020-30409/10/A05								
D043-40464/10/A02								
D048-50562/10/A02								

Product=Parsnips

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5
D004-60059/10/A07	GB	2	Linuron(0.037)	DDT (sum)(0.005)			
D006-60059/10/A03	GB	7	Tefluthrin(0.003)	Linuron(0.01)	Fenpropimorph(0.005)	Epoxiconazole(0.003)	Difenoconazole(0.002)

Code	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13
D004-60059/10/A07								
D006-60059/10/A03	Boscalid(0.004)	Azoxystrobin(0.008)						

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Peaches

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5
D004-50970/10/A01	EG	4	Thiophanate-methyl(0.023)	Propiconazole(0.021)	Penconazole(0.002)	Flusilazole(0.006)	
D004-80738/10/A02	ES	4	Thiabendazole(0.015)	Fenhexamid(0.02)	Dithiocarbamates(0.22)	Chlorothalonil(0.068)	
D004-80738/10/A06	ES	3	Fludioxonil(0.003)	Fenhexamid(0.11)	Dodine(0.01)		
D005-50562/10/A01	CL	3	Fludioxonil(0.37)	Fenhexamid(0.006)	Chlorpyrifos(0.003)		
D010-30391/10/A01	TR	4	Imidacloprid(0.17)	Hexaconazole(0.024)	Cypermethrin (sum)(0.28)	Captan(3.2)	
D010-30391/10/A02	TR	2	Methiocarb (sum)(0.41)	Chlorpyrifos(0.002)			
D015-30087/10/A05	IT	6	Triflumuron(0.039)	Methoxyfenozide(0.089)	Etofenprox(0.004)	Dithiocarbamates(0.03)	Chlorpyrifos-methyl(0.006)
D015-70511/10/A01	IT	5	Tebufenpyrad(0.015)	Methoxyfenozide(0.004)	Fenhexamid(0.004)	Fenbuconazole(0.006)	Bupirimate(0.014)
D016-70239/10/A03	IT	5	Triflumuron(0.088)	Teflubenzuron(0.015)	Tebuconazole(0.009)	Fenbuconazole(0.018)	Chlorpyrifos(0.006)
D016-70511/10/A01	IT	4	Triflumuron(0.013)	Teflubenzuron(0.018)	Methoxyfenozide(0.011)	Fenhexamid(0.006)	
D017-60202/10/A01	IT	5	Thiacloprid(0.01)	Tebuconazole(0.048)	Methoxyfenozide(0.11)	Chlorpyrifos(0.014)	Bitertanol(0.046)

Code	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13
D004-50970/10/A01								
D004-80738/10/A02								
D004-80738/10/A06								
D005-50562/10/A01								
D010-30391/10/A01								
D010-30391/10/A02								
D015-30087/10/A05	Chlorpyrifos(0.007)							
D015-70511/10/A01								
D016-70239/10/A03								
D016-70511/10/A01								
D017-60202/10/A01								

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Peaches

Code	*Country*	*No Residues*	*Compound1*	*Compound2*	*Compound3*	*Compound4*	*Compound5*
D017-60202/10/A02	IT	3	Etofenprox(0.009)	Chlorpyrifos(0.003)	Teflubenzuron(0.015)		
D024-40294/10/A02	CL	4	Spinosad (sum)(0.012)	Iprodione(2.9)	Fenhexamid(0.021)	Tebuconazole(0.15)	
D025-30514/10/A01	ES	3	Tebuconazole(0.061)	Lambda-Cyhalothrin(0.011)	Cyprodinil(0.023)		
D025-30514/10/A02	IT	3	Triflumuron(0.028)	Tebuconazole(0.028)	Etofenprox(0.15)		
D025-40294/10/A01	CL	2	Acetamiprid(0.011)	Tebuconazole(0.094)			
D027-60202/10/A01	IT	5	Triflumuron(0.016)	Etofenprox(0.004)	Chlorpyrifos(0.003)	Boscalid(0.24)	Pyraclostrobin(0.059)
D027-60202/10/A02	ES	5	Tebuconazole(0.024)	Iprodione(0.24)	Chlorpyrifos(0.003)	Chlorothalonil(0.58)	Fenbuconazole(0.01)
D028-40347/10/A01	IT	5	Triflumuron(0.067)	Teflubenzuron(0.028)	Difenoconazole(0.009)	Chlorpyrifos(0.14)	Carbendazim and benomyl(0.044)
D029-70773/10/A01	IT	4	Tebuconazole(0.027)	Chlorpyrifos(0.014)	Boscalid(0.004)	Bitertanol(0.011)	
D037-70154/10/A01	ZA	3	Pyrimethanil(0.28)	Iprodione(1.1)	Fenbuconazole(0.006)		

Code	*Compound6*	*Compound7*	*Compound8*	*Compound9*	*Compound10*	*Compound11*	*Compound12*	*Compound13*
D017-60202/10/A02								
D024-40294/10/A02								
D025-30514/10/A01								
D025-30514/10/A02								
D025-40294/10/A01								
D027-60202/10/A01								
D027-60202/10/A02								
D028-40347/10/A01								
D029-70773/10/A01								
D037-70154/10/A01								

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Peaches

Code	*Country*	*No Residues*	*Compound1*	*Compound2*	*Compound3*	*Compound4*	*Compound5*
D043-40464/10/A03	ES	5	Imidacloprid(0.002)	Fludioxonil(0.072)	Cyprodinil(0.19)	Chlorpyrifos(0.006)	Chlorpyrifos-methyl(0.01)
D069-40294/10/A04	IT	3	Pyraclostrobin(0.039)	Chlorpyrifos(0.012)	Boscalid(0.14)		

Code	*Compound6*	*Compound7*	*Compound8*	*Compound9*	*Compound10*	*Compound11*	*Compound12*	*Compound13*
D043-40464/10/A03								
D069-40294/10/A04								

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Pears

Code	*Country*	*No Residues*	*Compound1*	*Compound2*	*Compound3*	*Compound4*	*Compound5*
D003-30087/10/A01	ES	8	Tebuconazole(0.041)	Lambda-Cyhalothrin(0.025)	Iprodione(0.62)	Imidacloprid(0.2)	Imazalil(0.24)
D003-30514/10/A02	BE	8	Pyridaben(0.002)	Pyraclostrobin(0.099)	Indoxacarb(0.014)	Flufenoxuron(0.008)	Fludioxonil(0.034)
D003-80738/10/A03	ZA	2	Thiacloprid(0.042)	Methoxyfenozide(0.25)			
D007-40294/10/A02	BE	7	Pyrimethanil(0.64)	Pyraclostrobin(0.058)	Methoxyfenozide(0.01)	Imazalil(0.62)	Flufenoxuron(0.053)
D007-70049/10/A01	BE	6	Fludioxonil(0.1)	Fenoxycarb(0.006)	Dodine(0.006)	Diflubenzuron(0.027)	Difenoconazole(0.016)
D013-60559/10/A06	BE	3	Difenoconazole(0.002)	Boscalid(0.004)	Flufenoxuron(0.011)		
D013-60599/10/A05	IT	2	Piperonyl Butoxide(0.076)	Chlorpyrifos(0.01)			
D037-50374/10/A02	CZ	3	Pyridaben(0.003)	Difenoconazole(0.002)	Flufenoxuron(0.014)		

Code	*Compound6*	*Compound7*	*Compound8*	*Compound9*	*Compound10*	*Compound11*	*Compound12*	*Compound13*
D003-30087/10/A01	Folpet(1.77)	Fenoxycarb(0.014)	Ethoxyquin(0.389)					
D003-30514/10/A02	Dodine(0.003)	Cyprodinil(0.035)	Boscalid(0.21)					
D003-80738/10/A03								
D007-40294/10/A02	Dodine(0.007)	Boscalid(0.104)						
D007-70049/10/A01	Cyprodinil(0.14)							
D013-60559/10/A06								
D013-60599/10/A05								
D037-50374/10/A02								

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Peas (with pods)

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5
D004-80738/10/A05	IT	2	Tebuconazole(0.23)	Azoxystrobin(0.052)			
D012-30391/10/A02	CZ	3	Fenitrothion(0.006)	Dimethomorph(0.022)	Acetamiprid(0.008)		
D036-40464/10/A01	CZ	2	Propamocarb (sum)(0.29)	Chlorothalonil(0.99)			

Code	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13
D004-80738/10/A05								
D012-30391/10/A02								
D036-40464/10/A01								

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Peppers

Code	*Country*	*No Residues*	*Compound1*	*Compound2*	*Compound3*	*Compound4*	*Compound5*
D003-30087/10/A05	TR	10	Pyriproxyfen(0.041)	Pyrimethanil(0.002)	Pyraclostrobin(0.055)	Procymidone(0.087)	Oxamyl-Oxime(0.18)
D004-30409/10/A02	MA	3	Propamocarb (sum)(0.003)	Oxamyl-Oxime(0.004)	Azoxystrobin(0.034)		
D004-30409/10/A03	TR	8	Procymidone(0.223)	Oxamyl-Oxime(0.034)	Iprodione(0.217)	Imidacloprid(0.024)	Formetanate (sum)(0.076)
D004-40464/10/A02	ES	6	Tebufenozide(0.008)	Tebuconazole(0.026)	Indoxacarb(0.012)	Flutriafol(0.098)	Fludioxonil(0.082)
D004-50970/10/A04	TR	5	Pyriproxyfen(0.022)	Procymidone(0.03)	Imidacloprid(0.014)	Formetanate (sum)(0.83)	Acetamiprid(0.15)
D005-30391/10/A05	TR	9	Propamocarb (sum)(0.019)	Procymidone(0.038)	Oxamyl-Oxime(0.064)	Imidacloprid(0.014)	Formetanate (sum)(0.27)
D006-50970/10/A01	HU	7	Pirimiphos-methyl(0.39)	Oxamyl-Oxime(0.2)	Oxamyl(0.066)	Lambda-Cyhalothrin(0.01)	Fenhexamid(0.003)
D006-60059/10/A04	GR	5	Triadimefon (sum)(0.029)	Methoxyfenozide(0.009)	Bupirimate(0.13)	Boscalid(0.22)	Pyraclostrobin(0.088)

Code	*Compound6*	*Compound7*	*Compound8*	*Compound9*	*Compound10*	*Compound11*	*Compound12*	*Compound13*
D003-30087/10/A05	Oxamyl(0.058)	Imidacloprid(0.02)	Formetanate (sum)(0.024)	Boscalid(0.18)	Acetamiprid(0.048)			
D004-30409/10/A02								
D004-30409/10/A03	Fludioxonil(0.016)	Cyprodinil(0.009)	Acetamiprid(0.06)					
D004-40464/10/A02	Cyprodinil(0.025)							
D004-50970/10/A04								
D005-30391/10/A05	Chlorpyrifos(0.003)	Boscalid(0.003)	Azoxystrobin(0.005)	Acetamiprid(0.01)				
D006-50970/10/A01	Cypermethrin (sum)(0.086)	Azoxystrobin(0.01)						
D006-60059/10/A04								

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Peppers

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5
D009-30409/10/A05	GR	3	Metalaxyl (sum)(0.004)	Boscalid(0.005)	Triadimefon (sum)(0.018)		
D010-50562/10/A03	MA	3	Trifloxystrobin(0.043)	Propamocarb (sum)(0.004)	Carbendazim and benomyl(0.021)		
D011-50970/10/A04	ES	3	Triadimefon (sum)(0.029)	Propamocarb (sum)(0.007)	Myclobutanil(0.028)		
D012-70049/10/A01	GR	4	Tebufenozide(0.14)	Pyraclostrobin(0.039)	Boscalid(0.081)	Azoxystrobin(0.012)	
D012-80738/10/A04	HU	6	Indoxacarb(0.021)	Fluazifop-P-butyl (sum)(0.026)	Fluazifop(0.022)	Azoxystrobin(0.011)	Bifenthrin(0.008)
D015-60202/10/A04	ES	2	Myclobutanil(0.061)	Kresoxim-methyl(0.005)			
D018-80738/10/A03	NL	3	Pirimicarb (sum)(0.003)	Imidacloprid(0.018)	Indoxacarb(0.037)		
D019-70580/10/A01	ES	3	Teflubenzuron(0.003)	Indoxacarb(0.01)	Imidacloprid(0.009)		
D020-30409/10/A06	CZ	3	Propamocarb (sum)(0.02)	Dimethoate (sum)(0.003)	Chlorpyrifos(0.052)		

Code	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13
D009-30409/10/A05								
D010-50562/10/A03								
D011-50970/10/A04								
D012-70049/10/A01								
D012-80738/10/A04	Myclobutanil(0.012)							
D015-60202/10/A04								
D018-80738/10/A03								
D019-70580/10/A01								
D020-30409/10/A06								

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Peppers

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5
D020-40157/10/A02	ES	2	Triadimefon (sum)(0.263)	Flutriafol(0.07)			
D022-50374/10/A02	TR	9	Triadimefon (sum)(0.023)	Pyriproxyfen(0.004)	Kresoxim-methyl(0.003)	Imidacloprid(0.058)	Formetanate (sum)(0.26)
D022-70511/10/A01	NL	2	Propamocarb (sum)(0.008)	Methoxyfenozide(0.029)			
D027-80846/10/A03	AT	2	Propamocarb (sum)(0.005)	Fenhexamid(0.027)			

Code	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13
D020-40157/10/A02								
D022-50374/10/A02	Boscalid(0.002)	Acetamiprid(0.038)	Clofentezine(0.021)	Procymidone(0.01)				
D022-70511/10/A01								
D027-80846/10/A03								

Product=Pineapples

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6
D013-60559/10/A03	CI	3	Triadimefon (sum)(0.14)	Prochloraz (sum)(0.006)	Chlorpyrifos(0.011)			
D017-80738/10/A02	CR	2	Triadimefon (sum)(0.58)	Diazinon(0.021)				

Code	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13
D013-60559/10/A03							
D017-80738/10/A02							

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Plums

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6	Compound7
D010-60599/10/A01	IT	2	Teflubenzuron(0.013)	Etofenprox(0.025)					

Code	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13
D010-60599/10/A01						

Product=Pomegranate

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6
D060-40464/10/A02	IL	4	Lambda-Cyhalothrin(0.058)	Indoxacarb(0.009)	Fludioxonil(0.028)	Bifenthrin(0.017)		

Code	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13
D060-40464/10/A02							

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Potatoes

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5
D002-60202/10/A01	CZ	2	Propamocarb (sum)(0.003)	DDT (sum)(0.002)			
D002-80038/10/A01	FR	2	Propamocarb (sum)(0.002)	Chlorpropham (sum)(2.162)			
D004-80038/10/A01	DE	2	Tolclofos-methyl(0.008)	Propamocarb (sum)(0.004)			
D005-80038/10/A01	CZ	2	Thiabendazole(0.11)	Imazalil(0.17)			
D007-30087/10/A06	EG	3	Propamocarb (sum)(0.017)	Pencycuron(0.029)	Formetanate (sum)(0.004)		
D013-70154/10/A01	CZ	3	Propamocarb (sum)(0.004)	Metalaxyl (sum)(0.007)	DDT (sum)(0.013)		
D015-70062/10/A01	CZ	2	Propamocarb (sum)(0.004)	Imidacloprid(0.022)			
D015-70062/10/A02	CZ	2	Propamocarb (sum)(0.012)	Pencycuron(0.01)			
D016-30391/10/A01	AT	2	Thiabendazole(0.013)	Imazalil(0.003)			
D017-80738/10/A01	CZ	3	Metalaxyl (sum)(0.003)	Imidacloprid(0.004)	Propamocarb (sum)(0.015)		
D020-30409/10/A01	CZ	2	Propamocarb (sum)(0.007)	Chlorpyrifos(0.018)			

Code	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13
D002-60202/10/A01								
D002-80038/10/A01								
D004-80038/10/A01								
D005-80038/10/A01								
D007-30087/10/A06								
D013-70154/10/A01								
D015-70062/10/A01								
D015-70062/10/A02								
D016-30391/10/A01								
D017-80738/10/A01								
D020-30409/10/A01								

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Potatoes

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5
D020-40157/10/A06	NL	2	Chlorpropham (sum)(14.4)	Propamocarb (sum)(0.009)			
D052-40464/10/A04	CZ	2	Propamocarb (sum)(0.014)	Chlorpyrifos(0.003)			

Code	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13
D020-40157/10/A06								
D052-40464/10/A04								

Product=Pumpkin seeds

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6
D025-40959/10/A02	XX	2	Trifluralin(0.009)	Endosulfan (sum)(0.021)				

Code	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13
D025-40959/10/A02							

Product=Radishes

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6
D005-60059/10/A04	DE	2	Boscalid(0.024)	Azoxystrobin(0.016)				
D007-60599/10/A06	CZ	2	Metalaxyl (sum)(0.019)	Dimethoate (sum)(0.012)				
D015-70511/10/A03	DE	3	Metalaxyl (sum)(0.009)	Dimethomorph(0.017)	DDT (sum)(0.002)			
D079-40294/10/A01	DE	2	Boscalid(0.017)	Azoxystrobin(0.01)				

Code	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13
D005-60059/10/A04							
D007-60599/10/A06							
D015-70511/10/A03							
D079-40294/10/A01							

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Rice

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5
D023-30810/10/A03	IT	4	Thiabendazole(0.011)	Pirimiphos-methyl(0.012)	Piperonyl Butoxide(0.78)	Chlorpyrifos(0.004)	

Code	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13
D023-30810/10/A03								

Product=Rye

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6
D024-80022/10/A02	CZ	2	Pirimiphos-methyl(0.025)	Epoxiconazole(0.008)				
D032-80022/10/A04	CZ	2	Pirimiphos-methyl(0.014)	Chlorpyrifos-methyl(0.071)				

Code	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13
D024-80022/10/A02							
D032-80022/10/A04							

Product=Soya bean

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5
D009-60899/10/A02	CA	3	Tebuconazole(0.01)	Fluazifop-P-butyl (sum)(0.093)	Fluazifop(0.079)		
D021-80022/10/A03	CA	3	Tebuconazole(0.015)	Fluazifop-P-butyl (sum)(0.064)	Fluazifop(0.055)		

Code	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13
D009-60899/10/A02								
D021-80022/10/A03								

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Spices

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6	Compound7
D024-70571/10/A01	EG	2	Tetradifon(0.025)	Chlorpyrifos(0.15)					

Code	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13
D024-70571/10/A01						

Product=Spinach

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6
D004-80738/10/A07	DE	2	Pirimicarb (sum)(0.054)	Dimethomorph(0.012)				
D015-30087/10/A04	NL	3	Piperonyl Butoxide(0.023)	Metalaxyl (sum)(0.003)	Imazalil(0.003)			
D018-70511/10/A01	IT	3	Thiametoxam (sum)(0.011)	Imidacloprid(0.007)	Clothianidin(0.013)			
D023-30087/10/A06	DE	2	Pirimicarb (sum)(0.018)	Dimethomorph(0.007)				
D038-40347/10/A02	DE	2	Imazalil(0.002)	Dimethoate (sum)(0.01)				
D045-70049/10/A01	ES	2	Lambda-Cyhalothrin(0.15)	Imidacloprid(0.012)				
D091-40294/10/A01	DE	2	Lambda-Cyhalothrin(0.029)	Dimethomorph(0.035)				

Code	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13
D004-80738/10/A07							
D015-30087/10/A04							
D018-70511/10/A01							
D023-30087/10/A06							
D038-40347/10/A02							
D045-70049/10/A01							
D091-40294/10/A01							

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Strawberries

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5
D005-50562/10/A02	ES	5	Penconazole(0.022)	Hexythiazox(0.22)	Fludioxonil(0.39)	Cyprodinil(0.43)	Bromide ion(9)
D005-60059/10/A01	CZ	5	Fludioxonil(0.024)	Fluazifop-P-butyl (sum)(0.011)	Fluazifop(0.009)	Cyprodinil(0.021)	Azoxystrobin(0.025)
D008-50252/10/A01	EG	4	Fludioxonil(0.02)	Fenhexamid(0.2)	Cyprodinil(0.005)	Chlorpyrifos(0.004)	
D014-30409/10/A01	CZ	3	Pyrimethanil(0.13)	Pyridaben(0.006)	Fenhexamid(0.064)		
D014-80846/10/A03	GR	3	Myclobutanil(0.19)	Lufenuron(0.003)	Fludioxonil(0.025)		
D016-70239/10/A02	DE	6	Penconazole(0.004)	Lambda-Cyhalothrin(0.017)	Fludioxonil(0.005)	Fenhexamid(0.96)	Cyprodinil(0.008)
D021-30391/10/A01	BE	7	Trifloxystrobin(0.17)	Thiacloprid(0.038)	Quinoxyfen(0.032)	Penconazole(0.006)	Kresoxim-methyl(0.049)
D023-30087/10/A01	BE	13	Trifloxystrobin(0.16)	Thiacloprid(0.033)	Spinosad (sum)(0.019)	Quinoxyfen(0.011)	Pyraclostrobin(0.068)
D023-40294/10/A01	ES	6	Triadimefon (sum)(0.078)	Fenhexamid(0.033)	Cyprodinil(0.006)	Bromide ion(7)	Boscalid(0.23)
D024-40294/10/A01	MA	3	Boscalid(0.019)	Bifenthrin(0.014)	Fenhexamid(0.025)		

Code	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13
D005-50562/10/A02								
D005-60059/10/A01								
D008-50252/10/A01								
D014-30409/10/A01								
D014-80846/10/A03								
D016-70239/10/A02	Azoxystrobin(0.31)							
D021-30391/10/A01	Fenhexamid(1.7)	Boscalid(0.002)						
D023-30087/10/A01	Penconazole(0.017)	Myclobutanil(0.13)	Fludioxonil(0.11)	Fenhexamid(0.049)	Dimethomorph(0.006)	Cyprodinil(0.088)	Boscalid(0.29)	Mepanipyrim (sum)(0.56)
D023-40294/10/A01	Fludioxonil(0.012)							
D024-40294/10/A01								

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Strawberries

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5
D025-50252/10/A01	RS	3	Pyrimethanil(0.004)	Procymidone(0.009)	Boscalid(0.007)		
D028-70511/10/A02	NL	6	Pyraclostrobin(0.082)	Fludioxonil(0.22)	Fenhexamid(0.025)	Cyprodinil(0.44)	Boscalid(0.39)

Code	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13
D025-50252/10/A01								
D028-70511/10/A02	Penconazole(0.019)							

Product=Swine Meat

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5	Compound6	Compound7
100908100000S21005	CZ	2	Hexachlorobenzene(0.002)	DDT (sum)(0.005)					
100914080000S11034	CZ	2	Hexachlorobenzene(0.001)	DDT (sum)(0.639)					
100915072300S81046	CZ	2	Hexachlorobenzene(0.003)	DDT (sum)(0.012)					
100930080500S71028	CZ	2	Hexachlorobenzene(0.008)	DDT (sum)(0.002)					
101004093000S41037	CZ	2	Hexachlorobenzene(0.005)	DDT (sum)(0.015)					
101004103500S32066	CZ	2	Hexachlorobenzene(0.001)	DDT (sum)(0.001)					

Code	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13
100908100000S21005						
100914080000S11034						
100915072300S81046						
100930080500S71028						
101004093000S41037						
101004103500S32066						

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Table grapes

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4
D003-30391/10/A07	ZA	3	Quinoxyfen(0.006)	Cyprodinil(0.007)	Bromopropylate(0.017)	
D003-80295/10/A03	ZA	3	Quinoxyfen(0.007)	Penconazole(0.007)	Chlorpyrifos(0.002)	
D004-60599/10/A02	ZA	3	Iprodione(0.128)	Fenhexamid(0.19)	Boscalid(0.047)	
D008-70580/10/A01	ES	7	Triadimefon (sum)(0.042)	Spinosad (sum)(0.028)	Myclobutanil(0.022)	Metalaxyl (sum)(0.32)
D011-50562/10/A01	AR	3	Pyrimethanil(0.29)	Fludioxonil(0.11)	Cyprodinil(0.23)	
D013-60559/10/A07	IT	12	Thiametoxam (sum)(0.011)	Tebufenpyrad(0.076)	Quinoxyfen(0.006)	Pyrimethanil(0.2)
D013-60599/10/A02	IT	5	Trifloxystrobin(1)	Metalaxyl (sum)(0.056)	Fenhexamid(5.3)	Dimethomorph(0.043)

Code	Compound5	Compound6	Compound7	Compound8	Compound9	Compound10
D003-30391/10/A07						
D003-80295/10/A03						
D004-60599/10/A02						
D008-70580/10/A01	Iprodione(0.138)	Dimethomorph(0.023)	Azoxystrobin(0.092)			
D011-50562/10/A01						
D013-60559/10/A07	Penconazole(0.004)	Myclobutanil(0.14)	Hexythiazox(0.051)	Fenhexamid(1.2)	Dimethomorph(0.12)	Cyprodinil(0.008)
D013-60599/10/A02	Spiroxamine(0.047)					

Code	Compound11	Compound12	Compound13
D003-30391/10/A07			
D003-80295/10/A03			
D004-60599/10/A02			
D008-70580/10/A01			
D011-50562/10/A01			
D013-60559/10/A07	Clothianidin(0.003)	Chlorpyrifos-methyl(0.023)	
D013-60599/10/A02			

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Table grapes

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4
D018-30087/10/A08	GR	5	Trifloxystrobin(0.004)	Tebuconazole(0.008)	Methoxyfenozide(0.008)	Iprovalicarb(0.035)
D019-40464/10/A03	ZA	2	Boscalid(0.04)	Pyrimethanil(0.022)		
D024-50252/10/A01	IT	5	Spinosad (sum)(0.011)	Penconazole(0.012)	Myclobutanil(0.054)	Fenhexamid(1.3)
D039-40157/10/A03	IN	7	Thiophanate-methyl(0.037)	Tebuconazole(0.015)	Spinosad (sum)(0.064)	Chlorpyrifos(0.052)

Code	Compound5	Compound6	Compound7	Compound8	Compound9	Compound10
D018-30087/10/A08	Spiroxamine(0.095)					
D019-40464/10/A03						
D024-50252/10/A01	Chlorpyrifos-methyl(0.004)					
D039-40157/10/A03	Azoxystrobin(0.13)	Flusilazole(0.024)	Triadimefon (sum)(0.015)			

Code	Compound11	Compound12	Compound13
D018-30087/10/A08			
D019-40464/10/A03			
D024-50252/10/A01			
D039-40157/10/A03			

Product=Tea

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4	Compound5
D015-30391/10/A01	DE	3	Ethion(0.005)	Bromopropylate(0.003)	2,4-D (sum)(0.055)		
D031-70454/10/A02	CN	6	Lambda-Cyhalothrin(0.022)	Imidacloprid(0.016)	Dicofol (sum)(0.66)	Cypermethrin (sum)(0.093)	Bifenthrin(0.026)

Code	Compound6	Compound7	Compound8	Compound9	Compound10	Compound11	Compound12	Compound13
D015-30391/10/A01								
D031-70454/10/A02	Acetamiprid(0.003)							

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Tomatoes

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4
D001-60599/10/A04	ES	4	Mepanipyrim (sum)(0.051)	Fenpyroximate(0.005)	Diethofencarb(0.011)	Cyprodinil(0.021)
D001-80038/10/A03	ES	7	Triadimefon (sum)(0.07)	Pyrimethanil(0.016)	Metalaxyl (sum)(0.057)	Fenamiphos (sum)(0.029)
D002-50970/10/A02	ES	9	Pyrimethanil(0.24)	Propamocarb (sum)(0.49)	Metalaxyl (sum)(0.013)	Fludioxonil(0.22)
D002-60599/10/A05	ES	5	Pyrimethanil(0.07)	Fludioxonil(0.059)	Dithiocarbamates(0.03)	Dimethomorph(0.027)
D003-30391/10/A05	ES	3	Mepanipyrim (sum)(0.006)	Fludioxonil(0.023)	Cyprodinil(0.075)	
D003-60559/10/A03	MA	11	Pyrimethanil(0.023)	Propamocarb (sum)(0.004)	Fludioxonil(0.029)	Dithiocarbamates(0.04)
D003-80295/10/A02	TR	8	Triadimefon (sum)(0.012)	Pyrimethanil(0.086)	Oxamyl-Oxime(0.005)	Fludioxonil(0.032)

Code	Compound5	Compound6	Compound7	Compound8	Compound9
D001-60599/10/A04					
D001-80038/10/A03	Dithiocarbamates(0.18)	Difenoconazole(0.11)	Diethofencarb(0.031)		
D002-50970/10/A02	Dithiocarbamates(0.13)	Dimethomorph(0.052)	Cyprodinil(0.32)	Chlorothalonil(0.73)	Azoxystrobin(0.006)
D002-60599/10/A05	Cyprodinil(0.35)				
D003-30391/10/A05					
D003-60559/10/A03	Dimethomorph(0.026)	Cyromazine(0.015)	Cyprodinil(0.15)	Clofentezine(0.03)	Carbendazim and benomyl(0.033)
D003-80295/10/A02	Cyprodinil(0.019)	Clothianidin(0.003)	Chlorothalonil(0.827)	Boscalid(0.01)	

Code	Compound10	Compound11	Compound12	Compound13
D001-60599/10/A04				
D001-80038/10/A03				
D002-50970/10/A02				
D002-60599/10/A05				
D003-30391/10/A05				
D003-60559/10/A03	Buprofezin(0.009)	Boscalid(0.004)		
D003-80295/10/A02				

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Tomatoes

Code	*Country*	*No Residues*	*Compound1*	*Compound2*	*Compound3*	*Compound4*
D003-80766/10/A04	ES	6	Pyriproxyfen(0.014)	Metalaxyl (sum)(0.01)	Fludioxonil(0.27)	Dithiocarbamates(0.15)
D004-80738/10/A01	ES	11	Thiacloprid(0.05)	Tetraconazole(0.004)	Teflubenzuron(0.14)	Tebuconazole(0.018)
D005-30391/10/A06	ES	7	Propamocarb (sum)(0.09)	Imidacloprid(0.002)	Dithiocarbamates(0.05)	Dimethomorph(0.026)
D006-60559/10/A05	FR	12	Thiophanate-methyl(0.097)	Tebuconazole(0.024)	Pyriproxyfen(0.024)	Propamocarb (sum)(0.038)
D008-50374/10/A01	ES	9	Thiacloprid(0.026)	Tebuconazole(0.008)	Pyriproxyfen(0.01)	Metalaxyl (sum)(0.007)
D008-60559/10/A10	NL	3	Pyrimethanil(0.006)	Pyraclostrobin(0.36)	Boscalid(0.8)	
D009-70580/10/A01	ES	12	Propamocarb (sum)(0.002)	Iprodione(0.077)	Indoxacarb(0.098)	Endosulfan (sum)(0.007)

Code	*Compound5*	*Compound6*	*Compound7*	*Compound8*	*Compound9*
D003-80766/10/A04	Cyprodinil(0.3)	Chlorothalonil(0.809)			
D004-80738/10/A01	Pyriproxyfen(0.15)	Lambda-Cyhalothrin(0.038)	Cyprodinil(0.007)	Chlorpyrifos(0.002)	Buprofezin(0.004)
D005-30391/10/A06	Chlorpyrifos-methyl(0.003)	Chlorothalonil(0.171)	Azoxystrobin(0.02)		
D006-60559/10/A05	Indoxacarb(0.056)	Etofenprox(0.018)	Dithiocarbamates(0.06)	Deltamethrin(0.085)	Cyprodinil(0.003)
D008-50374/10/A01	Indoxacarb(0.022)	Fludioxonil(0.052)	Dithiocarbamates(0.04)	Cyprodinil(0.063)	Bifenthrin(0.043)
D008-60559/10/A10					
D009-70580/10/A01	Difenoconazole(0.004)	Cyprodinil(0.003)	Clofentezine(0.006)	Chlorpyrifos-methyl(0.34)	Boscalid(0.012)

Code	*Compound10*	*Compound11*	*Compound12*	*Compound13*
D003-80766/10/A04				
D004-80738/10/A01	Bupirimate(0.002)	Bifenthrin(0.3)		
D005-30391/10/A06				
D006-60559/10/A05	Cypermethrin (sum)(0.24)	Chlorothalonil(1.09)	Bifenthrin(0.07)	
D008-50374/10/A01				
D008-60559/10/A10				
D009-70580/10/A01	Clothianidin(0.004)	Imidacloprid(0.006)	Thiacloprid(0.007)	

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Tomatoes

Code	*Country*	*No Residues*	*Compound1*	*Compound2*	*Compound3*	*Compound4*
D010-30514/10/A01	MA	3	Propamocarb (sum)(0.003)	Indoxacarb(0.013)	Buprofezin(0.011)	
D016-50562/10/A02	TR	4	Pyrimethanil(0.002)	Fludioxonil(0.034)	Cyprodinil(0.008)	Chlorothalonil(0.77)
D017-70511/10/A01	MA	3	Endosulfan (sum)(0.128)	Clofentezine(0.01)	Buprofezin(0.012)	
D018-30087/10/A06	ES	4	Thiacloprid(0.011)	Dimethomorph(0.014)	Bupirimate(0.016)	Chlorpyrifos(0.2)
D018-40347/10/A04	TR	7	Procymidone(0.02)	Fenhexamid(0.051)	Dithiocarbamates(0.15)	Clothianidin(0.003)
D018-50562/10/A03	ES	5	Thiophanate-methyl(0.024)	Tebuconazole(0.06)	Fludioxonil(0.003)	Cyprodinil(0.003)
D018-70049/10/A01	CZ	2	Bifenthrin(0.042)	Dimethomorph(0.015)		

Code	*Compound5*	*Compound6*	*Compound7*	*Compound8*	*Compound9*
D010-30514/10/A01					
D016-50562/10/A02					
D017-70511/10/A01					
D018-30087/10/A06					
D018-40347/10/A04	Chlorothalonil(0.223)	Acetamiprid(0.13)	Bromide ion(6)		
D018-50562/10/A03	Indoxacarb(0.025)				
D018-70049/10/A01					

Code	*Compound10*	*Compound11*	*Compound12*	*Compound13*
D010-30514/10/A01				
D016-50562/10/A02				
D017-70511/10/A01				
D018-30087/10/A06				
D018-40347/10/A04				
D018-50562/10/A03				
D018-70049/10/A01				

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Tomatoes

Code	*Country*	*No Residues*	*Compound1*	*Compound2*	*Compound3*	*Compound4*
D018-70239/10/A01	ES	2	Triadimefon (sum)(0.041)	Acetamiprid(0.031)		
D018-70239/10/A02	BE	5	Spinosad (sum)(0.014)	Methoxyfenozide(0.012)	Indoxacarb(0.021)	Bupirimate(0.034)
D018-80846/10/A04	ES	3	Procymidone(0.002)	Cypermethrin (sum)(0.121)	Chlorpyrifos-methyl(0.064)	
D020-40157/10/A01	TR	6	Dithiocarbamates(0.14)	Cyprodinil(0.014)	Chlorothalonil(0.42)	Acetamiprid(0.006)
D020-70511/10/A01	CZ	4	Myclobutanil(0.009)	Fenhexamid(0.26)	Azoxystrobin(0.034)	Propamocarb (sum)(0.007)
D021-41014/10/A01	DE	2	Triadimefon (sum)(0.012)	Chlorpyrifos(0.007)		
D023-30087/10/A05	PL	3	Iprodione(0.23)	Cyprodinil(0.003)	Chlorothalonil(0.14)	

Code	*Compound5*	*Compound6*	*Compound7*	*Compound8*	*Compound9*
D018-70239/10/A01					
D018-70239/10/A02	Cyprodinil(0.018)				
D018-80846/10/A04					
D020-40157/10/A01	Azoxystrobin(0.054)	Fludioxonil(0.028)			
D020-70511/10/A01					
D021-41014/10/A01					
D023-30087/10/A05					

Code	*Compound10*	*Compound11*	*Compound12*	*Compound13*
D018-70239/10/A01				
D018-70239/10/A02				
D018-80846/10/A04				
D020-40157/10/A01				
D020-70511/10/A01				
D021-41014/10/A01				
D023-30087/10/A05				

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Tomatoes

Code	Country	No Residues	Compound1	Compound2	Compound3	Compound4
D025-30409/10/A02	NL	4	Pyriproxyfen(0.003)	Fludioxonil(0.018)	Cyprodinil(0.025)	Pyrimethanil(0.006)
D027-60202/10/A03	PL	5	Thiophanate-methyl(0.47)	Pyraclostrobin(0.011)	Carbendazim and benomyl(0.009)	Boscalid(0.034)
D027-80846/10/A09	CZ	4	Triadimefon (sum)(0.026)	Tebuconazole(0.087)	Fenhexamid(0.72)	Spiroxamine(0.054)
D029-40464/10/A02	ES	8	Thiacloprid(0.008)	Teflubenzuron(0.011)	Indoxacarb(0.009)	Imidacloprid(0.042)
D030-50856/10/A02	ES	3	Metalaxyl (sum)(0.005)	Chlorothalonil(0.087)	Dimethomorph(0.007)	
D060-40464/10/A08	BE	4	Pyridaben(0.041)	Indoxacarb(0.011)	Cyprodinil(0.025)	Propamocarb (sum)(0.033)
D091-40294/10/A02	MA	3	Procymidone(0.008)	Chlorothalonil(0.052)	Azoxystrobin(0.019)	

Code	Compound5	Compound6	Compound7	Compound8	Compound9
D025-30409/10/A02					
D027-60202/10/A03	Hexythiazox(0.012)				
D027-80846/10/A09					
D029-40464/10/A02	Cyprodinil(0.004)	Clofentezine(0.008)	Bifenthrin(0.032)	Tebufenpyrad(0.019)	
D030-50856/10/A02					
D060-40464/10/A08					
D091-40294/10/A02					

Code	Compound10	Compound11	Compound12	Compound13
D025-30409/10/A02				
D027-60202/10/A03				
D027-80846/10/A09				
D029-40464/10/A02				
D030-50856/10/A02				
D060-40464/10/A08				
D091-40294/10/A02				

To avoid duplicates residues marked as part of sum are excluded

Table E2: Full listing of samples containing more than one residue by product
All samples from National and EU programmes, surveillance and enforcement

Product=Wheat

Code	*Country*	*No Residues*	*Compound1*	*Compound2*	*Compound3*	*Compound4*	*Compound5*	*Compound6*
D001-80022/10/A02	CZ	2	Pirimiphos-methyl(0.219)	Chlorpyrifos(0.002)				
D001-80022/10/A03	CZ	2	Pirimiphos-methyl(1.342)	Chlorpyrifos(0.003)				
D001-80022/10/A04	CZ	2	Pirimiphos-methyl(2.067)	Chlorpyrifos(0.018)				
D010-70418/10/A01	CZ	2	Pirimiphos-methyl(0.01)	Fenhexamid(0.022)				
D027-60155/10/A02	CZ	2	Chlorpyrifos-methyl(0.02)	Chlorpyrifos(0.01)				

Code	*Compound7*	*Compound8*	*Compound9*	*Compound10*	*Compound11*	*Compound12*	*Compound13*
D001-80022/10/A02							
D001-80022/10/A03							
D001-80022/10/A04							
D010-70418/10/A01							
D027-60155/10/A02							